

**DECENNIAL INDEX\***  
**RUBBER CHEMISTRY AND TECHNOLOGY**  
**1968-1977**

\* Computer collated and photocomposed by CIMI, Inc., Cherry Hill, New Jersey.

## AUTHOR INDEX

- ABBAS, K. B., AND R. S. PORTER, SHEAR DEGRADATION OF POLYISOBUTENE, 50 723
- ABBOTT, T. P., C. JAMES, W. M. DOANE, AND C. R. RUSSELL, INJECTION MOLDING OF CONVENTIONAL FORMULATIONS BASED ON STARCH-ENCASED POWDERED RUBBER (ABSTRACT), 47 1311
- , W. M. DOANE, AND C. R. RUSSELL, STARCH XANTHIDE-ENCASED POWDERED RUBBER-INJECTION MOLDING AND EXTRUSION (ABSTRACT), 46 590
- ABE, M., *see* KURATA, M., 49 1276, 1290
- ABE, Y., *see* SHIMANOUCI, J., 42 1383
- , AND P. J. FLORY, CONFIGURATIONAL STATISTICS OF 1,4-POLYBUTADIENE CHAINS, 45 959
- , AND P. J. FLORY, CONFIGURATIONAL STATISTICS OF 1,4-POLYISOPRENE CHAINS, 45 982
- ABOYTES, P., *see* PRICE, C. R., 42 598
- , *see* VOET, A., 43 1359, 1529
- , AND A. VOET, ACCESSIBILITY OF THE CARBON BLACK PARTICLES SURFACE TO ELASTOMERS, 43 464
- ABRAHAM, P. D., P. R. WYCHERLEY, AND S. W. PAKIANATHAN, STIMULATION OF LATEX FLOW IN HEVEA BRASILIENSIS BY 4-AMINO-3, 5, 6-TRICHLOROPICOLINIC ACID AND 2-CHLOROETHANEPHOSPHONIC ACID, 45 883
- ADAMS, H. E., *see* ANDERSON, J. N., 45 1270
- , *see* ANDERSON, J. N., 49 1238
- , *see* BACZEK, S. K., 49 1250
- , R. L. BEBB, L. E. FORMAN, AND L. B. WAKEFIELD, THE IMPACT OF LITHIUM INITIATORS ON THE PREPARATION OF SYNTHETIC RUBBERS, 45 1252
- ADAMS, P. G., AND A. T. SCHOOLEY, ADAPTIVE-PREDICTIVE CONTROL OF A BATCH REACTION (ABSTRACT), 43 1523
- AGEE, R. D., J. L. BROWNLEE, E. SCHARY, AND T. L. TOLBERT, REINFORCEMENT OF RADIAL TIRE CASING WITH NYLON 66 (ABSTRACT), 48 1094
- , J. L. BROWNLEE, E. SCHARY, AND T. L. TOLBERT, RESPONSE OF RADIAL PASSENGER TIRE TREADWEAR TO REINFORCING CORD MODULUS (ABSTRACT), 49 400
- AHAGON, A., A. N. GENT, H. J. KIM, AND Y. KUMAGAI, FRACTURE ENERGY OF ELASTOMERS IN MODE I (CLEAVAGE) AND MODE II (LATERAL SHEAR), 48 896
- AHARONI, S. M., GLASS TRANSITIONS IN POLYMERS: FREE VOLUME CORRELATIONS (ABSTRACT), 45 1685
- , SIMILARITIES BETWEEN THE GLASS TRANSITION OF POLYMERS AND THE CRITICAL POINT OF MONOMERIC FLUIDS (ABSTRACT), 45 1685
- AHNE, H., R. WIEDENMANN, AND W. KLEEBERG, CROSSLINKING OF POLYOLEFINS IN THE PRESENCE OF NEW S-TRIAZINES, 48 878
- AKAISHI, F., *see* NAKAMURA, Y., 50 660
- AKAI, Y., T. YOSHIMOTO, M. IMANARI, AND M. TAKEUCHI, STUDY OF CONFIGURATIONAL SEQUENCE STRUCTURES OF POLYBUTADIENES BY CARBON-13 PROTON DECOUPLED FOURIER TRANSFORM NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY, 46 350
- ALARI, G., AND M. BRUZZONE, EUROPRENE (IP) 80 IN TREAD COMPOUNDS—COMPARISON WITH NATURAL AND OTHER POLYISOPRENES (ABSTRACT), 46 579
- ALARIE, Y., E. WILSON, T. CIVIC, J. MAGILL, J. FUNT, C. BARROW, AND J. FROHLIGER, SENSORY IRRITATION EVOKED BY POLYURETHANE DECOMPOSITION PRODUCTS (ABSTRACT), 48 343
- ALBRECHT, K. -D., INFLUENCE OF CURING AGENTS ON RUBBER-TO-TEXTILE AND RUBBER-TO-STEEL CORD ADHESION, 46 981
- ALEXANDER, J. E., AND H. OMURA, PROCESSING PEROXIDE-CURABLE FLUOROELASTOMERS (ABSTRACT), 50 417
- ALEXEEVA, I. K., *see* BUIKO, G. N., 46 573
- ALLARA, D. L., AND D. EDELSON, THE APPLICATION OF MODEL REACTIONS TO THE OXIDATION OF POLYOLEFINS, 45 437



- ALLBERT, B. J., *see* HORNE, W. B., 41 807  
 —, AND J. C. WALKER, TIRE TO WET ROAD FRICTION AT HIGH SPEEDS, 41 753  
 ALLEN, G., *see* PRICE, C., 44 744  
 —, *see* WOLF, F. P., 48 1018  
 —, J. S. HIGGINS, AND C. J. WRIGHT, SEGMENTAL DIFFUSION IN RUBBERS STUDIED BY NEUTRON QUASIELASTIC INCOHERENT SCATTERING, 47 1127  
 —, P. A. HOLMES, AND D. J. WALSH, MODEL POLYSTYRENE NETWORKS, 48 194  
 —, P. L. EGERTON, AND D. J. WALSH, MODEL POLYURETHANE NETWORKS, 49 1206  
 ALLIGER, G., PROJECTED CHEMICAL AGENT AND TECHNOLOGICAL NEED FOR FORMULATING ELASTOMERS (ABSTRACT), 45 1162  
 —, REVIEW OF THE OVERALL PROGRESS IN THE FIELD OF POWDER AND LIQUID ELASTOMERS—THEIR POTENTIAL AND FUTURE (ABSTRACT), 46 589  
 ALSYS, C. M., INJECTION MOLDING OF TP ELASTOMERS AT FISHER BODY SYRACUSE (ABSTRACT), 49 1355  
 ALTENAU, A. G., *see* CARLSON, D. W., 44 1278  
 —, *see* CARLSON, D. W., 45 1147, 1168  
 —, *see* HILTON, A. S., 46 1035  
 —, *see* TURNER, R. R., 42 1054  
 AMBELANG, J. C., COMPOSITIONAL VARIABLES AFFECTING DYNAMIC PROPERTIES OF TIRE COMPOUNDS (ABSTRACT), 50 439  
 —, AND G. A. PRENTICE, DIGITAL METHOD OF CALCULATING HEAT FLOW THROUGH A TIRE DURING VULCANIZATION, 45 1195  
 —, F. H. WILSON, JR., L. E. PORTER, AND D. L. TURK, OZONE CRACK INITIATION: STATISTICAL AND DETERMINISTIC INTERPRETATIONS OF THE ACTION OF P-PHENYLENEDIAMINES AND EPDM AS ANTIOZONANTS, 42 1186  
 AMBLER, M. R., AND R. D. MATE, COMPARISON OF NUMBER-AVERAGE MOLECULAR WEIGHTS CALCULATED BY GPC AND MEMBRANE OSMOMETRY, 46 115  
 ANACHKOV, P., *see* RAKOWSKY, K., 46 570  
 ANDERSON, J. N., *see* BACZEK, S. K., 49 1250  
 —, *see* WEISSERT, F. C., 41 1390  
 —, THE DISTRIBUTION OF OLEFINIC LINKAGES IN ELASTOMERS, 49 992  
 —, F. C. WEISSERT, AND C. J. HUNTER, THERMAL ANALYSIS OF BUTADIENE-STYRENE BLOCK COPOLYMERS, 42 918  
 —, M. L. BARZAN, AND H. E. ADAMS, CHARACTERIZATION OF HIGH-VINYL POLYBUTADIENE, 45 1270  
 —, S. K. BACZEK, H. E. ADAMS, AND L. E. VESCELIUS, FUNCTIONALITY DISTRIBUTION OF HYDROXYL-TERMINATED POLYBUTADIENES BY GEL PERMEATION CHROMATOGRAPHY. I. METHOD AND CALIBRATION PROCEDURE, 49 1238  
 ANDREWS, E. H., AND P. E. REED, HYDROGEN EVOLUTION FROM NATURAL RUBBER DURING TENSILE TESTS, 42 505  
 —, P. J. OWEN, AND A. SINGH, MICROKINETICS OF LAMELLAR CRYSTALLIZATION IN A LONG-CHAIN POLYMER, 45 1315  
 ANDREWS, K. E., *see* SON, P. N., 45 1513  
 ANDREWS, R. D., *see* HAMMACK, T. J., 42 509  
 ANDRIES, J. C., *see* SMITH, R. W., 47 64  
 —, D. B. ROSS, AND H. E. DIEM, OZONE ATTACK AND ANTIOZONANT PROTECTION OF VULCANIZED NATURAL RUBBER. A SURFACE STUDY BY ATTENUATED TOTAL REFLECTANCE SPECTROSCOPY, 48 41  
 ANFIMOV, B. N., *see* DONTSOV, A. A., 46 1285  
 —, *see* SHERSHNOV, V. A., 50 447  
 ANGERT, L. G., *see* ZOLOTAREVSKAYA, L. K., 46 517  
 ANSPACH, W. F., HYDROFLUOROCARBON FUEL TANK SEALANTS (ABSTRACT), 43 939  
 ANTHONY, J. G., *see* POLAND, D. L., 44 838  
 —, COMPARATIVE ASPECTS OF CONTINUOUS VULCANIZATION SYSTEMS (ABSTRACT), 50 1003  
 ANTOKWIAK, T. A., *see* KYKER, G. S., 47 32  
 ARCONTI, R. J., *see* PIERSON, R. M., 49 1363  
 ARENSON, N. M., *see* BUIKO, G. N., 46 573  
 ARENZON, N. M., *see* EVSTRATOV, V. F., 41 685  
 ARNETT, R. L., *see* STACY, C. J., 46 470  
 ARNOLD, C., JR., DEVELOPMENT AND CHARACTERIZATION OF EN-7—A FERRIC ACETYLACETONATE CATALYZED POLYBUTADIENE-BASED ELASTOMER (ABSTRACT), 47 456  
 ARNOLD, L. F., *see* DE MARCO, R. D., 45 1111  
 ARNOLD, R. G., A. L. BARNEY, AND D. C. THOMPSON, FLUOROELASTOMERS (REVIEW), 46 619  
 —, C. C. MCCABE, AND J. J. VERBANC, A RESEARCH ASSESSMENT OF ALPHA-OLEFIN COPOLYMERS IN TIRES (ABSTRACT), 41 1097  
 ARNOLD, R. L., *see* BOUSTANY, K., 48 1108  
 ARON, J., *see* RIVIN, D., 41 330  
 ARONOVICH, F. D., *see* SVERDEL, M. I., 45 955  
 ARRIGHETTI, S., *see* CESCA, S., 48 747  
 ASADA, T., *see* ONOGI, S., 43 849

- ASAM, E. H., AND K. G. ROQUEMORE, COMPUTER-PROGRAMMED DESIGNED EXPERIMENTS FOR COMPOUNDERS (ABSTRACT), 41 756
- ASHIKARI, N., I. KAWASHIMA, AND T. KAWASHIMA, DEPENDENCE OF THE CROSSLINKING EFFICIENCY ON THE REACTION CONDITIONS IN THE PEROXIDE CROSSLINKING OF UNSATURATED POLYOLEFINS, 42 1245
- ASHLOCK, L. L., DEVELOPMENT OF A MOISTURE-RESISTANT FLUOROSILICONE COMPOUND FOR ELECTRICAL APPLICATIONS (ABSTRACT), 45 1166
- ASTI, F. J., AND A. L. O'MEARA, ISOCYANATE-MODIFIED NEOPRENE LATEX FOAMS (ABSTRACT), 41 1381
- ATHEY, R. J., see VAN GULICK, N. M., 48 1102
- , see VAN GULICK, N. M., 49 320
- ATKINS, J. H., AND J. E. SULLIVAN, JR., APPARATUS TO MEASURE THERMAL CONDUCTIVITY IN FILLED RUBBER STOCKS, 42 1314
- AVELLA, E. R., I. T. CLEMENT, B. E. ELY, JR., AND A. TUNO, A NEW TYPE OVEREXPANDED RUBBER (ABSTRACT), 41 765
- AVERILL, S. J., CHARACTERIZATION OF NATURAL RUBBER FOR CURE PROPERTIES (ABSTRACT), 47 476
- , AND R. G. FULLER, TESTING OF SYNTHETIC RUBBERS FOR CURE PROPERTIES (ABSTRACT), 47 475
- AVGEROPOULOS, G. N., see BOHM, G. G. A., 50 423
- , see WEISSERT, F. C., 49 392
- , F. C. WEISSERT, G. G. A. BOHM, AND P. H. BIDDISON, HETEROGENEOUS POLYMER BLENDS. I. RHEOLOGY AND MORPHOLOGY, 49 93
- AYELLA, E. R., A NON-BLACK HEAT-SHRINKABLE RUBBER (ABSTRACT), 43 1518
- AYERST, R. C., AND E. R. RODGER, STEEL CORD SKIM COMPOUNDS. THE ACHIEVEMENT AND MAINTENANCE OF MAXIMUM ADHESION, 45 1497
- BACSFALVI, V., I. MCINTYRE, AND H. L. STEPHENS, LOW-ANGLE X-RAY STUDIES OF CARBON BLACKS IN POLYBUTADIENE (ABSTRACT), 46 588
- BACZEK, S. K., see ANDERSON, J. N., 49 1238
- , J. N. ANDERSON, AND E. H. ADAMS, FUNCTIONALITY DISTRIBUTION OF HYDROXYL-TERMINATED POLYBUTADIENES BY GEL PERMEATION CHROMATOGRAPHY. II. MEASUREMENTS FOR COMMERCIAL POLYMERS, 49 1250
- BAGLEY, E. J., AND R. J. DENNENBERG, CURING CHARACTERISTICS OF STARCH XANTHIDE-FILLED ELASTOMERS (ABSTRACT), 46 592
- BAKER, C. S. L., D. BARNARD, AND M. PORTER, NEW REACTIONS FOR THE VULCANIZATION OF NATURAL RUBBER, 43 501
- BAKULE, R., see HAVRANEK, A., 41 1249
- BALDUCCI, A., M. BRUZZONE, S. CUCINELLA, AND A. MAZZEI, ADVANCES IN THE CATALYSTS BASED ON ALUMINUM HYDRIDE DERIVATIVES FOR THE SYNTHESIS OF HIGH CIS-POLYISOPRENE, 48 736
- BALDWIN, F. P., see GARDNER, I. J., 49 391
- , see VER STRATE, G., 45 1686
- , EPDM VULCANIZATION AND HIGH-TEMPERATURE COMPRESSION SET, 43 1040
- , THE INFLUENCE OF ACCELERATORS ON EPDM VULCANIZATION, 45 1348
- , AND G. VER STRATE, POLYOLEFIN ELASTOMERS BASED ON ETHYLENE AND PROPYLENE (REVIEW), 45 709
- , I. J. GARDNER, J. A. RAE, AND A. MALATESTA, POLYISOBUTYLENE-BASED ELASTOMERS CONTAINING CONJUGATED DIENE FUNCTIONALITY (ABSTRACT), 49 390
- , P. BORZEL, AND H. S. MAKOWSKI, THE CORRELATION BETWEEN ENTANGLEMENT AND CHEMICAL CROSSLINKS IN EPDM VULCANIZATES, 42 1167
- , P. BORZEL, C. A. COHEN, H. S. MAKOWSKI, AND J. F. VAN DE CASTLE, THE INFLUENCE OF RESIDUAL OLEFIN STRUCTURE ON EPDM VULCANIZATION, 43 522
- BALLMAN, E. A., JR., AN EVALUATION OF FIBER GLASS AS A TIRE REINFORCEMENT FOR THE PRESENT AND THE FUTURE (ABSTRACT), 45 1143
- BAN, L. L., see HESS, W. M., 41 356
- , see HESS, W. M., 42 1209
- , W. M. HESS, AND L. A. PAPAZIAN, NEW STUDIES ON CARBON-RUBBER GEL, 47 858
- BANDERET, A., see RIESS, G., 42 447
- BANERJEE, S., see BHATNAGAR, S. K., 42 1366
- , see BHOUMICK, S., 47 251
- , see DAS, C. K., 47 266
- , see MANIK, S. P., 42 744
- , see MANIK, S. P., 43 1294, 1311
- BANKS, S. A., J. D. BRILLINGER, C. A. COFFEY, R. C. PUYDAK, AND G. N. SCHMIT, ENVIRONMENTAL QUALITIES OF THERMOPLASTIC ELASTOMERS (ABSTRACT), 49 1355
- , W. G. DEPIERRI, D. F. KRUSE, AND L. SPENADEL, PAINTED AND COLOR PIGMENTED EPDM FOR PROTECTIVE RUBBER APPLICATIONS (ABSTRACT), 47 454
- BARANWAL, K. C., see CARMAN, C. J., 48 705
- , EFFECT OF COMPOUNDING ON AUTOHESION OF RUBBERS (ABSTRACT), 42 1480
- , EFFECT OF SBR STYRENE CONTENT, CIS-1,4-POLYBUTADIENE, AND BLACK-OIL LOADINGS ON COEFFICIENT OF FRICTION (ABSTRACT), 44 1443
- , AND G. A. LINDSAY, DIENE TERMONOMER TYPE AND EPDM PROPERTIES, 45 1334
- , AND H. L. JACOBS, EFFECT OF MASTICATION ON MOLECULAR WEIGHT AND MOLECULAR WEIGHT DISTRIBUTION OF EPDM POLYMER AND SBR (ABSTRACT), 41 1392

- , AND P. N. SON, CO-CURING OF EPDM AND DIENE RUBBERS BY GRAFTING ACCELERATORS ONTO EPDM, 47 88
- BARBERO, M., *see* ROYO, J., 45 1136
- BARBIN, W. W., *see* WEISSERT, F. C., 41 1390
- BARKER, R. I., *see* HANNA, G. L., 50 1003
- , G. HANNA, AND E. R. RODGER, PROCESSABILITY: THE KEY TO PROCESS CONTROL (ABSTRACT), 50 442
- BARNARD, D., *see* BAKER, C. S. L., 43 501
- , M. E. CAIN, J. I. CUNEEN, AND T. H. HOUSEMAN, OXIDATION OF VULCANIZED NATURAL RUBBER, 45 381
- BARNEY, A. L., *see* ARNOLD, R. G., 46 619
- , G. H. KALB, AND A. A. KHAN, VULCANIZATE PROPERTIES FROM A NEW PERFLUOROELASTOMER, 44 560
- BARNHART, R. R., *see* BROWNING, G. R., 44 1441
- BARON, O., D. BRICHZIN, AND E. BOTTCHER, CONTRIBUTION FOR BETTER UNIFORMITY OF ELASTOMER BLEND COMPOUNDS (ABSTRACT), 49 399
- BARRIE, J. A., AND J. STANDEN, THERMOELASTIC MEASUREMENTS ON SOME ELASTOMERS, 41 1148
- BARROW, C., *see* ALARIE, Y., 48 343
- BARTENEV, G. M., *see* KONGAROV, G. S., 46 1188
- , AND A. M. KUCHERSKII, LOW-TEMPERATURE RELAXATION PHENOMENA IN RUBBERLIKE POLYMERS SUBJECTED TO LOW DEFORMATION, 45 71
- , AND N. M. LYALINA, STRESS RELAXATION MECHANISMS IN RUBBER REINFORCED WITH CARBON BLACK, 45 82
- , V. V. LAVRENTJEV, AND N. A. KONSTANTINOVA, THE ACTUAL CONTACT AREA AND FRICTION PROPERTIES OF ELASTOMERS UNDER FRICTIONAL CONTACT WITH SOLID SURFACES, 45 1094
- BARTON, F. W., *see* BRENNER, F. C., 42 1462
- BARTRUG, N. G., HIGH DPU MAJOR FACTOR IN GOOD FIBER GLASS TIRE CORD PERFORMANCE (ABSTRACT), 45 1143
- BARZAN, M. L., *see* ANDERSON, J. N., 45 1270
- BASCOM, W. D., SCANNING ELECTRON MICROSCOPY OF RUBBER TEAR, 50 875
- , SEM STUDY OF A CYCLIZED RUBBER SURFACE, 50 327
- BASSI, A. C., RUBBER ABRASION TEST WITH PAPER TAPE, 41 1022
- BATASHOVA, L. S., *see* RAZUMOVSKII, S. D., 43 1340
- BAUER, R. F., AND E. A. DUDLEY, COMPATIBILIZATION OF RUBBER BLENDS THROUGH PHASE INTERACTION, 50 35
- BAUER, W. H., *see* COLLINS, E. A., 43 1109
- BAUMANN, G. F., MICROCELLULAR ELASTOMERIC URETHANES, 45 1485
- BAYER, O., THE ODYSSEY OF AN INVENTION (CHARLES GOODYEAR MEDAL ADDRESS-1975), 48 973
- BAYERL, J. J., *see* WU, R. T., 45 1151
- BEATTY, J. R., *see* STUDEBAKER, M. L., 41 1383
- , *see* STUDEBAKER, M. L., 45 450, 1696, 1697, 1698
- , *see* STUDEBAKER, M. L., 47 803
- , *see* TRIVISONNO, N. M., 41 953
- , SOME FATIGUE PROPERTIES OF RUBBER BLENDS (ABSTRACT), 50 429
- , TEL-TAK: A MECHANICAL METHOD FOR ESTIMATING BOTH TACKINESS AND STICKINESS OF RUBBER COMPOUNDS, 42 1040
- , THE EFFECTS OF OIL ON THE ADHESION OF RUBBER, 47 161
- , AND E. C. DALGLISH, A NEW TESTER FOR DYNAMIC RUBBER-TO-METAL ADHESION, 47 186
- , AND V. L. FOLT, PHYSICAL PROPERTIES AND SERVICE PERFORMANCE OF OIL-EXTENDED NATURAL RUBBER IN HEAVY-DUTY TIRE TREADS (ABSTRACT), 49 1362
- BEAUMONT, R. A., N. E. HARTMANN, AND C. M. CHAMBERLAIN, A DIGITAL COMPUTER PROGRAM FOR COMPOUND OPTIMIZATION, 43 1100
- BEAVAN, S. W., AND D. PHILLIPS, MECHANISTIC STUDIES ON THE PHOTOOXIDATION OF COMMERCIAL POLYBUTADIENE, 48 692
- BEBB, R. L., *see* ADAMS, H. E., 45 1252
- BECKER, G. W., AND H. J. RADEMACHER, VISCOELASTIC BEHAVIOR OF HIGH POLYMERS AT LARGE DEFORMATIONS, 42 373
- BECKER, R. C., *see* MORGANSTERN, K. H., 48 1100
- BECKMAN, J. A., G. CRANE, E. L. KAY, AND J. R. LAMAN, SCRAP TIRE DISPOSAL (REVIEW), 47 597
- BEKKEDAH, N., *see* WOOD, L. A., 41 564
- , AND J. J. WEEKS, HEATS OF REACTION OF NATURAL RUBBER WITH SULFUR, 43 1275
- BENNETT, B., *see* MUELLER, W. J., 42 966
- , AND W. J. MUELLER, ECONOMICAL COMPOUNDING THROUGH THE USE OF BITUMINOUS COAL FINES (ABSTRACT), 45 1145
- , W. J. MUELLER, AND R. A. NATHAN, ALPHA-SUBSTITUTED DIISOPROPYLBENZENE HYDROPEROXIDES FOR LOW-TEMPERATURE SBR POLYMERIZATION (ABSTRACT), 45 1686
- BENOIT, H., *see* GRUBISIC, Z., 42 636
- , *see* REMPP, P., 41 245
- BEREJKA, A. J., AND N. E. STRUCKER, BUTYL LM AS A COMPONENT IN ELASTOMERIC MATERIALS (ABSTRACT), 46 590

- BERET, S., AND J. M. PRAUSNITZ, DENSITIES OF AMORPHOUS POLYMERS AT HIGH PRESSURES, 49 207  
 —, AND J. M. PRAUSNITZ, PRESSURE-VOLUME-TEMPERATURE MEASUREMENTS FOR POLYETHYLENE, POLYISOBUTYLENE, POLY(VINYL ACETATE), AND POLY(DIMETHYLSILOXANE) TO 1 KILOBAR, 49 200
- BERGSTROM, E. W., *see* OSSEFORT, Z. T., 42 975
- BERNSTEIN, B. S., C. KATZ, N. SRINIVAS, AND J. D. HOGAN, ELECTROCHEMICAL TREEING IN ETHYLENE-PROPYLENE RUBBER COMPOUNDS (ABSTRACT), 48 353
- BERRY, D. D., AND F. V. MCMILLEN, THE COLLECTION OF EFFLUX  $\text{SiO}_2$  AND ITS USE AS A FILLER IN RUBBER COMPOUNDING (ABSTRACT), 47 1308  
 —, AND I. J. LEVINE, A CRITICAL EVALUATION OF DIENE MONOMERS FOR ETHYLENE-PROPYLENE-DIENE TERPOLYMERS (ABSTRACT), 43 1512
- BERRY, G. C., *see* CASASSA, E. F., 41 437
- BERTOZZI, E. R., CHEMISTRY AND TECHNOLOGY OF ELASTOMERIC POLYSULFIDE POLYMERS (REVIEW), 41 114
- BERTRAM, H. H., *see* JAHN, H.-J., 46 305  
 —, AND D. BRANDT, INFLUENCE OF MINERAL OIL ADDITIVES ON SWELL-RESISTANT ELASTOMERS, 45 1224
- BEST, D. M., PREDICTION OF DIE SWELL FROM SHEAR RECOVERY (ABSTRACT), 45 1688
- BETZ, G. E., *see* KOFMAN, L. S., 46 557
- BEVILACQUA, E. M., *see* PERCARPIO, E. P., 41 943, 854, 862, 870, 881  
 —, LUBRICATED FRICTION OF RUBBER. VII. NOTES ON A STANDARD TIRE AND PROCEDURE FOR SKID TESTING, 41 890  
 —, AND E. P. PERCARPIO, LUBRICATED FRICTION OF RUBBER. I. INTRODUCTION, 41 832
- BHAKUNI, R. S., *see* RYE, G. W., 41 1103  
 —, G. W. RYE, AND A. PIIRMA, STRUCTURAL CHANGES DURING PROCESSING OF POLYESTER TIRE CORD (ABSTRACT), 41 768  
 —, J. M. GINGO, AND A. G. CAUSA, TIRE FIBER RHEOLOGY (ABSTRACT), 44 846
- BHATNAGAR, S. K. AND S. BANERJEE, KINETICS OF ACCELERATED VULCANIZATION. III. N-CYCLOHEXYLBENZOTHAZOLE-2-SULFENAMIDE ACCELERATED SULFUR VULCANIZATION OF RUBBERS, 42 1366
- BHOUMICK, S., AND S. BANERJEE, STUDIES ON MBT-ACCELERATED SULFUR VULCANIZATION OF NATURAL RUBBER REINFORCED WITH CARBON BLACK, 47 251
- BIALAS, G. A., EXTRUSION OF POLYMER MELTS AND MELT FLOW INSTABILITIES. II. SITE OF INITIATION AND MECHANISM OF MELT FLOW, 42 682  
 —, AND J. L. WHITE, EXTRUSION OF POLYMER MELTS AND MELT FLOW INSTABILITIES. I. EXPERIMENTAL STUDY OF CAPILLARY, 42 675
- BIANCA, D., MELT PROPERTIES AND PROCESSING OF A SERIES OF POLYESTER ELASTOMERS (ABSTRACT), 45 1693
- BICKEL, F. W., *see* GATZA, P. E., 41 767
- BIDDISON, P. H., *see* AVGEROPOULOS, G. N., 49 93  
 —, *see* MARTIN, F. R., 46 586
- BIDWELL, J. B., CONSERVING VEHICLE ENERGY (ABSTRACT), 50 422
- BIRKY, M. M., *see* HILEMAN, F. D., 48 343
- BISIO, A. L., AND J. V. FUSCO, MARKETING NEW PRODUCTS TODAY (ABSTRACT), 49 1356
- BITTMAN, J., *see* CHAUSHESKU, E., 46 581
- BLAAUW, L. P., *see* CLAGUE, A. D. H., 47 1136
- BLACKLEY, D. C., AND M. W. SHEIKH, PARTICULATE REINFORCEMENT OF POLYACRYLATE ELASTOMERS. I. INTRODUCTION AND PREPARATION OF MATERIALS, 48 819  
 —, AND M. W. SHEIKH, PARTICULATE REINFORCEMENT OF POLYACRYLATE ELASTOMERS. II. MECHANICAL PROPERTIES, 48 830  
 —, AND M. W. SHEIKH, PARTICULATE REINFORCEMENT OF POLYACRYLATE ELASTOMERS. III. SWELLING MEASUREMENTS, 48 845
- BLACKMAN, E. J., AND E. B. MCCALL, RELATIONSHIPS BETWEEN THE STRUCTURES OF NATURAL RUBBER VULCANIZATES AND THEIR THERMAL AND OXIDATIVE AGING, 43 651
- BLACKSHAW, G. C., AND I. M. KRISTENSEN, BLENDS OF BROMOBUTYL, EPDM, AND NATURAL RUBBER IN LIGHT-COLORED COMPOUNDS (ABSTRACT), 47 1317  
 —, AND K. J. ROBINSON, THE CURE VERSATILITY OF BROMOBUTYL RUBBER (ABSTRACT), 46 1334
- BLAICH, C. F., THERMOPLASTIC ELASTOMERS: WIRE AND CABLE INDUSTRY (ABSTRACT), 50 414
- BLAIR, E. A., AMBIENT-TEMPERATURE ROTATIONAL MOLDING OF LIQUID THERMOSET POLYMER SYSTEMS (ABSTRACT), 47 1313
- BLANCHARD, A. F., CROSSLINKING, FILLER, OR TRANSITION CONSTRAINT OF POLYMER NETWORKS. I AND II, 44 1208, 1227  
 —, INTRINSIC LINKAGE REINFORCEMENT FROM SWELLING MEASUREMENTS OF EFFECTIVE VALUES OF  $\Phi$ , 44 1249
- BLANCHARD, R. R., COMPOUNDING CHLORINATED POLYETHYLENE ELASTOMERS FOR HIGH-TEMPERATURE SERVICE (ABSTRACT), 46 1336
- BLEVIE, P. L., INFLUENCE OF MORPHOLOGY AND PARTICLE SIZE OF RUBBERS IN POWDER FORM DURING PROCESSING ON THE MILL, 48 254
- BLOW, C. M., H. B. DEMIRLI, AND D. W. SOUTHWART, ANISOTROPY IN MOLDED NITRILE RUBBER, 48 236
- BOGOSIAN, T. O., THE ROLE OF RUBBER PRODUCTS TO CONTROL WATER POLLUTION (ABSTRACT), 43 1521

- BOGUSLAWSKI, J. J., BASIC FUNDAMENTALS OF EXTRUSION AND MIXING THEORY, 45 1421
- BOHM, G. G. A., *see* AVGEROPOULOS, G. N., 49 93
- , *see* PEARSON, D. S., 45 193
- , *see* WEISSERT, F. C., 49 392
- , NEW TECHNIQUES TO MEASURE THE MISCIBILITY OF POLYMER BLENDS (ABSTRACT), 50 423
- , G. M. AVGEROPOULOS, C. J. NELSON, AND F. C. WEISSERT, THE RELATIONSHIP BETWEEN RHEOLOGY, MORPHOLOGY, AND PHYSICAL PROPERTIES IN HETEROGENEOUS ELASTOMER BLENDS (ABSTRACT), 50 423
- , K. R. LUCAS, AND W. G. MAYES, MISCIBILITY STUDIES ON HETEROGENEOUS POLYMER BLENDS BY RADIOLUMINESCENCE SPECTROSCOPY AND PARTICLE COARSENING MEASUREMENTS, 50 714
- BOHN, L., INCOMPATIBILITY AND PHASE FORMATION IN SOLID POLYMER MIXTURES AND GRAFT AND BLOCK COPOLYMERS, 41 495
- BOND, R., ADVANCES IN THE PHYSICAL UNDERSTANDING OF TIRE-PAVEMENT FRICTION (ABSTRACT), 50 997
- BONICELLI, U., *see* GIANOTTI, G., 48 781
- BONOMI, G., *see* FIORENZA, A., 41 630
- BOOKS, J. T., *see* WARD, T. C., 47 1160
- BOONSTRA, B. B., *see* LAMBERT, D. H., 44 214
- , *see* RIGBI, Z., 41 752
- , RESISTIVITY OF UNVULCANIZED COMPOUNDS OF RUBBER AND CARBON BLACK, 50 194
- , TRACTION-ABRASION RELATIONSHIPS OF TREAD COMPOUNDS CONTAINING IMPROVED REINFORCING CARBON BLACKS (ABSTRACT), 47 467
- , AND F. A. HECKMAN, STUDIES ON ABRASION AND TRACTION USING THE SCANNING ELECTRON MICROSCOPE (ABSTRACT), 44 1451
- , E. M. DANNENBERG, AND F. A. HECKMAN, THE EFFECT OF STRUCTURE BREAKDOWN OF CARBON BLACK ON RUBBER PROPERTIES, 47 1082
- , H. COCHRANE, AND E. M. DANNENBERG, REINFORCEMENT OF SILICONE RUBBER BY PARTICULATE SILICA, 48 558
- BOOZER, C. E., F. R. ELKINS, AND H. J. GROS, PROCESSING CHARACTERISTICS OF NEW PARTICULATE POLYMERS (ABSTRACT), 49 1350
- BORGHI, D., *see* GIANOTTI, G., 48 781
- BORSSELLINO, J. V., E. V. O'GRADY, D. J. SMITH, AND E. H. SORG, A NEW CONCEPT FOR SEALING AUTOMOTIVE STATIONARY GLASS (ABSTRACT), 46 1333
- BORZEL, P., *see* BALDWIN, F. P., 42 1167
- , *see* BALDWIN, F. P., 43 522
- BORZENSKI, F. J., A COMPARATIVE STUDY OF PERFORMANCE OF BATCH AND CONTINUOUS MIXERS (ABSTRACT), 49 403
- , DEVELOPMENTS AND THE FUTURE OF MIXING (ABSTRACT), 50 1002
- BOISISIO, R. G., *see* SCHWARZ, H. F., 47 473
- BOTTCHER, E., *see* BARON, O., 49 399
- , *see* BRICHZIN, D., 50 443
- BOUSTANY, K., *see* CORAN, A. Y., 47 396
- , *see* MORITA, E., 48 67
- , AND R. L. ARNOLD, SHORT-FIBERS-RUBBER COMPOSITES--THE COMPARATIVE PROPERTIES OF TREATED AND DISCONTINUOUS CELLULOSE FIBERS (ABSTRACT), 48 1108
- BOUTON, T. C., *see* D'AMICO, J. J., 48 1299
- , AND S. FUTAMURA, SOLUTION SBR--A STUDY IN COPOLYMERIZATION DYNAMICS (ABSTRACT), 48 1322
- BOWERMAN, H. H., *see* NAKAJIMA, N., 46 417
- , *see* NAKAJIMA, N., 47 318
- , E. A. COLLINS, AND N. NAKAJIMA, TENSILE STRESS-STRAIN AND STRESS-RELAXATION BEHAVIOR OF RAW ELASTOMERS USING A HIGH-SPEED TESTER, 47 307
- BOYER, A. H., *see* MERCER, H. N., 49 1068
- BOYER, J. S., *see* DIMELER, G. R., 42 1474
- BOYER, R. F., AND R. L. MILLER, POLYMER CHAIN CROSS SECTION AND THE MOONEY-RIVLIN CONSTANTS, 50 798
- BRACHACZEK, W., *see* PIERSON, W. R., 47 1275
- , AND W. R. PIERSON, ANALYTICAL METHOD FOR MEASURING SBR TIRE DEBRIS IN THE ENVIRONMENT, 47 150
- BRADFORD, E. B., AND J. W. VANDERHOFF, MORPHOLOGICAL CHANGES IN LATEX FILMS, 41 514
- BRAGOLE, R. A., FACTORS AFFECTING THE ADHESION OF PAINTS TO NON-POLAR PLASTICS AND ELASTOMERS (ABSTRACT), 48 1333
- BRALEY, S. A., ELASTOMERS FOR IMPLANTATION IN THE HUMAN BODY (REVIEW), 44 363
- BRAME, E. G., *see* COLEMAN, M. M., 50 49
- , AND A. A. KHAN, CARBON-13 NMR CHARACTERIZATION OF COPOLYMERS OF 2-CHLOROBUTADIENE-1,3 AND 2,3-DICHLOROBUTADIENE-1,3, 50 272
- , JR., *see* KHAN, A. A., 49 394
- BRANDT, D., *see* BERTRAM, H. H., 45 1224
- BRAZIER, D. W., AND G. H. NICKEL, THERMOANALYTICAL METHODS IN VULCANIZATE ANALYSIS. I. DIFFERENTIAL SCANNING CALORIMETRY AND THE HEAT OF VULCANIZATION, 48 26

- , AND G. H. NICKEL, THERMOANALYTICAL METHODS IN VULCANIZATE ANALYSIS. II. DERIVATIVE THERMOGRAVIMETRIC ANALYSIS, **48** 661
- BREE, H. W., *see* SCHWARZL, F. R., **42** 557
- BRENNAN, J. J., AND D. H. LAMBERT, RUBBER-BLACK INTERACTION: INFLUENCE OF CURE LEVEL ON VULCANIZATES, **45** 94
- BRENNER, D., AND R. D. LUNDBERG, NOVEL FLEXIBLE FOAMS BASED ON AN IONIC ELASTOMER (ABSTRACT), **50** 437
- BRENNER, F. C., *see* KONDO, A., **44** 960
- , *see* SIMSON, B. G., **43** 356
- , RESEARCH FOR A UNIFORM QUALITY GRADING SYSTEM FOR TIRES, **42** 1446
- , AND A. KONDO, RESEARCH FOR A UNIFORM QUALITY GRADING SYSTEM FOR TIRES. IV. TREAD WEAR, **44** 106
- , AND A. KONDO, AND G. B. COHEN, RESEARCH FOR A UNIFORM QUALITY GRADING SYSTEM FOR TIRES. V. EFFECT OF ENVIRONMENT ON TREAD WEAR RATE, **44** 952
- , AND F. W. BARTON, CUTS AND CUT GROWTH IN TIRES, **42** 1462
- , J. MANDEL, AND B. G. SIMSON, RESEARCH FOR A UNIFORM GRADING SYSTEM FOR TIRES. II. WHEEL SPEED CAPABILITY TEST, **42** 1450
- BRETT, T. J., *see* KLENLE, R. N., **44** 996
- , *see* MASTROMATTEO, R. P., **44** 1065
- BRICHZIN, D., *see* BARON, O., **49** 399
- , AND E. BOTTCHER, OZONE RESISTANCE IN EPDM BLENDS (INFLUENCE OF MIXING CONDITIONS) (ABSTRACT), **50** 443
- BRILLINGER, J. H., *see* BANKS, S. A., **49** 1355
- BRISTOL, K. E., *see* SINCLAIR, E. A., **41** 766
- , *see* SINCLAIR, E. A., **42** 1476
- BRISTOW, G. M., J. I. CUNNEEN, AND L. MULLINS, COMPARATIVE PROPERTIES AND PERFORMANCE OF NATURAL RUBBER AND SYNTHETIC POLYISOPRENE (ABSTRACT), **46** 555
- BRIZZOLARA, D. F., W. HONSBURG, AND R. W. KEOWN, POLYCHLOROPRENE CARBOXYLATED LATEX (ABSTRACT), **49** 412
- BROATCH, W. N., POLYESTER AS A REINFORCEMENT IN TIRE BELTS (ABSTRACT), **44** 850
- BROCK, M. J., *see* HACKATHORN, M. J., **45** 1295
- , AND M. J. HACKATHORN, THE SYNERGISTIC EFFECT OF NATURAL RUBBER ON THE CRYSTALLIZATION OF LITHIUM POLYISOPRENES (CORAL RUBBER), **45** 1303
- BROWN, J. E., JR., *see* LIVINGSTON, D. I., **42** 1014
- , JR., *see* LIVINGSTON, D. I., **43** 244
- , JR., TIRE PROPERTIES AND VEHICLE CORNERING STABILITY. I. STABILIZATION OF OVERSTEERING VEHICLES BY TIRE PARAMETER VARIATIONS (ABSTRACT), **44** 1456
- , JR., TIRE PROPERTIES AND VEHICLE CORNERING STABILITY. II. LOAD COMPENSATION IN TIRES (ABSTRACT), **45** 1148
- BROWN, M., AND W. K. WITSIEPE, NEW HIGH-PERFORMANCE THERMOPLASTIC ELASTOMERS, (ABSTRACT), **45** 1138
- BROWN, R. J., *see* PARKS, C. R., **49** 233
- BROWN, W. A., *see* WADE, W. H., **45** 117
- BROWN, W. J., J. A. SHEDDEN, AND I. M. WHATE, THE INFLUENCE OF CROSSLINKING A BUTYL POLYMER ON DYNAMIC RHEOLOGICAL AND PHYSICAL PROPERTIES (ABSTRACT), **41** 758
- BROWNING, G. R., AND R. R. BARNHART, LEACHING OF ANTIOZONANTS FROM A TIRE COMPOUND (ABSTRACT), **44** 1441
- BROWNLEE, J. L., *see* AGEE, R. D., **48** 1094
- , *see* AGEE, R. D., **49** 400
- BRUGEL, E. G., *see* POTTS, K. T., **45** 160
- BRUSKY, P. L., *see* MERCER, H. N., **49** 1068
- BRUZZONE, M., *see* ALARI, G., **46** 579
- , *see* BALDUCCI, A., **48** 736
- , *see* CESCA, S., **48** 747
- , *see* CESCA, S., **49** 937
- , A. MAZZEI, AND G. GIULIANI, URANIUM CATALYSTS FOR THE SYNTHESIS OF HIGHLY CIS-TACTIC POLYDIENES, **47** 1175
- BRYAN, C. J., DEGRADATION OF A VINYLIDENE FLUORIDE-HEXAFLUOROPROPYLENE COPOLYMER IN NEUTRAL AND ALKALINE AQUEOUS SOLUTIONS, **50** 83
- BRYER, R. P., *see* DIMELER, G. R., **48** 1092
- , AND G. R. DIMELER, OIL REQUIREMENTS OF LIQUID ELASTOMERS (ABSTRACT), **48** 346
- BSHARAH, L., *see* MAY, W. R., **41** 1392
- , *see* MAY, W. R., **42** 1468
- BUCHANAN, R. A., C. R. RUSSELL, AND C. E. RIST, STARCH IN RUBBER. REINFORCEMENT OF RUBBER BY STARCH RESORCINOL FORMALDEHYDE RESIN (ABSTRACT), **41** 1380
- , H. C. KATZ, C. R. RUSSELL, AND C. E. RIST, STARCH IN RUBBER. POWDERED ELASTOMERS FROM STARCH-ENCASED LATEX PARTICLES (ABSTRACT), **44** 842
- , H. L. SECKINGER, W. F. KWOLEK, W. M. DOANE, AND C. R. RUSSELL, CONTROLLING PARTICLE SIZE AND STRUCTURE OF STARCH XANTHIDE IN ELASTOMER MASTERBATCHES (ABSTRACT), **48** 1092



- , I. M. CULL, F. H. OTEY, AND C. R. RUSSELL, HYDROCARBON AND RUBBER-PRODUCING CROPS: EVALUATION OF U.S. PLANT SPECIES (ABSTRACT), 50 431
- , O. E. WEISLOGEL, C. R. RUSSELL, AND C. E. RIST, STARCH IN RUBBER. I. ZINC STARCH XANTHATE IN LATEX MASTERBATCHING (ABSTRACT), 41 764
- , W. M. DOANE, C. R. RUSSELL, AND W. F. KWOLEK, STARCH XANTHIDE-REINFORCED STYRENE-BUTADIENE RUBBER-COMPOUNDING TO REDUCE WATER SENSITIVITY (ABSTRACT), 47 1313
- BUCHDAHL, R., *see* MORGAN, R. J., 45 1033
- BUCK, W. H., PHYSICAL CHARACTERIZATION OF PIVALOLACTONE-GRAFTED ELASTOMERS. I. GENERAL MORPHOLOGY, 50 109
- BUCKLES, R. G., *see* LEEPER, H. M., 50 969
- , *see* WRIGHT, J. C., 50 959
- BUCKLEY, D. J., SR., *see* COHEN, H., 48 1106
- , SR., *see* COHEN, H., 49 967
- , SR., *see* THALER, W. A., 48 1105
- , SR., *see* THALER, W. A., 49 960
- , SR., FAILURE MODE DURING RAPID SINUSOIDAL FLEXING (ABSTRACT), 48 357
- BUIKO, G. N., *see* EVSTRATOV, V. F., 41 685
- , N. M. ARENSON, I. K. ALEXEEVA, AND A. D. POJARKOVA, WAYS OF MODIFYING ISOPRENE-BASED TIRE RUBBER COMPOUNDS (ABSTRACT), 46 573
- BUKOWSKI, R. A., RUBBER COMPOUND MODIFICATIONS TO MINIMIZE THE IN-RUBBER DEGRADATION OF POLYESTER CORD IN TRUCK TIRES (ABSTRACT), 47 478
- BULL, A. L., AND G. HOLDEN, USE OF THERMOPLASTIC RUBBERS IN BLENDS WITH OTHER PLASTICS (ABSTRACT), 49 1351
- BULLMAN, G. W., *see* DECKER, G. E., 47 477
- , *see* WOOD, L. A., 45 1388
- , *see* WOOD, L. A., 48 154
- BUNKER, M., *see* HORNE, W. B., 41 807
- BURG, G. R., D. S. WINKLER, AND H. L. STEPHENS, SILANE MODIFICATION OF NONBLACK FILLERS IN ELASTOMERS (ABSTRACT), 49 397
- BURGESS, K. A., *see* SCOTT, C. E., 44 1445
- , *see* VANCE, R. M., 41 1080
- , C. E. SCOTT, AND W. M. HESS, VULCANIZATE PERFORMANCE AS A FUNCTION OF CARBON BLACK MORPHOLOGY, 44 230
- BURGOYNE, M. D., G. R. LEAKER, AND Z. KREKIC, THE EFFECT OF REUSING GROUND FLASH AND SCRAP RUBBER IN PARENT COMPOUND, 49 375
- BURLEIGH, J. E., *see* URANECK, C. A., 48 728
- , *see* URANEK, C. A., 43 1424
- BURROUGHS, A. E., *see* PELOSI, L. F., 49 367
- BURTON, G. W., AND C. P. O'FARRELL, PREPARATION OF ARTIFICIAL LATEXES (ABSTRACT), 49 394
- BUSSEMAKER, O. K. F., *see* MOSCOU, L., 44 805
- BUSWELL, A. G., B. N. LEYLAND, AND G. E. WILLIAMS, A NOVEL RUBBER ADDITIVE TO REDUCE THE 'IN-RUBBER' DEGRADATION OF POLYESTER FIBER (ABSTRACT), 45 1142
- BUTLER, J. W., AND R. H. MARSH, THE DETERMINATION OF CHLORINE IN POLYMERIC MATERIALS BY INSTRUMENTAL NEUTRON ACTIVATION ANALYSIS, 45 1560
- BYAM, J. D., AND G. P. COLBERT, APPLYING SCIENCE TO PROCESSING, PROFITABLY. PART I: INJECTION MOLDING (ABSTRACT), 50 1002
- BYLER, L. L., JR., SOME ASPECTS OF THE RELATIONSHIP BETWEEN MOLECULAR STRUCTURE AND FLOW BEHAVIOR OF POLYMER MELTS, 42 623
- BYRNE, P. S., *see* WEIR, R. J., 45 1690
- , AND H. F. SCHWARZ, ADVANTAGES OF POWDER TECHNOLOGY IN RUBBER FABRICATING INDUSTRY (ABSTRACT), 46 591
- BYWATER, S., *see* ROOVERS, J. E. L., 48 1070
- CABEY, M. A., *see* GANT, G. A. L., 50 420
- CAIN, A. R., A KINETIC INVESTIGATION OF THE REACTION OF O-CHLOROANILINE WITH ISOCYANATE PRE-POLYMERS (ABSTRACT), 50 1011
- CAIN, M. E., *see* BARNARD, D., 45 381
- , K. F. GAZELEY, I. R. GELLING, AND P. M. LEWIS, THE CHEMISTRY AND TECHNOLOGY OF RUBBER-BOUND AND RELATED NOVEL ANTIOXIDANTS, 45 204
- CALDERON, N., *see* SCOTT, K. W., 44 1341
- , E. A. OFSTEAD, AND W. A. JUDY, RING-OPENING POLYMERIZATION OF UNSATURATED ALICYCLIC COMPOUNDS (ABSTRACT), 41 759
- CALIHAN, L. E., *see* SCHULZ, D. N., 49 126
- CALLAHAN, D. M., *see* RYE, G. W., 41 1103
- CALLAN, J. E., *see* HESS, W. M., 44 814
- CALVIN, M., HYDROCARBONS VIA PHOTOSYNTHESIS (ABSTRACT), 50 427
- CAMPBELL, D. R., AND W. C. WARNER, RADIOISOTOPE METHODS OF ANALYSIS AND CHARACTERIZATION OF ELASTOMERS (REVIEW), 42 1
- CAMPBELL, D. S., STRUCTURAL CHARACTERIZATION OF VULCANIZATES. XI. NETWORK-BOUND ACCELERATOR RESIDUES, 44 771
- , STRUCTURAL CHARACTERIZATION OF VULCANIZATES. PART X. THIOL-DISULFIDE INTERCHANGE FOR CLEAVING DISULFIDE CROSSLINKS IN NATURAL RUBBER VULCANIZATES, 43 210

- , STRUCTURAL CHARACTERIZATION OF VULCANIZATES. XII. EFFICIENT VULCANIZATION USING A SULFENAMIDE-THIURAM DISULFIDE ACCELERATOR SYSTEM, **45** 1366
- CAMPBELL, G. A., HIGH-RESILIENCE COLD-CURE FOAM—A PILOT PLANT INVESTIGATION (ABSTRACT), **46** 1329
- CANDLE, R. D., SCRAP TIRE HIGHWAY IMPACT BARRIERS (ABSTRACT), **50** 1005
- CANTOR, S. E., ROOM-TEMPERATURE-VULCANIZING ADHESIVE SYSTEM BASED ON EPDM (ABSTRACT), **47** 459
- CANTOW, H. J., *see* EXNER, J., **50** 988
- CAPIZZI, A., *see* GIANOTTI, G., **49** 170
- CARBONARO, A., V. ZAMBONI, G. NOVAJRA, AND G. DALL'ASTA, SYNTHESIS AND ELASTOMERIC PROPERTIES OF COPOLYMERS OF BUTADIENE AND 1,3-PENTADIENE, **46** 1274
- CARDINA, J. A., PARTICLE SIZE DETERMINATION OF TIRE-TREAD RUBBER IN ATMOSPHERIC DUSTS, **47** 1005
- , THE DETERMINATION OF RUBBER IN ATMOSPHERIC DUSTS, **46** 232
- CARLSON, D. W., *see* ROGERS, J. W., **49** 1364
- , *see* TURNER, R. R., **46** 1327
- , A. C. RANSAW, AND A. G. ALTENAU, DETERMINATION OF POLYMER COMPOSITION OF RUBBER VULCANIZATES, **44** 1278
- , M. W. HAYES, H. C. RANSAW, R. S. MCFADDEN, AND A. G. ALTENAU, IDENTIFICATION OF ANTIOXIDANTS IN RUBBER VULCANIZATES (ABSTRACT), **45** 1147
- CARLSON, L. E., COMPUTERIZED INTERPRETATION OF CUREMETER DATA (ABSTRACT), **43** 1526
- CARLSSON, D. J., AND D. M. WILES, IMPORTANCE OF SINGLET OXYGEN IN DEGRADATION OF RUBBERS AND PLASTICS, **47** 991
- CARMAN, C. J., *see* WESTFAHL, J. C., **45** 402
- , AND C. E. WILKES, MONOMER SEQUENCE DISTRIBUTION IN ETHYLENE-PROPYLENE ELASTOMERS. I. MEASUREMENT BY CARBON-13 NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY, **44** 781
- , AND C. E. WILKES, QUANTITATIVE MEASUREMENT OF ISOMER COMPOSITION IN POLYPENTENAMER USING CARBON-13 NUCLEAR MAGNETIC RESONANCE, **46** 329
- , AND K. C. BARANWAL, MOLECULAR STRUCTURE OF ELASTOMERS DETERMINED WITH CARBON-13 NMR, **46** 705
- CARPENTER, C. B., *see* SOLLBERGER, L. E., **47** 1301
- CARPENTER, R. L., *see* KRAMER, O., **46** 164
- CARSTENSEN, P., FREE RADICALS IN DIENE POLYMERS INDUCED BY ULTRAVIOLET IRRADIATION. I. AN ESR STUDY OF CIS-1,4-POLYISOPRENE, **45** 918
- , FREE RADICALS IN DIENE POLYMERS INDUCED BY ULTRAVIOLET IRRADIATION. II. AN ESR STUDY OF CIS-1,4-POLYBUTADIENE, **45** 933
- CARUSO, P. P., *see* VAN GULICK, N. M., **46** 1102
- , *see* VAN GULICK, N. M., **49** 320
- CARUTHERS, J. M., AND R. E. COHEN, ISOTHERMAL AND NONISOTHERMAL CREEP OF LIGHTLY CROSSLINKED CIS-1,4-POLYBUTADIENE, **50** 884
- , R. E. COHEN, AND A. I. MEDALIA, EFFECT OF CARBON BLACK ON HYSTERESIS OF RUBBER VULCANIZATES: EQUIVALENCE OF SURFACE AREA AND LOADING, **49** 1076
- CASALE, A., R. S. PORTER, AND J. F. JOHNSON, THE MECHANOCHEMISTRY OF HIGH POLYMERS (REVIEW), **44** 534
- CASASSA, E. F., AND G. C. BERRY, ANGULAR DISTRIBUTION OF INTENSITY OF RAYLEIGH SCATTERING FROM COMBLIKE BRANCHED MOLECULES, **41** 437
- CASHELL, E., *see* O'BRIEN, J., **50** 747
- CASS, P. J., *see* ROSTLER, K. S., **44** 1448
- CAUSA, A. G., *see* BHAKUNI, R. S., **44** 846
- , *see* VORACHEK, J. J., **49** 414
- CAVICCHIA, M. A., *see* SARBACH, D. V., **41** 766
- CAYWOOD, S. W., BLOCK AND GRAFT COPOLYMERS OF POLY(PIVALOLACTONE): POLY(ACRYLATE-G-PIVALOLACTONE), **50** 127
- , JR., *see* LEIBU, H. I., **44** 1436
- , JR., ETHYLENE-PROPYLENE-VINYLCYCLOHEXENE TERPOLYMERS, **44** 653
- CERNYAK, N. B., *see* POLYAK, M. A., **46** 566
- CESCA, S., M. BRUZZONE, A. PRIOLA, G. FERRARIS, AND P. GIUSTI, COPOLYMERIZATION OF ISOBUTENE AND ISOPRENE AT 'HIGH' TEMPERATURE WITH SYNCATALYST SYSTEMS BASED ON ALUMINUM ORGANIC COMPOUNDS, **49** 937
- , S. ARRIGHETTI, A. PRIOLA, P. V. DURANTI, AND M. BRUZZONE, TERPOLYMERS OF ETHYLENE, PROPYLENE, AND TRICYCLODECA-2,5,8-TRIENE, **48** 747
- CHAMBERLAIN, C. M., *see* BEAUMONT, R. A., **43** 1100
- CHANDLER, L. A., *see* JORGENSEN, A. H., **46** 1087
- , AND E. A. COLLINS, MULTIPLE GLASS TRANSITIONS IN BUTADIENE-ACRYLONITRILE COPOLYMERS, **43** 1465
- CHANG, B., *see* LARSEN, J. W., **49** 1120
- CHAPMAN, D. A., *see* PARKS, C. R., **43** 572
- , *see* PARKS, C. R., **45** 467
- CHAPPELL, S. F. III, *see* FIELD, R. E., **47** 457
- CHAPPELL, S. F., III, *see* FORRESTER, R. A., **42** 957
- CHARRIER, J. M., LARGE ELASTIC DEFORMATION THEORIES AND UNSTABLE DEFORMATIONS OF RUBBER



- STRUCTURES--THIN SHELLS, 47 788  
 —, LARGE ELASTIC DEFORMATIONS OF SOME CORD-REINFORCED RUBBER SHELLS, 43 282  
 —, AND A. N. GENT, INFLATION AND COMPRESSION OF RUBBER TUBES BETWEEN PARALLEL PLATES, 44 1380  
 —, N. V. HIEN, R. H. MARCHESSAULT, AND F. H. MOY, STRUCTURE AND MECHANICAL PROPERTIES OF BIAXIALLY STRETCHED CRYSTALLIZING RUBBER (ABSTRACT), 48 1093  
 CHASSET, R., *see* LANGLEY, N. R., 42 1277  
 —, *see* THIRION, P., 44 1256  
 CHAUSHESKU, E., J. BITTMAN, V. FIEROJU, F. LEBEDE, M. LABE, V. ABALI, K. DREGUSH, AND E. MICHAILESKU, SOME ASPECTS CONCERNING STRUCTURE, PROPERTIES, AND USE OF NATURAL AND SYNTHETIC CIS-POLYISOPRENE (ABSTRACT), 48 581  
 CHEN, H. Y., *see* HIRST, R. C., 48 22  
 —, APPLICATION OF HIGH-RESOLUTION NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY TO ELASTOMERS IN SOLUTION (REVIEW), 41 47  
 —, IDENTIFICATION OF NATURAL AND SYNTHETIC POLYISOPRENE VULCANIZATES BY THE CARBON-14 DATING TECHNIQUE, 50 819  
 —, AND J. E. FIELDS, CONFIGURATION OF ISOPRENE STRUCTURE IN BUTYL RUBBER BY TIME-AVERAGING HIGH-RESOLUTION NUCLEAR MAGNETIC RESONANCE, 42 392  
 CHEN, I. J., *see* REBER, D., 48 1108  
 —, *see* REBER, D., 49 28  
 CHEN, P. J., AND M. E. GURTIN, THE GROWTH OF ONE-DIMENSIONAL SHOCK WAVES IN ELASTIC NON-CONDUCTORS, 45 999  
 CHEN, R. Y. S., C. U. YU, AND J. E. MARK, STRESS-STRAIN ISOTHERMS AND STRESS-TEMPERATURE COEFFICIENTS OF POLY(DIMETHYLSILOXANE) NETWORKS IN COMPRESSION, 48 176  
 CHENEY, H. B., THE MARKETING PERSPECTIVE (ABSTRACT), 48 1163  
 CHERNAYA, V. V., V. V. DUBROVSKAYA, O. K. KORNILOVA, AND M. I. SHEPELEV, EFFECT OF VULCANIZATION NETWORK TYPE ON THE PROPERTIES OF FILMS PREPARED FROM CIS-POLYISOPRENE DISPERSIONS (ABSTRACT), 46 566  
 —, Z. N. TARASOVA, V. V. DUBROVSKAYA, AND M. M. PODKOLZINA, THE PECULIARITIES OF THERMAL-OXIDATIVE AGING OF LATEX FILMS (ABSTRACT), 50 446  
 CHIEN, W. P., *see* SEADER, J. D., 48 341  
 CHILDERS, C. W., *see* KRAUS, G., 42 520  
 —, *see* ZELINSKI, R., 41 161  
 CHIN, P. S., C. M. LAU, AND J. B. GOMEZ, REDISPERSIBLE RUBBER PASTES AND POWDERS (ABSTRACT), 50 449  
 CHIN, S. H., *see* SCHAEFER, J., 46 1127  
 CHIRICO, V. E., *see* DIZON, E. S., 47 231  
 —, *see* DIZON, E. S., 48 1090  
 —, *see* HESS, W. M., 41 356  
 —, *see* HESS, W. M., 50 301  
 —, *see* HICKS, A. E., 45 26  
 —, *see* SCOTT, C. E., 42 700  
 —, *see* SCOTT, C. E., 44 1445  
 —, *see* ULMER, J. D., 46 897  
 —, *see* ULMER, J. D., 47 729  
 —, *see* ULMER, J. D., 48 592  
 CHIU, D. S., T. K. SU, AND J. E. MARK, THE EFFECT OF DILUENT ON THE STRESS-STRAIN ISOTHERMS AND ULTIMATE PROPERTIES OF A CRYSTALLIZABLE POLYMER NETWORK (ABSTRACT), 50 1000  
 CHRISTENSEN, R. G., AND C. A. J. HOEVE, THEORETICAL AND EXPERIMENTAL VALUES OF THE VOLUME CHANGES ACCOMPANYING RUBBER EXTENSION, 43 1473  
 CHUNG, D. A., *see* ROGERS, T. H., 48 1101  
 CIVIC, T., *see* ALARIE, Y., 48 343  
 CLAQUE, A. D. H., J. A. M. VAN BROECKHOVEN, AND L. P. BLAAUW, C-13 NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY OF POLYDIENES. MICROSTRUCTURE OF POLYBUTADIENE, 47 1136  
 CLAMROTH, E., AND W. HEIDEMANN, MEASUREMENT OF ROLLING AND SLIDING FRICTION COEFFICIENTS OF TREAD COMPOUNDS, 41 908  
 CLAPSON, B. E., *see* LAKE, G. J., 44 1196  
 CLARK, J. K., AND R. A. SCOTT, CHARACTERIZATION OF SULFUR-CURED STYRENE-BUTADIENE COPOLYMER RUBBERS AND THEIR POLYBUTADIENE BLENDS, 43 1332  
 CLARK, M. S., JR., *see* TROTT, G. F., 50 438  
 CLARK, S. K., AND I. K. MCIVOR, A MATHEMATICAL MODEL FOR A TIRE SIDEWALL, 43 1055  
 CLARKE, R. E., *see* CLAXTON, W. E., 41 86  
 CLAXTON, W. E., AND F. S. CONANT, DIRECT ANALOG SIMULATION OF HYSTERETIC HEAT BUILDUP IN RUBBER, 47 717  
 —, AND H. C. HOLDEN, AN ANALOG HEAT-FLOW AND CURE CONTROLLER-SIMULATOR FOR RUBBER, 48 1103  
 —, D. PEARSON, R. E. CLARKE, AND F. S. CONANT, ROLE OF COMPUTERS IN ELASTOMER RESEARCH (REVIEW), 41 86  
 CLEMENT, I. T., *see* AVELLA, E. R., 41 765  
 COATES, L. C., AND C. LAUER, WIRE ADHESION TESTING, 45 16

- COCHRANE, H., *see* BOONSTRA, B. B., 48 558
- CODDINGTON, D. M., *see* HUBBARD, A. W., 47 1315
- , AND A. J. SULLIVAN, IMPROVED RETREAD RELIABILITY VIA A NEW LIQUID APPLIED, AIR BARRIER (ABSTRACT), 45 1152
- COFFEY, C. A., *see* BANKS, S. A., 49 1355
- COFFINDAFFER, A. F., *see* YOUNG, J. W., 43 1525
- COHEN, C. A., *see* BALDWIN, F. P., 43 522
- COHEN, G. B., *see* BRENNER, F. C., 44 952
- COHEN, H., J. A. RAE, AND D. J. BUCKLEY, SR., HIGH-MOLECULAR-WEIGHT, HIGH-UNSATURATION COPOLYMERS OF ISOBUTYLENE AND CONJUGATED DIENES. II. PROPERTIES AND PERFORMANCE, 49 967
- , J. A. RAE, AND D. J. BUCKLEY, SR., HIGH-MOLECULAR-WEIGHT, HIGH-UNSATURATION ISOBUTYLENE-CONJUGATED-DIENE COPOLYMERS, A NEW FAMILY OF ELASTOMERS. II. PROPERTIES AND PERFORMANCE (ABSTRACT), 48 1106
- COHEN, R. E., *see* CARUTHERS, J. M., 49 1076
- , *see* CARUTHERS, J. M., 50 884
- COLBERT, G. P., *see* BYAM, J. D., 50 1002
- COLCLOUGH, T., J. I. CUNEEN, AND G. M. C. HIGGINS, OXIDATIVE AGING OF NATURAL RUBBER VULCANIZATES. III. CROSSLINK SCISSION IN MONOSULFIDIC NETWORKS, 42 924
- COLE, J. O., *see* PATEL, S. M., 46 1325
- COLEMAN, J. F., CASTABLE REINFORCED ELASTOMERS. II. NEW PROCESSING METHODS (ABSTRACT), 48 1112
- COLEMAN, M. M., *see* KOENIG, J. L., 44 71
- , *see* SHELTON, J. R., 44 904
- , *see* STARMER, P. H., 44 854
- , D. L. TABB, AND E. G. BRAME, CARBON-13 NMR CHARACTERIZATION OF POLYCHLOROPRENE MICROSTRUCTURE. I. SPECTRAL ASSIGNMENTS, 50 49
- , J. R. SHELTON, AND J. L. KOENIG, RAMAN AND ESR SPECTROSCOPIC STUDIES OF ACCELERATOR SYSTEMS. I. RAMAN SPECTRA OF THIURAM SULFIDES AND RELATED COMPOUNDS, 46 938
- , J. R. SHELTON, AND J. L. KOENIG, RAMAN SPECTROSCOPIC STUDIES OF VULCANIZATION BASED ON 2-MERCAPTOBENZOTHAZOLE, 45 173
- , J. R. SHELTON, AND J. L. KOENIG, THERMAL DEGRADATION OF VULCANIZING SYSTEMS AND ITS SIGNIFICANCE TO VULCANIZATION MECHANISMS, 46 957
- COLLIER, J. R., POLYMER CRYSTALLIZATION HISTORY AND RESULTANT PROPERTIES, 42 769
- COLLINS, A. M., THE DISCOVERY OF POLYCHLOROPRENE, 46 948
- COLLINS, E. A., *see* BOWERMAN, H. H., 47 307
- , *see* CHANDLER, L. A., 43 1465
- , *see* JORGENSEN, A. H., 46 1087
- , *see* NAKAJIMA, N., 46 417
- , *see* NAKAJIMA, N., 47 318, 333, 778
- , *see* NAKAJIMA, N., 48 69, 615
- , *see* NAKAJIMA, N., 49 52
- , *see* NAKAJIMA, N., 50 791
- , *see* NAKAJIMA, N., 50 99
- , *see* OETZEL, J. T., 43 1523
- , RHEOLOGICAL BEHAVIOR OF ELASTOMERS. II. EFFECT OF FILLER TYPE AND LEVEL ON THE FLOW CHARACTERISTICS OF HYDRIN AND RELATED RUBBERS (ABSTRACT), 42 1487
- , AND J. T. OETZEL, RHEOLOGICAL BEHAVIOR OF ELASTOMERS. I. MELT VISCOSITY CHARACTERISTICS OF UNCURED EPICHLOROHYDRIN RUBBER, 42 790
- , C. A. DANIELS, AND J. A. DAVIDSON, FACTORS AFFECTING THE PROPERTIES AND RHEOLOGICAL BEHAVIOR OF LATEX (ABSTRACT), 49 411
- , T. MASS, AND W. N. BAUER, INFLUENCE OF THE CHEMICAL NATURE ON THE FLOW BEHAVIOR OF POLYMERS. I. SHEAR RATE AND TEMPERATURE DEPENDENCE, 43 1109
- COLOMB, H. O., JR., AND D. J. TRECKER, RADIATION-CONVERTIBLE POLYMERS FROM NORBORNENYL DERIVATIVES, 44 587
- CONANT, F. S., *see* CLAXTON, W. E., 41 86
- , *see* CLAXTON, W. E., 47 717
- , TIRE TEMPERATURES (REVIEW), 44 397
- , USING THE SI SYSTEM OF UNITS, 48 1
- CONCKLIN, B. M., GOVERNMENT REGULATION OF OCCUPATIONAL SAFETY AND HEALTH (ABSTRACT), 50 426
- CONNALLY, J. E., *see* REDMAN, E., 50 1000
- CONSAGA, J. P., FUNCTIONALITY DETERMINATION OF HYDROXYL-TERMINATED POLYBUTADIENE PREPOLYMERS (ABSTRACT), 43 941
- CONWAY, H. F., AND V. E. SOHNS, STARCH-ENCASED POWDERED RUBBER—PILOT-PLANT PRODUCTION (ABSTRACT), 48 338
- COOK, F. R., *see* VOET A., 44 175
- , *see* VOET, A., 41 1207, 1215
- , *see* VOET, A., 43 969

- COOK, W. S., *see* OBERSTER, A. E., 41 255
- COOPER, L. C., PREDICTING AGRICULTURAL TIRE PERFORMANCE (ABSTRACT), 41 756
- COOPER, R. N., AND L. L. NASH, TAILOR-MADE SOLUTION-SBR FOR TIRES (ABSTRACT), 45 1142
- COOPER, S. L., *see* LILAONITKUL, A., 49 1357
- , *see* LILAONITKUL, A., 50 1
- , *see* SEYMOUR, R. W., 47 19
- , D. S. HUH, AND W. J. MORRIS, STRESS SOFTENING IN CROSSLINKED BLOCK COPOLYMER ELASTOMERS (ABSTRACT), 42 956
- COOPER, W. T., *see* HAWS, J. R., 42 1495
- , *see* HAWS, J. R., 50 211
- , *see* JOHNSON, P. H., 45 145
- CORAN, A. Y., K. BOUSTANY, AND P. HAMED, SHORT-FIBER-RUBBER COMPOSITES: THE PROPERTIES OF ORIENTED CELLULOSE-FIBER-ELASTOMER COMPOSITES, 47 396
- , P. HAMED, AND L. A. GOETTLER, THE MECHANICAL BEHAVIOR OF SHORT-FIBER-ELASTOMER COMPOSITES, 49 1167
- CORBIN, H. R., *see* KELLER, R. C., 43 929
- CORISH, P. J., AND B. D. W. POWELL, ELASTOMER BLENDS (REVIEW), 47 481
- CORMAN, B. G., *see* LEWIS, J. E., 42 474
- , AND W. G. DE PIERRI, JR., EFFECT OF OIL ON POLYISOPRENE COMPOUNDS (ABSTRACT), 43 1522
- , M. L. DEVINEY, AND L. E. WHITTINGTON, MIGRATION OF EXTENDER OIL IN NATURAL AND SYNTHETIC RUBBER VI. THE USE OF OIL-TYPE MOLECULES AS PENETRANTS TO ELUCIDATE ELASTOMERIC MOLECULAR STRUCTURE (ABSTRACT), 44 1430
- , M. L. DEVINEY, JR., AND L. E. WHITTINGTON, MIGRATION OF EXTENDER OIL IN NATURAL AND SYNTHETIC RUBBER. IV. EFFECT OF SATURATES GEOMETRY, CARBON BLACK TYPE, AND DYNAMIC CONDITIONS ON DIFFUSION RATES, 43 1349
- , M. L. DEVINEY, JR., AND L. E. WHITTINGTON, THE MIGRATION OF EXTENDER OIL IN NATURAL AND SYNTHETIC RUBBER IV. THE USE OF OIL-TYPE MOLECULES AS PENETRANTS TO ELUCIDATE MOLECULAR STRUCTURE, 45 278
- , M. L. DEVINEY, JR., AND L. E. WHITTINGTON, THE MIGRATION OF EXTENDER OIL IN NATURAL AND SYNTHETIC RUBBER. IV. EFFECT OF SATURATES GEOMETRY, CARBON BLACK TYPE, AND DYNAMIC CONDITIONS ON DIFFUSION RATES (ABSTRACT), 42 1473
- CORNELL, J. A., A. J. WINTERS, AND L. HALTERMAN, JR., MECHANISM OF RUBBER COAGENT PEROXIDE CURE SYSTEM, 43 613
- CORNELL, S. W., THE RAMAN SPECTRA OF POLYBUTADIENE RUBBERS, 43 322
- , AND J. L. KOENIG, THE RAMAN SPECTRA OF POLYBUTADIENE RUBBERS, 43 313
- CORNELL, W. H., L. B. KLIEVER, AND D. D. DEARMONT, MIXING OF THERMOPLASTIC SYTRENE-BUTADIENE ELASTOMERS (ABSTRACT), 49 399
- COTTEN, G. R., DIE SWELL OF FILLED RUBBERS (ABSTRACT), 42 957
- , INFLUENCE OF CARBON BLACK ON PROCESSABILITY OF RUBBER STOCKS. I. BOUND RUBBER FORMATION, 48 548
- , THE EFFECT OF CARBON BLACK SURFACE PROPERTIES AND STRUCTURE ON RHEOMETER CURE BEHAVIOR, 45 129
- , AND E. M. DANNENBERG, A NOVEL METHOD FOR EVALUATION OF CARBON BLACKS AND CORRELATION WITH ROADWEAR RATINGS (ABSTRACT), 47 467
- COUCH, H. J., *see* CAMPBELL, G. A., 46 1329
- COUDERC, D., *see* SCHWARZ, H. F., 47 473
- COULTHARD, D. C., AND W. D. GUNTER, NEW COMPOUNDING APPROACHES TO HEAT-RESISTANT NBR (ABSTRACT), 49 407
- , K. RITCHIE, AND J. WALKER, PRACTICAL ROUTES TO UTILIZING SPECIALTY ELASTOMERS IN BLENDS (ABSTRACT), 50 434
- COVITCH, M. J., *see* CURTIUS, A. J., 45 1582
- COWING, G. S., AND T. A. KNUREK, THE PRESENT NEEDS AND FUTURE TRENDS OF AUTOMOTIVE HOSE (ABSTRACT), 42 982
- COX, S. R., *see* TROTT, G. F., 50 438
- COX, W. J., ENVIRONMENTAL AND OSHA CONSIDERATIONS (ABSTRACT), 49 413
- COX, W. L., *see* PARKS, C. R., 43 572
- , THE EFFECTS OF MODULUS AND SULFUR CONCENTRATION ON THE PROPERTIES OF SBR VULCANIZATES, 45 1372
- COZEWITH, C., *see* GARDNER, I. J., 44 1015
- , *see* VERSTRATE, G., 46 1322
- CRANE, G., *see* BECKMAN, J. A., 47 597
- , AND E. L. KAY, SCRAP TIRE DISPOSAL PROCESS, 48 50
- , E. L. KAY, AND L. B. WAKEFIELD, HYDROCARBON TACKIFYING RESINS EX SCRAP TIRES (ABSTRACT), 48 338
- , J. W. FIELDHOUSE, AND E. L. KAY, ANTIOXIDANT ACTIVITY OF DEPOLYMERIZED SCRAP RUBBER, 48 62
- CREASEY, J., *see* RUSSELL, D. B., 41 1300
- , D. DERRINGER, M. FETTERMAN, AND M. WAGNER, PARTICLE SIZE AND STRUCTURE IN REINFORCING SILICAS (ABSTRACT), 41 1368

- CREPEAU, A. E., NATURAL RUBBER-HALOBUTYL-ETHYLENE-PROPYLENE-DIENE COMPOUNDS FOR RADIAL TIRE SIDEWALL SERVICE (ABSTRACT), 50 430
- CRESPI, G., *see* FLISI, U., 43 778
- CRISOSTOMO, L. S., HOMOGENEITY-OF-CURE TEST (ABSTRACT), 48 1113
- CRITCHFIELD, F. E., *see* GERKIN, R. M., 48 972
- , J. V. KOLESKA, AND D. C. PRIEST, POLY(STYRENE CO ACRYLONITRILE) POLYOLS. MODULUS ENHANCING POLYOLS FOR URETHANE POLYMERS, 45 1467
- CROCKER, G. J., ELASTOMERS AND THEIR ADHESION (REVIEW), 42 30
- CROFT-WHITE, P. G., *see* HOWD, G. T., 46 583
- CUCINELLA, S., *see* BALDUCCI, A., 48 736
- CULL, I. M., *see* BUCHANAN, R. A., 50 431
- CULOTTI, M. R., *see* RHEIN, R. A., 50 1010
- CUNNEEN, J. I., *see* BARNARD, D., 45 381
- , *see* BRISTOW, G. M., 46 555
- , *see* COLCLOUGH, J., 42 924
- , OXIDATIVE AGING OF NATURAL RUBBER (REVIEW), 41 182
- , AND R. M. RUSSELL, OCCURRENCE AND PREVENTION OF CHANGES IN CHEMICAL STRUCTURE OF NATURAL RUBBER TIRE TREAD VULCANIZATES DURING SERVICE, 43 1215
- CUNNINGHAM, R. E., COURSE OF THE TERPOLYMERIZATION OF ETHYLENE, PROPYLENE, AND DICYCLOPENTADIENE. I. SINGLE ADDITION OF DICYCLOPENTADIENE, 42 363
- , COURSE OF THE TERPOLYMERIZATION OF ETHYLENE, PROPYLENE, AND DICYCLOPENTADIENE. II. TWO-STEP ADDITION OF DICYCLOPENTADIENE, 42 368
- CUNNINGHAM, W. K., *see* HART, D. R., 48 1103
- , AND D. R. HART, EVALUATION OF RESOTROPIN AS AN ADHESION PROMOTER FOR USE WITH BRASSED STEEL WIRE CORD (ABSTRACT), 48 346
- CURCHOD, J., THE PHYSICO-CHEMICAL CHARACTERISTICS OF COMMERCIAL ELASTOMERS, 43 1367
- CURRO, J. G., AND E. A. SALAZAR, MECHANICAL BEHAVIOR OF O-RINGS, 46 530
- , AND E. A. SALAZAR, PHYSICAL AND CHEMICAL STRESS RELAXATION OF ELASTOMERS, 50 895
- CURTIUS, A. J., M. J. COVITCH, D. A. THOMAS, AND L. H. SPERLING, POLYBUTADIENE/POLYSTYRENE INTERPENETRATING POLYMER NETWORKS, 45 1582
- D'AMICO, J. J., *see* MORITA, E., 41 721, 736
- , *see* MORITA, E., 44 881
- , *see* MORITA, E., 46 67
- , *see* POTTS, K. T., 45 160
- , *see* POTTS, K. T., 47 289
- , AND E. MORITA, RUBBER CHEMICALS FROM CYCLIC AMINES. V. THIOCARBAMYL SULFENAMIDE ACCELERATORS DERIVED FROM 3-AZABICYCLO(3.2.2)NONANE, 44 889
- , AND E. MORITA, RUBBER CHEMICALS FROM CYCLIC AMINES. VI. 2-(4-MORPHOLINODITHIO) BENZOTHAZOLE AND RELATED COMPOUNDS AS CURING AGENTS, 44 896
- , E. MORITA, A. B. SULLIVAN, K. BOUSTANY, K. T. POTTS, J. KANE, AND D. MCKEOUGH, THE BEHAVIOR OF 2-CYCLOHEXYLDITHIOBENZOTHAZOLE AND RELATED UNSYMMETRICAL DISULFIDES IN RUBBER VULCANIZATION AND THEIR MASS SPECTRAL PATTERNS, 46 1299
- , E. MORITA, AND E. J. YOUNG, RUBBER CHEMICALS FROM CYCLIC AMINES. I. PREPARATION OF DITHIOAMINES, DERIVATIVES OF DITHIOCARBAMATES AND THIAZOLETHIOLS, AND RELATED COMPOUNDS, 41 704
- , K. T. POTTS, J. KANE, D. MCKEOUGH, AND K. F. MOSCHNER, ELECTRON-IMPACT-INDUCED FRAGMENTATION OF N-(SUBSTITUTED-THIO)PHTHALIMIDES. A RATIONALIZATION FOR THEIR PREVULCANIZATION INHIBITION, 48 790
- DAGUE, M. F., *see* O'NEIL, K. B., 41 1042
- DAHL, H., *see* ESCH, E., 50 440
- DALGLISH, E. D., *see* BEATTY, J. R., 47 188
- DALL'ASTA, G., *see* CARBONARO, A., 46 1274
- , PREPARATION AND PROPERTIES OF POLYALKENAMERS (REVIEW), 47 511
- , AND P. SCAGLIONE, ALL-CIS POLYPENTENAMER: A POTENTIAL NEW ELASTOMER FOR LOW-TEMPERATURE APPLICATIONS, 42 1235
- DANCHENKO, L. A., *see* FEDYUKIN, D. L., 46 511
- DANIEL, T. J., A. NEEDHAM, AND J. R. PYNE, LIQUID RUBBERS FOR REINFORCED RUBBER PRODUCTS—A TECHNICAL AND ECONOMIC ASSESSMENT (ABSTRACT), 45 1153
- DANIELS, B. K., STEEL-RIBBON TIRE REINFORCEMENT MECHANICS (ABSTRACT), 50 445
- DANIELS, C. A., *see* COLLINS, E. A., 49 411
- DANNENBERG, E. M., *see* BOONSTRA, B. B., 47 1082
- , *see* BOONSTRA, B. B., 48 558
- , *see* COTTEN, G. R., 47 467
- , THE CARBON BLACK FUTURE AND SOME OF THE PAST (ABSTRACT), 50 432
- , THE EFFECTS OF SURFACE CHEMICAL REACTIONS ON THE PROPERTIES OF FILLER-REINFORCED RUBBERS, 48 410
- DANNIS, M. L., COMMENTS ON THE THEORY OF ELASTICITY (ABSTRACT), 45 1696
- , RUBBER DUST FROM NORMAL WEAR OF TIRES, 47 1011
- DANUSO, F., *see* SZILAGYI, L., 47 1

- DAS, C. K., AND S. BANERJEE, STUDIES ON DICUMYL PEROXIDE VULCANIZATION OF STYRENE-BUTADIENE RUBBER IN PRESENCE OF SULFUR AND 2-MERCAPTOBENZOTHAZOLE, 47 266
- DAUGHERTY, J. P., AND J. T. KEHN, UNIQUE EPDM POLYMER FOR HOSE APPLICATIONS (ABSTRACT), 42 980
- DAVIDSON, J. A., *see* COLLINS, E. A., 49 411
- , *see* WOODS, M. E., 49 112
- DAVIES, J. R., THIN-LAYER CHROMATOGRAPHIC METHOD TO DISTINGUISH NATURAL RUBBER AND SYNTHETIC POLYISOPRENE, 41 638
- , AND E. R. RODGER, IMPROVING PROCESSING AND PERFORMANCE OF HIGH AND LOW CIS-POLYISOPRENES (ABSTRACT), 46 574
- DAVIS, D. D., *see* KAUFMAN, S., 44 843
- DAVIS, J. H., *see* PALMER, M., 50 438
- DAVISON, S., AND G. L. TAYLOR, SEQUENCE LENGTH AND CRYSTALLINITY IN ALPHA OLEFINS, 46 30
- DAWSON, D. G., *see* JOHNSON, M. L., 45 1168
- DAWSON, R. L., *see* STEWART, C. W., SR., 48 132
- DE BRUYNE, E., *see* MAESCELE, A., 42 613
- DE CANDIA, F., *see* PRICE, C., 44 744
- , COMPRESSION BEHAVIOR OF NATURAL RUBBER VULCANIZED IN THE SWOLLEN STATE, 45 1634
- DE LOLLIS, N. J., THE USE OF RADIO-FREQUENCY-ACTIVATED GAS TREATMENT TO IMPROVE BONDABILITY, 46 549
- , THEORY OF ADHESION, MECHANISM OF BOND FAILURE, AND MECHANISM FOR BOND IMPROVEMENT, 43 229
- DE MARCO, R. D., M. E. WOODS, AND L. F. ARNOLD, PROCESSING OF POWDERED PVC/NBR POLYBLEND COMPOUNDS, 45 1111
- DE PIERRI, W. G. JR., *see* BANKS, S. A., 47 454
- DE PIERRI, W. G., JR., *see* CORMAN, B. G., 43 1522
- , JR., EFFECT OF OIL AND BLACK ON THE INJECTION MOLDING OF EPDM COMPOUNDS. II. MOLDING STUDIES, 42 1336
- , JR., AND J. R. HOPPER, EFFECT OF OIL AND BLACK ON THE INJECTION MOLDING OF EPDM COMPOUNDS, 42 1321
- DE WAMES, R. E., *see* SHEN, M., 45 638
- DEARMONT, D. D., *see* CORNELL, W. H., 49 399
- DEASON, W. R., AND R. W. WISE, PROGRAMMED TEMPERATURE CUREMETRY (ABSTRACT), 42 1481
- DECKER, G. E., *see* WOOD, L. A., 45 1568
- , G. W. BULLMAN, AND R. D. STIEHLER, MINIATURE DIES AND ROTOR FOR MOONEY VISCOMETER (ABSTRACT), 47 477
- DEL GIUDICE, L., *see* GIANOTTI, G., 41 170
- DEMIRAY, H., *see* LEVINSON, M., 46 254
- , AND M. LEVINSON, ON THE LINEAR CONSTITUTIVE EQUATIONS OF TRANSVERSELY ISOTROPIC INCOMPRESSIBLE ELASTIC MATERIALS, 45 1104
- DEMIRLI, H. B., *see* BLOW, C. M., 48 236
- DENNENBERG, R. J., *see* BAGLEY, E. J., 46 592
- DEPALMA, E. P., *see* WOLF, G. M., 46 1325
- DERHAM, C. J., AND A. G. THOMAS, CREEP OF RUBBER UNDER REPEATED STRESSING, 50 397
- DERRINGER, G. C., *see* CREASEY, J., 41 1388
- , *see* WAGNER, M. P., 45 1144
- , A CRITICAL LOOK AT COMPUTER COMPOUNDING (ABSTRACT), 45 1155
- , A POWERFUL DIGITAL METHOD FOR RUBBER COMPOUND OPTIMIZATION (ABSTRACT), 43 1527
- , A PREDICTIVE MODEL FOR VISCOSITY OF FILLED AND PLASTICIZED ELASTOMER COMPOUNDS (ABSTRACT), 46 1321
- , A STATISTICAL METHOD FOR COMPUTER TREATMENT OF ELASTOMER FLEX DATA (ABSTRACT), 45 1687
- , PREDICTING PROPERTIES WITH ACCURACY (ABSTRACT), 42 1469
- , VARIABLE-SHEAR-RATE VISCOSITY OF SBR-FILLER-PLASTICIZER SYSTEMS, 47 825
- DEVINEY, M. L., *see* MERCER, H. N., 49 1068
- , *see* PATEL, A. C., 46 787
- , E. J. WEAVER, W. H. WADE, AND J. E. GARDNER, PETROLEUM PITCH AS A PLASTICIZER FOR SBR AND SBR BLENDS, 47 837
- , JR., *see* CORMAN, B. G., 42 1473
- , JR., *see* CORMAN, B. G., 43 1349
- , JR., *see* CORMAN, B. G., 44 1430
- , JR., *see* CORMAN, B. G., 45 278
- , JR., *see* LEWIS, J. E., 42 474, 892
- , JR., *see* LEWIS, J. E., 43 449
- , JR., *see* LEWIS, J. E., 44 855
- , JR., *see* WADE, W. H., 44 218
- , JR., *see* WADE, W. H., 45 117
- , JR., AND L. E. WHITTINGTON, RADIOTRACER STUDIES OF CARBON BLACK SURFACE INTERACTIONS WITH ORGANIC SYSTEMS. I. EXPERIMENTAL APPROACH AND INITIAL RESULTS FROM CHEMISORPTION AND VINYL POLYMERIZATION STUDIES, 41 382

- , JR., AND L. E. WHITTINGTON, THE MIGRATION OF EXTENDER OIL IN NATURAL AND SYNTHETIC RUBBER. V. DEPENDENCE OF DIFFUSION RATES ON OIL CONCENTRATION AND ELASTOMER BLEND RATIOS. THE LOCUS OF OIL IN A SIMULATED TIRE DURING SERVICE, **44** 87
- , L. E. WHITTINGTON, C. W. GOOD, AND R. J. SPERLEY, MOBILITY OF EXTENDER OIL IN TIRES UNDER SERVICE CONDITIONS, **47** 127
- DEVRIES, K. L., FREE RADICALS GENERATED IN RUBBER DURING FRACTURE, **48** 445
- , N. B. MOORE, AND M. L. WILLIAMS, BOND RUPTURE DURING OZONE CRACKING OF TORSIONAL LOADED STYRENE-BUTADIENE RUBBER, **46** 540
- DEWHURST, H. A., *see* LOCKWOOD, P. A., **44** 848
- DI BATTISTA, A. D., *see* PATEL, A. R., **45** 1147
- DIAMOND, J. E., COMPARISON AND USAGE OF SYNTHETIC POLYISOPRENES IN TIRES (ABSTRACT), **46** 577
- DICKIE, R. A., *see* LANGLEY, N. R., **42** 1277
- , *see* SMITH, T. L., **42** 1257
- , *see* SMITH, T. L., **43** 714
- DIEHR, J. R., AND J. D. EKLAND, COMPUTER CONTROL OF THE RUBBER CURING PROCESS (ABSTRACT), **50** 442
- DIEM, H. E., *see* ANDRIES, J. C., **48** 41
- DIETRICK, M. I., AND D. E. EMMERT, A NEW METHOD FOR MEASURING ADHESION OF VULCANIZED RUBBER TO STEEL CORD AT ELEVATED TEMPERATURES, **50** 217
- , D. E. EMMERT, AND D. A. LEDERER, OPTIMIZATION OF WIRE ADHESION BY VARYING CONCENTRATION OF BONDING AGENTS AND CURE RATE (ABSTRACT), **49** 409
- DILLARD, T. R., SALES AND MARKETING OF SIMPLE BLOCK POLYMER BLENDS (ABSTRACT), **50** 433
- DIMELER, G. R., *see* BRYER, R. P., **48** 346
- , COMPOUNDING WITH PETROLEUM OILS FOR LOW-TEMPERATURE PERFORMANCE (ABSTRACT), **45** 1163
- , AND R. P. BRYER, THE EFFECT OF COMBINED SULFUR IN EXTENDER OILS ON VULCANIZATE PROPERTIES (ABSTRACT), **48** 1092
- , J. S. BOYER, AND I. W. MILLS, OIL REQUIREMENTS OF VARIOUS EPDM RUBBERS. II. THE IMPACT OF POLAR COMPOUNDS (ABSTRACT), **42** 1474
- DIZON, E. S., *see* KLENLE, R. N., **44** 996
- , *see* ULMER, J. D., **48** 592
- , PROCESSING IN AN INTERNAL MIXER AS AFFECTED BY CARBON BLACK PROPERTIES, **49** 12
- , A. E. HICKS, AND V. E. CHIRICO, CARBON-BLACK REINFORCEMENT IN FATIGUE AND CUT GROWTH (ABSTRACT), **48** 1090
- , A. E. HICKS, AND V. E. CHIRICO, THE EFFECT OF CARBON BLACK PARAMETERS ON THE FATIGUE LIFE OF FILLED RUBBER COMPOUNDS, **47** 231
- , AND L. A. PAPAZIAN, THE PROCESSING OF FILLER-REINFORCED RUBBER, **50** 765
- , E. J. MICEK, AND C. E. SCOTT, PERFORMANCE CHARACTERISTICS OF PRESENT-DAY TREAD BLACKS (ABSTRACT), **48** 339
- DJIAUW, L. K., AND A. N. GENT, ELASTICITY OF UNCROSSLINKED RUBBERS, **48** 995
- , AND D. G. FESKO, ELONGATION OF PAINTED HIGH-MODULUS ELASTOMERS AT LOW TEMPERATURES, **49** 1111
- DOANE, W. M., *see* ABBOTT, T. P., **46** 590
- , *see* ABBOTT, T. P., **47** 1311
- , *see* BUCHANAN, R. A., **47** 1313
- , *see* BUCHANAN, R. A., **48** 1092
- DOBIE, W. J., DEMOGRAPHIC STUDY OF TIRE HAZARD FAILURES, **41** 1074
- DOGADKIN, B. A., *see* DONTSOV, A. A., **44** 721
- , *see* DONTSOV, A. A., **46** 1285
- , A. V. IGUMNOVA, AND V. N. KULEZNEV, SEPARATION OF MOLECULES WITH LINEAR AND BRANCHED STRUCTURES IN NATURAL AND STYRENE-BUTADIENE RUBBERS, **41** 626
- DOHERTY, D. B., INDUSTRIAL MARKETING, PLANNING, AND CONTROL FOR PROFIT (ABSTRACT), **43** 926
- DOLE-ROBBE, J. P., NORMAL FREEZING OF SOLUTIONS OF ISOBUTYLENE POLYMERS AND COPOLYMERS, **41** 1286
- DOLLINGER, R. E., *see* HENDERSON, E. W., **41** 1387
- , W. A. KELLY, AND R. C. SHAVER, AN INVESTIGATION OF THE RESPONSES OF TREAD COMPOUNDS TO VARYING SEVERITY IN ROAD TESTS (ABSTRACT), **50** 998
- DONNET, J. B., *see* VERHELST, W. F., **50** 735
- , *see* VOET, A., **50** 342
- DONTSOV, A. A., B. N. ANFIMOV, AND B. A. DOGADKIN, HETEROGENEITY VULCANIZATION NETWORKS IN RUBBERS, **46** 1285
- , S. P. NOVITSKAYA, AND B. A. DOGADKIN, STUDY OF SULFUR VULCANIZATION OF BROMINATED ETHYLENE PROPYLENE RUBBER, **44** 721
- DOROSIEVA, V., *see* VASILEV, A., **47** 1241
- DOSS, R. C., *see* MARRS, O. L., **47** 461
- DOUGHERTY, D. J., *see* POEHLEIN, G. W., **50** 601
- DOUGLAS, T. L., *see* PALMER, M., **50** 438
- DOWNEY, R. E., SPRAYABLE ADHESIVE SYSTEMS (ABSTRACT), **47** 485



- DOYLE, G. M., R. E. HUMPHREYS, AND R. M. RUSSELL, INFLUENCE OF CHEMICAL STRUCTURE ON THE DYNAMIC PROPERTIES OF SULFUR-VULCANIZED CARBON BLACK-REINFORCED NATURAL RUBBER, 45 1051
- DOZORTSEV, M. S., V. A. SAPRONOV, AND M. M. REZNIKOVSKII, DETERMINATION OF STATE OF CURE OF RUBBER-CORD ELEMENTS OF AUTOMOBILE TIRES, 41 1371
- DRAVES, C. Z., JR., Z. S. LEE, AND L. SKOLNIK, SURVEY OF TIRE CORD CANDIDATES FOR RADIAL TIRE BELTS (ABSTRACT), 44 851
- DREGUSH, K., see CHAUSHESKU, E., 46 581
- DREXLER, L. H., A RHEOLOGICAL STUDY OF THE LOW MOLECULAR WEIGHT BUTYL POLYMER (ABSTRACT), 43 935
- DROST, S. J., see SPERANZINI, A. H., 43 482
- DROZDOVSKII, V. F., see RAZGON, D. R., 44 668
- DRUDING, D. I., TESTING AND RELIABILITY OF RUBBER PRODUCTS (ABSTRACT), 41 755
- DUBROVSKAYA, V. V., see CHERNAYA, V. V., 46 566
- , see CHERNAYA, V. V., 50 446
- DUBRUYNÉ, E., see MAESELE, A., 41 1374
- DUCHACEK, V., EFFECT OF TEMPERATURE ON THE COURSE OF THIURAM-ACCELERATED SULFUR VULCANIZATION, 40 1193
- , KINETICS OF SULFUR-FREE THIURAM VULCANIZATION, 45 945
- , PREVULCANIZATION INHIBITOR OF SULFUR-FREE THIURAM VULCANIZATION, 46 504
- DUCK, E. W., ECONOMIC AND TECHNICAL PROSPECTS FOR SYNTHETIC ISOPRENE RUBBERS (ABSTRACT), 46 582
- , OUTSTANDING PRACTICAL PROBLEMS IN EMULSION POLYMERIZATION WITH PARTICULAR REFERENCE TO DIENIC HYDROCARBONS, 43 1451
- DUDLEY, E. A., see BAUER, R. F., 50 35
- DUNCAN, J. S., see ELMER, O. C., 44 923
- DUNN, J. R., see EMBREE, W. H., 41 759
- , see PFISTERER, 46 356
- , BLENDS OF ELASTOMERS AND THERMOPLASTICS—A REVIEW, 49 978
- , INFLUENCE OF SULFUR ON STABILITY AND PHYSICAL PROPERTIES OF PEROXIDE-VULCANIZED ETHYLENE-PROPYLENE COPOLYMERS, 41 304
- , REVIEW OF UNSOLVED PROBLEMS IN THE PROTECTION OF RUBBER AGAINST OXIDATIVE DEGRADATION, 47 960
- , AND H. A. PFISTERER, USING SIMULATED END-USE CONDITIONS IN ASSESSING THE HIGH-TEMPERATURE PERFORMANCE OF OIL-RESISTANT VULCANIZATES (ABSTRACT), 40 1348
- DUNN, J. T., see WRIGHT, J. C., 50 959
- DUNNOM, D. D., A STUDY OF THE NYLON DRY-BONDING ADHESION MECHANISM (ABSTRACT), 50 998
- DURANTI, P. V., see CESCA, S., 48 747
- DZHAGAROVA, E. K., see NATOV, M. A., 41 1348
- DZIERZA, W., MECHANICAL BEHAVIOR OF LIGHTLY CROSSLINKED POLYURETHANES, 50 934
- DZYURA, E. A., see VINOGRADOV, G. V., 45 1015
- ECKER, H., see KAINRADL, P., 49 258
- ECKERT, F. J., see HESS, W. M., 41 356
- EDELSON, D., see ALLARA, D. L., 45 437
- EDGERTON, N. W., see FISHER, R. G., 46 350
- EDMUNDS, W. M., see LOCKWOOD, P. A., 44 946
- EDWARDS, C. H., MIXING FROM A PROCESSING AND EQUIPMENT POINT OF VIEW (ABSTRACT), 42 1492
- EDWARDS, D. C., NETWORK FORMATION AND REINFORCEMENT STUDIES WITH TERMINALLY BROMINATED POLYBUTADIENE, 48 203
- EGERTON, P. L., see ALLEN, G., 49 1206
- EGGER, K., see MAYO, F. R., 41 271
- EHREBURGER, P., see VERHELST, W. F., 50 735
- EICHINGER, B. E., see FLORY, P. J., 42 1397
- , see LEUNG, Y. K., 48 108, 119
- , AND P. J. FLORY, DETERMINATION OF THE EQUATION OF STATE OF POLYISOBUTYLENE, 42 1409
- EINHORN, I. N., see HILEMAN, F. D., 48 343
- , see PACKHAM, S. C., 46 342
- EISENBERG, A., see SHEN, M. C., 43 95
- , AND M. C. SHEN, RECENT ADVANCES IN GLASS TRANSITIONS IN POLYMERS (REVIEW), 43 156
- , AND M. KING, MODULUS OF PLASTICIZED IONIC RUBBERS, 45 908
- EKERT, C. F., see KIENTLE, R. N., 44 996
- EKLAND, J. D., see DIEHR, J. R., 50 442
- EL-AASSER, M. S., J. W. VANDERHOFF, S. C. MISRA, AND J. A. MANSON, ELECTRON MICROSCOPY OF LATEXES AND THEIR FILMS (ABSTRACT), 50 997
- ELDRÉD, R. J., RADIATION CURING OF ETHYLENE-PROPYLENE-DIENE ELASTOMERS, 47 924
- ELKINA, I. A., see TROFIMOVICH, D. P., 46 580
- ELKINS, F. R., see BOOZER, C. E., 49 1350
- ELLENSON, J. L., see FLORY, P. J., 42 1397
- ELMER, O. C., AND J. S. DUNCAN, PEROXIDE-COCATALYST CURING SYSTEMS FOR SATURATED POLYPROPYLENE ETHER URETHANE ELASTOMERS, 44 923

- ELY, B. E., JR., *see* AVELLA, E. R., 41 765
- EMBREE, W. H., AND J. R. DUNN, THE USE OF A CUREMETER FOR QUALITY CONTROL OF SYNTHETIC RUBBER PRODUCTION (ABSTRACT), 41 759
- EMMERT, D. E., *see* DIETRICK, M. I., 49 409
- , *see* DIETRICK, M. I., 50 217
- EPISEVA, S. N., *see* RAEVSKII, V. G., 41 601
- EPSHTEIN, V. G., *see* NIKITIN, Y. N., 41 621
- ERBEN, G., *see* KLEEMANN, W., 46 578
- ERICKSON, D. E., DEPENDENCE OF LABORATORY TIRE-CORD ADHESION ON RUBBER PROPERTIES, 47 213
- ERMILOVA, N. V., *see* FEDYUKIN, D. L., 46 511
- ESCH, E., H. FRIES, H. DAHL, AND T. KEMPERMANN, TESTING AND ASSESSMENT OF TACKIFIERS (ABSTRACT), 50 440
- ESTRIN, A. S., *see* GARMONOVA, I. V., 50 436
- EVANS, C. W., EUROPEAN MIXING TECHNIQUES (ABSTRACT), 42 1492
- , POWDERED POLYMERS AT WORK (ABSTRACT), 48 1099
- , PROCESSING POWDERED RUBBERS (ABSTRACT), 50 441
- , REVIEW OF PRESENT AND FUTURE CONTINUOUS VULCANIZATION PROCESSES IN EUROPE (ABSTRACT), 44 839
- , THE MANUFACTURE OF HOSE IN EUROPE (ABSTRACT), 42 984
- EVANS, C., A REVIEW OF THE EUROPEAN EXTRUSION AND CONTINUOUS MIXING PROCESS (ABSTRACT), 45 1696
- EVANS, D., J. T. MORGAN, R. SHELTON, AND G. B. STAPLETON, STRESS RELAXATION OF NATURAL RUBBER DURING IRRADIATION, 43 262
- EVSTRATOV, V. F., G. N. BUIKO, N. L. SAKHUYOVSKII, N. M. ARENZON, AND A. I. KARMANOVA, ABRASSION RESISTANCE OF STEREOREGULAR BUTADIENE RUBBER TREADS AS A FUNCTION OF TIRE OPERATING CONDITIONS, 41 685
- EXNER, J., M. SEEGER, AND H. J. CANTOW, PREPARATION OF RADIOACTIVELY TIVELY TAGGED ETHYLENE-PROPYLENE COPOLYMERS. CALCULATION OF THE BLOCK-LENGTH DISTRIBUTION FROM THE KINETIC DATA, 50 988
- FABER, E. M., NEW THERMOPLASTIC POLYURETHANE FOR INJECTION MOLDING—CHARACTERISTICS, PROCESSING, AND USES (ABSTRACT), 47 470
- FABRIS, H. J., AND J. G. SOMMER, FLAMMABILITY OF ELASTOMERIC MATERIALS, 50 523
- FALENDER, J. R., AND C. M. MONROE, ELASTOMERIC POLYBLENDS—STRUCTURE-PROPERTY RELATIONSHIPS, 47 57
- FALK, J. C., R. J. SCHLOTT, D. F. HOEG, AND J. F. PENDLETON, NEW THERMOPLASTIC ELASTOMERS. STYRENE GRAFTS ON LITHIATED POLYDIENES AND THEIR HYDROGENATED COUNTERPARTS, 46 1044
- FARLIE, E. D., CREEP AND STRESS-RELAXATION OF NATURAL RUBBER VULCANIZATES. PART I. EFFECT OF CROSSLINK DENSITY ON THE RATE OF CREEP IN DIFFERENT VULCANIZING SYSTEMS, 44 707
- FARMER, J. H., AND J. E. STUCKEY, EVALUATION OF THE THERMAL STRESS RELAXATION METHOD FOR THE ESTIMATION OF POLYSULFIDIC CROSSLINKS IN NATURAL RUBBER VULCANIZATES, 45 1064
- FARSON, F. S., *see* THROCKMORTON, M. C., 45 268
- FASINA, A. B., ELASTICITY OF RUBBERY NETWORKS IN THE REGION OF ZERO STRAIN (ABSTRACT), 50 441
- , ELASTICITY OF RUBBERY NETWORKS IN THE REGION OF ZERO STRAIN, 50 780
- FATH, M. A., EFFECT OF EPDM MATRIX PROPERTIES ON RESULTANT CELLULOSE-EPDM COMPOSITE PROPERTIES (ABSTRACT), 49 1363
- FAVRE, J. P., STUDY OF 2-MERCAPTOBENZOTHAZOLE-ZINC COMPOUNDS AND THEIR DEVELOPMENT DURING AGING OF RUBBER VULCANIZATES. II. DEVELOPMENT DURING AGING OF RUBBER VULCANIZATES, 42 735
- FEDEROVA, T. V., *see* LYKIN, A. S., 46 575
- FEDORS, R. F., *see* MOACANIN, J., 42 1501
- , AND R. F. LANDEL, A TEST OF THE PREDICTABILITY OF FILLED SYSTEMS (ABSTRACT), 42 1496
- , AND R. F. LANDEL, DEPENDENCE OF RELATIVE VOLUME ON STRAIN FOR AN SBR VULCANIZATE, 43 887
- FEDOSEVA, T. S., *see* KVASHENKO, Y. Y., 41 653
- FEDYUKIN, D. L., T. I. VINOGRADOVA, L. A. DANCHENKO, AND N. V. ERMILOVA, EFFECT OF DEGREE OF DISPERSION OF THE CURING SYSTEM ON THE PROPERTIES OF RUBBER COMPOUNDS AND THEIR VULCANIZATES, 46 511
- FENSTERMAKER, C. A., *see* SMITH, J. C., 42 565
- FERNANDES, D. P., *see* GOTSHALL, W. W., 50 432
- FERRARIS, G., *see* CESCA, S., 49 937
- FERRY, J. D., *see* KRAMER, O., 46 164, 1004
- , *see* LANGLEY, N. R., 42 1277
- , *see* MITSUDA, Y., 40 1035
- FESKO, D. G., *see* DJIAUW, L. K., 49 1111
- FETTERMAN, M. Q., *see* CREASEY, J., 41 1388
- , APPLICATION OF RUBBER COMPOUNDING TECHNOLOGY TO THERMOPLASTIC FORMS OF ETHYLENE-VINYL ACETATE COPOLYMERS (ABSTRACT), 49 1359
- , FILLER EFFECT ON THE HEAT STABILITY OF VULCANIZED ELASTOMERIC COMPOSITIONS, 46 927



- , AND M. P. WAGNER, THE DYNAMIC PROPERTIES OF SILICA-MODIFIED RUBBER COMPOSITIONS (ABSTRACT), 45 1161
- FETTERS, L. J., *see* MORTON, M., 48 359
- , *see* MORTON, M., 49 303
- , BLOCK AND GRAFT COPOLYMERS FROM OLEFINIC MONOMERS (ABSTRACT), 49 1351
- FIEDLER, A., AND A. STAVAROVA, EXPERIENCE IN APPLICATION OF ISOPRENE RUBBER SKI-3 IN CZECHOSLOVAKIAN RUBBER INDUSTRY (ABSTRACT), 46 579
- FIELD, R. E., S. F. CHAPPELL III, AND W. J. MCKILLIP, TIRE CORD TO RUBBER ADHESION USING AMINIMIDE STRUCTURES (ABSTRACT), 47 457
- FIELDHOUSE, J. W., *see* CRANE, G., 48 62
- FIELDING-RUSSELL, G. S., *see* LIVINGSTON, D. I., 46 1077
- , *see* SHROFF, R. N., 43 1491
- , EFFECT OF CASTING SOLVENT ON THE MECHANICAL PROPERTIES OF A STYRENE-BUTADIENE-STYRENE BLOCK COPOLYMER, 45 252
- , AND G. H. SMITH, PREPARATION, VULCANIZATION, CHARACTERIZATION OF SYNDIOTACTIC TRANS-1,2-POLYPENTADIENE, 43 771
- FIELDS, J. E., *see* CHEN, H. Y., 42 392
- FIEROJU, V., *see* CHAUSHESKU, E., 46 581
- FILBURN, D. R., AND L. SPENADEL, ULTRAFAST CURING EPDM FOR SPONGE PRODUCTION (ABSTRACT), 43 1518
- FILMONOVA, G. D., *see* LEZHNEV, N. N., 44 1282
- FINDLEY, H. J., *see* MEIER, D. J., 47 457
- FINELLI, A. F., *see* ROGERS, T. H., 48 1101
- FINLAY, J. B., A. HALLENBECK, AND J. D. MACLACHLAN, PEROXIDE-CURABLE FLUOROELASTOMERS (ABSTRACT), 50 417
- FIORENZA, A., G. BONOMI, AND A. SAREDI, IDENTIFICATION OF ANTIOXIDANTS, ACCELERATORS AND PLASTICIZERS IN RUBBER COMPOUNDS BY COLUMN CHROMATOGRAPHY AND ULTRAVIOLET AND INFRARED SPECTROPHOTOMETRY, 41 630
- FIORILLE, R. C., AND W. F. LORANGER, X-RAY INSPECTION OF TIRES AT PRODUCTION RATES (ABSTRACT), 45 1151
- FIRKINS, J. L., TIRE CORD DIP PICKUP BY ATOMIC ABSORPTION SPECTROSCOPY, 47 448
- FISCHER, T. M., JR., THE ROLE OF THERMOSETTING ELASTOMERS IN AUTOMATIC WIRING (ABSTRACT), 48 353
- FISCHER, W. F., PROFILE VULCANIZATION. A NEW METHOD FOR MEASURING THE TOTAL VULCANIZATION HISTORY OF ELASTOMERS (ABSTRACT), 42 968
- , PROFILE VULCANIZATION. II. THE INCONSTANT NATURE OF ELASTOMER VULCANIZATION (ABSTRACT), 43 931
- FISHER, R. G., AND N. W. EDGERTON, ELASTOMERS IN SOLID DIELECTRIC WIRE AND CABLE APPLICATIONS (ABSTRACT), 48 350
- FLEIGE, S., *see* SCHEELE, W., 48 889
- FLEMING, R. A., *see* VORACHEK, J. J., 49 414
- FLISI, U., *see* ZAMBONI, V., 44 1109
- , A. VALVASSORI, AND G. NOVAJRA, THERMOELASTICITY AND STRESS-INDUCED CRYSTALLIZATION OF EPDM ELASTOMERS, 44 1093
- , G. CRESPI, AND A. VALVASSORI, THERMODYNAMIC PROPERTIES OF RUBBER VULCANIZATES BASED ON ETHYLENE-PROPYLENE COPOLYMERS, 43 778
- FLORY, P. J., *see* ABE, Y., 45 959, 982
- , *see* EICHINGER, B. E., 42 1409
- , *see* MARK, J. E., 41 1140
- , *see* SHIH, H., 46 331
- , MOLECULAR CONFIGURATION IN BULK POLYMERS, 48 513
- , MOLECULAR INTERPRETATION OF RUBBER ELASTICITY (CHARLES GOODYEAR MEDAL ADDRESS-1968), 41 941
- , AND H. SHIH, THERMODYNAMICS OF SOLUTIONS OF POLY(DIMETHYLSILOXANE) IN BENZENE, CYCLOHEXANE, AND CHLOROBENZENE, 46 338
- , J. L. ELLENSON, AND B. E. EICHINGER, THERMODYNAMICS OF MIXING OF N-ALKANES WITH POLYISOBUTYLENE, 42 1397
- FOGIEL, A. W., *see* MACLACHLAN, J. D., 49 43
- , H. K. FRENSDORFF, AND J. D. MACLACHLAN, SHRINKAGE OF CURED FLUOROELASTOMERS. I. BASIC PARAMETERS, 49 34
- FOLAND, D. L., AND J. G. ANTHONY, L. C. M., VULCANIZATION METHODS (ABSTRACT), 44 838
- FOLDI, A. P., REINFORCEMENT OF RUBBER THROUGH SHORT INDIVIDUAL FILAMENTS, 49 379
- FOLT, V. L., *see* BEATTY, J. R., 49 1362
- , *see* HARMON, D. J., 46 449
- , *see* SMITH, R. W., 50 835
- , THE EFFECTS OF MECHANICAL DEGRADATION ON RHEOLOGICAL PROPERTIES OF ELASTOMERS, 42 1294
- , THE PREPARATION OF TIRE TREADS IN THE FACTORY: A RHEOLOGICAL STUDY (ABSTRACT), 49 1361
- , AND R. W. SMITH, RHEOLOGY OF ELASTOMER BLENDS, 46 1193

- , R. W. SMITH, AND C. E. WILKES, CRYSTALLIZATION IN A CAPILLARY RHEOMETER. I, **44** 1
- FORD, B. W., AND W. C. WARNER, A NEW DYNAMIC TEST DEVICE FOR VULCANIZED RUBBER, **44** 249
- FORMAN, L. E., *see* ADAMS, H. E., **45** 1252
- FORRESTER, J. R., JR., *see* RUSCH, K. C., **44** 1440
- FORRESTER, R. A., AND S. F. CHAPPELL, III, THE EFFECTS OF COAGULATION CONDITIONS AND BLACK DISPERSIONS ON PROCESSIBILITY AND PROPERTIES OF SBR MASTERSBATCH (ABSTRACT), **42** 957
- FORSETH, G. J., *see* JOHNSON, P. H., **45** 145
- FORSTER, E. O., *see* SMITH, W. C., **48** 351
- , AND L. SPENADEL, VARIABLES CONTROLLING THE ELECTRICAL PROPERTIES OF CARBON-FILLED ETHYLENE-PROPYLENE POLYMERS (ABSTRACT), **45** 1688
- FORSTER, M. J., *see* LEHMICKE, D. J., **47** 1314
- , AND I. B. PRETTYMAN, A NEW IMPROVED TIRECORD FATIGUE TESTER, **42** 1000
- FOWLER, P. R., *see* SIMPSON, B. D., **47** 461
- FOX, D. B., *see* HALL, W. E., **50** 448
- FRABLE, N. B., *see* GENTILCORE, J. F., **50** 441
- FRASER, C. R., *see* MONTAG, R. J., **42** 1491
- FRAZER, D. G., *see* JORGENSEN, A. H., **41** 769
- FRAZIER, G. C., *see* LARSEN, J. W., **50** 1007
- FRAZIER, J. R., *see* WEISSERT, F. C., **41** 1390
- FRENCH, D. M., FUNCTIONALLY TERMINATED BUTADIENE POLYMERS (REVIEW), **42** 71
- FRENCH, T., ADVANCES IN WET TIRE TRACTION, **41** 1100
- FRENSDORFF, H. K., *see* FOGIEL, A. W., **49** 34
- , THERMAL DIFFUSIVITY MEASUREMENTS ON ELASTOMERS, **47** 849
- , VULCANIZATION OF AN ETHYLENE-PROPYLENE-DIENE RUBBER, **41** 316
- FRIES, H., *see* ESCH, E., **50** 440
- FRISCH, H. L., *see* KLEMPNER, D., **44** 607
- , D. KLEMPNER, AND K. C. FRISCH, A TOPOLOGICALLY INTERPENETRATING ELASTOMERIC NETWORK, **43** 883
- FRISCH, K. C., *see* FRISCH, H. L., **43** 883
- , *see* KLEMPNER, D., **44** 607
- , RECENT ADVANCES IN THE CHEMISTRY OF POLYURETHANES, **45** 1442
- FROHLIGER, J., *see* ALARIE, Y., **48** 343
- FRUMKIN, L. S., *see* YAGNYATINSKAYA, S. M., **41** 1244
- FRUZZETTI, R. E., *see* HECKER, K. C., **45** 1692
- FUGE, C., *see* HUMMEL, K., **42** 471
- FUJIMOTO, K., *see* FUJIWARA, S., **44** 1273
- , *see* IMOTO, M., **43** 424, 431
- , *see* SEKIGUCHI, H., **42** 547
- , *see* YOSHIMURA, N., **42** 1009
- , AND K. WATAYA, THE STUDY OF POLYMERS BY HIGH-TEMPERATURE ATR SPECTROSCOPY, **43** 860
- , AND N. YOSHIMIYA, BLENDS OF CIS-1,4-POLYBUTADIENE WITH NATURAL OR STYRENE-BUTADIENE RUBBER, **41** 689
- , AND N. YOSHIMURA, STUDY OF POLYMER BLENDS. II. BLENDING SBR VARYING IN STYRENE CONTENT WITH POLYBUTADIENE, **41** 1109
- , AND S. NAKADE, EFFECTS OF TERMONOMERS ON CROSSLINKING RATE AND CROSSLINK STRUCTURE OF ETHYLENE-PROPYLENE TERPOLYMERS, **43** 411
- FUJIOKA, K., *see* IMOTO, M., **43** 424, 431
- FUJITA, H., *see* IMOTO, M., **43** 424, 431
- , *see* KATO, H., **48** 19
- , *see* TSUJI, T., **48** 765
- FUJIWARA, S., AND K. FUJIMOTO, NMR STUDY OF VULCANIZED RUBBER, **44** 1273
- FULLER, R. E., *see* HAGMAN, J. F., **49** 395
- FULLER, R. G., *see* AVERILL, S. J., **47** 475
- FULLMAN, P. V., *see* VICKERY, G., **50** 1010
- FUNT, J. M., *see* ALARIE, Y., **48** 343
- , AND J. H. MAGILL, FLAME SPREAD MODELS AS PREDICTORS OF LARGE FIRE BEHAVIOR (ABSTRACT), **48** 345
- FURUKAWA, J., ALTERNATING COPOLYMERS OF BUTADIENE AND PROPYLENE, **45** 1532
- , TEMPERATURE DEPENDENCE OF ULTIMATE STRENGTH AND ELONGATION OF VULCANIZED RUBBER, **46** 242
- , E. KOBAYASHI, K. URATANI, Y. ISEDA, J. UMEMURA, AND T. TAKENAKA, INFRARED ABSORPTION SPECTRA OF ALTERNATING COPOLYMERS OF BUTADIENE WITH ACRYLONITRILE AND DEUTERATED ANALOGS, **48** 719
- , S. YAMASHITA, T. KOTANI, AND M. KAWASHIMA, STIFFNESS OF MOLECULAR CHAIN OF SYNTHETIC RUBBER, **43** 836
- FURUTA, I., *see* NINOMIYA, K., **44** 1396
- FUSCO, J. F., *see* BISIO, A. L., **49** 1356
- FUTAMURA, S., *see* BOUTON, T. C., **46** 1322
- GAETA, L. J., *see* CARLSON, D. W., **45** 1168
- , *see* TURNER, R. R., **42** 1054

- GAJEWSKI, M., COMPARISON OF DYNAMIC PROPERTIES OF SYNTHETIC AND NATURAL POLYISOPRENES (ABSTRACT), 46 561
- GALATA, L. A., *see* KOFMAN, L. S., 46 557
- GALL, C. E., *see* RAY, W. H., 43 921
- GALLAGHER, R. B., *see* HARPELL, G. A., 50 678
- GALLOWAY, F. M., AUTOMATED HOSE PRODUCTION—IS IT FOR YOU? (ABSTRACT), 48 1096
- GALYL-OGLY, F. A., *see* GOVOROVA, O. A., 50 435
- , *see* KRYUKOVA, A. B., 47 282
- , METHODS OF PREPARATION OF SKI-3 BASED VULCANIZATES APPROACHING NATURAL RUBBER-BASED VULCANIZATES (ABSTRACT), 46 571
- GANT, G. A. L., AND M. A. CABEY, RETENTION OF PHYSICAL PROPERTIES AT TEMPERATURE WITH FLUOROSILICONES (ABSTRACT), 50 420
- GARDINER, J. B., CURATIVE DIFFUSION BETWEEN DISSIMILAR ELASTOMERS AND ITS INFLUENCE ON ADHESION, 41 1312
- , MEASUREMENT OF CURATIVE DIFFUSION BETWEEN RUBBERS BY MICROINTERFEROMETRY, 42 1058
- , STUDIES IN THE MORPHOLOGY AND VULCANIZATION OF GUM RUBBER BLENDS, 43 370
- GARDINER, R. A., PERFORMANCE INFLUENCES OF MICROWAVE CONTINUOUS VULCANIZATION SYSTEMS (ABSTRACT), 50 443
- GARDNER, I. J., *see* BALDWIN, F. P., 49 390
- , AND F. P. BALDWIN, INTERPENETRATING NETWORKS FROM ISOBUTYLENE COPOLYMERS CONTAINING CONJUGATED DIENE FUNCTIONALITY (ABSTRACT), 49 391
- , AND G. VERSTRATE, DETERMINATION OF ETHYLIDENENORBORNENE IN EPDM TERPOLYMERS, 46 1019
- , C. COZEWITH, AND G. VER STRATE, INFRARED DETERMINATION OF COMPOSITION OF ETHYLENE-PROPYLENE COPOLYMERS, 44 1015
- GARDNER, J. E., *see* DEVINEY, M. L., 47 837
- GARDON, J. L., MECHANISM OF EMULSION POLYMERIZATION (REVIEW), 43 74
- GARMANOV, I. V., PROGRESS OF SCIENTIFIC INVESTIGATIONS IN THE U.S.S.R. THAT RESULTED IN THE INDUSTRIAL PRODUCTION OF CIS-POLYISOPRENE (ABSTRACT), 48 555
- GARMONOVA, I. V., V. A. KROL, N. F. KOVALYU, L. M. KOGAN, V. P. SMIRNOV, AND A. S. ESTRIN, PROPERTIES OF MODIFIED CIS-POLYISOPRENE (ABSTRACT), 50 436
- GASHTOLD, N. S., *see* SIDOROVICH, E. A., 44 166
- GATZA, P. E., *see* MITTON, P., 42 964
- , *see* TOUCHET, P., 49 396
- , AND R. C. MCMILLAN, THE USE OF EXPERIMENTAL DESIGN AND COMPUTERIZED DATA ANALYSIS IN ELASTOMER DEVELOPMENT STUDIES (ABSTRACT), 46 587
- , P. MITTON, F. W. BICKEL, AND M. W. STOTZ, EVALUATION OF FUEL-RESISTANT ELASTOMERS FOR LOW-TEMPERATURE APPLICATIONS (ABSTRACT), 41 767
- GAVRILOV, V. M., AND A. G. SHVARTS, DEPENDENCE OF THE POLYMER-SOLVENT INTERACTION PARAMETER OF VULCANIZATES BASED ON CIS-1,4-POLYBUTADIENE ON THE TYPE AND CONCENTRATION OF VULCANIZING AGENT, 47 303
- GAZELEY, K. F., *see* CAIN, M. E., 45 204
- GEHMAN, S. D., *see* MAVRIGIAN, G., 42 1034
- , CALCULATED DEFLECTED CONTOURS AND LOAD-DEFLECTION CURVES FOR TIRES, 41 977
- , ELASTICITY THEORY FOR INDENTION OF A RUBBER PLATE, 41 1122
- , NETWORK CHAIN DISTRIBUTION AND STRENGTH OF VULCANIZATES, 42 659
- GELLING, I. R., *see* CAIN, M. E., 45 204
- , THE THERMAL DECOMPOSITIONS OF AMINE COMPLEXES OF ZINC BIS(DIMETHYLDITHIOCARBAMATE), 46 524
- GEMMER, R. V., *see* GOLUB, M. A., 50 704
- GENCHEVA, P., *see* RAKOWSKY, K., 46 570
- GENT, A. N., *see* AHAGON, A., 48 896
- , *see* CHARRIER, J. M., 44 1380
- , *see* DJIAUW, L. K., 48 995
- , FORCE-DEFLECTION RELATIONS FOR A MODEL AIR SPRING, 47 384
- , FRACTURE MECHANICS OF ADHESIVE BONDS, 47 202
- , STRESS-INDUCED BIREFRINGENCE OF SWOLLEN POLYMER NETWORKS, 43 829
- , AND D. A. TOMPKINS, SURFACE ENERGY EFFECTS FOR SMALL HOLES OR PARTICLES IN ELASTOMERS, 43 873
- , AND H. HIRAKAWA, EFFECT OF TEMPERATURE ON OZONE IN CRACKING OF BUTYL RUBBERS, 41 1294
- , AND V. V. VICKROY, ELASTIC BEHAVIOR, BIREFRINGENCE, AND SWELLING OF AMORPHOUS POLYNETWORKS, 41 1182
- GENTILCORE, J. F., N. B. FRABLE, AND R. W. SAVAGE, CRYOGENIC GRINDING OF CURED RUBBER SCRAP FOR RE-USE IN RUBBER PARTS (ABSTRACT), 50 441
- GERKIN, R. M., F. E. CRITCHFIELD, W. A. MILLER, R. ROBERTS, AND C. G. SEEFRIED, JR., RECYCLING SCRAP CROSSLINKED URETHANE POLYMERS, 48 972
- GESCHWIND, D. H., RAM INJECTION MOLDING OF ELASTOMERS. FACTORS AFFECTING CLAMP TIME (ABSTRACT), 42 959
- , AND W. F. GRUBER, TETRAMETHYLTHIOUREA-A SIGNIFICANT ADVANCE IN CURING OF

- POLYCHLOROPRENE (ABSTRACT), 44 1449
- GESSLER, A. M., EFFECT OF MECHANICAL SHEAR ON THE STRUCTURE OF CARBON BLACK IN REINFORCED ELASTOMERS, 43 943
- , EVIDENCE FOR CHEMICAL INTERACTION IN CARBON AND POLYMER ASSOCIATIONS. BUTYL AND ACIDIC OXY BLACKS. THE POSSIBLE ROLE OF CARBOXYLIC ACID GROUPS ON THE BLACK, 42 850
- , EVIDENCE FOR CHEMICAL INTERACTION IN CARBON AND POLYMER ASSOCIATIONS. II. EXTENSION OF ORIGINAL WORK OF EFFECT OF CARBON BLACK STRUCTURE, 42 858
- , THE ANATOMY OF BOUND RUBBER (ABSTRACT), 42 1494
- GETSON, J. C., AND R. N. LEWIS, A SILICONE RUBBER COMPOSITE REINFORCED BY CROSSLINKED IN-SITU GENERATED SHORT FIBERS (ABSTRACT), 49 1364
- , AND R. N. LEWIS, A SILICONE RUBBER COMPOSITE REINFORCED BY IN-SITU GENERATED SHORT FIBERS (ABSTRACT), 49 402
- GHAZI, H. S., *see* SILVEY, D. H., 50 438
- GHISSELS, A., CRYSTALLIZATION BEHAVIOR AS A TOOL FOR ASSESSING THE DEGREE OF DISPERSION OF ELASTOMER BLENDS, 50 278
- GIANOTTI, G., A. CAPIZZI, AND L. DEL GIUDICE, CIS-POLYOCTENAMER: THERMODYNAMIC PARAMETERS OF FUSION AND CRYSTALLIZATION KINETICS, 49 170
- , U. BONICELLI, AND D. BORCHI, DILUTE-SOLUTION PROPERTIES OF TRANS-POLYPENTENAMER: INTRINSIC VISCOSITY-MW RELATIONS AND MOLECULAR CONFORMATIONS, 48 761
- GILES, C. W., *see* HORNE, W. B., 41 807
- GILINSKAYA, N. S., *see* KRYUKOVA, A. B., 47 282
- GILLINGHAM, C. R., *see* LAMOND, T. G., 43 1529
- GINGO, J. M., *see* BHAKUNI, R. S., 44 846
- GIRCNER, J., CONSERVATION THROUGH RETREADING (ABSTRACT), 50 1003
- GIULIANI, G., *see* BRUZZONE, M., 47 1175
- GIUNCHI, G., *see* ZAMBONI, V., 44 1109
- GIURCO, F., *see* MILLS, W., 49 291
- GIUSTI, P., *see* CESCA, S., 49 937
- GIVEN, P. H., *see* PAPIRER, E., 42 1200
- GLAZE, W. H., *see* HSIEH, H. L., 43 22
- GLEASON, R. E., CASTABLE URETHANES: MARKETS, APPLICATIONS, AND FUTURE PROSPECTS (ABSTRACT), 45 1694
- GLYMPH, E. M., PRODUCTION AND PROPERTIES OF LOW-AMMONIA CENTRIFUGED NATURAL RUBBER LATEXES (ABSTRACT), 49 410
- GNORICH, W., AND K. A. GROSCH, THE FRICTION OF POLYMERS ON ICE, 46 527
- GOBRAN, R. H., *see* HOFFMAN, R. F., 46 139
- GODA, K., *see* TSURUGI, J., 44 857
- GOEBEL, J. C., AND A. V. TOLBOLSKY, VOLUME CHANGE ACCOMPANYING RUBBER EXTENSION, 44 1391
- GOETTLE, L. A., *see* CORAN, A. Y., 49 1167
- , *see* LI, P. C., 50 999
- GOLDSTEIN, C., *see* MUKHERJEE, D. P., 46 1264
- GOLI'B, M. A., AND M. S. HSU, NUCLEAR MAGNETIC RESONANCE STUDY OF THERMAL OXIDATION OF POLYISOPRENE, 48 953
- , M. L. ROSENBERG, AND R. V. GEMMER, SPECTROSCOPIC STUDY OF PHOTOSENSITIZED OXIDATION OF POLYISOPRENE, 50 704
- GOMEZ, J. B., *see* CHIN, P. S., 50 449
- GONZALES, J., *see* KAUFMAN, M. H., 41 527
- GONZALES, L., *see* ROYO, J., 45 1136
- GOOD, C. W., *see* DEVINEY, M. L., 47 127
- GOODMAN, A. L., C. K. SHIH, A. C. L. SU, AND G. L. ZAISER, BLOW-MOLDABLE COPOLYESTER ELASTOMER (ABSTRACT), 49 1359
- GOODSON, R. E., *see* HILLBERRY, B. M., 45 1159
- GOODSTEIN, S. J., *see* YOUNG, D. G., 41 1395
- , *see* YOUNG, D. G., 42 973
- GORITZ, D., AND F. H. MULLER, CHANGES OF STATE IN POLYMERIC NETWORKS DURING ORIENTATION. II. ANALYSIS OF ELONGATION-INDUCED CRYSTALLIZATION BY CALORIMETRY, 49 210
- GORTON, A. D. T., A COMPARATIVE STUDY OF THE PROCESSING AND PROPERTIES OF NATURAL AND SYNTHETIC POLYISOPRENE RUBBER LATEX, 43 1255
- , NATURAL RUBBER LATEX CONCENTRATE: PROPERTIES AND PROCESSABILITY, 45 1202
- GOSHORN, T. R., A. H. JORGENSEN, AND M. E. WOODS, POWDERED RUBBER TECHNOLOGY. I. PROCESSING OF POWDERED NBR COMPOUNDS (ABSTRACT), 42 1478
- GOSWAMI, B. C., *see* LAMB, G. E. R., 49 1145
- GOTO, K., *see* IMOTO, M., 43 424, 431
- GOTSHALL, W. W., AND D. P. FERNANDES, NEW SOURCES OF CARBON BLACK (ABSTRACT), 50 432
- , AND R. F. WOLF, REINFORCING CARBONS FROM PETROLEUM COKE (ABSTRACT), 47 470
- GOUGH, V. E., *see* HORNE, W. B., 41 807
- , STIFFNESS OF CORD AND RUBBER CONSTRUCTIONS, 41 988
- GOURSOT, P., *see* PRUD'HOMME, J., 50 922
- GOVOROVA, O. A., F. A. GALY-OLGY, AND M. A. ZAKIROVA, PROPERTY MODIFICATION OF ACRYLATE-BASED VULCANIZED RUBBERS (ABSTRACT), 50 435

- GRAESSLEY, W. W., STATISTICAL MECHANICS OF RANDOM COIL NETWORKS, **48** 1008
- GRAHAM, T. L., THERMALLY STABLE TRIAZINE ELASTOMER VULCANIZATES (ABSTRACT), **42** 963
- GRANT, G. D., TRENDS IN CONVEYOR BELT CARCASS MATERIALS (ABSTRACT), **48** 1096
- GRAS, D., CONTINUOUS PROCESSING OF RUBBER COMPOUNDS (ABSTRACT), **48** 1098
- GRASSIE, N., AND A. HEANEY, THERMAL DEGRADATION OF COPOLYMERS OF BUTADIENE AND ACRYLONITRILE, **48** 678
- GRAY, D. G., AND J. E. GUILLET, THE APPLICATION OF MOLECULAR PROBE TECHNIQUE TO A STUDY OF POLYMER CRYSTALLIZATION RATES, **48** 14
- GRECHANOVSKII, V. A., *see* PODDUBNYI, I. Y., **48** 556
- , *see* VINOGRADOV, G. V., **45** 1015
- , BRANCHING IN POLYMER CHAINS (REVIEW), **45** 519
- , I. Y. PODDUBNYI, AND L. S. IVANOVA, MOLECULAR STRUCTURE AND MACROSCOPIC PROPERTIES OF SYNTHETIC CIS-POLYISOPRENE, **47** 342
- , L. S. IVANOVA, AND I. Y. PODDUBNYI, NATURE OF THE COHESIONAL STRENGTH OF POLYISOPRENE SKI-3 AND CARBON BLACK COMPOUNDS BASED ON IT, **48** 1234
- GREENBERG, D. H., *see* KUCKRO, G. W., **47** 477
- GREENBERG, H., *see* NEWBERG, R. G., **43** 333
- GREENE, R. N., *see* HAGMAN, J. F., **49** 395
- GREGG, E. C., JR., SULFUR CROSSLINKS IN POLYBUTADIENE VULCANIZATES, **42** 1136
- , JR., AND J. H. MACEY, THE RELATIONSHIP OF PROPERTIES OF SYNTHETIC POLYISOPRENE AND NATURAL RUBBER IN THE FACTORY. THE EFFECT OF NON-RUBBER CONSTITUENTS OF NATURAL RUBBER, **46** 47
- , JR., AND S. E. KATRENICK, CHEMICAL STRUCTURES IN CIS-1,4-POLYBUTADIENE VULCANIZATES. MODEL COMPOUND APPROACH, **43** 549
- GREGG, R. A., THE TENSILE STRENGTH OF A GLASS YARN IN RUBBER AND THE EFFECTS OF MOISTURE. I., **44** 937
- , THE TENSILE STRENGTH OF GLASS YARN IN RUBBER II. THE EFFECTS OF NORMAL HUMIDITIES, **45** 49
- GRIMM, D. C., *see* HORVATH, J. W., **48** 337
- GRIMM, G. W., *see* LOCKWOOD, P. A., **44** 848, 946
- GRINBERG, A. E., *see* ZOLOTAREVSKAYA, L. K., **46** 517
- GROS, H. J., *see* BOOZER, C. E., **49** 1350
- GROSCH, K. A., *see* GNORICH, W., **48** 527
- , INFLUENCE OF POLYMER TYPE ON TRACTION AND WEAR OF TIRES (ABSTRACT), **44** 1437
- , OIL-EXTENDED NATURAL RUBBER IN WINTER TIRES: THEORY AND PRACTICE (ABSTRACT), **50** 434
- , AND A. SCHALLAMACH, THE LOAD DEPENDENCE OF LABORATORY ABRASION AND TIRE WEAR, **43** 701
- , AND A. SCHALLAMACH, TIRE FRICTION ON WET ROADS, **49** 862
- , AND G. MAYCOCK, INFLUENCE OF TEST CONDITIONS ON WET SKID RESISTANCE OF TIRE TREAD COMPOUNDS, **41** 477
- , J. A. C. HARWOOD, AND A. R. PAYNE, HYSTERESIS IN POLYMERS AND ITS RELATION TO STRENGTH, **41** 1157
- GROSS, D., DEGRADATION OF VULCANIZATES AND THEIR IDENTIFICATION BY IR SPECTROMETRY, **48** 289
- GROVER, H. N., *see* SOMMER, J. G., **49** 1129
- GRUBER, W. F., *see* GESCHWIND, D. H., **44** 1449
- GRUBISIC, Z., P. REMPP, AND H. BENOIT, A UNIVERSAL CALIBRATION FOR GEL PERMEATION CHROMATOGRAPHY, **42** 636
- GRUVER, J. T., *see* KRAUS, G., **41** 1256
- , *see* KRAUS, G., **42** 520, 800
- , *see* KRAUS, G., **44** 596, 1297
- GUDKOVA, L. S., *see* TORNER, R. V., **41** 1354
- GUILLAUMOND, F.-X., THE INFLUENCE OF THE SOLUBILITY OF ACCELERATORS ON THE VULCANIZATION OF ELASTOMER BLENDS, **49** 105
- GUILLET, J. E., *see* GRAY, D. G., **48** 14
- , *see* LAVOIE, A., **48** 1
- , *see* PATTERSON, D., **45** 1638
- , AND A. N. STEIN, STUDY OF CRYSTALLINITY IN POLYMERS BY THE USE OF MOLECULAR PROBES, **48** 7
- GUILLOT, J., *see* VIALLE, J., **45** 1546
- QUITTARD, G. V., *see* LEEPER, H. M., **50** 969
- GUNBERG, P. F., *see* LANE, J. H., **43** 1070
- , *see* TURETZKY, S. B., **49** 1
- , *see* VAN BUSKIRK, P. R., **48** 577
- GUNTER, W. D., *see* COULTHARD, D. C., **49** 407
- , *see* KRISTENSEN, I. M., **43** 1526
- GURGIOLO, A. E., PREPARATION OF EPOXIDE RUBBER CONTAINING ALLYLIC CHLORIDE, **42** 1028
- GURLEY, T. G., *see* PIERSON, R. M., **49** 1363
- GURSKY, L., F. J. MASIello, AND A. J. WALLACE, IMPROVED CHLORINATED BUTYL BLEND COMPOUNDS FOR TIRE SIDEWALLS (ABSTRACT), **48** 1112
- GURTIN, M. E., *see* CHEN, P. J., **45** 999

- GUSTOVA, L. P., *see* TROFIMOVICH, D. P., 46 580
- GUY, A. R., AND L. E. SOLLBERGER, CHLORINATED POLYETHYLENE ELASTOMERS (ABSTRACT), 43 1519
- GUYOT, A., *see* VIALLE, J., 45 1546
- GWIN, L. E., AND E. J. WEAVER, A NEW DIMENSION IN RUBBER COMPOUND TACKIFIERS (ABSTRACT), 49 1365
- HAAF, F., AND P. R. JOHNSON, THE THERMAL AND OXIDATIVE STABILITY OF CHLOROSULFONATED POLYETHYLENE VULCANIZATES AS MEASURED BY STRESS RELAXATION, 44 1410
- HAAS, F., K. NUTZEL, G. PAMPUS, AND D. THEISEN, PROPERTIES OF A TRANS-1,5-POLYPENTENAMER PRODUCED BY POLYMERIZATION THROUGH RING CLEAVAGE OF CYCLOPENTENE, 43 1116
- HABERMAN, C. E., PYROLYSIS OF SCRAP TIRES USING THE TOSCO II PROCESS (ABSTRACT), 50 1006
- HACKATHORN, M. J., *see* BROCK, M. J., 45 1303
- , AND M. J. BROCK, THE DETERMINATION OF HEAD-HEAD AND TAIL-TAIL STRUCTURES IN POLYISOPRENES, 45 1295
- HACKETT, E. T., *see* PELOSI, L. F., 50 418
- HAGAN, L., G. W. KUCKRO, AND G. E. LORAND, FLAME RETARDANT, CROSSLINKABLE POLYOLEFINS DESIGNED FOR ELECTRICAL INSULATION (ABSTRACT), 44 1440
- HAGERMAN, E. M., STRUCTURE-PROPERTY RELATIONSHIPS IN ELASTOMER-MODIFIED TERPOLYMER SYSTEMS, 44 62
- HAGMAN, J. F., R. E. FULLER, W. K. WITSIEPE, R. N. GREENE, AND K. J. LEWIS, ETHYLENE-ACRYLIC ELASTOMER—A NEW CLASS OF HEAT- AND OIL-RESISTANT RUBBER (ABSTRACT), 49 395
- HAINES, R. G., *see* LEVINE, I. J., 43 445
- HALE, K. L., *see* MCCORMICK, C., 49 1365
- , J. R. WEST, AND C. E. MCCORMICK, THE CONTRIBUTION OF CARBON BLACK TYPE TO SKID AND TREADWEAR RESISTANCE (ABSTRACT), 48 1091
- HALL, J. C., *see* PRETTYMAN, C. E., 47 1301
- HALL, W. E., AND A. J. KOPRA, THE RELATIVE EFFECTS OF VARIOUS ZINC OXIDES IN RUBBER (ABSTRACT), 47 1318
- , AND D. B. FOX, EFFECTS OF ZINC OXIDE AND OTHER CURATIVES ON THE PHYSICAL PROPERTIES OF RUBBER. II. INTERACTIONS WITH RUBBER COMPOSITION AT LOW STEARIC ACID, MODERATE SULFUR, AND SLIGHTLY ELEVATED TBBS (ABSTRACT), 50 448
- , AND H. C. JONES, THE EFFECT OF ZINC OXIDE AND OTHER CURATIVES ON THE PHYSICAL PROPERTIES OF A BUS AND TRUCK COMPOUND (ABSTRACT), 44 841
- HALL, W. F., *see* SHEN, M., 45 638
- HALLENBECK, A., *see* FINLAY, J. B., 50 417
- , *see* MACLACHLAN, J. D., 50 418
- , AND J. D. MACLACHLAN, A NEW FLUOROELASTOMER FOR LOW-TEMPERATURE APPLICATIONS (ABSTRACT), 50 419
- HALLENBECK, V. L., SCORCH CONTROL OF CARBOXYLIC ELASTOMERS, 46 78
- HALLER, H. S., *see* SILVEY, D. H., 43 1526
- HALLMAN, R. W., *see* SARBACH, D. V., 41 766
- , A. K. SHAH, AND K. C. MOORE, COMPOUNDING EPDM FOR LOW COST (ABSTRACT), 44 1435
- HALPIN, J. C., AND H. W. POLLEY, OBSERVATIONS ON FRACTURE OF VISCOELASTIC BODIES, 41 1168
- HALTERMAN, L. JR., *see* CORNELL, J. A., 43 613
- HAMADA, M., *see* SATAKE, K., 44 1173
- HAMED, P., *see* CORAN, A. Y., 47 396
- , *see* CORAN, A. Y., 49 1167
- , *see* LI, P. C., 50 999
- , AND L. A. WALKER, COMPARATIVE PROPERTIES OF NATURAL RUBBER SYNTHETIC CIS-1,4-POLYISOPRENE (ABSTRACT), 44 1432
- , AND P. C. LI, REINFORCEMENT OF EPDM ELASTOMERS THROUGH DISCONTINUOUS UNREGENERATED WOOD CELLULOSE FIBERS (ABSTRACT), 50 444
- HAMMACK, T. J., AND R. D. ANDREWS, TEMPERATURE DEPENDENCE OF ORIENTATION BIREFRINGENCE IN RUBBER AND SEMICRYSTALLINE POLYMERS, 42 509
- HAMPTON, R. R., APPLIED INFRARED SPECTROSCOPY IN THE RUBBER INDUSTRY (REVIEW), 45 546
- HANDS, D., THE THERMAL TRANSPORT PROPERTIES OF POLYMERS, 50 480
- , AND F. HORSFALL, THE THERMAL DIFFUSIVITY AND CONDUCTIVITY OF NATURAL RUBBER COMPOUNDS, 50 253
- HANMER, R. S., AND J. R. HAWS, SOLUTION-SBR IN TIRES (ABSTRACT), 41 1376
- HANNA, G. L., R. I. BARKER, AND E. R. RODGER, PROCESSABILITY TESTING OF ELASTOMERS (ABSTRACT), 50 1003
- HANNA, G., *see* BARKER, R. I., 50 442
- HANSEN, F. K., *see* UGELSTAD, J., 49 536
- , *see* UGELSTAD, J., 50 639
- HARADA, H., *see* IMOTO, M., 43 424, 431
- HARIANAWALA, A., AND G. J. WILSON, THE CURE RATE AND VULCANIZATE PROPERTIES OF BROMOBUTYL COMPOUNDS (ABSTRACT), 45 1167
- HARKLEROD, W. I., BASIC PRINCIPLES OF HOSE DESIGN, 42 666
- HARMON, D. J., AND V. L. FOLT, MULTIDETECTORS FOR ANALYSIS OF THE COMPOSITION OF COPOLYMERS AS A FUNCTION OF MOLECULAR SIZE DISTRIBUTION BY STERIC EXCLUSION CHROMATOGRAPHY, 46 449



- HARMS, E. G., CAPABILITY OF PIN-TYPE COLD-FEED EXTRUDER IN RUBBER PROCESSING (ABSTRACT), 49  
403
- HARPELL, G. A., AND D. H. WALROD, ORGANIC PEROXIDES FOR CURE OF ETHYLENE-PROPYLENE RUBBERS, 46 1007
- , R. B. GALLAGHER, AND M. F. NOVITS, USE OF AZO FOAMING AGENTS TO PRODUCE REINFORCED ELASTOMERIC FOAMS, 50 678
- HARRELL, E. R., see NAKAJIMA, N., 50 99
- HARRINGTON, E. R., see SHELTON, J. R., 49 147
- HARRIS, A. J., see HORNE, W. B., 41 807
- HART, D. R., see CUNNINGHAM, W. K., 48 346
- , AND W. K. CUNNINGHAM, THE PHENOTROPINS—NOVEL METHYLENE DONORS (ABSTRACT), 48 1103
- HARTMANN, N. E., see BEAUMONT, R. A., 43 1100
- HARWOOD, H. J., AND T. SUZUKI, CHARACTERIZATION OF ELASTOMER STRUCTURE BY HIGH-FIELD NMR SPECTROSCOPY (ABSTRACT), 48 1109
- HARWOOD, J. A. C., see GROSCH, K. A., 41 1157
- , A. R. PAYNE, AND J. F. SMITH, A NEW APPROACH TO RUBBER REINFORCEMENT, 43 687
- , A. R. PAYNE, AND R. E. WHITTAKER, AN INVESTIGATION INTO THE HIGH-TEMPERATURE STRENGTH AND REINFORCEMENT OF NATURAL RUBBER, 44 690
- HASA, J., see ILAVSKY, M., 45 127
- HASSAN, A. M., AND L. N. RAY, JR., CHARACTERIZATION OF EPR AND EPT NETWORKS (ABSTRACT), 41  
1388
- HAUSER, D. L., see STAKLIS, A. A., 50 1004
- HAVLICEK, I., see ILAVSKY, M., 45 127
- HAVRANEK, A., AND R. BAKULE, COMPARISON OF VISCOELASTIC AND DIELECTRIC PROPERTIES OF NATURAL RUBBER AND SULFUR SYSTEMS, 41 1249
- HAWS, J. R., see HANMER, R. S., 41 1376
- , see WILDER, C. R., 45 10
- , AND T. C. MIDDLEBROOK, COMPOUNDING RADIAL BLOCK POLYMERS (ABSTRACT), 46 588
- , C. R. WILDER, AND W. T. COOPER, EFFECT OF CARBON BLACK STRUCTURE ON ABRASION RESISTANCE (ABSTRACT), 42 1495
- , W. T. COOPER, AND E. F. ROSS, ANOTHER LOOK AT S-TYPE CARBON BLACKS, 50 211
- HAXO, H. E., JR., VULCANIZATION OF RUBBER COMPOUNDS CONTAINING GROUND RICE-HULL ASH (ABSTRACT), 50 1009
- , JR., AND P. K. MEHTA, GROUND RICE-HULL ASH AS A FILLER FOR RUBBER, 48 271
- HAYAKAWA, K., see SATAKE, K., 44 1173
- HAYES, M. W., see CARLSON, D. W., 45 1147
- HAZELTON, D. R., AND R. C. PUDYAK, COMPOUNDING EPDM FOR DYNAMICS APPLICATIONS, 44 1043
- HEALY, J. C., see MORTON, M., 41 773
- HEANEY, A., see GRASSIE, N., 48 678
- HEATH, A. B., see NEY, E. A., 42 1350
- HECKER, K. C., R. E. FRUZZETTI, AND E. A. SINCLAIR, FLAMMABILITY AND SMOKE PROPERTIES OF FLEXIBLE FOAMS (ABSTRACT), 45 1692
- HECKMAN, F. A., see BOONSTRA, B. B., 44 1451
- , see BOONSTRA, B. B., 47 1082
- , see REDMAN, E., 50 1000
- HEDAYA, E., see PETERS, E. N., 48 14
- HEGMON, R. R., THE CONTRIBUTION OF DEFORMATION LOSSES TO RUBBER FRICTION, 42 1122
- HEIDEMANN, W., see CLAMROTH, E., 41 908
- HELFAND, E., see TONELLI, A. E., 47 1116
- , BLOCK COPOLYMERS, POLYMER-POLYMER INTERFACES, AND THE THEORY OF INHOMOGENEOUS POLYMERS, 49 237
- HELLER, J., see MAYO, F. R., 41 289
- HELMS, P. E., see KOVAC, F. J., 41 1089
- HENDERSON, E. W., R. E. DOLLINGER, AND E. F. ROSS, A NEW LOW-PH, LOW-STRUCTURE, OIL FURNACE BLACK (ABSTRACT), 41 1387
- HERCAMP, R. D., EVALUATION OF RUBBER MATERIALS FOR USE AS CYLINDER LINER SEALS FOR DIESEL ENGINES (ABSTRACT), 45 1158
- HERMAN, H., CONSERVING VEHICLE ENERGY: U.S. GOVERNMENT (ABSTRACT), 50 422
- HERSHEY, J. S., POLYMERS FOR PRESENT-DAY HOSE (ABSTRACT), 42 982
- HERTEL, D. L., AND C. K. OLIVER, A PRACTICAL APPROACH TO INJECTION MOLDING USING AN INSTRON CAPILLARY RHEOMETER (ABSTRACT), 48 355
- HERTEL, E. S., AND E. A. STORCH, IMPACT OF AIR-POLLUTION CONTROL REGULATIONS ON THE DESIGN AND CONSTRUCTION OF AN ORGANIC-CHEMICAL MANUFACTURING FACILITY—A CASE STUDY IN CONNECTICUT (ABSTRACT), 49 1354
- HERZLICH, H. J., W. H. OSTRANDER, AND L. C. THOMPSON, COMMERCIALY ACCEPTABLE EPSYN WHITE SIDEWALL, COVERSTRIP SIDEWALL COMPOUNDS (ABSTRACT), 44 1437
- HESS, W. M., see BAN, L. L., 47 858
- , see BURGESS, K. A., 44 230
- , see McDONALD, G. C., 50 842
- , see MICEK, E., 41 753, 1271

- , *see* ULMER, J. D., 47 729
- , AND V. E. CHIRICO, ELASTOMER BLEND PROPERTIES: INFLUENCE OF CARBON BLACK TYPE AND LOCATION, 50 301
- , C. E. SCOTT, AND J. E. CALLAN, ELASTOMER BLENDS. COMPATIBILITY AND RELATIVE RESPONSE TO FILLERS, 44 814
- , G. C. McDONALD, AND E. URBAN, SPECIFIC SHAPE CHARACTERIZATION OF CARBON BLACK PRIMARY UNITS, 46 204
- , L. L. BAN, AND G. C. McDONALD, CARBON BLACK MORPHOLOGY: I. PARTICLE MICROSTRUCTURE. II. AUTOMATED EM ANALYSIS OF AGGREGATE SIZE AND SHAPE, 42 1209
- , L. L. BAN, F. J. ECKERT, AND V. CHIRICO, MICROSTRUCTURAL VARIATIONS IN COMMERCIAL CARBON BLACKS, 41 356
- HEWITT, N. L., AND M. P. WAGNER, THE ROLE OF SILICA IN EPDM ADHESION (ABSTRACT), 47 458
- HICKS, A. E., *see* DIZON, E. S., 47 231
- , *see* DIZON, E. S., 46 1090
- , V. E. CHIRICO, AND J. D. ULMER, AN IMPROVED WIRE ADHESION TEST METHOD, 45 26
- HIEN, N. V., *see* CHARRIER, J.-M., 46 1093
- HIGGINS, G. M. C., *see* COLCLOUGH, T., 42 924
- , AND G. P. MCSWEENEY, THE ANALYSIS OF RUBBER VULCANIZATES—IDENTIFICATION OF AMINE RESIDUES FROM SULFENAMIDE ACCELERATORS BY THIN LAYER CHROMATOGRAPHY, 47 1206
- HIGGINS, J. S., *see* ALLEN, G., 47 1127
- HILADO, C. J., C. L. SLATTENGREN, D. A. KOURTIDES, AND J. A. PARKER, RELATIVE TOXICITY OF PYROLYSIS PRODUCTS OF SOME POLYURETHANE AND POLYCHLOROPRENE FOAMS (ABSTRACT), 50 449
- HILEMAN, F. D., K. J. VOORHEES, L. H. WOJCIK, M. M. BIRKY, P. W. RYAN, AND I. N. EINHORN, PYROLYSIS OF A FLEXIBLE URETHANE FOAM (ABSTRACT), 48 343
- HILL, B. G., POLYOLS USED IN URETHANES—TYPES FOR DIFFERENT APPLICATIONS (ABSTRACT), 45 1694
- HILL, L. A., *see* KUCKRO, G. W., 47 477
- HILL, R. W., *see* PATTLE, R. E., 42 481
- HILLBERRY, B. M., AND R. E. GOODSON, REDUCTION IN ERROR AND AUTOMATIC ANALOG COMPUTATION FOR THE RESONANT-BEAM RUBBER TEST MACHINE (ABSTRACT), 45 1159
- HILLEGASS, D. V., *see* PIERSON, R. M., 49 1363
- HILLMER, K. H., *see* SCHEELE, W., 43 304
- , AND W. SCHEELE, DEGRADATION OF HIGHLY ELASTIC POLYMERS. VI. THE INTERMITTENT CHEMOSTRESS RELAXATION OF CROSSLINKED 1,5-POLYENES, 43 788
- HILTON, A. S., AND A. G. ALTENAU, MASS SPECTROMETRIC IDENTIFICATION OF 2-MERCAPTOBENZOTHAZOLE SULFENAMIDE ACCELERATORS IN RUBBER VULCANIZATES, 46 1035
- HIRAKAWA, H., *see* GENT, A. N., 41 1294
- HIROOKA, M., K. MASHITA, S. IMAI, AND T. KATO, ALTERNATING COPOLYMERS BY COMPLEXED COPOLYMERIZATION, 46 1068
- HIRST, R. C., AND H. Y. CHEN, NMR STUDY OF THE CRYSTALLIZATION KINETICS OF CIS-POLYISOPRENES, 46 22
- HIVELY, R. A., *see* PATEL, S. M., 44 1439
- , *see* PATEL, S. M., 46 1325
- HNOOSH, M. H., *see* WADE, W. H., 45 117
- HOEG, D. F., *see* FALK, J. C., 46 1044
- HOEHNE, K., THE CURING OF POLYISOPRENE COATING MATERIALS WITH POLYISOCYANATES, 42 394
- HOESCHELE, G. K., *see* O'SHAUGHNESSY, F., 44 52
- HOEVE, C. A. J., *see* CHRISTENSEN, R. G., 43 1473
- HOFFMAN, R. F., AND R. H. GOBRAN, LIQUID CARBOXYL TERMINATED POLYBUTADIENE, 46 139
- HOFFMANN, M., *see* KAMPF, G. H., 45 1564
- HOFFMANN, W., PROBLEMS IN WASTE RUBBER DISPOSAL (ABSTRACT), 47 1307
- HOFTYZER, P. J., *see* VAN KREVELD, D. W., 42 462
- HOGAN, J. D., *see* BERNSTEIN, B. S., 48 353
- HOGAN, J. M., C. J. PEARSON, T. H. ROGERS, AND J. R. WHITE, HUMIDITY CHARACTERISTICS OF HR AND HOT URETHANE FOAMS (ABSTRACT), 46 1326
- HOGUE, R., *see* VOET, A., 43 969
- HOLD, P., POLYMER RHEOLOGY AND THE THEORY OF MIXING (ABSTRACT), 50 1001
- HOLDEN, G., *see* BULL, A. L., 49 1351
- HOLDEN, H. C., *see* CLAXTON, W. E., 46 1103
- HOLMAN, P. R., *see* WHITTINGTON, W. H., 47 1312
- HOLMES, P. A., *see* ALLEN, G., 48 194
- HOLMES, T., *see* WILLIAMS, A. R., 44 1439
- HOLOWNIA, B. P., EFFECTS OF CARBON BLACK ON THE POISSON RATIO OF ELASTOMERS, 48 246
- , TEMPERATURE BUILDUP IN BONDED RUBBER BLOCKS DUE TO HYSTERESIS, 50 186
- HOMMA, T., *see* KURATA, M., 49 1290
- HONSBURG, W., *see* BRIZZOLARA, D. F., 49 412
- HOODBOY, A. I., NEW DIMENSION IN AUTOMOTIVE USE OF THERMOPLASTIC URETHANE ELASTOMERS (ABSTRACT), 47 471
- HOPKINS, P., AND T. J. LEO, PREDICTION OF THE RELIABILITY OF RUBBER HOSE (ABSTRACT), 41 753
- HOPPER, J. R., *see* DE PIERRI, W. G., JR., 42 1321



- HOPPER, R. J., IMPROVED COCURE OF EPDM-POLYDIENE BLENDS BY CONVERSION OF EPDM INTO MACROMOLECULAR CURE RETARDER, 49 341
- HOPWOOD, J. E., AND W. C. NELLER, MICROWAVE PREHEATING OF CONVEYOR BELTING (ABSTRACT), 48 1098
- HORNE, W. B., M. BUNKER, A. J. HARRIS, C. G. GILES, R. D. LISTER, B. SHILLING, R. A. WILSON-JONES, T. Z. MAREK, V. E. GOUGH, D. TABOR, D. F. MOORE, B. J. ALLBERT, J. C. WALKER, AND G. MAYCOCK, DISCUSSION. (OF PAPERS BY B. J. ALLBERT AND J. C. WALKER AND BY G. MAYCOCK ON FRICTION OF RUBBER ON WET SURFACES), 41 807
- HORNUNG, K. G., *see* JOHNSON, C. O., 41 754
- HORSFALL, F., *see* HANDS, D., 50 253
- HORVATH, J. W., D. C. GRIMM, AND J. A. STEVICK, IMPROVED NBR SERVICE PERFORMANCE WITH POLYMERIZATION-STABILIZED NITRILE RUBBERS (ABSTRACT), 48 337
- , W. A. WILSON, H. S. LUNDSTROM, AND J. R. PURDON, INVESTIGATION OF FACTORS INFLUENCING PHYSICAL PROPERTIES OF NBR/PVC BLENDS (ABSTRACT), 41 770
- HORVE, L. R., THEORETICAL STUDY OF THE FLOW OF HIGHLY VISCOUS MATERIALS (ABSTRACT), 47 474
- HOUSEMAN, T. H., *see* BARNARD, D., 45 381
- HOWARD, J. A., AUTOXIDATION AND ANTIOXIDANTS. BASIC PRINCIPLES AND NEW DEVELOPMENTS, 47 976
- HOWARD, W. S., AND C. R. WILDER, EFFECT OF CURING TEMPERATURE ON THE TREAD WEAR OF SYNTHETIC RUBBER TREAD STOCKS (ABSTRACT), 48 356
- HOWD, G. T., AND P. G. CROFT-WHITE, ISOPRENIC RUBBERS IN THE MIDDLE-TERM FUTURE (ABSTRACT), 46 583
- HSIEH, H. L., SYNTHESIS OF RADIAL THERMOPLASTIC ELASTOMER, 49 1305
- , AND R. F. WRIGHT, PROPERTIES OF POLY(AKYLENE OXIDE) ELASTOMERS, 45 900
- , AND W. H. GLAZE, KINETICS OF ALKYL LITHIUM POLYMERIZATIONS (REVIEW), 43 22
- HSU, M. S., *see* GOLUB, M. A., 48 953
- HUBBARD, A. W., AND D. M. CODDINGTON, LABORATORY TEST FOR STUDYING FACTORS AFFECTING CORD STRIKE-THROUGH IN TUBELESS TIRES (ABSTRACT), 47 1315
- HUDSON, R. W. A., *see* WILLIAMS, R. J., 42 641
- HUFF, B. J., RUBBER IN ASPHALT PAVEMENTS. A METHOD FOR UTILIZING ALL OF OUR RUBBER WASTE (ABSTRACT), 50 1006
- HUGHES, L., *see* LEWIS, J. E., 44 855
- HUH, D. S., *see* COOPER, S. L., 42 956
- HULL, R. M., AND L. G. PARKINSON, RUBBER COMPOUNDING CHEMICALS—MARKETS AND TRENDS (ABSTRACT), 45 1162
- HUMMEL, K., *see* WEWERKA, D., 49 1142
- , AND C. FUGE, EXTRACTION OF LOW MOLECULAR WEIGHT MATERIALS FROM GEL SPHERULES USING THE SYSTEM: BENZOIC ACID/CYCLOHEXANE/CROSSLINKED POLYISOPRENE, 42 471
- HUMPHREYS, R. E., *see* DOYLE, G. M., 45 1051
- HUMPIDGE, R. T., A. MACLEAN, AND S. H. MORRELL, MICRO-EVALUATION (REVIEW), 44 479
- , D. MATTHEWS, S. H. MORRELL, AND J. R. PYNE, PROCESSING AND PROPERTIES OF LIQUID RUBBERS, 46 148
- HUNTER, C. J., *see* ANDERSON, J. N., 42 918
- IBARRA, L., *see* ROYO, J., 45 1136
- IDE, Y., *see* WHITE, J. L., 47 1310
- IGARASHI, T., MECHANICS OF PEELING OF RUBBERY MATERIALS. I. PEEL STRENGTH AND ENERGY DISSIPATION, 49 1200
- IGUMNOVA, A. V., *see* DOGADKIN, B. A., 41 626
- ILAVSKY, M., J. HASA, AND I. HAVLICEK, EFFECT OF REFERENCE CHAIN DIMENSIONS IN THE MOLECULAR THEORY OF VISCOELASTIC BEHAVIOR OF POLYMER NETWORKS, 46 127
- ILLINGER, J. L., AND N. S. SCHNEIDER, LOW TEMPERATURE DYNAMIC MECHANICAL PROPERTIES OF POLYURETHANE POLYETHER BLOCK COPOLYMERS (ABSTRACT), 44 1447
- IMAI, S., *see* HIROOKA, M., 46 1068
- IMANARI, M., *see* ALAKI, Y., 46 350
- IMASE, I., A STUDY ON HEAT HISTORY OF ORGANIC ACCELERATORS IN RUBBER STOCK (BR BASE), 43 799
- IMOTO, M., VI. OXIDATIVE DEGRADATION OF EPDM VULCANIZATES, 43 431
- , Y. MINOURA, K. GOTO, H. HARADA, K. NISHIHARA, H. FUJITA, K. FUJIMOTO, T. IZUTA, K. KONO, K. FUJIOKA, A. SHIOTA, M. OBA, H. OSHITA, AND T. USAMOTO, RELATIONSHIPS BETWEEN CHEMICAL STRUCTURES OF CROSSLINK SITES AND PHYSICAL PROPERTIES OF VULCANIZED RUBBERS. V. ANALYSIS OF CHEMICAL STRUCTURES OF COMBINED SULFUR IN CROSSLINK SITES FOR VARIOUS EPDM VULCANIZATES, 43 424
- INAGAKI, H., *see* MIN, T. I., 50 63
- INGHAM, J. D., *see* RHEIN, R. A., 45 1554
- , *see* RHEIN, R. A., 50 1010
- INNES, J. J., THE FEDERAL ROLE IN TIRE SAFETY (ABSTRACT), 41 1374
- INO, H., M. TSUKASA, T. NAGAFUNE, K. K. SEKARCHO, AND Y. MINOURA, STUDIES ON BLENDED POLYMERS. VIII. BLENDING OF CARBOXY SBR AND VINYL PYRIDINE SBR, 42 759
- INOMATA, J., *see* MORTON, M., 49 303
- INSELBACHER, W., *see* WEWERKA, D., 49 1142

- IONINA, N. V., *see* NELSON, K. V., 47 357
- IPIOTIS, E. N., A REVIEW OF THE USE OF THE PIRELLI HYSTERESIMETER FOR THE DETERMINATION OF DYNAMIC PROPERTIES OF RUBBER VULCANIZATES (ABSTRACT), 45 1161
- IPPEN, J., FORMULATION FOR CONTINUOUS VULCANIZATION IN MICROWAVE HEATING SYSTEMS, 44 294
- IRWIN, K. C., *see* MAYO, F. R., 41 271, 289
- ISAYEV, A. I., *see* VINOGRADOV, G. V., 45 1082
- ISEDA, Y., *see* FURUKAWA, J., 48 719
- IVANOVA, L. S., *see* GRECHANOVSKII, V. A., 46 1256
- , *see* GRECHANOVSKII, V. A., 47 342
- , *see* PODDUBNYI, I. Y., 46 556
- IWAMA, M., *see* KURATA, M., 49 1276, 1290
- IYENGAR, Y., ADHESION OF 'KEVLAR' ARAMID CORDS TO RUBBER (ABSTRACT), 50 445
- , AND D. F. RYDER, RUBBER STOCKS FOR IMPROVED PERFORMANCE OF POLYESTER CORD TIRES, 46 442
- IZOD, D. A. W., AND G. D. SKAM, POLYMERS AND THEIR PROPERTIES IN THE INJECTION MOLDING PROCESS (ABSTRACT), 41 1399
- IZUTA, T., *see* IMOTO, M., 43 424, 431
- JACKSON, J. L., *see* SHEN, M. C., 42 835
- JACOBS, H. L., *see* BARANWAL, K., 41 1392
- , *see* NEWELL, W. W., 48 1099
- , MIXING FROM A COMPOUNDERS POINT OF VIEW (ABSTRACT), 42 1492
- JAHN, H.-J., AND H. H. BERTRAM, THE COMPRESSION-SET BEHAVIOR OF NITRILE RUBBER, 46 305
- JAMES, C., *see* ABBOTT, T. P., 47 1311
- JANAKIEW, V., *see* RAKOWSKY, K., 46 570
- JANSSSEN, M. L., AND J. D. WALTER, STRAIN MEASUREMENTS IN BIAS, BELTED BIAS, AND RADIAL PLY TIRES (ABSTRACT), 44 1453
- JANSSON, J. F., *see* STENBERG, B., 46 1316
- , *see* STENBERG, B., 50 906
- , *see* STENBERG, B., 50 915
- JANZEN, J., AND G. KRAUS, A GENERAL CORRELATION BETWEEN TREADWEAR AND CARBON BLACK PROPERTIES (ABSTRACT), 47 465
- , AND G. KRAUS, SPECIFIC SURFACE AREA MEASUREMENT ON CARBON BLACK, 44 1287
- JENKINS, L. T., *see* SLADE, P. E., 41 421
- JENKINS, R. C., *see* MONTAG, R. J., 42 1491
- , *see* YOUNG, J. W., 43 1525
- JENKS, W. P., RADIAL PASSENGER TIRES WITH ALL GLASS CORDS (ABSTRACT), 47 1318
- JERNEJCIC, M., AND L. PREMUR, PYROLYSIS GAS CHROMATOGRAPHY OF NATURAL RUBBER AND SYNTHETIC POLYISOPRENE, 41 411
- JEWELL, J. E., *see* LEWIS, J. E., 44 855
- JOHNSON, A. H., AND C. M. LINDEMAN, ELASTOMERIC GASKET COMPOSITION FOR ELEVATED TEMPERATURES (ABSTRACT), 46 1333
- JOHNSON, B. L., *see* MOCHEL, V. D., 43 1138
- JOHNSON, C. O., AND K. G. HORNUNG, RELIABILITY PREDICTIONS FOR V-BELTS (ABSTRACT), 41 754
- JOHNSON, J. B., *see* NORMAND, R. J., 49 407
- JOHNSON, J. F., *see* CASALE, A., 44 534
- JOHNSON, M. L., AND D. G. DAWSON, PREFORMULATED BAND PLY LUBRICANTS (ABSTRACT), 45 1168
- JOHNSON, P. H., *see* STACY, C. J., 48 538
- , W. T. COOPER, AND G. J. FORSETH, LARGE-PARTICLE OIL FURNACE BLACK. A NEW TYPE OF CARBON BLACK, 45 145
- JOHNSON, P. R., *see* HAAF, F., 44 1410
- , *see* STEWART, C. W. SR., 46 132
- , A GENERAL CORRELATION OF THE FLAMMABILITY OF NATURAL AND SYNTHETIC POLYMERS, 49 158
- , POLYCHLOROPRENE RUBBER, 49 650
- , R. PARISER, AND J. J. MCEVOY, ELASTOMERS AND FLAMMABILITY (ABSTRACT), 48 340
- JOHNSON, P. S., PROCESSING OF ELASTOMERS: A REVIEW OF THE PROBLEMS (ABSTRACT), 50 1001
- JOHNSON, R. E., SALES AND MARKETING OF ETHYLENE-PROPYLENE ELASTOMERS FOR BLENDS (ABSTRACT), 50 434
- JOHNSON, R. M., AND J. E. MARK, PROPERTIES OF POLY(DIMETHYLSILOXANE) NETWORKS PREPARED IN SOLUTION, AND THEIR USE IN EVALUATING THE THEORIES OF RUBBERLIKE ELASTICITY, 45 1646
- JONES, H. C., *see* HALL, W. E., 44 841
- JONES, W. B., JR., A SIMPLE TEST FOR CERTAIN CASES OF ADHESION (ABSTRACT), 42 1486
- JORGENSEN, A. H., *see* GOSHORN, T. R., 42 1478
- , AND D. G. FRAZER, EFFECTS OF VARIATIONS IN THE INDIVIDUAL POLYMERS IN NBR-PVC BLENDS (ABSTRACT), 41 769
- , L. A. CHANDLER, AND E. A. COLLINS, MULTIPLE GLASS TRANSITIONS IN BUTADIENE-ACRYLONITRILE COPOLYMERS. II. FORMATION OF INCOMPATIBLE PHASES DURING COPOLYMERIZATION, 46 1087
- JUDY, W. A., *see* CALDERON, N., 41 759
- , *see* SCOTT, K. W., 44 1341

- KACHKINA, L. Y., *see* KOFMAN, L. S., 46 557
- KACHUR, V., AND E. J. WEAVER, RUBBER-TO-CORD DYNAMIC ADHESION TEST: DEVELOPMENT, ANALYSIS, AND APPLICATIONS (ABSTRACT), 49 1349
- , AND G. KAUFMANN, HEAT GENERATION IN PNEUMATIC TIRES, 49 823
- KADUNCE, R. J., CARBON BLACK DISPERSION UTILIZING THE AMEDA SYSTEM (ABSTRACT), 47 469
- KAEUBLE, D. H., RHEOLOGY OF ADHESION, 45 1604
- KAERIYAMA, A., *see* ONO, K., 50 43
- KAINRADL, P., AND G. KAUFMANN, VISCOELASTIC PROPERTIES OF TRUCK TIRE COMPOUNDS AND RELATED HEAT BUILDUP, 45 1
- , F. WOLF, AND H. ECKER, VARIATIONS IN TESTING PROCEDURES ON THE ROTARY FLEXOMETER, 49 250
- KAKIUCHI, M., *see* SEKIGUCHI, H., 42 547
- KALB, G. H., *see* BARNEY, A. L., 44 660
- KALFAYAN, S. H., R. H. SILVER, AND A. A. MAZZEO, ACCELERATED HEAT-AGING STUDIES ON FLUOROSILICONE RUBBER, 48 944
- , R. H. SILVER, AND S. T. LIU, ACCELERATED HEAT-AGING STUDIES ON FLUORO-RUBBER IN VARIOUS MEDIA, 49 1001
- , R. RAKUTIS, AND R. H. SILVER, CHEMICAL STRESS RELAXATION AND OTHER STUDIES ON STYRENE-BUTADIENE RUBBER, 47 1265
- KAMPF, G., H. KROMER, AND M. HOFFMANN, LONG-RANGE ORDER OF SUPRAMOLECULAR STRUCTURES IN AMORPHOUS BUTADIENE-STYRENE BLOCK COPOLYMERS, 45 1564
- KANAVEL, G. A., M. P. MAZZEO, AND J. J. SCHULTHEIS, IMPROVED LOW-TEMPERATURE AND WATER RESISTANCES FOR MILLABLE POLYESTER URETHANES (ABSTRACT), 42 1502
- , R. E. LAUER, AND A. F. SANTANIello, A NEW MILLABLE POLYESTER URETHANE WITH IMPROVED WATER RESISTANCE (ABSTRACT), 41 763
- KANE, J., *see* D'AMICO, J. J., 46 1299
- , *see* D'AMICO, J. J., 48 790
- , *see* POTTS, K. T., 47 289
- KANE, R. P., NEW DEVELOPMENTS IN COPOLYESTER ETHER ELASTOMERS (ABSTRACT), 50 414
- KAPLAN, M. L., AND P. G. KELLEHER, PHOTOOXIDATION OF POLYMERS WITHOUT LIGHT: OXIDATION OF POLYBUTADIENE AND AN ABS POLYBLEND WITH SINGLET OXYGEN, 44 642
- , AND P. G. KELLEHER, POLYDIENE OXIDATIONS WITH SINGLET OXYGEN, 45 423
- KAPUR, R. S., J. L. KOENIG, AND J. R. SHELTON, RAMAN SPECTRAL STUDIES OF 2-MERCAPTOBENZOTHAZOLE ACCELERATOR SYSTEMS, 47 911
- , R. SHELTON, AND J. L. KOENIG, FOURIER TRANSFORM INFRARED STUDIES OF VULCANIZATION OF CIS-1,4-POLYBUTADIENE (ABSTRACT), 48 348
- KARMANOVA, A. I., *see* EVSTRATOV, V. F., 41 685
- KARMIN, B. K., *see* TITOV, V. V., 46 560
- , STRUCTURE AND PROPERTIES OF SYNTHETIC ISOPRENE RUBBERS OBTAINED WITH THE USE OF VARIOUS CATALYTIC SYSTEMS (ABSTRACT), 46 555
- KASTEN, G. A., *see* SMITH, W. R., 43 960
- KATO, H., AND H. FUJITA, SOME NOVEL SYSTEMS FOR CROSSLINKING OF POLYCHLOROPRENE, 48 19
- KATO, M., AND J. E. MARK, THE EFFECT OF TEMPERATURE ON THE STRESS/STRAIN ISOTHERMS OF POLYISOBUTYLENE NETWORKS AT HIGH ELONGATION, 49 85
- KATO, T., *see* HIROOKA, M., 48 1068
- KATRENICK, S. E., *see* GREGG, E. C., JR., 43 549
- KATRITZKY, A. R., AND D. E. WEISS, CARBON-13 NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY OF POLYMERS. PART IV. PEAK ASSIGNMENT FOR STYRENE-BUTADIENE COPOLYMERS, 48 1044
- , AND D. E. WEISS, CARBON-13 NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY OF POLYMERS. PART V. MONOMER SEQUENCE IN STYRENE-BUTADIENE COPOLYMERS, 48 1055
- KATZ, C., *see* BERNSTEIN, B. S., 48 353
- KATZ, H. C., *see* BUCHANAN, R. A., 44 842
- KAUFMAN, M. H., AND J. GONZALES, REINFORCEMENT OF FLUOROELASTOMERS WITH HALOPOLYMERS, 41 527
- KAUFMAN, S., W. P. SLICHTER, AND D. D. DAVIS, A NUCLEAR MAGNETIC RESONANCE STUDY OF RUBBER-CARBON BLACK INTERACTIONS (ABSTRACT), 44 843
- KAUFMANN, G., *see* KAINRADL, P., 45 1
- , *see* KAINRADL, P., 49 823
- KAVCHOK, R. W., *see* MEYER, G. E., 46 106
- KAVUN, S. M., *see* LYKIN, A. S., 46 575
- KAWAKAMI, J. H., *see* PETERS, E. N., 48 14
- KAWASHIMA, I., *see* ASHIKARI, N., 42 1245
- KAWASHIMA, M., *see* FURUKAWA, J., 43 836
- KAWASHIMA, T., *see* ASHIKARI, N., 42 1245
- KAY, E. L., *see* BECKMAN, J. A., 47 597
- , *see* CRANE, G., 48 50, 62, 338
- , *see* LAWSON, D. F., 48 124
- KEELEY, F. W., D. R. LUH, AND R. L. MORGAN, NEW EPDM DEVELOPMENTS FOR ELECTRICAL INDUSTRY APPLICATIONS (ABSTRACT), 48 354

- KEHN, J. T., *see* DAUGHERTY, J. P., 42 980
- KELLEHER, P. G., *see* KAPLAN, M. L., 44 642
- , *see* KAPLAN, M. L., 45 423
- KELLER, R. C., AND H. R. CORBIN, HEAT RESISTANCE OF TRUCK INNER TUBES (ABSTRACT), 43 929
- KELLEY, F. N., AND M. L. WILLIAMS, THE ENGINEERING OF POLYMERS FOR MECHANICAL BEHAVIOR, 42 1175
- KELLY, J. D., JR., ADVANCES IN BIAS TIRES-TIRE SHAPES (ABSTRACT), 41 1087
- KELLY, R. L., OVERVIEW OF THE LATEX INDUSTRY (ABSTRACT), 49 410
- KELLY, W. A., *see* DOLLINGER, R. E., 50 998
- KEMPERMANN, T., *see* ESCH, E., 50 440
- , RELATIONSHIP BETWEEN CHEMICAL CONSTITUTION AND EFFECT OF ANTIOXIDANTS OF THE POLYNUCLEAR-PHENOL TYPE (ABSTRACT), 45 1146
- KENDRICK, T. C., AND A. H. WARD, BLOCK COPOLYMERS OF POLY(ALPHA-METHYLSTYRENE) AND POLYDIMETHYLSILOXANE (ABSTRACT), 47 456
- KENNEY, V. R., AND G. R. WIENKOOP, DIGITAL COMPUTER CONTROL OF THE RUBBER CALENDERING PROCESS (ABSTRACT), 49 399
- KEOWN, R. W., *see* BRIZZOLARA, D. F., 49 412
- KERCHAS, Y. Y., *see* LIPATOV, Y. S., 41 537
- KERWOOD, J. E., *see* LEIB, R. I., 43 1522
- , R. I. LEIB, AND C. D. TRIVETTE, JR., SULFENAMIDE-ACCELERATED SULFUR VULCANIZATION OF BLACK-FILLED NATURAL RUBBER (ABSTRACT), 42 969
- KHAN, A. A., *see* BARNEY, A. L., 44 680
- , *see* BRAME, E. G., 50 272
- , AND E. G. BRAME, JR., PREPARATION AND CHARACTERIZATION OF COPOLYMERS OF CHLOROPRENE AND METHYL METHACRYLATE (ABSTRACT), 49 394
- KIBLER, R. W., *see* LEHMICKE, D. J., 47 1314
- KIENLE, R. N., E. S. DIZON, T. J. BRETT, AND C. F. ECKERT, TREADWEAR AND WET SKID RESISTANCE OF BUTADIENE-STYRENE ELASTOMERS AND BLENDS, 44 996
- KILIAN, A. S., *see* WOLFE, J. R., 41 1329
- KIM, C. S., IMPORTANT MECHANICAL AND CHEMICAL FACTORS IN THE FAILURE BEHAVIOR OF POLYBUTADIENE RUBBER UNDERGOING OXIDATIVE AGING AT AMBIENT TEMPERATURES, 42 1095
- KIM, H. J., *see* AHAGON, A., 48 896
- KIM, Y. K., *see* PIERCE, O. R., 44 1350
- KIMMEL, J. E., *see* O'NEIL, K. B., 41 1042
- KING, M., *see* EISENBERG, A., 45 908
- KIRKHAM, M. C., *see* PRICE, C., 44 744
- , THE INFLUENCE OF PRECURE DILATION ON THE STRESS-STRAIN PROPERTIES OF EPDM NETWORKS, 44 1326
- KIRPICHEV, V. P., A. I. YAKUBCHIK, AND G. N. MAGLYSH, MODIFICATION OF CIS-1,4-POLYBUTADIENE WITH BETA-NAPHTHYLAMINE, 43 1225
- KLASS, D. L., *see* WATERMAN, W. W., 50 421
- KLEBERG, W., *see* AHNE, H., 48 878
- KLEEMANN, W., AND G. ERBEN, EXPERIENCE IN APPLICATION OF DIFFERENT TYPES OF 1,4-CIS-POLYISOPRENE IN TIRE RUBBER COMPOUNDS (ABSTRACT), 46 578
- KLEIN, I., *see* TADMOR, Z., 42 780
- KLEMCHUK, P. P., *see* PATEL, A. R., 45 1147
- KLEMP, N. A., DEFINITIVE PARAMETERS OF PETROLEUM-BASED PROCESS OILS AND EXTENDERS FOR NEOPRENE (ABSTRACT), 50 448
- KLEMPNER, D., *see* FRISCH, H. L., 43 883
- , H. L. FRISCH, AND K. C. FRISCH, TOPOLOGICALLY INTERPENETRATING ELASTOMERIC NETWORKS, 44 607
- KLIEVER, L. B., *see* CORNELL, W. H., 49 399
- KLINE, R. H., POLYMERIZABLE ANTIOXIDANTS IN ELASTOMERS (ABSTRACT), 47 1306
- , AND J. P. MILLER, PREPARATION AND ACTIVITY OF POLYMERIZABLE ANTIOXIDANTS FOR EMULSION RUBBERS, 46 96
- KLINGENSMITH, W., THE USE OF TALLOW FATTY ACIDS IN RUBBER (ABSTRACT), 49 348
- KNABESCHUH, L. H., *see* LEIBU, H. J., 44 1436
- KNAUERHASE, K., EXPERIENCE OF OPTIMIZING VULCANIZATION BY USING ON-LINE CONTROL (ABSTRACT), 45 1156
- , AND F. KUPSKE, REPORT ON EXPERIENCE IN THE APPLICATION OF THE ON-LINE PROCESSORS FOR THE RUBBER MIXING TECHNIQUE (ABSTRACT), 45 1153
- KNORR, R., *see* O'DRISCOLL, K. F., 43 897, 906
- KNUREK, T. A., *see* COWING, G. S., 42 982
- KOBAYASHI, E., *see* FURUKAWA, J., 48 719
- KOCH, H., THE CONTINUOUS MIXING OF RUBBER USING WERNER AND PFLEIDERER EQUIPMENT (ABSTRACT), 45 1695
- KOCH, R. B., HIGH-PRESSURE THERMOPLASTIC HOSE REPLACES RUBBER (ABSTRACT), 48 1095
- KOCH, R. W., *see* TURNER, R. R., 42 1054
- KOCHMIT, C. J., CHANGING TRENDS IN TREAD TYPE CARBON BLACKS (ABSTRACT), 41 1105
- KOENIG, J. L., *see* COLEMAN, M. M., 45 173

- , *see* COLEMAN, M. M., 46 936, 957
- , *see* CORNELL, S. W., 43 313, 322
- , *see* KAPUR, R. S., 47 911
- , *see* KAPUR, R., 46 346
- , *see* PECSOK, R. L., 49 405, 1010
- , *see* SHELTON, J. R., 44 904
- , *see* STARMER, P. H., 44 654
- , M. M. COLEMAN, J. R. SHELTON, AND P. H. STARMER, RAMAN SPECTROGRAPHIC STUDIES OF THE VULCANIZATION OF RUBBERS. I. RAMAN SPECTRA OF VULCANIZED RUBBERS, 44 71
- KOFMAN, L. S., *see* LYKIN, A. S., 50 437
- , L. A. GALATA, V. G. ZHAKOVA, T. N. MATVEEVA, G. E. BETZ, AND L. Y. KACHKINA, ON MANUFACTURING UNMODIFIED POLYISOPRENE-BASED RUBBER COMPOUNDS WITH HIGH GREEN STRENGTH (ABSTRACT), 46 557
- KOGAN, L. M., *see* GARMONOVA, I. V., 50 436
- KOGON, I. C., *see* WOLFE, J. R., JR., 43 1515
- KOHJIYA, S., *see* YAMASHITA, S., 50 364
- KOHLER, J., *see* RIESS, G., 42 447
- KOJIMA, G., H. KOJIMA, AND Y. TABATA, A NEW FLUOROELASTOMER DERIVED FROM TETRAFLUOROETHYLENE AND PROPYLENE, 50 403
- KOJIMA, H., *see* KOJIMA, G., 50 403
- KOKOROPoulos, P., COMMENTS ON THE SIGNIFICANCE AND USE OF A CENTRALIZED INFORMATION FACILITY ON HIGH POLYMERS (ABSTRACT), 42 1490
- KOLESKE, J. V., *see* CRITCHFIELD, F. E., 45 1457
- KOMURO, K., *see* NOMURA, A., 46 556
- KONCOS, R., PRESENT AND FUTURE APPLICATIONS OF LIQUID HYDROXYL-TERMINATED POLYBUTADIENES (ABSTRACT), 46 590
- KONDO, A., *see* BRENNER, F. C., 44 106, 952
- , AND F. C. BRENNER, RESEARCH FOR A UNIFORM QUALITY GRADING SYSTEM FOR TIRES. VI. COMPARISON OF THE EFFECT OF FRONT AND REAR WHEEL DRIVE VEHICLES ON PROJECTED TREAD WEAR OF A TIRE, 44 960
- KONGAROV, G. S., AND G. M. BARTENEV, EFFECT OF THE COMPATIBILITY OF RUBBERS ON THE VISCOUS FLOW PROPERTIES OF THEIR BINARY MIXTURES, 46 1166
- KONO, K., *see* IMOTO, M., 43 424, 431
- KONSTANTINOVA, N. A., *see* BARTENEV, G. M., 45 1094
- KONTOS, E. G., APPLICATION OF VISCOELASTICITY TO THE PROCESSABILITY OF ELASTOMERS, 43 1082
- KOPRA, A. J., *see* HALL, W. E., 47 1318
- KORNILOVA, O. K., *see* CHERNAYA, V. V., 46 566
- KOSTRYKINA, G. I., *see* POLYAK, M. A., 46 566
- KOTAKA, T., AND J. L. WHITE, THIN-LAYER CHROMATOGRAPHIC SEPARATIONS OF BUTADIENE-STYRENE COPOLYMERS ON THE BASIS OF COMPOSITION AND MOLECULAR WEIGHT, 46 310
- KOTANI, T., *see* FURUKAWA, J., 43 836
- KOTSHER, B. J., AN INTRODUCTION TO THE SYMPOSIUM ON THE MARKETING OF RUBBER BLENDS (ABSTRACT), 50 433
- KOURTIDES, D. A., *see* HILADO, C. J., 50 449
- KOVAC, F. J., TECHNOLOGICAL FORECASTING: TIRES (ABSTRACT), 43 1521
- , K. B. O'NEIL, AND P. E. HELMS, BIAS BELTED TIRES, PRINCIPLE AND MATERIALS OF CONSTRUCTION (ABSTRACT), 41 1089
- KOVACS, A. J., APPLICABILITY OF FREE VOLUME CONCEPT OF RELAXATION PHENOMENA IN THE GLASS TRANSITION RANGE, 41 555
- KOVALYU, N. F., *see* GARMONOVA, I. V., 50 436
- KOZLOV, V. T., EFFECT OF TEMPERATURE ON DECAY OF RADICALS FORMED DURING RADIOLYSIS OF SOLID RUBBERS, 41 678
- KRAMER, O., AND J. D. FERRY, ENTANGLEMENT NETWORKS OF 1,2-POLYBUTADIENE CROSSLINKED IN STATES OF STRAIN. II. APPLICATION OF THE MOONEY-RIVLIN EQUATION TO NETWORKS CROSSLINKED AT 0 DEGREE CENTIGRADE, 46 1004
- , R. L. CARPENTER, V. TY, AND J. D. FERRY, ENTANGLEMENT NETWORKS OF 1,2-POLYBUTADIENE CROSSLINKED IN STATES OF STRAIN. I. CROSSLINKING AT 0 DEGREE, 46 164
- KRASILNIKOVA, M. K., *see* LEZHNEV, N. N., 44 1282
- KRAUS, G., *see* JANZEN, J., 44 1287
- , *see* JANZEN, J., 47 465
- , *see* STACY, C. J., 48 538
- , *see* WALDROP, M. A., 42 1155
- , A CARBON BLACK STRUCTURE-CONCENTRATION EQUIVALENCE PRINCIPLE. APPLICATION TO STRESS-STRAIN RELATIONSHIPS OF FILLED RUBBERS, 44 199
- , AND J. T. GRUVER, MOLECULAR WEIGHT EFFECTS IN ADSORPTION OF RUBBERS ON CARBON BLACK, 41 1256
- , AND J. T. GRUVER, THE VISCOSITY OF CARBOXY-TERMINATED POLYBUTADIENES, 42 800
- , AND J. T. GRUVER, THERMAL EXPANSION, FREE VOLUME, AND MOLECULAR MOBILITY IN A CARBON BLACK-FILLED ELASTOMER, 44 1297
- , C. W. CHILDERS, AND J. T. GRUVER, PROPERTIES OF RANDOM AND BLOCK COPOLYMERS OF

- BUTADIENE AND STYRENE. I. DYNAMIC PROPERTIES AND GLASSY TRANSITION TEMPERATURES, 42 520
- , F. E. NAYLOR, AND K. W. ROLLMANN, STEADY FLOW AND DYNAMIC VISCOSITY OF BRANCHED BUTADIENE-STYRENE BLOCK COPOLYMERS, 45 1005
- , K. W. ROLLMAN, AND J. T. GRUVER, DYNAMIC PROPERTIES OF A MODEL REINFORCED ELASTOMER. STYRENE-BUTADIENE REINFORCED WITH POLYSTYRENE, 44 598
- KREJCI, J. C., THE EVOLUTION OF OIL FURNACE BLACKS. CHARLES GOODYEAR MEDAL ADDRESS, 47 932
- KREKIC, Z., see BURGOYNE, M. D., 49 375
- KRESGE, E. N., see VERSTRATE, G., 46 1322
- , see WILCHINSKY, Z. W., 47 895
- KRISHEN, A., QUANTITATIVE DETERMINATION OF NATURAL RUBBER, EPDM, AND SBR IN COMPOUNDED CURED STOCKS BY PYROLYSIS GAS CHROMATOGRAPHY (ABSTRACT), 44 1429
- , AND R. G. TUCKER, QUANTITATIVE DETERMINATION OF THE POLYMERIC CONSTITUENTS IN COMPOUNDED CURED STOCKS BY CURIE POINT PYROLYSIS-GAS CHROMATOGRAPHY (ABSTRACT), 46 1326
- , AND R. G. TUCKER, QUANTITATIVE DETERMINATION OF THE POLYMERIC CONSTITUENTS IN COMPOUNDED CURED STOCKS BY CURIE-POINT PYROLYSIS-GAS CHROMATOGRAPHY, 48 97
- KRISTENSEN, I. M., see BLACKSHAW, G. C., 47 1317
- , W. D. GUNTER, AND J. WALKER, THE COMPOUNDER AND THE COMPUTER (ABSTRACT), 43 1528
- KROL, V. A., see GARMONOVA, I. V., 50 436
- KROMER, H., see KAMPF, G. H., 45 1564
- KROSKY, R. P., see WOODS, M. E., 45 1689
- KRUSE, D. F., see BANKS, S. A., 47 454
- KRUSE, J., RUBBER MICROSCOPY (REVIEW), 46 653
- KRYMOWSKI, J. F., AND R. D. TAYLOR, CHEMICAL REACTIONS BETWEEN THIO CARBAMYL SULFENAMIDES AND BENZOTHAZYL SULFENAMIDES LEADING TO CURE SYNERGISM, 50 671
- KRYUKOVA, A. B., A. S. KUZ'MINSKII, N. S. GILINSKAYA, F. A. GALILOGLY, AND G. A. SAKINA, RADIATION CHEMICAL CONVERSIONS IN FLUORINE-CONTAINING ELASTOMERS UNDER DIFFERENT GAMMA-IRRADIATION CONDITIONS, 47 282
- KUCHERSKII, A. M., see BARTENEV, G. M., 45 71
- KUCKRO, G. W., see LAMONT, H., 44 1440
- , D. H. GREENBERG, R. G. NEWBERG, AND L. A. HILL, VULCANIZABLE ETHYLENE ACETATE COMPOUNDS (ABSTRACT), 47 477
- KULEZNEV, V. N., see DOGADKIN, B. A., 41 626
- , see SHERSHNOV, V. A., 50 447
- KUMAGAI, Y., see AHAGON, A., 48 896
- KUMBHANI, K. J., AND H. A. PFISTERER, MARKETING OF RESIN RUBBER BLENDS (ABSTRACT), 50 433
- KUMLER, P. R., see NAKAJIMA, N., 47 778
- KUMMER, H. W., LUBRICATED FRICTION OF RUBBER, DISCUSSION, 41 895
- KUPSKE, F., see KNAUERHASE, K., 45 1153
- , see KNAUERHASE, K., 45 1156
- KURATA, M., H. OKAMOTO, M. IWAMA, M. ABE, AND T. HOMMA, RANDOMLY BRANCHED POLYMERS. II. COMPUTER ANALYSIS OF GEL-PERMEATION CHROMATOGRAMS, 49 1290
- , M. ABE, M. IWAMA, AND M. MATSUSHIMA, RANDOMLY BRANCHED POLYMERS. I. HYDRODYNAMIC PROPERTIES, 49 1276
- KUSANO, T., AND K. MURAKAMI, CHARACTERIZATION OF POLYMERS UNDER LARGE DEFORMATION. I. REPEATED CHEMICAL STRESS RELAXATION OF VULCANIZED RUBBERS, 46 388
- , Y. SUZUKI, AND K. MURAKAMI, CHEMORHEOLOGICAL STUDY OF VULCANIZED RUBBERS UNDER MECHANICAL STRESS, 45 1074
- KUSKA, H. A., EDUCATIONAL USES OF COMPUTERS (ABSTRACT), 43 1523
- KUZMA, L. J., see SALTMAN, W. M., 46 1055
- KUZMINSKII, A. S., see KRYUKOVA, A. B., 47 282
- , see KVASHENKO, Y. Y., 41 653
- KVASHENKO, Y. Y., A. S. KUZMINSKII, AND T. S. FEDOSEEVA, EFFECT OF SULFUR CROSSLINKS ON RADICAL RECOMBINATION IN IRRADIATED ELASTOMERS, 41 653
- KWEI, T. K., T. NISHI, AND R. F. ROBERTS, A STUDY OF COMPATIBLE POLYMER MIXTURES, 48 218
- KWIATKOWSKI, G. T., see PETERS, E. N., 48 14
- KWOLEK, W. F., see BUCHANAN, R. A., 47 1313
- , see BUCHANAN, R. A., 48 1092
- KYDONIEFS, A. D., FINITE ASYMMETRIC DEFORMATIONS OF INITIALLY CYLINDRICAL REINFORCED MEMBRANES, 45 1677
- KYKER, G. S., AND T. A. ANKOWIAK, PHOSPHONITRILIC FLUOROELASTOMERS—A NEW CLASS OF SOLVENT-RESISTANT ELASTOMERS WITH EXCEPTIONAL FLEXIBILITY AT LOW TEMPERATURE, 47 32
- LABE, M., see CHAUSHESKU, E., 48 581
- LADD, W. A., AN HISTORICAL REVIEW OF THE ELECTRON MICROSCOPE IN CARBON-RUBBER RESEARCH (ABSTRACT), 50 996
- LAGRONE, B. D., RUBBER RECLAIMING. SIMPLEST METHOD OF CONSERVATION AVAILABLE TO THE RUBBER INDUSTRY (ABSTRACT), 50 1006
- LAKE, G. J., MECHANICAL FATIGUE OF RUBBER, 45 309



- , OZONE CRACKING AND PROTECTION OF RUBBER, 43 1230  
 —, AND B. E. CLAPSON, TRUCK TIRE GROOVE CRACKING. THEORY AND PRACTICE, 44 1186
- LAL, J., EFFECT OF CROSSLINK STRUCTURE ON PROPERTIES OF NATURAL RUBBER, 43 664  
 —, THE EFFECT OF CROSSLINK STRUCTURE ON THE TENSILE STRENGTH AND OXYGEN ABSORPTION CHARACTERISTICS OF NATURAL RUBBER VULCANIZATES, 42 1412
- LAMAN, J. R., see BECKMAN, J. A., 47 597
- LAMB, G. E. R., see WEIGMANN, H. D., 49 1040  
 —, H. D. WEIGMANN, AND B. C. GOSWAMI, STUDIES OF HEAT GENERATION IN POLYESTER CORD TIRES, 49 1145
- LAMBERT, D. H., see BRENNAN, J. J., 45 94  
 —, AND B. B. BOONSTRA, ABRASION RESISTANCE OF PRE-STRESSED AND STRESSED RUBBER VULCANIZATES, 44 214
- LAMBIOTTE, J. F., THE ECONOMICS OF THERMOPLASTIC RUBBERS (ABSTRACT), 49 1356
- LAMOND, T. G., see SIRCAR, A. K., 46 178  
 —, see SIRCAR, A. K., 47 48  
 —, see SIRCAR, A. K., 48 79, 89, 301, 631, 640, 653  
 —, AND C. R. GILLINGHAM, IDENTIFICATION OF CARBON BLACKS IN POLYMERS BY PYROLYSIS (ABSTRACT), 43 1529  
 —, AND C. R. PRICE, THE ADSORPTION OF AEROSOL OT BY CARBON BLACKS-SIMPLE METHOD OF EXTERNAL SURFACE AREA MEASUREMENT (ABSTRACT), 43 941
- LANDEL, R. F., see FEDORS, R. F., 42 1498  
 —, see FEDORS, R. F., 43 887  
 —, see MOACANIN, J., 42 1501
- LANDI, V. R., PHASE STABILITY IN HETEROGENEOUS COMPOSITIONS OF BUTADIENE-ACRYLONITRILE COPOLYMER, 45 222
- LANDWEHR, R. S., THE SALESMAN'S FOCUS (ABSTRACT), 45 1163
- LANE, J. H., C. A. MCCALL, AND P. F. GUNBERG, PREDICTING TIRE TREAD PERFORMANCE FROM COMPOSITION, 43 1070
- LANGEVIN, P. P., R. J. PAYNE, AND C. S. SHEPARD, A DYNAMIC RUBBER-CORD COMPOSITE ADHESION AND FATIGUE TEST, 47 171
- LANGLEY, N. R., ELASTICALLY EFFECTIVE STRAND DENSITY IN POLYMER NETWORKS, 42 1285  
 —, R. A. DICKIE, C. P. WONG, J. D. FERRY, R. CHASSET, AND P. THIRION, LOW-FREQUENCY LOSSES IN RUBBERS CROSSLINKED IN THE PRESENCE OF DILUENT, 42 1277
- LANGTON, N. H., RADIOFREQUENCY HEATING OF RUBBER AND CARBON BLACK MIXES, 41 1219
- LANTZ, W. L., J. A. SANFORD, AND J. F. YOUNG, HISTORY AND FUTURE OF 'KRATON' THERMOPLASTIC RUBBER IN SHOE SOLING APPLICATIONS (ABSTRACT), 50 413
- LARAMEE, A., see PRUD'HOMME, J., 50 922
- LARSEN, J. W., AND B. CHANG, CONVERSION OF SCRAP TIRES BY PYROLYSIS IN MOLTEN SALTS, 49 1120  
 —, G. C. FRAZIER, AND J. J. PERONA, MOLTEN SALT PYROLYSIS OF SCRAP TIRES (ABSTRACT), 50 1007
- LARSON, D. B., see MOORE, D. F., 41 943
- LATOS, E. J., AND A. K. SPARKS, PARAMETERS AFFECTING EXTRACTABILITY OF PARAPHENYLENEDIAMINE ANTIOZONANTS FROM RUBBER STOCKS WITH WATER (ABSTRACT), 42 1471
- LAU, C. M., see CHIN, P. S., 50 449
- LAUER, C., see COATES, L. C., 45 16
- LAUER, R. E., see KANAVAL, G. A., 41 763
- LAUTENSCHLAGER, F. K., AND M. MYHRE, OBSERVATIONS ON THE CROSSLINKING OF NATURAL RUBBER WITH NITROSOPHENOLS AND DIISOCYANATES, 47 100
- LAVOIE, A., AND J. E. GUILLET, ESTIMATION OF GLASS TRANSITION TEMPERATURES FROM GAS CHROMATOGRAPHIC STUDIES, 46 1
- LAVRENTJEV, V. V., see BARTENEV, G. M., 45 1094
- LAWRENCE, J. P., EFFICIENT AND SEMIEFFICIENT VULCANIZATION SYSTEMS EMPLOYING 2-(MORPHOLINODITHIO)BENZOTHAZOLE GENERATED IN SITU, 50 90  
 —, N-(AMINOTHIO)IMIDE CURE MODIFIERS, 49 333
- LAWSON, D. D., see RHEIN, R. A., 43 1516
- LAWSON, D. F., E. L. KAY, AND D. T. ROBERTS, JR., MECHANISM OF SMOKE INHIBITION BY HYDRATED FILLERS, 48 124
- LAYER, R. W., see WESTFAHL, J. C., 45 402
- LEAKER, G. R., see BURGOWNE, M. D., 49 375
- LEBEDE, F., see CHAUSHESKU, E., 46 581
- LEDERER, D. A., see DIETRICK, M. I., 49 409
- LEE, T. C. P., AND S. H. MORRELL, NETWORK CHANGES IN NITRILE RUBBERS AT ELEVATED TEMPERATURES, 46 483
- LEE, W. R., see MYERS, M. E., JR., 46 464
- LEE, Z. S., see DRAVES, C. Z., JR., 44 851
- LEEMING, H., A REVIEW OF CERTAIN TECHNIQUES FOR VISCOELASTIC MATERIALS (ABSTRACT), 42 1487
- LEEPER, H. M., see WRIGHT, J. C., 50 959  
 —, R. G. BUCKLES, G. V. GUITTARD, M. A. LORBERBAUM, E. R. SEVILLA, AND S. I. YUM, ROLE OF THE ELASTICITY OF RUBBER IN THE CONTROLLED ADMINISTRATION OF DRUGS, 50 969

- LEHMICKE, D. J., EFFECT OF TWIST AND TREATING CONDITIONS ON THE PHYSICAL PROPERTIES OF PET TIRECORDS (ABSTRACT), 44 849
- , I. B. PRETTYMAN, R. W. KIBLER, AND M. J. FORSTER, EFFECTS OF MOISTURE IN COMPOSITES OF SKIM STOCK AND POLYESTER TIRE-CORD (ABSTRACT), 47 1314
- LEIB, R. I., see KERWOOD, J. E., 42 969
- , A. B. SULLIVAN, AND C. D. THIVETTE, JR., PREVULCANIZATION INHIBITOR. THE CHEMISTRY OF SCORCH DELAY, 43 1188
- , S. J. STEWART, AND J. E. KERWOOD, PREVULCANIZATION INHIBITOR: COMPOUNDING APPLICATIONS (ABSTRACT), 43 1522
- LEIBEE, J. B., AND W. J. SCHAFFERS, A NEW TIRE EXPANSION RULE AND ITS USE IN TIRE DESIGN COMPUTATIONS, 42 1079
- LEIBU, H. J., S. W. CAYWOOD, AND L. H. KNABESCHUH, A NEW EPDM FOR IMPROVED OZONE RESISTANCE IN BLENDS WITH SBR AND NATURAL RUBBER (ABSTRACT), 44 1436
- LEICHT, J. T., see SWANSON, J. W., 48 337
- LENGVEL, V., AND I. MUZSHAY, REPLACEMENT OF NR BY SYNTHETIC POLYISOPRENES (ABSTRACT), 48 581
- LENTZ, C. W., see POLMANTEER, K. E., 48 795
- LEO, T. J., see HOPKINS, P., 41 753
- , GREATER PROFITABILITY IN THE MANUFACTURE OF BELTS AND HOSE BY THE USE OF HIGH-QUALITY POLYMERIC DISPERSIONS OF CRITICAL CHEMICALS (ABSTRACT), 48 1093
- , REVIEW OF RECENT ADVANCES IN HOSE MAKING EQUIPMENT (ABSTRACT), 42 983
- LEONARD, M. H., FEEDSTOCKS FOR THE RUBBER INDUSTRY (ABSTRACT), 49 1353
- LESHIN, R., A COMPARATIVE STUDY OF THREE EQUIVALENT ACCELERATOR SYSTEMS (ABSTRACT), 47 1304
- LEUNG, Y.-K., AND B. E. EICHINGER, GAS-LIQUID CHROMATOGRAPHY ON POLYMERS. I. POLYISOBUTYLENE-HYDROCARBONS AT 25 DEGREES CENTIGRADE, 48 108
- , AND B. E. EICHINGER, GAS-LIQUID CHROMATOGRAPHY ON POLYMERS. II. TEMPERATURE COEFFICIENTS FOR POLYISOBUTYLENE-HYDROCARBONS, 48 119
- LEVINE, I. J., see BERRY, D. D., 43 1521
- , AND R. G. HAINES, AN INFRARED ANALYSIS FOR ETHYLIDENENORBORNENE IN ETHYLENE-PROPYLENE-ETHYLIDENENORBORNENE RUBBER, 43 445
- LEVINE, N. B., CARBOXY NITROSO RUBBER. CHEMISTRY, PROPERTIES AND APPLICATIONS, 44 40
- LEVINSON, M., see DEMIRAY, H., 45 1104
- , H. DEMIRAY, AND S. C. SHEUNG, PURE FLEXURE OF A LAYERED ORTHOTROPIC SHELL ELASTICITY STUDY OF A TIRE RELATED PROBLEM, 48 294
- LEWIS, J. E., H. N. MERCER, M. L. DEVINEY, JR., L. HUGHES, AND J. E. JEWELL, AUTORADIOGRAPHIC ELECTRON MICROSCOPY STUDIES ON ELASTOMER SYSTEMS. I. EXPERIMENTAL APPROACH AND PRELIMINARY RESULTS WITH GUM AND CARBON BLACK FILLED ELASTOMER BLENDS (ABSTRACT), 44 855
- , L. E. WHITTINGTON, MIGRATION OF ANTIOXIDANTS AND ACCELERATORS IN NATURAL AND SYNTHETIC RUBBER. II. SULFENAMIDE SYSTEM STUDIES AND COMPARISON OF AGE RESISTER MIGRATION UNDER INERT AND PRACTICAL CONDITIONS, 42 892
- , M. L. DEVINEY, JR., AND C. F. McNABB, RADIOTRACER STUDIES OF CARBON BLACK SURFACE INTERACTIONS WITH ORGANIC SYSTEMS. II. USE OF SULFUR-35 IN INITIAL STUDIES ON THE REACTIVITY OF 'BOUND' SURFACE SULFUR, 43 449
- , M. L. DEVINEY, JR., B. G. CORMAN, THE MIGRATION OF EXTENDER OIL IN NATURAL AND SYNTHETIC RUBBER. III. RELATIVE CONTRIBUTIONS OF PRINCIPAL STRUCTURES IN AROMATIC FRACTIONS TO DIFFUSION, 42 474
- LEWIS, K. J., see HAGMAN, J. F., 49 395
- LEWIS, P. M., see CAIN, M. E., 45 204
- LEWIS, R. N., see GETSON, J. C., 49 402, 1364
- LEYLAND, B. N., see BUSWELL, A. G., 45 1142
- LEZHNEV, N. N., M. K. KRASILNIKOVA, K. A. YAKUKHINA, G. D. FILMONOVA, AND O. V. NIKITINA, THE EFFECT OF AGING ON THE REINFORCING PROPERTIES OF CARBON BLACKS, 44 1282
- LI, P. C., see HAMED, P., 50 444
- , L. A. GOETTLER, AND P. HAMED, ANISOTROPY OF COMPOSITES MECHANICAL AND SOLVENT-SWELLING CHARACTERISTICS (ABSTRACT), 50 999
- LILAONITKUL, A., AND S. L. COOPER, PROPERTIES OF POLYETHER-POLYESTER THERMOPLASTIC ELASTOMERS, 50 1
- , J. C. WEST, AND S. L. COOPER, PROPERTIES OF POLY(TETRAMETHYLENE OXIDE)POLY(TETRAMETHYLENE TEREPHTHALATE) BLOCK POLYMERS (ABSTRACT), 49 1357
- LINDEMAN, C. M., see JOHNSON, A. H., 46 1333
- , BEATER DEPOSITION WITH LATEX (ABSTRACT), 49 414
- LINDLEY, P. B., NON-RELAXING CRACK GROWTH AND FATIGUE IN A NON-CRYSTALLIZING RUBBER, 47 1253
- LINDSAY, G. A., see BARANWAL, K. C., 45 1334
- LINNING, F. J., see STIEHLER, R. D., 41 772
- LIPATNIKOV, N. A., see LIPATOV, Y. S., 41 537
- LIPATOV, Y. S., THE STRUCTURE AND RELAXATION OF THIN POLYMER LAYERS ON SOLID SURFACES, 49 1311



- , Y. Y. KERCHAS, V. G. SINYAVSKII, AND N. A. LIPATNIKOV, GLASS TRANSITION OF CROSSLINKED POLYURETHANE ELASTOMERS AND INITIAL COMPONENTS, 41 537
- LIPKIN, A. M., *see* ZOLOTAREVSKAYA, L. K., 46 517
- LISTER, R. D., *see* HORNE, W. B., 41 807
- LIU, S. T., *see* KALFAYAN, S. H., 49 1001
- LIVINGSTON, D. I., *see* PILLAI, P. S., 45 241
- , *see* SHROFF, R. N., 43 1491
- , INFLUENCE OF TIRE MECHANICS ON TRACTION AND WEAR (ABSTRACT), 44 1446
- , PHYSICS OF THE SLIPPING WHEEL. III. SLIP UNDER CAMBER AND OTHER FORCES IN PNEUMATIC TIRES, 43 981
- , PHYSICS OF THE SLIPPING WHEEL. IV. TIRE RETRACTIVE FORCE AND ALIGNING TORQUE IN COMBINED SLIP (ABSTRACT), 45 1149
- , AND G. S. FIELDINGRUSSELL, MEASUREMENT OF CREEP, 46 1077
- , AND J. E. BROWN, JR., PHYSICS OF THE SLIPPING WHEEL. I. FORCE AND TORQUE CALCULATIONS FOR VARIOUS PRESSURE DISTRIBUTIONS, 42 1014
- , AND J. E. BROWN, JR., PHYSICS OF THE SLIPPING WHEEL. II. SLIP UNDER BOTH TRACTIVE AND LATERAL FORCES, 43 244
- LIVINGSTON, H. K., AND G. P. REGHI, AN INTERNALLY CONSISTENT THERMODYNAMICS FOR ELASTOMERS, 42 441
- LLOYD, D. G., DEVELOPMENTS IN ACCELERATOR SYSTEMS FOR THE INJECTION MOLDING OF RUBBER (ABSTRACT), 41 1397
- LOBAN, R. D., *see* SMITH, G. G., 49 140
- LOCKWOOD, P. A., G. W. GRIMM, AND H. A. DEWHURST, REINFORCED RUBBER COMPOSITES (ABSTRACT), 44 848
- , W. M. EDMUNDS, AND G. W. GRIMM, FATIGUE PERFORMANCE OF TIRE BELT CORDS, 44 946
- LOPEZ, E. C., M. A. PONCE, AND E. NEAVEZ, RUBBER FROM GUAYULE: RESEARCH ACTIVITIES IN MEXICO (ABSTRACT), 50 427
- LORAND, G. E., *see* HAGAN, L., 44 1440
- LORANGER, W. F., *see* FIORILLE, R. C., 45 1151
- LORBERBAUM, M. A., *see* LEEPER, H. M., 50 969
- LOTHROP, E. W., JR., IMPACT RESISTANCE OF AUTOMOBILE TIRES, 41 1051
- LOWNE, R. W., THE EFFECT OF ROAD SURFACE TEXTURE ON TIRE WEAR, 44 1159
- LU, M. T., EVALUATION OF SOME UNCERTAINTIES IN A COMPUTERIZED CURING CONTROL SYSTEM FOR RUBBER INDUSTRY (ABSTRACT), 49 406
- LUB, S., *see* MOSCOU, L., 44 805
- LUCAS, K. R., *see* BOHM, G. G. A., 50 714
- LUDEMA, K. C., AND D. TABOR, FRICTION AND VISCOELASTIC PROPERTIES OF POLYMERIC SOLIDS, 41 462
- LUH, D. R., *see* KEELEY, F. W., 48 354
- LUMPLIN, R. E., *see* SASS, A., 50 416
- LUNDBERG, R. D., *see* BRENNER, D., 50 437
- LUNDSTROM, H. S., *see* HORVATH, J. W., 41 770
- LYALINA, N. M., *see* BARTENEV, G. M., 45 82
- LYKIN, A. S., AND L. S. KOFMAN, INVESTIGATION OF THE STRUCTURE AND PROPERTIES OF CROSSLINKED OLIGODIENEURETHANES (ABSTRACT), 50 437
- , S. M. KAVUN, T. V. FEDEROVA, AND N. M. MALEV, THE EFFECT OF P-NITROSODIPHENYLAMINE ON GREEN STRENGTH AND STABILITY OF SKI-3 BASED COATING COMPOUNDS (ABSTRACT), 46 575
- , Y. G. SBYTOV, AND I. M. TUNKEL, STRUCTURE AND PROPERTIES OF VULCANIZED RUBBERS FROM OLIGOMERS, 45 1597
- LYON, F., *see* MICEK, E., 41 753, 1271
- LYONS, W. J., *see* PREVORSEK, D. C., 44 271
- MACEY, J. H., *see* GREGG, E. C., JR., 46 47
- MACKNIGHT, W. J., *see* PORTER, R. S., 41 1
- MACLACHLAN, J. D., *see* FINLAY, J. B., 50 417
- , *see* FOGIEL, A. W., 49 34
- , *see* HALLENBECK, A., 50 419
- , AND A. HALLENBECK, A NEW FLUOROELASTOMER FOR IMPROVED FLUIDS RESISTANCE (ABSTRACT), 50 418
- , AND A. W. FOGIEL, SHRINKAGE OF CURED FLUORO-ELASTOMERS. II. SHRINKAGE CONTROL, 49 43
- MACLEAN, A., *see* HUMPIDGE, R. T., 44 479
- MACLEAN, D. J., *see* WHITE, J. L., 45 1138
- MACOSKO, C. W., *see* MILLER, D. R., 49 1219
- , *see* VALLES, E. M., 49 1232
- , AND STARITA, J. M., A VISCOELASTIC TESTER FOR RUBBER (ABSTRACT), 49 1367
- MAENDER, O. W., *see* TRIVETTE, C. D., JR., 50 570
- MAESELE, A., AND E. DE BRUYNE, PROBLEMS CONCERNING ADHESION OF STEEL WIRE AND STEEL CORD IN RUBBER, 42 613
- , AND E. DUBRUYN, PROBLEMS CONCERNED WITH ADHESION OF STEEL WIRE AND STEEL CORD IN RUBBER (ABSTRACT), 41 1374
- MAGILL, J. H., *see* ALARIE, Y., 48 343

- , *see* FUNT, J. M., 48 345
- MAGLYSH, G. N., *see* KIRPICHEV, V. P., 43 1225
- MAHONEY, P., *see* WILSON, A., 44 1434
- MAIER, J. E., K. U. PATEL, AND D. A. STIVERS, A NEW LOW COMPRESSION SET ELASTOMER (ABSTRACT), 42 1503
- MAJOR, T. J., *see* WILLIAMS, J. G., 43 735
- MAKOWSKI, H. S., *see* BALDWIN, F. P., 42 1167
- , *see* BALDWIN, F. P., 43 522
- MALATESTA, A., *see* BALDWIN, F. P., 49 390
- MALEV, N. M., *see* LYKIN, A. S., 46 575
- MALKIN, A. Y., *see* VINOGRADOV, G. V., 45 1015
- MALOTKY, L. O., *see* SANTEE, E. R., JR., 46 1156
- MANABE, K., *see* NAKASHIMA, K., 49 1324
- MANDEL, J., *see* BRENNER, F. C., 42 1450
- , *see* SIMSON, B. G., 43 356
- MANIK, S. P., EFFECT OF SULFUR AND DICUMYL PEROXIDE ON VULCANIZATION OF NATURAL RUBBER WITH TETRAMETHYLTHIURAM DISULFIDE AND ZINC OXIDE, 43 1294
- , AND S. BANERJEE, STUDIES ON DICUMYL PEROXIDE VULCANIZATION OF NATURAL RUBBER IN PRESENCE OF SULFUR AND ACCELERATORS, 42 744
- , AND S. BANERJEE, SULFENAMIDE-ACCELERATED SULFUR VULCANIZATION OF NATURAL RUBBER IN PRESENCE AND ABSENCE OF DICUMYL PEROXIDE, 43 1311
- MANSON, J. A., *see* EL-AASSER, M. S., 50 997
- MARCHAL, J., *see* VACHEROT, M., 41 418
- MARCHESSAULT, R. H., *see* CHARRIER, J.-M., 48 1093
- MAREI, A. I., *see* SIDOROVICH, E. A., 44 166
- , G. E. NOVIKOVA, G. P. PETROVA, AND G. T. TKACHENKO, EFFECT OF MOLECULAR STRUCTURE ON CRYSTALLIZATION IN SKI-3 RUBBER AND ITS RAW COMPOUNDS (ABSTRACT), 46 559
- MAREK, T. Z., *see* HORNE, W. B., 41 807
- MARK, J. E., *see* CHEN, R. Y. S., 48 176
- , *see* CHIU, D. S., 50 1000
- , *see* JOHNSON, R. M., 45 1646
- , *see* KATO, M., 49 85
- , *see* YU, C. U., 47 1151
- , *see* YU, C. U., 48 186
- , THE CONSTANTS 2C1 AND 2C2 IN PHENOMENOLOGICAL ELASTICITY THEORY AND THEIR DEPENDENCE ON EXPERIMENTAL VARIABLES, 48 495
- , THERMOELASTIC PROPERTIES OF RUBBERLIKE NETWORKS AND THEIR THERMODYNAMIC AND MOLECULAR INTERPRETATION (REVIEW), 46 593
- , AND P. J. FLORY, STRESS-STRAIN ISOTHERMS FOR POLY(DIMETHYLSILOXANE) NETWORKS, 41 1140
- MARKOVITZ, H., LINEAR AND NON-LINEAR VISCOELASTICITY (ABSTRACT), 43 1518
- MARRS, O. L., R. P. ZELINSKI, AND R. C. DOSS, ADHESIVE PROPERTIES OF RADIAL STYRENE-BUTADIENE BLOCK COPOLYMERS (ABSTRACT), 47 461
- MARSH, P. A., A. VOET, L. D. PRICE, AND T. J. MULLENS, FUNDAMENTALS OF ELECTRON MICROSCOPY OF HETEROGENEOUS ELASTOMER BLENDS. II, 41 344
- , A. VOET, T. J. MULLENS, AND L. D. PRICE, ELECTRON MICROGRAPHY OF INTERPLANAR SPACINGS IN CARBON BLACKS. PART II (ABSTRACT), 44 844
- , A. VOET, T. J. MULLENS, AND L. D. PRICE, ELECTRON MICROGRAPHY OF INTERPLANAR SPACINGS IN CARBON BLACKS, 43 470
- , T. J. MULLENS, AND L. D. PRICE, MICROGRAPHY OF A TRIBLEND, 43 400
- MARSH, R. H., *see* BUTLER, J. W., 45 1560
- MARTEAU, J., *see* PAUTRAT, R., 49 1060
- MARTIN, F. R., AND P. H. BIDDISON, THE EFFECT OF TREAD POLYMER, ROAD SURFACE, AND DRIVING CONDITIONS ON WEAR SURFACE CHARACTERISTICS OF TIRES (ABSTRACT), 46 586
- MARTIN, J. W., 1,2-POLYBUTADIENE RESIN COAGENTS FOR PEROXIDE CURE OF RUBBER COMPOUNDS, 46 275
- MARTIN, R. A., *see* PETERSEN, K. C., 41 1394
- , AND K. C. PETERSEN, PHENOLIC ANTIOXIDANT WITH NEW AND UNUSUAL PROPERTIES (ABSTRACT), 42 1466
- MARTINO, L. D., CARPET BACKFINISHING REVIEW (ABSTRACT), 49 414
- MASHITA, K., *see* HIROOKA, M., 46 1068
- MASIELLO, F. J., *see* GURSKY, L., 48 1112
- MASS, T., *see* COLLINS, E. A., 43 1109
- MASTROMATTEO, R. P., J. M. MITCHELL, AND T. J. BRETT, J., NEW ACCELERATORS FOR BLENDS OF EPDM, 44 1065
- MATE, R. D., *see* AMBLER, M. R., 46 115
- MATSUI, J., *see* TAKEYAMA, J., 42 159
- MATSUSHIMA, M., *see* KURATA, M., 49 1276
- MATTHEWS, D., *see* HUMPHIDGE, R. T., 46 148
- MATVEEVA, T. N., *see* KOFMAN, L. S., 46 557
- MAURER, J. J., APPLICATION OF DIFFERENTIAL THERMAL ANALYSIS AND THERMOGRAVIMETRIC

- ANALYSIS TO ELASTOMER SYSTEMS, (REVIEW), 42 110  
 —, THERMAL ANALYSIS OF ELASTOMER SYSTEMS. IV. CARBON BLACK ANALYSIS BY TGA (ABSTRACT), 42 1490
- MAUSSER, R. F., VULCANIZATION CONSIDERATIONS (ABSTRACT), 49 413
- MAVRIGIAN, G., MATHEMATICAL NOTES CONCERNING THE TIRE CONTOUR INTEGRAL, 44 122  
 —, AND S. D. GEHMAN, GENERAL METHOD FOR APPROXIMATING THE TIRE CONTOUR INTEGRAL FOR ARBITRARY CORD PATH, 42 1034
- MAY, W. R., AND L. BSHARAH, OXIDATION OF STYRENE-BUTADIENE RUBBER CATALYZED BY METALLIC IONS (ABSTRACT), 42 1468  
 —, L. BSHARAH, AND D. B. MERRIFIELD, THE EVALUATION OF ANTIOXIDANT ACTIVITY IN RUBBER BY DIFFERENTIAL THERMAL ANALYSIS (ABSTRACT), 41 1392
- MAYCOCK, G., *see* GROSCH, K. A., 41 477  
 —, *see* HORNE, W. B., 41 807  
 —, SKID RESISTANCE OF PASSENGER CAR TIRES ON WET SURFACES, 41 780
- MAYES, W. G., *see* BOHM, G. G. A., 50 714
- MAYO, F. R., J. HELLER, R. L. WALRATH, AND K. C. IRWIN, ACCELERATED OXIDATIONS OF POLYISOPRENE. II. EFFECTS OF HYDRAZINES, SULFUR COMPOUNDS, AND PHENYL-BETA-NAPHTHYLAMINE IN SOLUTION, 41 283  
 —, K. EGGER, AND K. C. IRWIN, ACCELERATED OXIDATIONS OF POLYISOPRENE. I. METAL-CATALYZED OXIDATIONS IN SOLUTION, 41 271
- MAZOCCHI, A., IMPREGNATED GLASS FIBER RUBBER REINFORCEMENT (ABSTRACT), 44 848
- MAZZEI, A., *see* BALDUCCI, A., 48 736  
 —, *see* BRUZZONE, M., 47 1175
- MAZZEO, A. A., *see* KALFAYAN, S. H., 48 944
- MAZZEO, M. P., *see* KANAVAL, G. A., 42 1502
- MCBRIERTY, V. J., *see* O'BRIEN, J., 50 747
- MCCABE, C. G., *see* ARNOLD, R. G., 41 1097
- MCCALL, C. A., *see* LANE, J. H., 43 1070
- MCCALL, D. W., NUCLEAR MAGNETIC RESONANCE STUDIES OF MOLECULAR RELAXATION MECHANISMS IN POLYMERS (ABSTRACT), 48 1109
- MCCALL, E. B., *see* BLACKMAN, E. J., 43 651
- MCCORMICK, C. E., *see* HALE, K. L., 48 1091  
 —, *see* WEST, J. R., 43 929  
 —, J. R. WEST, AND K. L. HALE, CARBON-BLACK-FILLED SBR COMPOUNDS THAT ACHIEVE MAXIMUM TREAD WEAR, MAXIMUM SKID RESISTANCE, AND MINIMUM HEAT BUILDUP AT MINIMUM COST (ABSTRACT), 49 1365
- MCCORMICK, W. E., ENVIRONMENTAL HEALTH CONTROL FOR THE RUBBER INDUSTRY (REVIEW), 44 512  
 —, ENVIRONMENTAL HEALTH CONTROL FOR THE RUBBER INDUSTRY. PART II (REVIEW), 45 627
- MCCRONE, W. C., SOLVING POLYMER PROBLEMS BY MICROSCOPY (ABSTRACT), 50 996
- MCDONALD, G. C., *see* HESS, W. M., 42 1209  
 —, *see* HESS, W. M., 46 204  
 —, AND W. M. HESS, CARBON BLACK MORPHOLOGY IN RUBBER, 50 842
- MCEVOY, J. J., *see* JOHNSON, P. R., 48 340
- MCFADDEN, R. S., *see* CARLSON, D. W., 45 1147
- MCGILL, M. R., THE USE OF ONSHORE TIRE EROSION CONTROL STRUCTURES ON THE GREAT LAKES (ABSTRACT), 50 1004
- MCGUCHAN, R., AND I. C. MCNEILL, RADIOCHEMICAL DETERMINATION OF LOW UNSATURATIONS IN POLYISOBUTENE, 41 400
- MCINTYRE, D., *see* BACSFALVI, V., 46 588  
 —, *see* MEYER, B. H., 43 1516
- MCIVOR, I. K., *see* CLARK, S. K., 43 1055
- MCKEOUGH, D., *see* D'AMICO, J. J., 46 1299  
 —, *see* D'AMICO, J. J., 48 790  
 —, *see* POTTS, K. T., 47 289
- MCKILLIP, W. J., *see* FIELD, R. E., 47 457
- MCMILLAN, R. C., *see* GATZA, P. E., 46 587
- MCMILLEN, F. V., *see* BERRY, D. D., 47 1308
- MCNABB, C. F., *see* LEWIS, J. E., 43 449
- MCNEIL, D. W., *see* PETERS, E. N., 48 14
- MCNEILL, I. C., *see* MCGUCHAN, R., 41 400
- MCNEILLY, A. S., ENERGY RESOURCES AND LEGISLATIVE IMPACTS ON THE PETROLEUM INDUSTRY (ABSTRACT), 50 415
- MCQUARRIE, D. A., *see* SHEN, M. C., 42 835
- MCSWEENEY, G. P., *see* HIGGINS, G. M. C., 47 1206
- MEDALIA, A. I., *see* CARUTHERS, J. M., 49 1076  
 —, *see* RIVIN, D., 41 330  
 —, EFFECTIVE DEGREE OF IMMOBILIZATION OF RUBBER OCCLUDED WITHIN CARBON BLACK AGGREGATES, 45 1171  
 —, ELASTIC MODULUS OF VULCANIZATES RELATED TO CARBON BLACK STRUCTURE, 46 877  
 —, FILLER AGGREGATES AND THEIR EFFECT ON REINFORCEMENT, 47 411

- , MORPHOLOGY OF AGGREGATES. IV. EFFECTIVE VOLUME OF AGGREGATES FROM ELECTRON MICROSCOPY: APPLICATION TO DBP ABSORPTION AND EXTRUSION SHRINKAGE (ABSTRACT), 42 1496
- MEDEL, A. L., EXPERIENCE IN USING SYNTHETIC 92 PERCENT CIS-1,4-POLYISOPRENE (ABSTRACT), 48 578
- MEHTA, P. K., *see* HAXO, H. E., 48 271
- MEHTA, R. U., AND J. L. WHITE, BLOCKING AND COPOLYMER HETEROGENEITY IN ANIONIC COPOLYMERIZATION IN INDUSTRIAL REACTORS (ABSTRACT), 45 1140
- MEIER, D. J., *see* MITCHELL, J. C., 42 1420
- MEIER, J. L., AND H. J. FINDLEY, CURRENT TRENDS IN RUBBER-TO-METAL BONDING (ABSTRACT), 47 457
- MEISSNER, B., THEORY OF BOUND RUBBER, 48 810
- MERCER, H. N., *see* LEWIS, J. E., 44 855
- , A. H. BOYER, P. L. BRUSKY, AND M. L. DEVINEY, THE THIRD DIMENSION OF CARBON BLACK STRUCTURE, 49 1068
- MEREDITH, C. L., EPDM ELASTOMERS IN RUBBER-MODIFIED PLASTICS, 44 1130
- MEREDITH, R. J., MICROWAVE ENERGY FOR HIGH-SPEED, EFFICIENT VULCANIZATION OF EXTRUDED RUBBER (ABSTRACT), 48 1100
- MERRIFIELD, D. B., *see* MAY, W. R., 41 1392
- MERZ, P. L., FLUOROCARBON ELASTOMERS AS POTENTIAL SEAL RUBBERS FOR AEROSPACE VEHICLES. I. COMMERCIAL FLUOROCARBON RUBBER O-RINGS (ABSTRACT), 42 1502
- MESAROVIC, M., SCENARIOS OF WORLD RESOURCES (ABSTRACT), 50 415
- METIVIER, B., *see* PAUTRAT, R., 49 1060
- METZGER, S. H., JR., AND D. J. PREPELKA, PROGRESS IN RIM TECHNOLOGY (ABSTRACT), 48 1103
- MEYER, B. H., AND D. MCINTYRE, HYDROXYLATION OF POLYAMIDES FOR MEMBRANE PURPOSES (ABSTRACT), 43 1516
- MEYER, D. A., *see* SOMMER, J. G., 46 1330
- , AND J. A. WELCH, DESIGN AND ENGINEERING WITH NATURAL RUBBER (ABSTRACT), 49 1362
- , AND J. A. WELCH, DESIGN AND ENGINEERING WITH NATURAL RUBBER, 50 145
- , AND J. G. SOMMER, THE EFFECT OF COMPOSITIONAL AND TESTING VARIATIONS ON THE DYNAMIC PROPERTIES OF COMPOUNDS BASED ON STYRENE-BUTADIENE AND POLYBUTADIENE ELASTOMERS, 44 258
- MEYER, G. E., R. W. KAVCHOK, AND F. J. NAPLES, EMULSION RUBBERS COPOLYMERIZED WITH MONOMERIC ANTIOXIDANTS, 46 106
- MEYER, P., THE 'SHORT' TRANSFERMIX (ABSTRACT), 50 443
- MEYERS, F. S., AND J. D. WENRICK, A COMPARISON OF TENSILE STRESS-STRAIN DATA FROM DUMBBELL, RING, AND OVAL SPECIMENS, 47 1213
- MEYERS, M. E., JR., A. W. WIMS, AND W. R. LEE, LATEX MATURATION STUDIES BY LOW-ANGLE LIGHT SCATTERING PHOTOMETRY, 46 464
- MEZYNSKI, S. M., AND J. P. URBOON, PASSENGER TIRE SIDEWALL STRESS ANALYSIS (ABSTRACT), 44 1452
- MICEK, E. J., *see* DIZON, E. S., 48 339
- , *see* SCOTT, C. E., 44 1445
- , F. LYON, AND W. M. HESS, SBR/BR TREAD PERFORMANCE AS A FUNCTION OF CARBON BLACK PROPERTIES (ABSTRACT AND FULL PAPER), 41 753, 1271
- MICHAILESKU, E., *see* CHAUSHESKU, E., 46 581
- MICKLEY, A. S., A USER LOOKS AT RUBBER-INSULATED CABLES, 15 KV AND ABOVE (ABSTRACT), 48 350
- MIDDLEBROOK, T. C., *see* HAWS, J. R., 46 588
- MILLER, D. R., AND C. W. MACOSKO, A NEW DERIVATION OF POST-GEL PROPERTIES OF NETWORK POLYMERS, 49 1219
- MILLER, H. E., AND J. E. NEMEC, TESTING OF DYNAMIC PROPERTIES OF ELASTOMERIC PARTS ON VARIOUS TESTERS (ABSTRACT), 45 1159
- MILLER, J. P., *see* KLINE, R. H., 46 96
- MILLER, R. F., *see* TRIVISONNO, N. M., 41 953
- MILLER, R. L., *see* BOYER, R. F., 50 796
- MILLER, W. A., *see* GERKIN, R. M., 48 972
- MILLER, W. G., AND Z. VEKSLI, THE USE OF STABLE FREE RADICALS TO DETERMINE MOTION IN POLYMERIC SYSTEMS, 48 1078
- MILLS, I. W., *see* DIMELER, G. R., 42 1474
- MILLS, W., AND F. GIURCO, COMPOUND PROCESSABILITY AND MOLECULAR WEIGHT DISTRIBUTION OF SBR, 49 291
- MIN, T. I., T. MIYAMOTO, AND H. INAGAKI, DETERMINATION OF FUNCTIONALITY DISTRIBUTIONS IN TELECHELIC PREPOLYMERS BY THIN-LAYER CHROMATOGRAPHY, 50 63
- MINCKLER, L. S., *see* ZAPP, R. L., 43 1154
- MINOURA, Y., *see* IINO, H., 42 759
- , *see* IMOTO, M., 43 424, 431
- , AND M. TSUKASA, CROSSLINKING REACTIONS OF RUBBER WITH ALDEHYDES, 43 188
- MISRA, S. C., *see* EL-AASSER, M. S., 50 997
- MITCHELL, J. C., MECHANICAL HISTORY EFFECTS IN THE CRYSTALLIZATION OF CIS-1,4-POLYBUTADIENE, 42 530
- , AND D. J. MEIER, RAPID STRESS-INDUCED CRYSTALLIZATION IN NATURAL RUBBER, 42 1420
- MITCHELL, J. M., *see* MASTROMATTEO, R. P., 44 1065

- , NITRILE-EPDM POLYMER BLENDS: FUNDAMENTAL CONSIDERATIONS FOR DEVELOPMENT OF KEY PROPERTIES (ABSTRACT), **50** 430
- MITSUMA, Y., J. L. SCHRAG, AND J. D. FERRY, ESTIMATION OF LONG-CHAIN BRANCHING IN ETHYLENE-PROPYLENE TERPOLYMERS FROM INFINITE-DILUTION VISCOELASTIC PROPERTIES, **48** 1035
- MITTON, P., *see* GATZA, P. E., **41** 767
- , P. E. GATZA, AND P. TOUCHET, LOW TEMPERATURE AND FUEL RESISTANCE PROPERTIES OF EPICHLOROHYDRIN ETHYLENE OXIDE BLEND COMPOUNDS (ABSTRACT), **42** 964
- MIYAMOTO, T., *see* MIN, T. I., **50** 63
- MOACANIN, J., R. F. FEDORS, AND R. F. LANDEL, VISCOELASTIC BEHAVIOR OF ELASTOMERS UNDERGOING AGING (ABSTRACT), **42** 1501
- MOCHEL, V. D., CARBON-13 NMR OF POLYBUTADIENES, **45** 1283
- , REDUCTION OF COMPOSITE NMR SPECTRA USING AN ANALOG COMPUTER (ABSTRACT), **43** 1525
- , AND B. L. JOHNSON, MONOMER SEQUENCE DISTRIBUTION IN BUTADIENE-STYRENE COPOLYMERS, **43** 1138
- MOGHE, S. R., DYNAMIC STRESS RELAXOMETER, A NEW PROCESSABILITY INSTRUMENT, **49** 247
- , MECHANICAL PROPERTIES OF SHORT-FIBER-ELASTOMER COMPOSITES, **49** 1160
- , SHORT FIBER REINFORCEMENT OF ELASTOMERS, **47** 1074
- , AND H. F. NEFF, DEPENDENCE OF COMPRESSION MODULUS ON POISSON'S RATIO, **46** 286
- MOLLIKA, J. C., *see* SINGH, A., **42** 648
- MONROE, C. M., *see* FALENDER, J. R., **47** 57
- , HIGH-GREEN-STRENGTH SILICONE RUBBER (ABSTRACT), **50** 421
- , AND A. H. WARD, ORGANIC-SILICONE BLOCK COPOLYMERS (ABSTRACT), **47** 1304
- MONTAG, R. J., C. R. FRASER, AND R. C. JENKINS, FIBERGLASS FATIGUE TESTING (ABSTRACT), **42** 1491
- MONTE, S. J., *see* SUGERMAN, G., **49** 1350
- , AND G. SUGERMAN, A NEW COUPLING AGENT FOR EXTENDERS, FILLERS, AND REINFORCEMENTS USED IN POLYMERS (ABSTRACT), **49** 1091
- , AND G. SUGERMAN, CURRENT DEVELOPMENTS IN FILLED POLYMER SYSTEMS WITH TITANATE COUPLING AGENTS (ABSTRACT), **49** 398
- , AND G. SUGERMAN, TITANATE COUPLING AGENTS - CURRENT APPLICATIONS (IV) (ABSTRACT), **50** 446
- , G. SUGERMAN, AND D. J. SEEMAN, TITANATE COUPLING AGENTS, CURRENT APPLICATIONS (V) (ABSTRACT), **50** 1008
- , SUGERMAN, G., AND D. J. SEEMAN, TITANIUM COUPLING AGENT—NEWEST DEVELOPMENTS (ABSTRACT), **49** 1351
- MOORE, D. F., *see* HORNE, W. B., **41** 807
- , AND D. B. LARSON, METHOD OF DETERMINING DAMPING AND ELASTIC PROPERTIES OF RUBBER USED IN TIRES, **41** 943
- MOORE, K. C., *see* HALLMAN, R. W., **44** 1435
- , ADVANTAGES OF THIOCARBAMYL-SULFENAMIDE ACCELERATORS (ABSTRACT), **47** 1303
- , USE OF N-OXYDIETHYLENETHIOCARBAMYL-N'-OXYDIETHYLENESULFENAMIDE WITH BENZOTHAZOLE DERIVATIVES IN LOW-COST, HIGH-QUALITY VULCANIZATION SYSTEMS (ABSTRACT), **50** 1011
- MOORE, N. B., *see* DEVRIES, K. L., **46** 540
- MORA, A., *see* STEPHANOPOULOS, G., **49** 1368
- MORAN, A. L., *see* PELOSI, L. F., **49** 367
- , AND D. B. PATTISON, A NEW DIMENSION IN THE RESISTANCE OF FLUOROELASTOMERS TO COMPRESSION SET AT HIGH TEMPERATURES (ABSTRACT), **44** 845
- MORAND, J. L., CHAIN SCISSION IN THE OXIDATION OF POLYISOPRENE, **50** 373
- , OXIDATION OF PHOTOEXCITED ELASTOMERS, **45** 461
- , OXIDATION OF POLYISOPRENE, **47** 1094
- MORAWSKI, J. C., *see* VOET, A., **47** 758, 765
- , *see* VOET, A., **50** 342
- MORGAN, A. W., AND J. H. OREM, TESTING ANOMALIES IN POLYMER FIRE RETARDANCE (ABSTRACT), **48** 344
- MORGAN, J. T., *see* EVANS, D., **43** 262
- MORGAN, R. J., L. E. NIELSEN, AND R. BUCHDAHL, DYNAMIC MECHANICAL PROPERTIES OF A NUMBER OF ELASTOMERS AND RELATED POLYMERS FROM 4 TO 250 DEGREES K, **45** 1033
- MORGAN, R. L., *see* KEELEY, F. W., **48** 354
- MORGANSTERN, K. H., RADIATION VULCANIZATION (ABSTRACT), **44** 838
- , AND R. C. BECKER, THE TECHNOLOGY AND ECONOMICS OF RADIATION CURING (ABSTRACT), **48** 1100
- MORI, K., *see* NAKAMURA, Y., **49** 1031
- , *see* NAKAMURA, Y., **50** 660
- MORIMOTO, T., *see* SEKIGUCHI, H., **42** 547
- MORITA, E., *see* D'AMICO, J. J., **41** 704
- , *see* D'AMICO, J. J., **44** 889, 898
- , *see* D'AMICO, J. J., **48** 1299
- , *see* POTTS, K. T., **45** 160
- , *see* TRIVETTE, C. D., JR., **50** 570
- , POLYCHLOROALICYCLIC KETONES AS PROMOTERS FOR CROSSLINKING POLYMERS, **43** 171

- , RUBBER CHEMICALS FROM CYCLIC AMINES. III. IMINOCARBODITHIOATES AS ACCELERATORS AND CURING AGENTS, 41 736
- , THE REACTION OF N,4-DINITROSO-N-METHYLANILINE AND POLYMERS, 49 1019
- , AND J. J. D'AMICO, RUBBER CHEMICALS FROM CYCLIC AMINES. IV. THIOCARBAMYLAMINE DISULFIDE CURING AGENTS, 44 881
- , J. J. D'AMICO, AND E. J. YOUNG, RUBBER CHEMICALS FROM CYCLIC AMINES. II. DITHIOAMINES AND SULFENAMIDES AS ACCELERATORS AND CURING AGENTS, 41 721
- , K. BOUSTANY, J. J. D'AMICO, AND A. B. SULLIVAN, RUBBER CHEMICALS FROM CYCLIC AMINES. VII. CYCLOALKYLTHIOAMINES AS ACCELERATORS AND PREVULCANIZATION INHIBITORS, 46 67
- MORRELL, S. H., *see* HUMPIDGE, R. T., 44 479
- , *see* HUMPIDGE, R. T., 46 148
- , *see* LEE, T. C. P., 45 483
- MORRIS, W. J., *see* COOPER, S. L., 42 956
- MORRISSEY, R. T., HALOGENATION OF ETHYLENE-PROPYLENE-HEXADIENE TERPOLYMERS, 44 1025
- , SULFUR-CURE-COMPATIBLE BLENDS OF HALOGENATED ETHYLENE-PROPYLENE COPOLYMERS AND DIENE RUBBERS, 49 363
- , C. E. WILKES, AND M. J. P. PEKLO, CHANGING THE RATE OF CRYSTALLIZATION OF TRANS-1,4-POLYISOPRENE BY SULFUR CROSSLINKS (ABSTRACT), 46 1331
- MORSEK, R. J., *see* WOODS, M. E., 46 589
- MORTON, A. A., ALFIN-PLUS RUBBER. AN EXTREMELY HIGH MOLECULAR WEIGHT POLYMER. YET A COMPOUNDABLE RUBBER (ABSTRACT), 46 587
- , THE FORMATION OF GEL IN ALFIN-PLUS POLYMERIZATION (ABSTRACT), 46 1332
- MORTON, M., *see* SANTEE, E. R., JR., 46 1156
- , AND D. C. RUEIO, SYNTHESIS AND PROPERTIES OF UNIFORM POLYISOPRENE NETWORKS (ABSTRACT), 48 1104
- , AND J. C. HEALY, POLYMERIC FILLERS AS MODEL FOR THE REINFORCEMENT OF ELASTOMERS (ABSTRACT), 41 773
- , AND J. C. WEST, MECHANISM OF PEROXIDE VULCANIZATION OF POLYBUTADIENE (ABSTRACT), 45 1157
- , AND L. J. FETTERS, ANIONIC POLYMERIZATION OF VINYL MONOMERS, 48 359
- , J. P. RUPERT, AND E. R. SANTEE, 300 MHZ NMR CHAIN-STRUCTURE ANALYSIS OF HIGH CIS-1,4 LITHIUM POLYISOPRENE (ABSTRACT), 48 1110
- , L. J. FETTERS, J. INOMATA, D. C. RUBIO, AND R. N. YOUNG, THE SYNTHESIS AND PROPERTIES OF UNIFORM POLYISOPRENE NETWORKS. I. SYNTHESIS AND CHARACTERIZATION OF DIHYDROXYPOLYISOPRENE, 49 303
- MOSCHNER, K. F., *see* D'AMICO, J. J., 48 790
- MOSCOU, L., S. LUB, AND O. K. F. BUSSEMAKER, CHARACTERIZATION OF CARBON BLACK STRUCTURE BY MERCURY PENETRATION, 44 805
- MOY, F. H., *see* CHARRIER, J.-M., 48 1093
- MOZISEK, M., RADIOTRACER MEASUREMENTS OF SULFUR DIFFUSION IN RUBBERS, 44 1307
- MUELLER, W. J., *see* BENNETT, B., 45 1145, 1696
- , *see* STICKNEY, P. B., 41 1393
- , *see* STICKNEY, P. B., 42 604
- , AND B. BENNETT, NEW GUM ROSIN DERIVATIVES FOR IMPROVING BUILDING TACK OF RUBBER COMPOUNDS (ABSTRACT), 42 966
- MUKHERJEE, D. P., STRESS-STRAIN AND STRESS BIREFRINGENCE STUDIES ON NATURAL RUBBER, ISOMERIZED NATURAL RUBBER, AND SYNTHETIC POLYISOPRENE, 47 1234
- , AND C. GOLDSTEIN, A STUDY OF MECHANICAL AND OPTICAL PROPERTIES OF AN ALTERNATING NBR AND AN EMULSION NBR, 46 1264
- MULLEN, S., T. J., *see* MARSH, P. A., 41 344
- MULLENS, T. J., *see* MARSH, P. A., 43 400, 470
- , *see* MARSH, P. A., 44 844
- , *see* VOET, A., 42 874
- MULLER, F. H., *see* GORITZ, D., 49 210
- MULLINS, L., *see* BRISTOW, G. M., 46 555
- , SOFTENING OF RUBBER BY DEFORMATION (REVIEW), 42 339
- MURAKAMI, K., *see* KUSANO, T., 45 1074
- , *see* KUSANO, T., 46 388
- , *see* ONO, K., 50 43
- , *see* TAMURA, S., 46 477
- , *see* TAMURA, S., 48 141
- , RECENT CHEMORHEOLOGICAL STUDIES ON RUBBER VULCANIZATES, 48 913
- , AND S. TAMURA, CHEMORHEOLOGICAL TREATMENT OF CROSSLINKED EPDM, 44 1334
- MURAKAMI, S., *see* TSURUGI, J., 44 857
- MURPHY, R. J., *see* ROBERTS, R. W., 43 934
- , *see* STEPHENS, H. L., 43 934
- MURRAY, K., ADHESIVES FOR HIGH TEMPERATURE TIRE CORD (ABSTRACT), 41 1394
- , THERMALLY STABLE EPDM ELASTOMERS (ABSTRACT), 44 1441
- MURLAND, W. O., CONSIDERATIONS IN PETROCHEMICAL PLANT SITE SELECTION (ABSTRACT), 49 1352

- MUZSHAY, I., *see* LENGUEL, V., 46 581
- MYATT, D. O., DEVELOPMENTS IN MECHANIZING TIRE UNIT FABRICATION FOR FISH HAVENS (ABSTRACT), 50 1004
- MYERS, F. S., AND S. W. NEWELL, CONSERVATION THROUGH CONTROLLED MIXING TECHNIQUES (ABSTRACT), 50 1007
- MYHRE, M., *see* LAUTENSCHAEGER, F. K., 47 100
- NAGAFUNE, T., *see* IINO, H., 42 759
- NAGASAWA, K., AND K. OHTA, IDENTIFICATION OF ORGANIC COMPOUNDING INGREDIENTS IN VULCANIZED RUBBERS BY THIN LAYER CHROMATOGRAPHY, 42 825
- NAIR, S., *see* SIN, S. W., 46 583
- NAKADE, S., *see* FUJIMOTO, K., 43 411
- NAKAJIMA, N., *see* BOWERMAN, H. H., 47 307
- , AND E. A. COLLINS, A MASTER CURVE FOR AMORPHOUS ELASTOMERS DERIVED FROM SMALL AND LARGE DEFORMATION USING VARIOUS INSTRUMENTS, 48 69
- , AND E. A. COLLINS, CAPILLARY RHEOMETRY OF CARBON-BLACK-FILLED BUTADIENE-ACRYLONITRILE COPOLYMERS, 48 615
- , AND E. A. COLLINS, DEFORMATIONAL BEHAVIOR OF RUBBER IN VARIABLE-SPEED MOONEY RHEOMETER, 47 333
- , AND E. A. COLLINS, FUNDAMENTAL OBSERVATION ON DEFORMATION AND FAILURE CHARACTERISTICS OF SBR 1500, 50 791
- , AND E. A. COLLINS, RHEOLOGICAL CHARACTERISTICS OF GUM ELASTOMERS, 49 52
- , E. A. COLLINS, AND H. H. BOWERMAN, MASTER CURVE FOR TENSILE STRESS-STRAIN BEHAVIOR OF AMORPHOUS ELASTOMERS AT SMALL AND LARGE DEFORMATIONS, 47 318
- , E. A. COLLINS, KUMLER, P. R., DYNAMIC VISCOELASTIC PROPERTIES OF RAW BUTADIENE-ACRYLONITRILE ELASTOMERS, 47 778
- , E. R. HARRELL, AND E. A. COLLINS, VISCOELASTIC CHARACTERIZATION OF ETHYLENE-PROPYLENE-DIENE TERPOLYMER ELASTOMERS, 50 99
- , H. H. BOWERMAN, AND E. A. COLLINS, VISCOELASTIC BEHAVIOR OF BUTADIENE-ACRYLONITRILE COPOLYMERS AT SMALL AND LARGE DEFORMATIONS AND THEIR ULTIMATE PROPERTIES, 48 417
- NAKAMURA, T., *see* NAKAMURA, Y., 49 1031
- NAKAMURA, Y., K. MORI, AND F. AKAISHI, SULFURLESS CROSSLINKING OF DIENE RUBBERS WITH 2-R-4,6-DITHIOL-S-TRIAZINES, 50 660
- , K. MORI, AND T. NAKAMURA, EVALUATION OF 2-R-4,6-DITHIOL-S-TRIAZINE FOR NEOPRENE VULCANIZATION, 49 1031
- NAKASHIMA, K., AND K. MANABE, SOLVENT CRACK GROWTH IN NBR RUBBER, 49 1324
- NAOKI, M., AND T. NOSE, STRAIN DEPENDENCE OF THE GLASS TRANSITION POINT OF CHLORINATED POLYETHYLENE VULCANIZATES, 48 623
- NAPLES, F. J., *see* MEYER, G. E., 46 106
- NASH, L. L., *see* COOPER, R. N., 45 1142
- NATHAN, J. B., JR., *see* PRICE, S. J., 47 463
- NATHAN, R. A., *see* BENNETT, B., 45 1686
- NATOV, M. A., AND E. K. DZHAGAROVA, RHEOLOGICAL PROPERTIES OF POLYMER MIXTURES, 41 1348
- NATTA, G., THERMODYNAMIC EXAMINATION OF POLYMORPHIC TRANSITION OF TRANS-1,4-POLYBUTADIENE. II. EXPERIMENTAL, 41 586
- , M. PEGORARO, AND L. SZIALGYI, THERMODYNAMIC EXAMINATION OF THE POLYMORPHIC TRANSITION OF TRANS-1,4-POLYBUTADIENE. I. THEORETICAL PREMISES, 41 576
- NAYLOR, F. E., *see* KRAUS, G., 45 1005
- NEAVEZ, E., *see* LOPEZ, E. C., 50 427
- NEDERVEEN, C. J., *see* SCHWARZL, F. R., 42 557
- NEEDHAM, A., *see* DANIEL, T. J., 45 1153
- NEFF, H. F., *see* MOGHE, S. R., 46 286
- NELSON, K. V., G. T. TKACHENKO, AND N. V. IONINA, STUDY OF ORIENTATIONAL TRANSFORMATION OF SUPRAMOLECULAR STRUCTURES ON THE SURFACE OF UNIAXIALLY STRETCHED ELASTOMERS, 47 357
- NELLER, W. C., *see* HOPWOOD, J. E., 48 1098
- NELSON, C. J., *see* BOHM, G. G. A., 50 423
- NEMEC, J. E., *see* MILLER, H. E., 45 1159
- NERSASIAN, A., FACTORS AFFECTING THE RESISTANCE OF FLUOROCARBON ELASTOMERS TO AUTOMATIC TRANSMISSION FLUID (ABSTRACT), 50 420
- NEWBERG, R. G., *see* KUCKRO, G. W., 47 477
- , AND H. GREENBERG, NEW ALFIN RUBBERS, 43 333
- NEWELL, S. W., *see* MYERS, F. S., 50 1007
- NEWELL, W. W., J. P. PORTER, AND H. L. JACOBS, THE POWER INTEGRATOR—A NEW INSTRUMENT FOR CONTROLLED MIXING (ABSTRACT), 48 1099
- NEY, E. A., AND A. B. HEATH, ANALYSIS OF TIRE TREAD RUBBERS BY GAS CHROMATOGRAPHY, 42 1350
- NICHOLS, M. J., AND R. F. OHM, COMPOUNDING FOR ELASTOMER ADHESION. PART I. AN ALTERNATIVE FOR HEXAMETHYLENETETRAAMINE IN THE HRH ADHESION SYSTEM (ABSTRACT), 49 408
- , AND R. F. OHM, COMPOUNDING FOR ELASTOMER ADHESION. PART II. AN ALTERNATIVE FOR RESORCINOL IN THE HRH ADHESION SYSTEM (ABSTRACT), 49 409
- NICKEL, G. H., *see* BRAZIER, D. W., 48 26, 661



- NIELSEN, L. E., *see* MORGAN, R. J., 45 1033  
 NIKITIN, Y. N., V. G. EPSHTEIN, AND M. A. POLYAK, INFRARED SPECTRA OF REACTION PRODUCTS OF NATURAL RUBBER WITH ALKYLPHENOL FORMALDEHYDE RESINS, 41 621  
 NIKITINA, O. V., *see* LEZHNEV, N. N., 44 1282  
 NIKOLSKII, V. G., *see* ZLATEVICH, L. Y., 46 1210  
 NINOMIYA, K., AND G. YASUDA, PROCESSIBILITY OF RUBBERS AND USEFULNESS OF THE MOONEY VISCOMETER, 42 714  
 —, AND I. FURUTA, INTERRELATION BETWEEN DATA FROM DIFFERENT PHYSICAL TESTS, 44 1396  
 NISHI, T., *see* KWEI, T. K., 48 218  
 NISHIDA, N., *see* WHITE, J. L., 45 1138  
 NISHIHARA, K., *see* IMOTO, M., 43 424, 431  
 NOBLE, M. G., SILICONE RUBBER INSULATION FOR CLASS IE ELECTRIC CABLES (ABSTRACT), 48 355  
 NOMURA, A., A. UEDO, Y. TODANI, AND K. KOMURO, TENSILE PROPERTIES OF POLYISOPRENE (ABSTRACT), 46 558  
 NORMAND, R. J., AND J. B. JOHNSON, HEAT RESISTANCE OF CPE ELASTOMERS (ABSTRACT), 49 407  
 NOSE, T., *see* NAKOI, M., 48 623  
 NOSS, S., CLEAN FUELS AND FEEDSTOCKS FROM COAL (ABSTRACT), 50 416  
 NOVAJRA, G., *see* CARONARO, A., 46 1274  
 —, *see* FLISI, U., 44 1093  
 NOVIKOVA, G. E., *see* MAREI, A. I., 46 559  
 NOVITS, M. F., *see* HARPELL, G. A., 50 678  
 NOVITSKAYA, S. P., *see* DONTSOV, A. A., 44 721  
 NUTZEL, K., *see* HAAS, F., 43 1116  
 O'BRIEN, J., E. CASHELL, G. E. WARDELL, AND V. J. MCBRIERTY, AN NMR INVESTIGATION OF THE INTERACTION BETWEEN CARBON BLACK AND CIS-POLYBUTADIENE, 50 747  
 O'CONNOR, J. E., SHORT-FIBER-REINFORCED ELASTOMER COMPOSITES, 50 945  
 O'DRISCOLL, K. F., MULTICOMPONENT POLYMERIZATION. II. THE EFFECT OF MIXING ON COPOLYMERIZATION IN CONTINUOUS STIRRED TANK REACTORS, 43 906  
 —, AND R. KNORR, MULTICOMPONENT POLYMERIZATION. I. INTEGRATION OF THE RATE EQUATIONS, 43 897  
 O'FARRELL, C. P., *see* BURTON, G. W., 49 394  
 O'GRADY, E. V., *see* BORSELLINO, J. V., 46 1332  
 O'MAHONEY, J. F., LOW SULFUR-SULFENAMIDE ACCELERATOR COMBINATIONS FOR INJECTION MOLDING OF CIS-1,4-POLYISOPRENE, 45 1403  
 —, JR., LOW-SULFUR SULFENAMIDE ACCELERATOR COMBINATIONS FOR INJECTION MOLDING CIS-1,4-POLYISOPRENE (ABSTRACT), 42 961  
 O'MEARA, A. L., *see* ASTI, F. J., 41 1381  
 O'NEIL, K. B., *see* KOVAC, F. J., 41 1089  
 —, M. F. DAGUE, AND J. E. KIMMEL, HIGH-SPEED TENSILE TESTING OF TIRE TEXTILES, 41 1042  
 O'SHAUGHNESSY, F., AND G. K. HOESCHELE, HYDROLYTIC STABILITY OF A NEW URETHANE ELASTOMER, 44 52  
 OBA, M., *see* IMOTO, M., 43 424, 431  
 OBEL, A., TECHNOLOGY AS A MARKETING RESOURCE IN THE TECHNICALLY ORIENTED RUBBER INDUSTRY (ABSTRACT), 43 928  
 OBERSTER, A. E., W. S. COOK, AND G. E. P. SMITH, JR., NEW NONDISCOLORING STABILIZER SYSTEM FOR SBR AND STEREOSPECIFIC DIENE POLYMERS, 41 255  
 OBERTH, A. E., EFFECT AND DETECTION OF LOOSE CHAIN ENDS IN CROSSLINKED POLYURETHANE ELASTOMERS, 44 152  
 OETZEL, J. T., *see* COLLINS, E. A., 42 1487  
 —, *see* COLLINS, E. A., 42 790  
 —, AND E. A. COLLINS, RHEOLOGICAL BEHAVIOR OF ELASTOMERS. PART III. EFFECT OF PLASTICIZERS, PROCESSING AIDS, AND CURE SYSTEMS ON THE FLOW PROPERTIES OF HYDRIN RUBBER AND RELATED ELASTOMERS (ABSTRACT), 43 1523  
 OFSTEAD, E. A., *see* CALDERON, N., 41 759  
 —, *see* SCOTT, K. W., 44 1341  
 —, POLYPENTENAMER: EFFECT OF POLYMER MICROSTRUCTURE ON THE EQUILIBRIUM POLYMERIZATION OF CYCLOPENTENE (ABSTRACT), 46 1324  
 OGDEN, R. W., LARGE DEFORMATION ISOTROPIC ELASTICITY--ON THE CORRELATION OF THEORY AND EXPERIMENT FOR INCOMPRESSIBLE RUBBERLIKE SOLIDS, 46 398  
 OHM, R. F., *see* NICHOLS, M. J., 49 408, 409  
 OHTA, K., *see* NAGASAWA, K., 42 625  
 OKAMOTO, H., *see* KURATA, M., 49 1290  
 OLIVER, C. K., *see* HERTEL, D. L., 48 355  
 OMURA, H., *see* ALEXANDER, J. E., 50 417  
 ONO, K., A. KAERIYAMA, AND K. MURAKAMI, EFFECTS OF DIFFUSION IN THE OXIDATIVE DEGRADATION OF VULCANIZED RUBBERS. I. RATE OF CHAIN SCISSION IN THE STEADY STATE, 50 43  
 ONOGI, S., T. ASADA, AND A. TANAKA, RHEO-OPTICAL STUDIES OF HIGH POLYMERS. XIV. STUDY OF THE DEFORMATION MECHANISM IN POLYMER BLENDS OF POLYPROPYLENE WITH ETHYLENE-PROPYLENE RUBBER, 43 849  
 OON, O. C., *see* SUNG, P. C., 46 582

- OREM, J. H., *see* MORGAN, A. W., 48 344
- ORLOV, V. A., ON HIGH STRENGTH BONDING OF SKI-3 BASED VULCANIZED RUBBER BY COLD SETTING ADHESIVES (ABSTRACT), 46 580
- ORWOLL, R. A., THE POLYMER-SOLVENT INTERACTION PARAMETER CHI, 50 451
- OSHITA, H., *see* IMOTO, M., 43 424, 431
- OSSEFORT, Z. T., AND E. W. BERGSTROM, ETHYLENE-PROPYLENE RUBBERS AS ANTIOZONANTS (ABSTRACT), 42 975
- OSTRANDER, W. H., *see* HERZLICH, H. J., 44 1437
- OSWALD, A. A., *see* ZAPP, R. L., 48 860
- OTEY, F. H., *see* BUCHANAN, R. A., 50 431
- OTTENHEIMER, R. J., REVIEW OF MIXING AND PROCESSING EQUIPMENT (ABSTRACT), 50 1001
- OWEN, P. J., *see* ANDREWS, E. H., 45 1315
- OXLEY, C. E., AND G. J. WILSON, A PEROXIDE-CURING BUTYL, 42 1147
- OZER, A., AND E. G. PARTRIDGE, THE EFFECT OF TEMPERATURE OF TEST ON ABRASION RESISTANCE BY THE PICO METHOD, 42 1087
- PACKHAM, S. C., J. H. PETAJAN, AND I. N. EINHORN, THE PHYSIOLOGICAL RESPONSE TO SMOKE AND COMBUSTION PRODUCTS (ABSTRACT), 48 342
- PAGANO, C. A., *see* RANNEY, M. W., 44 1080
- PAINTER, P. C., *see* PECSOK, R. L., 49 405, 1010
- PAKIANATHAN, S. W., *see* ABRAHAM, P. D., 45 883
- PALMER, M., J. H. DAVIS, T. L. DOUGLAS, AND M. R. WILHELM, PREPARATION AND PROPERTIES OF HIGH-PERFORMANCE, LIQUID-CAST URETHANE ELASTOMER EXTENDED WITH HYDROQUINONE-DI(B-HYDROXYETHYL)ETHER (ABSTRACT), 50 438
- PALMGREN, H., PROCESSING CONDITIONS IN THE BATCH-OPERATED INTERNAL MIXER, 48 462
- PAMPUS, G., *see* HAAS, F., 43 1116
- PAPAZIAN, L. A., *see* BAN, L. L., 47 858
- , *see* DIZON, E. S., 50 765
- PAPE, P. G., AND H. F. STEWART, RUBBER MODIFICATION WITH MERCAPTOSILICONES (ABSTRACT), 46 585
- PAPIRER, E., *see* VOET, A., 43 1529
- , A. VOET, AND P. H. GIVEN, TRANSFER OF LABELED HYDROGEN BETWEEN ELASTOMERS AND CARBON BLACK, 42 1200
- PARISER, R., *see* JOHNSON, P. R., 40 340
- PARKER, D. K., *see* PARKS, C. R., 43 572
- , *see* PARKS, C. R., 45 467
- PARKER, J. A., *see* HILADO, C. J., 50 449
- PARKINSON, L. G., *see* HULL, R. M., 45 1162
- PARKS, C. R., AND R. B. SPACHT, ANTIOXIDANTS IN COMPOUNDING (ABSTRACT), 45 1697
- , AND R. J. BROWN, CROSSLINK DENSITY OF ELASTOMERS. A NEW GAS-CHROMATOGRAPHIC METHOD, 49 233
- , D. K. PARKER, AND D. A. CHAPMAN, PENDENT ACCELERATOR GROUPS IN THE AGING OF RUBBER, 45 467
- , D. K. PARKER, D. A. CHAPMAN, AND W. L. COX, PENDENT ACCELERATOR GROUPS IN RUBBER VULCANIZATES, 43 572
- PARKS, E. J., *see* STIEHLER, R. D., 41 772
- PARTRIDGE, E. G., *see* OZER, A., 42 1087
- PATEL, A. C., AND M. L. DEVINEY, PRECISION TREADWEAR MEASUREMENTS AT INCREASED MILEAGES BY AN IMPROVED RADIOIODINE METHOD, 46 787
- PATEL, A. R., A. D. DI BATTISTA, AND P. P. KLEMCHUK, PHENOLIC STABILIZERS FOR UNSATURATED ELASTOMERS (ABSTRACT), 45 1147
- PATEL, H. P., J. L. TURNER, AND J. D. WALTER, RADIAL TIRE CORD-RUBBER COMPOSITES, 40 1095
- PATEL, K. U., *see* MAIER, J. E., 42 1503
- PATEL, R. D., *see* WHITE, J. L., 47 1310
- PATEL, S. M., AND R. A. HIVELEY, GAS CHROMATOGRAPHIC DETERMINATION OF MERCAPTODIBENZOTHAZOLE AND BENZOTHAZOLE (ABSTRACT), 44 1429
- , R. A. HIVELEY, AND J. O. COLE, IDENTIFICATION OF ACCELERATORS IN VULCANIZED RUBBER STOCKS BY GAS CHROMATOGRAPHY (ABSTRACT), 46 1325
- PATTERSON, D., Y. B. TEWARI, H. P. SCHREIBER, AND J. E. GUILLET, APPLICATION OF GAS-LIQUID CHROMATOGRAPHY TO THE THERMODYNAMICS OF POLYMER SOLUTIONS, 45 1638
- PATTERSON, R. A., THE MEASUREMENT OF CORD TENSIONS IN TIRES, 42 612
- PATTISON, D. B., *see* MORAN, A. L., 44 845
- PATTLE, R. E., P. J. A. SMITH, AND R. W. HILL, TRACER DIFFUSION IN RUBBER AND BENZENE MIXTURES AND ITS RELATION TO MUTUAL DIFFUSION, 42 481
- PAULIN, D. A., A NEW CONCEPT IN THE VULCANIZATION OF NITRILE RUBBER (ABSTRACT), 42 1468
- PAUSCH, J. B., AND I. SOCKIS, APPLICATION OF HEADSPACE GAS CHROMATOGRAPHY TO ANALYSIS OF RESIDUAL VOLATILES IN SYNTHETIC RUBBERS, 50 628
- PAUTRAT, R., B. METIVIER, AND J. MARTEAU, CONTRIBUTION TO THE IDENTIFICATION AND QUANTITATIVE DETERMINATION OF CARBON BLACK IN VULCANIZATES BY THERMOGRAVIMETRIC ANALYSIS, 49 1060
- PAYNE, A. R., *see* GROSCH, K. A., 41 1157

- , *see* HARWOOD, J. A. C., 43 687
- , *see* HARWOOD, J. A. C., 44 690
- , DYNAMIC PROPERTIES OF PBNA-NATURAL RUBBER VULCANIZATES, 41 1203
- , AND R. E. WHITTAKER, INFLUENCE OF HYSTERESIS ON TENSILE AND FATIGUE FAILURE IN RUBBERS, 45 1043
- , AND R. E. WHITTAKER, LOW-STRAIN DYNAMIC PROPERTIES OF FILLED RUBBERS (REVIEW), 44 440
- PAYNE, R. J., *see* LANGEVIN, P. P., 47 171
- PEARSON, C. J., *see* HOGAN, J. M., 46 1328
- , *see* ROGERS, T. H., 48 1101
- PEARSON, D. S., *see* CLAXTON, W. E., 41 86
- , AND G. G. A. BOHM, THE RADIATION CURING OF ELASTOMERS I. PHYSICAL STRENGTH, 45 193
- PEARSON, J. R. A., APPLICATIONS OF RHEOLOGY TO RUBBER PROCESSING (REVIEW), 41 23
- PECSOK, R. L., P. C. PAINTER, J. R. SHELTON, AND J. L. KOENIG, FOURIER-TRANSFORM INFRARED STUDIES OF THE MECHANISM OF OXIDATION OF CIS-1,4-POLYBUTADIENE, 49 405, 1010
- PEELE, S. J., JR., THE USE OF FIBERS IN HOSE MANUFACTURING (ABSTRACT), 42 982
- PEGORARO, M., *see* NATTA, G., 41 576, 586
- PEKLO, M. J. P., *see* MORRISSEY, R. T., 46 1331
- PELOSI, L. F., A. L. MORAN, A. E. BURROUGHS, AND T. L. PUGH, THE VOLATILE PRODUCTS EVOLVED FROM FLUOROELASTOMER COMPOUNDS DURING CURING, 49 367
- , AND E. T. HACKETT, IMPROVED STEAM RESISTANCE FOR FLUOROELASTOMERS (ABSTRACT), 50 418
- PENDLETON, J. F., *see* FALK, J. C., 46 1044
- PEPPIATT, J., TRANS-1,4-BUTADIENE SHEETING—ITS USE IN ORTHOPEDICS AND OTHER MEDICAL CONDITIONS (ABSTRACT), 47 1309
- PERCARPIO, E. P., *see* BEVILACQUA, E. M., 41 832, 890
- , LUBRICATED FRICTION OF RUBBER. III. COMPONENTS OF FRICTION IN MATING SURFACES, 41 854
- , LUBRICATED FRICTION OF RUBBER. IV. CHARACTERISTICS OF ROADS, 41 862
- , LUBRICATED FRICTION OF RUBBER. V. INFLUENCE OF RUBBER RESILIENCE AND HARDNESS ON FRICTION, 41 870
- , LUBRICATED FRICTION OF RUBBER. VI. PORTABLE REBOUND TESTER, WITH PARTICULAR APPLICATION TO WET SKID RESISTANCE OF TIRES, 41 881
- , AND E. M. BEVILACQUA, LUBRICATED FRICTION OF RUBBER. II. INTERACTION OF RUBBER AND SLIDING SURFACES, 41 843
- PERLBERG, E., THE INTERMIX INTERNAL MIXER (ABSTRACT), 45 1695
- PERONA, J. J., *see* LARSEN, J. W., 50 1007
- PETAJAN, J. H., *see* PACKHAM, S. C., 48 342
- PETERS, E. N., E. HEDAYA, J. H. KAWAKAMI, G. T. KWIATKOWSKI, AND D. W. MCNEIL, D2-METACARBORANE-SILOXANE ELASTOMERS, 48 14
- PETERSEN, K. C., *see* MARTIN, R. A., 42 1486
- , AMBIENT CURING OF UNSATURATED ELASTOMERS WITH HALOMETHYL PHENOLIC RESINS, 44 914
- , AND J. L. SULLIVAN, AN ADVANCE IN ELASTOMER TACKIFICATION (ABSTRACT), 48 1093
- , AND R. A. MARTIN, TACK AND ADHESION OF UNCURED ELASTOMERS (ABSTRACT), 41 1394
- PETERSON, A. L., *see* ROGERS, T. H., 49 1360
- PETERSON, J. E., JR., *see* RICHMOND, B. R., 44 1450
- PETROVA, G. P., *see* MAREI, A. I., 46 559
- PFISTERER, H. A., *see* DJNN, J. R., 49 1348
- , *see* KUMBHANI, K. J., 50 433
- , AND J. R. DUNN, ASSESSING THE PERFORMANCE OF OIL-RESISTANT VULCANIZATES AT HIGH TEMPERATURES (ABSTRACT), 48 356
- PHILLIPS, D., *see* BEAVAN, S. W., 48 692
- PICCOLI, D. E., HOSE DESIGN FOR UNUSUAL HOSE APPLICATIONS (ABSTRACT), 48 1095
- PICKWELL, R. J., *see* RANNEY, M. W., 45 1166
- , *see* SOLLMAN, K. J., 46 584
- PIERCE, O. R., AND Y. K. KIM, FLUOROSILICONES AS HIGH TEMPERATURE ELASTOMERS, 44 1350
- PIERSON, R. M., T. G. GURLEY, D. V. HILLEGASS, AND R. J. ARCONTI, RESEARCH ON USES OF RUBBER IN THE CARDIOVASCULAR SYSTEM (ABSTRACT), 49 1363
- PIERSON, W. R., *see* BRACHACZEK, W., 47 150
- , AND W. BRACHACZEK, AIRBORNE PARTICULATE DEBRIS FROM RUBBER TIRES, 47 1275
- PIIRMA, A., *see* BHAKUNI, R. S., 41 768
- PILLAI, P. S., D. I. LIVINGSTON, AND J. D. STRANG, SOLVENT EFFECTS IN STYRENE-BUTADIENE-STYRENE BLOCK COPOLYMER CAST FILMS AND EVIDENCE FOR SUPERMOLECULAR ORDERING BY X-RAY AND LIGHT SCATTERING, 45 241
- PINTER, P. E., *see* SIRCAR, A. K., 47 48
- PIOTROVSKII, K. B., THE WAYS FOR INCREASING CIS-1,4-POLYISOPRENE STABILITY (ABSTRACT), 48 569
- PIOTROWSKI, H., CONCEPT OF COMPUTERS AND THEIR USE IN RUBBER COMPOUNDING (ABSTRACT), 43 1528
- PLUSKIN, I., *see* TOKITA, N., 46 1166
- , OBSERVATIONS OF THE DIE SWELL BEHAVIOR OF FILLED ELASTOMERS MEASURED AUTOMATICALLY WITH A NEW DIE SWELL TESTER, 46 1218
- PODDUBNYI, I. Y., *see* CRECHANOVSKII, V. A., 47 342

- , *see* GRECHNOVSKII, V. A., 46 1256
- , V. A. GRECHANOVSKII, AND L. S. IVANOVA, MOLECULAR STRUCTURE AND MACROSCOPIC PROPERTIES OF SYNTHETIC POLYISOPRENE (ABSTRACT), 46 556
- PODKOLZINA, M. M., *see* CHERNAYA, V. V., 50 446
- POENLEIN, G. W., AND D. J. DOUGHERTY, CONTINUOUS EMULSION POLYMERIZATION, 50 601
- POJARKOVA, A. D., *see* BUIKO, G. N., 46 573
- POLLEY, H. W., *see* HALPIN, J. C., 41 1168
- POLMANTEER, K. E., AND C. W. LENTZ, REINFORCEMENT STUDIES—EFFECT OF SILICA STRUCTURE ON PROPERTIES AND CROSSLINK DENSITY, 48 795
- POLYAK, M. A., *see* NIKITIN, Y. N., 41 621
- , N. B. CERNYAK, N. D. ZAKHAROV, AND G. I. KOSTRYKINA, EFFECT OF ELEVATED CURE TEMPERATURE ON THE STRUCTURAL PARAMETERS OF VULCANIZATION NETWORKS IN ISOPRENE RUBBERS (ABSTRACT), 46 566
- POLYAKOVA, G. R., AND N. A. PRAVIKOVA, RAPID METHOD FOR STUDYING MOLECULAR WEIGHT DISTRIBUTION OF ISOPRENE POLYMERS, 41 700
- PONCE, M. A., *see* LOPEZ, E. C., 50 427
- PORTER, J. P., *see* NEWELL, W. W., 48 1099
- PORTER, L. E., *see* AMBELANG, J. C., 42 1186
- PORTER, M., *see* BAKER, C. S. L., 43 501
- PORTER, R. G., A CORPORATE PROGRAM TO CONSERVE ENERGY IN MANUFACTURING (ABSTRACT), 50 1007
- PORTER, R. S., *see* ABBAS, K. B., 50 723
- , *see* CASALE, A., 44 534
- , CHARACTERIZATION OF ETHYLENE-PROPYLENE BLOCK COPOLYMERS BY PROTON MAGNETIC RESONANCE, 41 426
- , AND W. J. MACKNIGHT, VISCOUS AND ELASTIC BEHAVIOR ATTRIBUTED TO POLYMER ENTANGLEMENTS (REVIEW), 41 1
- POSFALVI, O., THE POISSON RATIO FOR RUBBER-CORD COMPOSITES, 50 224
- POTTS, K. T., *see* D'AMICO, J. J., 46 1299
- , *see* D'AMICO, J. J., 48 790
- , E. G. BRUGEL, J. J. D'AMICO, AND E. MORITA, ELECTRON IMPACT-INDUCED FRAGMENTATION OF 2-BENZOTHAZOLE SULFENAMIDES AND RELATED COMPOUNDS. CORRELATION WITH RUBBER VULCANIZATION ACTIVITY, 45 160
- , J. KANE, D. MCKEOUGH, AND J. J. D'AMICO, THE SYNTHESIS AND SPECTRAL CHARACTERISTICS OF SOME NITROSOANILINES AND THEIR POSSIBLE MODE OF ACTION AS CURING AGENTS FOR VARIOUS TYPES OF RUBBERS, 47 289
- POWELL, B. D. W., *see* CORISH, P. J., 47 481
- POWERS, E. J., A TECHNIQUE FOR EVALUATING THE HYSTERESIS PROPERTIES OF TIRE CORDS, 47 1053
- PRAUSNITZ, J. M., *see* BERET, S., 49 200, 207
- PRAVIKOVA, N. A., *see* POLYAKOVA, G. R., 41 700
- PREMRU, L., *see* JERNEJCIC, M., 41 411
- PRENTICE, G. A., *see* AMBELANG, J. C., 45 1195
- PREPELKA, D. J., *see* METZGER, S. H., JR., 48 1103
- PRETTYMAN, C. E., AND J. C. HALL, MULTIPLE FUNCTION COMPUTERIZED LABORATORY DATA ACQUISITION SYSTEM (ABSTRACT), 47 1301
- PRETTYMAN, I. B., *see* FORSTER, M. J., 42 1000
- , *see* LEHMICKE, D. J., 47 1314
- PREVORSEK, D. C., AND W. J. LYONS, ENDURANCE OF POLYMERIC FIBERS IN CYCLIC TENSION, 44 271
- PRICE, C. R., *see* LAMOND, T. G., 43 941
- , AND P. ABOYTES, INFLUENCE OF CARBON BLACK STRUCTURE ON VULCANIZATE PROPERTIES, 42 596
- PRICE, C., G. ALLEN, F. DECANDIA, M. C. KIRKHAM, AND A. SUBRAMANIAM, STRESS-STRAIN BEHAVIOR OF NATURAL RUBBER VULCANIZED IN THE SWOLLEN STATE, 44 744
- PRICE, L. D., *see* MARSH, P. A., 41 344
- , *see* MARSH, P. A., 43 400, 470
- , *see* MARSH, P. A., 44 844
- PRICE, S. J., AND J. B. NATHAN, JR., PRESSURE-SENSITIVE ADHESIVE FILM CHARACTERIZATION BY ACCELERATED AGING (ABSTRACT), 47 463
- PRIEST, D. C., *see* CRITCHFIELD, F. E., 45 1467
- PRINS, W., STRUCTURAL CHARACTERIZATION OF POLYMER NETWORKS (ABSTRACT), 43 1520
- PRIOIA, A., *see* CESCA, S., 48 747
- , *see* CESCA, S., 49 937
- PRUD'HOMME, J., P. GOURSOT, AND A. LARAMEE, KINETIC EFFECTS ASSOCIATED WITH THE GLASS TRANSITION OF POLYISOPRENE, 50 922
- PRZYBYLA, R. L., PRELIMINARY STUDIES OF THE FEASIBILITY OF RADIATION VULCANIZATION OF SILICONE RUBBER, 47 285
- PUETT, D., THERMOELASTICITY AND THE TEMPERATURE COEFFICIENT OF UNPERTURBED POLYMER DIMENSIONS, 41 569
- PUGH, T. L., *see* PELOSI, L. F., 49 367
- , *see* WOLFE, J. R., 41 1329

- PURDON, J. R., *see* HORVATH, J. W., 41 770
- PUTYATINA, Z. P., *see* TROFIMOVICH, D. P., 46 580
- PUYDAK, R. C., *see* BANKS, S. A., 49 1355
- , *see* HAZELTON, D. R., 44 1043
- PYNE, J. R., *see* DANIEL, T. J., 45 1153
- , *see* HUMPHIDGE, R. T., 46 148
- , LIQUID RUBBERS-GENERAL RUBBER PRODUCTS TECHNOLOGY, 44 750
- QUINT, J. M., AND N. H. SHERWOOD, THE TECHNOLOGY AND APPLICATIONS OF NITRILE-MODIFIED POLY(VINYLCHLORIDE) (ABSTRACT), 41 769
- QUISENBERRY, D., *see* WHITE, J. L., 45 1138
- RADEMACHER, H. J., *see* BECKER, G. W., 42 373
- RAE, J. A., *see* BALDWIN, F. P., 49 390
- , *see* COHEN, H., 46 1106
- , *see* COHEN, H., 49 967
- RAEVSKII, V. G., *see* YAGNYATINSKAYA, S. M., 41 1244
- , S. M. YAGNYATINSKAYA, S. N. EPISEEVA, AND S. S. VOYUTSKII, REINFORCEMENT OF POLYMERS. I. TEAR RESISTANCE OF FILLED MIXES AND ADHESION OF ELASTOMER TO FILLER AS A FUNCTION OF DURATION AND TEMPERATURE OF ELASTOMER AND FILLER CONTACT, 41 601
- RAILSBACK, H. E., *see* SNAVELY, K. E., 46 1324
- , AND N. A. STUMPE, JR., BLENDS OF MEDIUM VINYL POLYBUTADIENE WITH SBR RUBBERS (ABSTRACT), 47 1302
- RAINES, C. C., *see* CARLSON, D. W., 45 1166
- RAKOWSKY, K., P. ANACHKOV, V. JANAKIEW, AND P. GENCHEVA, INVESTIGATION OF STRUCTURAL CHANGES OF UNFILLED AND FILLED WITH ACTIVE FILLERS CIS-1,4-(SKI-3) BASED COMPOUNDS DEPENDING ON PROCESSING CONDITIONS (ABSTRACT), 46 570
- RAKUTIS, R., *see* KALFAYAN, S. H., 47 1265
- RAND, P. B., *see* SEELEY, R. D., 41 432
- RANNEY, M. W., *see* SOLLMAN, K. J., 46 564
- , AND C. A. PAGANO, SILANE COUPLING AGENT EFFECTS IN ETHYLENE-PROPYLENE-DIENE TERPOLYMERS, 44 1080
- , K. J. SOLLMAN, AND R. J. PICKWELL, SILANE COUPLING AGENTS IN SULFUR-CURED EPDM ELASTOMERS (ABSTRACT), 45 1166
- RANSAW, H. C., *see* CARLSON, D. W., 44 1278
- , *see* CARLSON, D. W., 45 1147
- RATLIFF, O. D., FIBER-REINFORCED RUBBER FOR AIR CYLINDER PACKING CUPS (ABSTRACT), 49 1380
- RAY, L. N., JR., *see* HASSAN, A. M., 41 1388
- RAY, W. H., AND C. E. GALL, THE CONTROL OF COPOLYMER DISTRIBUTIONS IN BATCH AND TUBULAR REACTORS, 43 921
- RAZGON, D. R., AND V. F. DROZDOVSKII, REACTION OF RADICAL ACCEPTORS WITH POLYMER RADICALS FORMED BY MECHANICAL DEGRADATION OF VULCANIZATES, 44 668
- RAZUMOVSKII, S. D., AND L. S. BATASHOVA, MECHANISM OF PROTECTION AGAINST OZONE BY N-PHENYL-N'-ISOPROPYL-P-PHENYLENEDIAMINE, 43 1340
- REBER, D., I. J. CHEN, AND K. J. SIWIECKI, RELATIONSHIP BETWEEN OPERATING VARIABLES AND TEMPERATURE OF ELASTOMER ENTERING THE MOLD ON A COAXIAL SCREW/POT INJECTION MOLDING MACHINE, 49 28
- , I. J. CHEN, AND K. J. SIWIECKI, RELATIONSHIP BETWEEN MACHINE OPERATING VARIABLES AND TEMPERATURE OF ELASTOMER ENTERING THE MOLD ON A COAXIAL SCREW-POT INJECTION MOLDING MACHINE (ABSTRACT), 48 1108
- REDDING, R. B., AND D. A. SMITH, OVERALL KINETICS OF NATURAL RUBBER VULCANIZATION AT HIGH TEMPERATURES. I, 44 1316
- REDMAN, E., F. A. HECKMAN, AND J. E. CONNALLY, COMPLEMENTARY STUDY OF CARBON BLACK AGGREGATES BY ANALYTICAL CENTRIFUGATION AND IMAGE ANALYSIS (ABSTRACT), 50 1000
- REED, P. E., *see* ANDREWS, E. H., 42 505
- REED, T. B., THE PRODUCTION AND USE OF ALCOHOLS AS FUELS (ABSTRACT), 50 421
- REED, T. F., *see* ROBERTS, R. W., 43 934
- , *see* STEPHENS, H. L., 43 934
- REGES, B. M., *see* WOLFE, H. W., 45 1694
- REGHI, G. P., *see* LIVINGSTON, H. K., 42 441
- REHNER, J., JR., AND P. E. WEI, HETEROGENEITY AND CROSSLINKING OF ELASTOMER BLENDS. INVESTIGATIONS OF CHLOROBUTYL WITH HIGHLY UNSATURATED ELASTOMERS, 42 985
- REMPP, P., *see* GRUBISIC, Z., 42 636
- , AND H. BENOIT, DETERMINATION OF COPOLYMER MOLECULAR WEIGHT (REVIEW), 41 245
- RESNIK, G. J., THE INFLUENCE OF HOSE COUPLING DESIGN ON HOSE PERFORMANCE (ABSTRACT), 42 983
- REZNIKOVSKII, M. M., *see* DOZORTSEV, M. S., 41 1371
- RHEIN, R. A., THE DEGRADATION OF POLYISOBUTYLENE: A LITERATURE REVIEW (ABSTRACT), 43 1517
- , THE MOLECULAR SIEVE CATALYZED POLYMERIZATION OF ISOBUTYLENE (ABSTRACT), 43 1517
- , AND D. D. LAWSON, REFRACTIVE INDEX-MOLECULAR WEIGHT RELATIONSHIPS FOR TELOMERS AND POLYMERS (ABSTRACT), 43 1516

- , AND J. D. INGHAM, NEW POLYMER SYSTEMS: CHAIN EXTENSION BY DIANHYDRIDES, 45 1554
- , M. R. CULOTTI, AND J. D. INGHAM, SATURATED HYDROCARBON PREPOLYMERS BY OZONOLYSIS II. PREPARATION AND CURING BY DIANHYDRIDES AND DIISOCYANATES (ABSTRACT), 50 1010
- RICCO, T., *see* SZILAGYI, L., 47 1
- RICHARDSON, M. J., AND N. G. SAVILL, DERIVATION OF ACCURATE GLASS TRANSITION TEMPERATURES BY DIFFERENTIAL SCANNING CALORIMETRY, 49 224
- RICHMOND, B. R., AND J. E. PETERSON, JR., DETERMINATION OF WET AND DRY SKID COEFFICIENTS FOR BLENDS OF NATURAL RUBBER AND CIS-POLYBUTADIENE (ABSTRACT), 44 1450
- RIDLAND, J. J., J. WALKER, AND R. J. WEIR, NEW COMPOUNDING TECHNIQUES FOR IMPROVED HOSE PERFORMANCE (ABSTRACT), 48 1094
- RIENZNER, H. J., RECENT DEVELOPMENTS IN THE USE OF MULTISTATION INJECTION MOLDING MACHINES, 48 263
- RIESS, G., J. KOHLER, C. TOURNUT, AND A. BANDERET, COMPATIBILITY OF COPOLYMERS WITH CORRESPONDING HOMOPOLYMERS, 42 447
- RIGBI, Z., EFFECT OF A DISPERSION OF GELLED POLYMER PARTICLES ON VISCOELASTIC PROPERTIES OF A LINEAR POLYMER (ABSTRACT), 41 1132
- , AND B. B. BOONSTRA, THE RESTRAINING EFFECT OF FILLERS ON SWELLING (ABSTRACT), 41 752
- RIJKE, A. M., AND G. L. TAYLOR, STRESS-STRAIN BEHAVIOR OF SWOLLEN POLYMERIC NETWORKS, 42 572
- RINEHART, R. W., SR., *see* STUDEBAKER, M. L., 45 105
- RIST, C. E., *see* BUCHANAN, R. A., 41 764, 1380
- , *see* BUCHANAN, R. A., 44 842
- RITCHIE, K., *see* COULTHARD, D. C., 50 434
- , AND R. J. WEIR, HEAT RESISTANCE AND DYNAMIC CHARACTERISTICS OF BROMOBUTYL-MODIFIED ELASTOMER BLENDS (ABSTRACT), 49 408
- RIVIN, D., SURFACE PROPERTIES OF CARBON (REVIEW), 44 307
- , AND R. G. TRUE, FILLER REINFORCEMENT OF LIQUID ELASTOMERS, 46 161
- , J. ARON, AND A. I. MEDALIA, BONDING OF RUBBER TO CARBON BLACK BY SULFUR VULCANIZATION, 41 330
- RIZZO, F. J., A REVIEW OF TEST METHODS OF FLAMMABILITY (ABSTRACT), 43 1529
- ROBERTS, A. D., AND A. G. THOMAS, STATIC FRICTION OF SMOOTH CLEAN VULCANIZED RUBBER, 50 266
- ROBERTS, D. E., RECRYSTALLIZATION AND MELTING OF PARTIALLY MELTED STARK RUBBER, 42 540
- ROBERTS, D. T., JR., *see* LAWSON, D. F., 48 124
- ROBERTS, R. F., *see* KWEI, T. K., 48 218
- ROBERTS, R. W., *see* STEPHENS, H. L., 43 934
- , H. L. STEPHENS, AND D. S. WINKLER, EXTRUSION DRYING OF STARCH-ELASTOMER MASTERBATCHES (ABSTRACT), 46 591
- , H. L. STEPHENS, T. F. REED, AND R. J. MURPHY, PROCESS FOR THE MANUFACTURE OF STARCH-ELASTOMER MASTERBATCHES (ABSTRACT), 43 934
- ROBERTS, R., *see* GERKIN, R. M., 48 972
- ROBESON, L. M., *see* WAGNER, E. R., 43 1129
- ROBINSON, K. J., *see* BLACKSHAW, G. C., 46 1324
- RODDY, E. J., NEW APPLICATIONS AND DESIGN CONCEPTS FOR THERMOPLASTIC COPOLYESTER ELASTOMERS (ABSTRACT), 49 1358
- RODGER, E. R., *see* AYERST, R. C., 45 1497
- , *see* BARKER, R. I., 50 442
- , *see* DAVIES, J. R., 46 574
- , *see* HANNA, G. L., 50 1003
- , AND H. S. ROEBUCK, IMPROVED PROCESSING ECONOMICS THROUGH SCORCH CONTROL (ABSTRACT), 48 1106
- RODGERS, W. A., TENSION TESTS WITH CUT RING SPECIMENS (ABSTRACT), 46 586
- ROEBUCK, H. S., *see* RODGER, E. R., 48 1108
- ROGERS, J. W., AND D. W. CARLSON, FIBER-LOADED V-BELT COMPOUNDS (ABSTRACT), 49 1364
- ROGERS, T. H., *see* HOGAN, J. M., 46 1328
- , A. F. FINELLI, C. J. PEARSON, AND D. A. CHUNG, FLEX REQUIREMENT OF CAST URETHANE ELASTOMERS FOR SOLID INDUSTRIAL TIRES (ABSTRACT), 48 1101
- , AND A. L. PETERSON, CONTROL OF SOUTH AMERICAN LEAF BLIGHT ON A PLANTATION SCALE (ABSTRACT), 49 1360
- , AND W. O. SASSAMAN, APPLICATIONS OF ELASTOMERIC URETHANES IN INDUSTRIAL PRODUCTS (ABSTRACT), 47 472
- , AND W. O. SASSAMAN, ELASTOMERIC PRODUCTS MADE WITH LOW-ENERGY SYSTEMS (ABSTRACT), 50 431
- ROLLMANN, K. W., *see* KRAUS, G., 44 598
- , *see* KRAUS, G., 45 1005
- ROOVERS, J. E. L., AND S. BYWATER, THE REACTION OF T-BUTYLLITHIUM WITH STYRENE AND ISOPRENE. A COMPARISON OF CHAIN INITIATION WITH THE ISOMERS OF BUTYLLITHIUM, 48 1070
- ROQUEMORE, K. G., *see* ASAM, E. H., 41 756
- ROSEN, STEPHEN L., SOME RHEOLOGICAL PROPERTIES OF A LINEAR GEL POLYMER SYSTEM (ABSTRACT), 41 771



- ROSENBERG, M. L., *see* GOLUB, M. A., 50 704
- ROSENBERG, W. S., A REVIEW OF THE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM FOR NEW AND EXISTING SOURCES (ABSTRACT), 49 1356
- ROSS, D. B., *see* ANDRIES, J. C., 48 41
- ROSS, E. F., *see* HAWS, J. R., 50 211
- , *see* HENDERSON, E. W., 41 1387
- ROSS, J. A., CONTRASTS IN EUROPEAN AND AMERICAN HOSE TECHNOLOGY, (ABSTRACT), 48 1094
- ROSS, N. W., FLOATING BREAKWATERS (ABSTRACT), 50 1004
- ROSTLER, K. S., AND P. J. CASS, PUBLISHED FORMULATIONS AND TEST DATA-THE COMPOUNDERS HERITAGE (ABSTRACT), 44 1448
- ROTH, F. L., *see* WOOD, L. A., 48 154
- ROWE, F., JR., ENVIRONMENTAL CONTROL IN THE MANUFACTURE OF CARBON BLACK (ABSTRACT), 47 1308
- ROWE, P. H., AND J. H. SUDEKUM, APPLICATIONS COMPOUNDING WITH A LOW-MOONEY EPDM (ABSTRACT), 44 1436
- ROWTON, R. L., CYANOETHYLATED POLYOXYPROPYLENEPOLYAMINES: POLYMER FORMERS OF UNIQUE REACTIVITY (ABSTRACT), 50 435
- ROYAL, T. B., REPROCESSED OILS FOR THE RUBBER INDUSTRY (ABSTRACT), 47 1309
- ROYO, J., L. GONZALES, L. IBARRA, AND M. BARBERO, CHLORINATION OF STEREOSPECIFIC HOMO- AND COPOLYMERS OF BUTADIENE (ABSTRACT), 45 1136
- RUBIO, D. C., *see* MORTON, M., 48 1104
- , *see* MORTON, M., 49 303
- RUPERT, J. P., *see* MORTON, M., 48 1110
- RUSCH, K. C., HIGH-MODULUS ELASTOMERS FOR FLEXIBLE EXTERIOR AUTOMOTIVE BODY COMPONENTS (ABSTRACT), 49 1365
- , LOAD-COMPRESSION BEHAVIOR OF FLEXIBLE FOAMS, 43 758
- , AND J. M. SLESSOR, AN ELASTOMERIC IMPACT-ABSORBING BUMPER SYSTEM, 46 882
- , AND J. R. FORRESTER, JR., FRICTIONAL CHARACTERISTICS OF WINDSHIELD WIPER BLADES (ABSTRACT), 44 1440
- , R. W. SANDERSON, AND H. VAN OENE, DUAL-MATERIAL MOLDING OF RADIAL LIP-TYPE OIL SEALS (ABSTRACT), 44 839
- RUSSELL, C. R., *see* ABBOTT, T. P., 46 590
- , *see* ABBOTT, T. P., 47 1311
- , *see* BUCHANAN, R. A., 41 764, 1380
- , *see* BUCHANAN, R. A., 44 842
- , *see* BUCHANAN, R. A., 47 1313
- , *see* BUCHANAN, R. A., 48 1092
- , *see* BUCHANAN, R. A., 50 431
- RUSSELL, D. B., J. R. CREASEY, AND M. P. WAGNER, ROLE OF SILICAS AND SILICATES IN RUBBER ADHESION, 41 1300
- RUSSELL, R. M., *see* CUNNEEN, J. I., 43 1215
- , *see* DOYLE, G. M., 45 1051
- , T. D. SKINNER, AND A. A. WATSON, EV SYSTEMS FOR NR. II. FURTHER DEVELOPMENT OF CURING SYSTEMS AND VULCANIZATION PROPERTIES, 42 418
- RYAN, P. W., *see* HILEMAN, F. D., 48 343
- RYDER, D. F., *see* IYENGAR, Y., 46 442
- RYE, G. W., *see* BHAKUNI, R. S., 41 768
- , R. S. BHAKUNI, AND D. M. CALLAHAN, POLYESTER ADHESIVE SYSTEMS (ABSTRACT), 41 1103
- SAKHUOVSKII, N. L., *see* EVSTRATOV, V. F., 41 685
- SAKINA, G. A., *see* KRYUKOVA, A. B., 47 282
- SALAZAR, E. A., *see* CURRO, J. G., 50 895
- SALAZAR, E. A., *see* CURRO, J. G., 46 530
- SALLADAY, D. G., *see* WHITE, J. L., 45 1138
- SALOMON, G., AND F. VAN BLOOIS, CORRELATIONS BETWEEN STRUCTURE OF ELASTOMERS AND THE MECHANISM OF THEIR DEGRADATION BY OZONE, 41 643
- SALTMAN, W. M., AND L. J. KUZMA, PREPARATION AND PROPERTIES OF POLYDIENES, 46 1055
- SAMBROOK, R. W., INFLUENCE OF TEMPERATURE ON THE TENSILE STRENGTH OF CARBON FILLED VULCANIZATES, 44 728
- SANDERSON, R. W., *see* RUSCH, K. C., 44 839
- SANFORD, J. A., *see* LANTZ, W. L., 50 413
- SANTANIELLO, A. F., *see* KANAVAL, G. A., 41 763
- SANTEE, E. R., *see* MORTON, M., 48 1110
- , JR., L. O. MALOTKY, AND M. MORTON, ANALYSIS OF CHAIN UNIT STRUCTURE OF POLYBUTADIENE BY MEANS OF HR-300 SPECTROMETER, 46 1156
- SAPRONOV, V. A., *see* DOZORTSEV, M. S., 41 1371
- , EXPERIENCE IN USING SYNTHETIC POLYISOPRENE IN THE PRODUCTION OF RUBBER ARTICLES (ABSTRACT), 46 563
- SARACSAN, J. W., *see* STEPHENS, H. W., 47 472
- SARBACH, D. V., R. W. HALLMAN, AND M. A. CAVICCHIA, EVALUATION OF HEAVY-DUTY TIRE TREADS

- BASED ON BLENDS OF NATURAL RUBBER AND HIGH-MOONEY, OIL-EXTENDED CIS-POLYBUTADIENE (ABSTRACT), 41 766
- SAREDI, A., *see* FIORENZA, A., 41 630
- SASS, A., AND R. E. LUMPKIN, POTENTIAL FOR LIQUID FUELS FROM OIL SHALE (ABSTRACT), 50 416
- SASSAMAN, W. O., *see* ROGERS, T. H., 47 472
- , *see* ROGERS, T. H., 50 431
- SATAKE, K., T. SONE, M. HAMADA, AND K. HAYAKAWA, STUDY OF TIRE WEAR I. CORRELATION BETWEEN LABORATORY ABRASION TESTS AND ROAD TESTS, 44 1173
- SATO, H., *see* TANAKA, Y., 49 1259, 1269
- SAVAGE, R. W., *see* GENTILCORE, J. F., 50 441
- SAVILL, N. G., *see* RICHARDSON, M. J., 49 224
- SAVKOOR, A. R., ASPECTS OF FRICTION AND WEAR OF TIRES ARISING FROM DEFORMATION, SLIP, AND STRESSES AT GROUND CONTACT, 41 452
- SAXON, R., *see* SINGH, A., 48 348
- SBYTOV, Y. G., *see* LYKIN, A. S., 45 1597
- SCAGLIONE, P., *see* DALL'ASTA, G., 42 1235
- SCHAEFER, J., COMPARISONS OF THE CARBON-13 NUCLEAR MAGNETIC RESONANCE SPECTRA OF SOME SOLID CIS AND TRANS POLYISOPRENES, 46 359
- , AND E. O. STEJSKAL, CARBON-13 NMR STUDIES OF CARBON-BLACK-FILLED ELASTOMERS (ABSTRACT), 48 1109
- , S. H. CHIN, AND S. I. WEISSMAN, MAGIC-ANGLE CARBON-13 NUCLEAR MAGNETIC RESONANCE SPECTRA OF FILLED RUBBER, 46 1127
- SCHAFFERS, W. J., *see* LEIBEE, J. B., 42 1079
- SCHALLAMACH, A., *see* GROSCH, K. A., 43 701
- , *see* GROSCH, K. A., 49 662
- , HOW DOES RUBBER SLIDE?, 44 1147
- , THE LOAD DEPENDENCE OF SIDE FORCE AND SELF-ALIGNING TORQUE OF PNEUMATIC TIRES, 43 995
- SCHARY, E., *see* AGEE, R. D., 40 1094
- , *see* AGEE, R. D., 49 400
- SCHÉELE, W., *see* HILLMER, K.-H., 43 788
- , VULCANIZATION OF 1,5-POLYENES WITH SULFUR AS A CONSECUTIVE REACTION, 43 588
- , AND K.H. HILLMER, DEGRADATION OF HIGHLY ELASTIC POLYMERS, 43 304
- , AND S. FLEIGE, THE VULCANIZATION OF HIGHLY ELASTIC POLYMERS. 81. SULFUR VULCANIZATION OF ETHYLENE-PROPYLENE TERPOLYMERS CONTAINING VARYING AMOUNTS OF DOUBLE BONDS, 48 589
- SCHLEUTER, T. A., USING COMPUTERS AS A COMPOUNDING TOOL (ABSTRACT), 41 1095
- SCHLOTT, R. J., *see* FALK, J. C., 46 1044
- SCHMIT, G. N., *see* BANKS, S. A., 49 1355
- SCHNECKO, H., AND J. S. WALKER, SOLUTION AUTOXIDATION OF EPDM AND TERMONOMERS, 45 1125
- SCHNEIDER, N. S., *see* ILLING, J. L., 44 1447
- SCHOLLENBERGER, C. S., AND F. D. STEWART, THERMOPLASTIC POLYURETHANE ELASTOMER UV STABILIZATION (ABSTRACT), 48 1101
- SCHOOLEY, A. T., *see* ADAMS, P. G., 43 1523
- , *see* SON, P. N., 45 1513
- SCHOSTAREZ, H. J., *see* WINKLER, D. S., 50 981
- SCHRAG, J. L., *see* MITSUDA, Y., 48 1035
- SCHREIBER, H. P., *see* PATTERSON, D., 45 1638
- , *see* SUMMERS, W. R., 45 1655
- , *see* TEWARI, Y. B., 45 1665
- SCHROEDER, H. A., PRINCIPAL REPRESENTATIVES OF CARBORANESILOXANE (DEXSIL) POLYMERS AND THEIR PROPERTIES (ABSTRACT), 41 1378
- SCHULTHEIS, J. J., *see* KANAVEL, G. A., 42 1502
- SCHULZ, D. N., L. E. CALIHAN, AND D. P. TATE, SOLUTION-SBR POWDERS, 49 126
- SCHWARZ, H. F., *see* BYRNE, P. S., 46 591
- , R. G. BOSISIO, M. R. WERTHEIMER, AND D. COUDERC, MICROWAVE CURING OF SOLID AND EXPANDED SYNTHETIC RUBBER COMPOUNDS (ABSTRACT), 47 473
- SCHWARZ, H. R., FABRIC DEVELOPMENT FOR THE RUBBER INDUSTRY (ABSTRACT), 44 847
- SCHWARZ, F. R., H. W. BREE, C. J. NEDERVEEN, G. A. SCHWIPPERT, L. C. E. STRUIK, AND C. W. VAN DER WAL, BEHAVIOR OF UNFILLED AND FILLED RUBBERS IN SHEAR IN THE GLASS-RUBBER TRANSITION REGION, 42 557
- SCHWELLER, H. E., LATEX FOAM AUTOMOTIVE BODY SEALS (ABSTRACT), 49 413
- SCHWIPPERT, G. A., *see* SCHWARZ, F. R., 42 557
- SCOTT, C. E., *see* BURGESS, K. A., 44 230
- , *see* DIZON, E. S., 48 339
- , *see* HESS, W. M., 44 814
- , *see* ULMER, J. D., 46 897
- , AND V. CHIRICO, PERFORMANCE OF SBR AND BR TREAD COMPOUNDS AS A FUNCTION OF CARBON BLACK DISPERSION, SURFACE CHEMISTRY, AND STRUCTURE, 42 700
- , W. M. HESS, V. E. CHIRICO, AND E. J. MICEK, CARBON BLACK USAGE FOR TREADWEAR AND

- TRACTION: A SURVEY (ABSTRACT), 44 1445
- SCOTT, G., SOME NEW CONCEPTS IN POLYMER STABILIZATION, 44 1421
- SCOTT, K. W., N. CALDERON, E. A. OFSTEAD, W. A. JUDY, AND J. P. WARD, POLYMERS FROM CYCLOOLEFINS, 44 1341
- SCOTT, R. A., *see* CLARK, J. K., 43 1332
- SCOTT, R., *see* TOKITA, N., 42 944
- SEADER, J. D., AND W. P. CHIEN, PHYSICAL CHARACTERISTICS OF SMOKE DEVELOPMENT (ABSTRACT), 48 341
- SECKINGER, H. L., *see* BUCHANAN, R. A., 48 1092
- SEEFRIED, C. G., *see* GERKIN, R. M., 48 972
- SEEGER, M., *see* EXNER, J., 50 988
- SEELEY, R. D., THERMODYNAMIC PROPERTIES AND POLYMER-SOLVENT INTERACTION PARAMETERS FOR SILICONE RUBBER NETWORKS, 41 608
- , AND P. B. RAND, METHOD FOR STRUCTURAL CHARACTERIZATION OF HIGH POLYMERIC NETWORKS BY AN OSMOTIC PRESSURE TECHNIQUE, 41 432
- SEEMAN, D. J., *see* MONTE, S. J., 49 1351
- , *see* MONTE, S. J., 50 1008
- , *see* SUGERMAN, G., 49 1350
- SEKARCHO, K. K., *see* IINO, H., 42 759
- SEKHAR, B. C., REVIEW OF DEVELOPMENTS IN PRODUCTION, PROCESSING, AND USE OF NATURAL RUBBER (ABSTRACT), 46 581
- SEKIGUCHI, H., M. KAKIUCHI, T. MORIMOTO, K. FUJIMOTO, AND N. YOSHIMURA, POISSON'S RATIO FOR STRETCHED VULCANIZED NATURAL RUBBER, 42 547
- SEMIN, R. E., NEW AUTOMOTIVE POWER TRANSMISSION BELT CONCEPTS (ABSTRACT), 48 1096
- SERNIUK, G. E., *see* ZAPP, R. L., 43 1154
- SETO, J., EFFECT OF ADSORPTION ON REINFORCEMENT OF FILLED POLYURETHANE, 50 333
- SEVILLA, E. R., *see* LEEPER, H. M., 50 969
- SEWARD, R. J., ELECTRON MICROSCOPY OF RUBBER (REVIEW), 43 1
- SEYMOUR, R. W., AND S. L. COOPER, VISCOELASTIC PROPERTIES OF POLYURETHANE BLOCK POLYMERS, 47 19
- SHAH, A. K., *see* HALLMAN, R. W., 44 1435
- SHALGANOVA, V. G., *see* VINOGRADOV, G. V., 45 1082
- SHALLAMACH, A., FRICTION AND FRICTIONAL RISE OF WEDGE SLIDERS ON RUBBER, 42 1433
- SHATALOV, V. P., *see* VINOGRADOV, G. V., 45 1082
- SHAVER, R. C., *see* DOLLINGER, R. E., 50 998
- SHAW, F. D., JR., FAST CURING EPDM POLYMERS (ABSTRACT), 41 1385
- SHAW, M. T., AND A. V. TOBOLSKY, THERMAL STABILITY OF THE CARBON-CARBON CROSSLINK IN POLYMER NETWORKS, 44 579
- SHCHEGOLEVSKAYA, N., *see* SHEYANOVA, A. I., 41 533
- SHEARD, E. A., A NEW COMPOSITE TIRE FOR MODERATE-SPEED APPLICATIONS (ABSTRACT), 48 1093
- , COMMERCIAL STATUS OF LIQUID ELASTOMERS (ABSTRACT), 45 1666
- SHEDDEN, J. A., *see* BROWN, W. J., 41 758
- SHEELER, J. W., GLASS FIBERS AS REINFORCEMENT FOR ELASTOMERIC COMPOUNDS (ABSTRACT), 49 1360
- SHEIKH, M. W., *see* BLACKLEY, D. C., 48 819, 830, 845
- SHELDON, R., *see* EVANS, D., 43 262
- SHELTON, J. R., *see* COLEMAN, M. M., 45 173
- , *see* COLEMAN, M. M., 46 938, 957
- , *see* KAPUR, R. S., 47 911
- , *see* KAPUR, R., 48 343
- , *see* KOENIG, J. L., 44 71
- , *see* PECSOK, R. L., 49 405, 1010
- , *see* STARMER, P. H., 44 854
- , REVIEW OF BASIC OXIDATION PROCESSES IN ELASTOMERS, 45 359
- , THE ROLE OF CERTAIN ORGANIC SULFUR COMPOUNDS AS PREVENTIVE ANTIOXIDANTS, 47 949
- , AND E. R. HARRINGTON, THE ROLE OF CERTAIN ORGANIC SULFUR COMPOUNDS AS PREVENTIVE ANTIOXIDANTS. II. ACTIVITY AS PEROXIDE DECOMPOSERS AND EFFECTS OF BASES, 49 147
- , J. L. KOENIG, AND M. M. COLEMAN, RAMAN SPECTROSCOPIC STUDIES OF THE VULCANIZATION OF RUBBERS. II. RAMAN SPECTROSCOPIC STUDIES AS A FUNCTION OF CURE TIME, 44 904
- SHEN, M. C., *see* EISENBERG, A., 43 156
- , INTERNAL ENERGY CONTRIBUTION TO THE ELASTICITY OF NATURAL RUBBER, 43 270
- , AND A. EISENBERG, GLASS TRANSITIONS IN POLYMERS (REVIEW), 43 95
- , D. A. MCQUARRI, AND J. L. JACKSON, THERMOELASTIC BEHAVIOR OF NATURAL RUBBER, 42 835
- , W. F. HALL, AND R. E. DE WAMES, MOLECULAR THEORIES OF RUBBERLIKE ELASTICITY AND POLYMER VISCOELASTICITY (REVIEW), 45 638
- SHEPELOV, M. I., *see* CHERNAYA, V. V., 46 566
- SHEPHARD, C. S., *see* LANGEVIN, P. P., 47 171
- SHERSHNOV, V. A., V. N. KULEZNEV, AND B. N. ANFIMOV, PECULIARITIES OF ELASTOMER BLENDS VULCANIZATION (ABSTRACT), 50 447
- SHERWOOD, N. H., *see* QUINT, J. M., 41 769

- SHEUNG, S. C., *see* LEVINSON, M., 46 294
- SHEYANOVA, A. I., S. I. SOKOLOV, AND N. SHCHEGOLEVSKAYA, FREEZING AND RELAXATION OF ELASTO-OPTICAL EFFECTS IN POLYMERS, 41 533
- SHIH, C. K., *see* GOODMAN, A. L., 49 1359
- , MILL PROCESSING BEHAVIOR OF ETHYLENE-PROPYLENE-HEXADIENE TERPOLYMERS, 45 1412
- , STRESS RELAXATION BEHAVIOR OF ETHYLENE-PROPYLENE-DIENE TERPOLYMERS, 44 1057
- SHIH, H., *see* FLORY, P. J., 46 338
- , AND P. J. FLORY, EQUATION OF STATE PARAMETERS FOR POLY(DIMETHYLSILOXANE), 46 331
- SHILLING, B., *see* HORNE, W. B., 41 807
- SHIMANOUCHI, T., AND Y. ABE, SKELETAL DEFORMATION VIBRATIONS AND ROTATIONAL ISOMERISM OF METHYLBUTENES AND METHYLPENTENES AS MODEL COMPOUNDS OF 1,4-POLYISOPRENE, 42 1383
- SHINOMURA, T., VOLUME CHANGE MEASUREMENTS OF FILLED RUBBER VULCANIZATES UNDER STRETCHING, 43 1025
- , AND M. TAKAHASHI, MORPHOLOGICAL STUDY ON CARBON BLACK-LOADED RUBBER VULCANIZATES UNDER STRETCHING, 43 1015
- SHIOTA, A., *see* IMOTO, M., 43 424, 431
- SHORT, J. N., *see* URANECK, C. A., 41 1375
- SHROFF, R. N., D. I. LIVINGSTON, AND G. S. FIELDING-RUSSELL, AN APPARATUS TO MEASURE THE DYNAMIC MECHANICAL PROPERTIES OF SOLID POLYMERS, 43 1491
- SHUTTLEWORTH, R., VOLUME CHANGE MEASUREMENTS IN THE STUDY OF RUBBER-FILLER INTERACTIONS, 42 936
- SHVARTS, A. G., *see* GAVRILOV, V. M., 47 303
- SIDOROVICH, E. A., A. I. MAREI, AND N. S. GASHTOL'D, HIGH-TEMPERATURE RELAXATION TRANSITIONS IN ELASTOMERS, 44 166
- SIEBERT, A. R., CASTABLE REINFORCED ELASTOMERS. I. MATERIAL PROPERTIES (ABSTRACT), 48 1111
- SILVER, D. A., AN IMPROVED FREE-STRIPPING TAPE INSULATION SHIELD EPR-INSULATED HIGH-VOLTAGE POWER CABLE (ABSTRACT), 48 351
- SILVER, R. H., *see* KALFAYAN, S. H., 47 1265
- , *see* KALFAYAN, S. H., 48 944
- , *see* KALFAYAN, S. H., 49 1001
- SILVEY, D. H., AND H. S. GHAZI, TEST CRITERIA AND INPUT FOR COMPUTERIZED CONVEYOR BELT CURING (ABSTRACT), 50 438
- , AND H. S. HALLER, COMPUTER PREDICTION OF EPDM COMPOUND PHYSICAL PROPERTIES FROM OIL AND BLACK CHARACTERISTICS (ABSTRACT), 43 1526
- SIMPSON, B. D., *see* KLYNE, R. A., 46 192
- , ADHESIVE APPLICATIONS OF RADIAL BLOCK COPOLYMERS (ABSTRACT), 49 1352
- , THE USE OF 'SOLPRENE' PLASTOMERS IN ADHESIVES AND MECHANICAL GOODS (ABSTRACT), 50 413
- , AND P. R. FOWLER, CONTACT ADHESIVES BASED ON RADIAL BLOCK COPOLYMERS OF BUTADIENE AND STYRENE (ABSTRACT), 47 461
- SIMSON, B. G., *see* BRENNER, F. C., 42 1450
- , J. MANDEL, AND F. C. BRENNER, RESEARCH FOR A UNIFORM QUALITY GRADING SYSTEM FOR TIRES. III. BREAKING ENERGY, 43 356
- SIN, S. W., AND S. NAIR, NEW CONCEPTS IN THE STANDARDIZATION AND CONTROL OF SMR (ABSTRACT), 46 583
- SINCLAIR, E. A., *see* HECKER, K. C., 45 1692
- , AND K. E. BRISTOL, RECENT DEVELOPMENTS IN RUBBER FOR ASPHALT AND TAR (ABSTRACT), 41 766
- , AND K. E. BRISTOL, REINFORCEMENT OF ASPHALT AND TAR BY ELASTOMER ADDITION (ABSTRACT), 42 1476
- SINGH, A., *see* ANDREWS, E. H., 45 1315
- , *see* VIAL, T. M., 46 1328
- , AND L. WEISSBEIN, CHEMICAL STRESS RELAXATION OF POLYACRYLATE ELASTOMERS, 41 692
- , AND R. SAXON, IMPROVED MOISTURE RESISTANCE IN POLYESTER-BASED POLYURETHANES (ABSTRACT), 48 348
- , L. WEISSBEIN, AND J. C. MOLLIKA, THERMAL STABILITY OF POLYESTER VS. POLYETHER-BASED URETHANES, 42 648
- SINYAVSKI, V. G., *see* LIPATOV, Y. S., 41 537
- SIRCAR, A. K., *see* VOET, A., 42 874
- , *see* VOET, A., 44 175
- , IDENTIFICATION OF NATURAL AND SYNTHETIC POLYISOPRENE VULCANIZATES BY THERMAL ANALYSIS, 50 71
- , AND A. VOET, DETERMINATION OF BUTADIENE IN SBR TYPE COPOLYMERS BY THERMOGRAVIMETRIC ANALYSIS, 43 1327
- , AND A. VOET, IMMOBILIZATION OF ELASTOMERS AT THE CARBON BLACK PARTICLE SURFACES, 43 973
- , AND T. G. LAMOND, CARBON BLACK TRANSFER IN BLENDS OF CIS-POLYBUTADIENE WITH OTHER ELASTOMERS, 46 178
- , AND T. G. LAMOND, IDENTIFICATION OF ELASTOMERS BY THERMAL ANALYSIS, 45 329

- , AND T. G. LAMOND, IDENTIFICATION OF ELASTOMERS IN TIRE SECTIONS BY TOTAL THERMAL ANALYSIS. I. TREAD AND BLACK SIDEWALL, 48 301
- , AND T. G. LAMOND, IDENTIFICATION OF ELASTOMERS IN TIRE SECTIONS BY TOTAL THERMAL ANALYSIS. II. WHITE SIDEWALL COMPOUNDS OF EPDM AND BLENDS, 48 631
- , AND T. G. LAMOND, IDENTIFICATION OF ELASTOMERS IN TIRE SECTIONS BY TOTAL THERMAL ANALYSIS. III. WHITE SIDEWALL COMPOUNDS OF NEOPRENE RUBBER BLENDS, 48 640
- , AND T. G. LAMOND, IDENTIFICATION OF ELASTOMERS IN TIRE SECTIONS BY TOTAL THERMAL ANALYSIS. IV. INNERLINER, 48 653
- , AND T. G. LAMOND, STRAIN-DEPENDENT DYNAMIC PROPERTIES OF CARBON-BLACK REINFORCED VULCANIZATES. I. INDIVIDUAL ELASTOMERS, 48 79
- , AND T. G. LAMOND, STRAIN-DEPENDENT DYNAMIC PROPERTIES OF CARBON-BLACK REINFORCED VULCANIZATES. II. ELASTOMER BLENDS, 48 89
- , T. G. LAMOND, AND P. E. PINTER, EFFECT OF HETEROGENEOUS CARBON BLACK DISTRIBUTION ON THE PROPERTIES OF POLYMER BLENDS, 47 48
- SIWIECKI, K. J., see REBER, D., 48 1108
- , see REBER, D., 48 28
- SJOTHUN, I. J., ADVANCES IN TIRE TECHNOLOGY-INTRODUCTION TO SYMPOSIUM, 41 1072
- SKALA, D. P., MODIFIED EQUATIONS OF RUBBER ELASTICITY APPLIED TO THE INFLATION MECHANICS OF A THICK-WALLED RUBBER CYLINDER, 43 745
- SKAM, G. D., see IZOD, D. A. W., 41 1399
- SKELTON, J., BENDING HYSTERESIS LOSSES IN CORD-RUBBER COMPOSITES, 47 376
- SKINNER, T. D., see RUSSELL, R. M., 42 418
- , THE CBS ACCELERATED SULFURATION OF NATURAL RUBBER AND CIS-1,4-POLYBUTADIENE, 45 182
- , AND A. A. WATSON, EV SYSTEMS FOR NR. 1. THE PURPOSE OF EFFICIENT VULCANIZATION AND DEVELOPMENT OF CURING SYSTEMS, 42 404
- SKOLNIK, L., see DRAVES, C. Z., JR., 44 851
- , CORD-RUBBER ADHESION. A QUANTITATIVE SHEAR-ADHESION TEST, 47 434
- SLADE, P. E., JR., AND L. T. JENKINS, THERMAL ANALYSIS OF POLYURETHANE ELASTOMERS, 41 421
- SLATTENGREN, C. L., see HILADO, C. J., 50 449
- SLESSOR, J. M., see RUSCH, K. C., 46 862
- SLICHTER, W. P., see KAUFMAN, S., 44 843
- SMIRNOV, V. P., see GARMONOVA, I. V., 50 436
- SMIT, P. P. A., GLASS TRANSITION IN CARBON BLACK-REINFORCED RUBBER, 41 1194
- SMITH, B. R., MEASUREMENT OF MOLECULAR WEIGHT DISTRIBUTION OF SBR AND PREDICTION OF RUBBER PROCESSABILITY, 49 279
- SMITH, D. A., see REDDING, R. B., 44 1316
- , MICROMETHOD FOR ESTIMATION OF THE DEGREE OF CROSSLINKING IN ELASTOMERS FROM COMPRESSION MODULUS OF SWOLLEN VULCANIZATES, 42 580
- SMITH, D. H., AND R. L. CHRISTY, MODERN EXTRUSION EQUIPMENT, 45 1434
- SMITH, D. J., see BORSELLINO, J. V., 46 1332
- SMITH, G. E. P., JR., see OBERSTER, A. E., 41 255
- SMITH, G. G., AND R. D. LOBAN, EFFECTS OF MOLYBDENUM DISULFIDE ON ELASTOMER FLEX LIFE AND OTHER PROPERTIES, 49 140
- SMITH, G. H., see FIELDING-RUSSELL, G. S., 43 771
- SMITH, J. C., AND C. A. FENSTERMAKER, STRAIN-WAVE PROPAGATION IN STRIPS OF NATURAL RUBBER SUBJECTED TO HIGH-VELOCITY IMPACT, 42 565
- SMITH, J. F., see HARWOOD, J. A. R., 43 687
- SMITH, M. G., SOME FACTORS AFFECTING THE INTERPRETATION OF THE PLASTICITY RETENTION INDEX-P. R. I., 42 381
- SMITH, M. J., A MODEL FOR FATIGUE FAILURE OF ELASTOMERS (ABSTRACT), 50 440
- SMITH, P. J. A., see PATTLE, R. E., 42 481
- SMITH, R. C., AND H. L. STEPHENS, CALORIMETRIC STUDIES OF RUBBER OXIDATION (ABSTRACT), 47 1300
- SMITH, R. W., see FOLT, V. L., 44 1
- , see FOLT, V. L., 48 1193
- , MICROHARDNESS TESTING WITH A SPHERICALLY-TIPPED CONE INDENTOR (ABSTRACT), 42 1483
- , AND J. C. ANDRIES, NEW METHODS FOR ELECTRON MICROSCOPY FOR POLYMER BLENDS, 47 64
- , AND V. L. FOLT, STAINING NATURAL RUBBER WITH SILVER NITRATE FOR ELECTRON MICROSCOPY, 50 835
- SMITH, T. L., LARGE-DEFORMATION TENSILE PROPERTIES OF ELASTOMERS. I. TEMPERATURE DEPENDENCE OF C1 AND C2 IN THE MOONEY-RIVLIN EQUATION, 41 1231
- , TENSILE STRENGTH OF POLYURETHANE AND OTHER ELASTOMERIC BLOCK COPOLYMERS, 49 64
- , AND R. A. DICKIE, EFFECT OF FINITE EXTENSIBILITY ON THE VISCOELASTIC PROPERTIES OF STYRENE-BUTADIENE RUBBER VULCANIZATE IN SIMPLE TENSILE DEFORMATIONS UP TO RUPTURE, 43 714
- , AND R. A. DICKIE, VISCOELASTIC AND ULTIMATE TENSILE OF STYRENE-BUTADIENE-STYRENE BLOCK COPOLYMERS, 42 1257
- SMITH, W. C., AND E. O. FORSTER, EFFECT OF COMPOSITION ON THE DIELECTRIC PROPERTIES OF ETHYLENE-PROPYLENE RUBBER BASE COMPOUNDS (ABSTRACT), 48 351
- SMITH, W. R., AND G. A. KASTEN, POROSITY STUDIES ON SOME OIL FURNACE BLACKS, 43 960

- SMITH, W. V., FRACTIONATION OF POLYMERS (REVIEW), 45 667  
 —, AND S. THIRUVENGADA, CHARACTERIZATION OF ELUTION CHROMATOGRAPHY FRACTIONS FROM CIS-POLYBUTADIENE BY GPC, 43 1439  
 SMITHSON, F. D., INVESTIGATION OF TIRE-ROAD TRACTION PROPERTIES (ABSTRACT), 44 1447  
 SNAVELY, K. E., T. R. WILSON, AND H. E. RAIBLBACK, BUTADIENE-STYRENE BLOCK COPOLYMER TECHNOLOGY (ABSTRACT), 46 1324  
 SNOW, C. W., CARBON BLACK PHYSICO-CHEMICAL PROPERTIES AND TREADWEAR (ABSTRACT), 41 1386  
 SNOW, J. W., GOVERNMENT REGULATIONS BY NHTSA (ABSTRACT), 50 426  
 SNYDER, J. E., *see* VICKERY, G., 50 1010  
 SOCKIS, I., *see* PAUSCH, J. B., 50 819  
 SOHNS, V. E., *see* CONWAY, H. F., 48 338  
 SOKOLOV, S. I., *see* SHEYANOVA, A. I., 41 533  
 SOLLBERGER, L. E., *see* GUY, A. R., 43 1519  
 —, AND C. B. CARPENTER, CHLORINATED POLYETHYLENE ELASTOMERS (ABSTRACT), 47 1301  
 SOLLMAN, K. J., *see* RANNEY, M. W., 45 1166  
 —, M. W. RANNEY, AND R. J. PICKWELL, SILANE COUPLING AGENTS—REDUCTION OF HEAT GENERATION IN MINERAL FILLED ELASTOMERS (ABSTRACT), 46 584  
 SOMMER, J. G., *see* FABRIS, H. J., 50 523  
 —, *see* MEYER, D. A., 44 258  
 —, AND D. A. MEYER, FACTORS CONTROLLING THE DYNAMIC PROPERTIES OF ELASTOMERIC PRODUCTS (ABSTRACT), 46 1330  
 —, H. N. GROVER, AND P. T. SUMAN, IN-PLACE CLEANING OF RUBBER CURING MOLDS, 49 1129  
 SON, P. N., *see* BARANWAL, K. C., 47 88  
 —, SOME OBSERVATIONS ON THE MECHANISM OF CURE RETARDATION, 46 999  
 —, THE CHEMISTRY OF PHTHALIC ANHYDRIDE IN CURE RETARDATION OF RUBBERS, 49 118  
 —, K. E. ANDREWS, AND A. T. SCHOOLEY, KINETICS AND MECHANISM OF THE REACTION OF 2-MERCAPTOBENZOTHAZOLE WITH N-(CYCLOHEXYLTHIO)-PHTHALIMIDE AND RELATED COMPOUNDS, 45 1513  
 SONE, T., *see* SATAKE, K., 44 1173  
 SONNECKEN, E. H., SOME ESSENTIAL ELEMENTS OF EFFECTIVE MARKETING (ABSTRACT), 43 926  
 SOOS, Z. G., AND A. V. TOBOLSKY, A NEW FUNCTION FOR DIPOLE ORIENTATION AND RUBBER ELASTICITY, 43 878  
 SORG, E. H., *see* BORSELLINO, J. V., 46 1332  
 SOUTHERN, E., AND A. G. THOMAS, DIFFUSION OF LIQUIDS IN CROSSLINKED RUBBERS, 42 495  
 SOUTHWART, D. W., *see* BLOW, C. M., 48 236  
 —, STRUCTURAL IMPLICATIONS OF THE SILICONE RUBBER SILICA SYSTEM (ABSTRACT), 45 1165  
 SPACHT, R. B., *see* PARKS, C. R., 45 1697  
 SPAIN, G. E., JR., PREDICTION OF THE RELIABILITY OF CONVEYOR BELTING (ABSTRACT), 41 755  
 SPARKS, A. K., *see* LATOS, E. J., 42 1471  
 SPENADEL, L., *see* BANKS, S. A., 47 454  
 —, *see* FILBURN, D. R., 43 1518  
 —, *see* FORESTER, E. O., 45 1686  
 SPERANZINI, A. H., AND S. J. DROST, EPDM AND CHLOROBUTYL BLENDS FOR TIRE SIDEWALLS, 43 482  
 SPERBERG, L. R., FORCE VARIATION AND TIRE WEAR (ABSTRACT), 42 1485  
 —, TIRE DURABILITY WITH NITROGEN INFLATION, 41 1065  
 SPERLEY, R. J., *see* DEVINEY, M. L., 47 127  
 SPERLING, L. H., *see* CURTIS, A. J., 45 1582  
 SPOO, B. H., INJECTION MOLDING OF HIGH-PERFORMANCE FLUOROELASTOMERS (ABSTRACT), 49 1350  
 SRINIVAS, N., *see* BERNSTEIN, B. S., 48 353  
 STACHOWIAK, R. W., CONSIDERATION, DESIGN, AND OPERATION OF A VERSATILE STEREOPOLYMER SEMIWORKS FACILITY (ABSTRACT), 49 1353  
 STACY, C. J., AND R. L. ARNETT, UNPERTURBED POLYMER CHAIN DIMENSIONS FROM INTRINSIC VISCOSITIES DETERMINED IN GOOD SOLVENTS, 46 470  
 —, P. H. JOHNSON, AND G. KRAUS, EFFECT OF CARBON BLACK STRUCTURE AGGREGATE SIZE DISTRIBUTION ON PROPERTIES OF REINFORCED RUBBER, 48 538  
 STAKLIUS, A. A., ELASTOMER ABRASION AT HIGH VELOCITY, 45 1241  
 —, AND D. L. HAUSER, HIGH-STRENGTH COATED FABRICS (ABSTRACT), 50 1004  
 STAMBAUGH, R. B., DATA ACQUISITION BY COMPUTER (ABSTRACT), 43 1524  
 STANDEN, J., *see* BARRIE, J. A., 41 1148  
 STANHOPE, H. W., POLYESTER FABRIC REINFORCEMENT FOR CONVEYOR BELTS (ABSTRACT), 48 1092  
 STANTON, J. L., COMPUTERIZED PHYSICAL TESTING OF ELASTOMERS (ABSTRACT), 42 1482  
 STAPLETON, G. B., *see* EVANS, D., 43 262  
 STARITA, J. M., *see* MACOSKO, C. W., 49 1367  
 STARMER, P. H., *see* KOENIG, J. L., 44 71  
 —, J. L. KOENIG, J. R. SHELTON, AND M. M. COLEMAN, RAMAN SPECTROSCOPIC STUDIES OF THE VULCANIZATION OF RUBBERS. I. RAMAN SPECTROSCOPY OF RUBBERS (ABSTRACT), 44 854  
 STAVAROVA, A., *see* FIEDLER, A., 46 579  
 STAVELY, F. W., LITHIUM POLYMERIZATION CATALYST—CHARLES GOODYEAR MEDAL ADDRESS, 45 g56  
 STAVERMAN, A. J., THERMODYNAMIC ASPECTS OF THE GLASS-RUBBER TRANSITION, 41 544  
 STEIN, R. S., RHEO-OPTICAL STUDIES OF RUBBERS, 49 450



- STEINER, G., AND A. V. TOBOLSKY, A NOTE ON STRESS RELAXATION OF RUBBER NETWORKS IN THE VICINITY OF ROOM TEMPERATURE, **43** 1036
- STEINER, N., INFLUENCE OF SECONDARY CROSSLINKING, FUNCTIONALITY OF CHEMICAL CROSSLINKS, AND OF PHYSICAL CROSSLINKS ON STRESS RELAXATION OF ELASTOMERS (ABSTRACT), **45** 1141
- STEJSKAL, E. O., *see* SCHAEFER, J., **48** 1109
- STENBERG, B., AND J. F. JANSSON, A COMPRESSION RELAXOMETER FOR RUBBER MATERIALS, **46** 1316
- , AND J. F. JANSSON, ISOCHRONOUS STRESS-STRAIN RELATIONSHIP IN COMPRESSIVE STRESS RELAXATION OF VULCANIZATES, **50** 915
- , AND J. F. JANSSON, STUDIES OF VISCOELASTIC RELAXATION OF SOME NITRILE RUBBERS UNDER COMPRESSIVE STRESS, **50** 906
- STEPANOV, Y. N., ASPECTS OF THE RELAXATION OF THE ELASTIC DEFORMATION OF A POLYMER AT HIGH TEMPERATURE IN A MOLD, **45** 1630
- STEPANOPOULOS, G., AND A. MORA, MATHEMATICAL MODELING OF THE RUBBER INDUSTRY (ABSTRACT), **49** 1368
- STEPHENS, H. L., *see* BACSFALVI, V., **46** 588
- , *see* BURG, G. R., **49** 397
- , *see* ROBERTS, R. W., **43** 934
- , *see* ROBERTS, R. W., **46** 591
- , *see* SMITH, R. C., **47** 1300
- , *see* WINKLER, D. S., **50** 981
- , J. W. SARACSAN, D. V. VAIDYA, AND D. S. WINKLER, ROOM-TEMPERATURE CURED GLYCOL/DIMER DIISOCYANATE URETHANE ELASTOMERS (ABSTRACT), **47** 472
- , R. W. ROBERTS, T. F. REED, AND R. J. MURPHY, PREPARATION AND PROPERTIES OF STARCH-ELASTOMER MASTERBATCHES (ABSTRACT), **43** 934
- STEVIK, J. A., *see* HORVATH, J. W., **48** 337
- STEWART, C. W., NUCLEATION AND GROWTH OF BUBBLES IN ELASTOMERS, **44** 1363
- , AND J. J. VERBANC, THE EFFECT OF VARYING THE POLYMER COMPOSITION ON THE CUT GROWTH CHARACTERISTICS OF E/P1,4-HEXADIENE TIRE TREADS, **44** 1203
- , SR., COAGULATION AND FILM DEPOSITION FROM SYNTHETIC RUBBER LATICES (ABSTRACT), **47** 455
- , SR., R. L. DAWSON, AND P. R. JOHNSON, THE EFFECT OF COMPOUNDING VARIABLES ON THE RATE OF HEAT AND SMOKE RELEASE FROM POLYCHLOROPRENE FOAM, **48** 132
- STEWART, E. J., THE REINFORCEMENT EFFECTS ON TREAD WEAR OF SILANE-MODIFIED SILICAS VERSUS CARBON BLACK IN VARIOUS BLENDS IN SBR PASSENGER TIRE TREAD COMPOUNDS (ABSTRACT), **50** 443
- STEWART, F. D., *see* SCHOLLENBERGER, C. S., **48** 1101
- STEWART, H. F., *see* PAPE, P. G., **46** 585
- STEWART, S. J., *see* LEIB, R. I., **43** 1522
- STICKNEY, P. B., AND W. J. MUELLER, INFLUENCE OF CARBON BLACK ON SWELLING RATE OF POLYMER IN FILLED VULCANIZATES (ABSTRACT), **41** 1393
- , AND W. J. MUELLER, INFLUENCE OF CARBON BLACK ON SWELLING RATE OF POLYMER IN FILLED VULCANIZATES, **42** 604
- STIEHLER, R. D., *see* DECKER, G. E., **47** 477
- , E. J. PARKS, AND F. J. LINNIG, STIFFENING OF ELASTOMERS BY ORGANIC FILLERS (ABSTRACT), **41** 772
- STIVERS, D. A., *see* MAIER, J. E., **42** 1503
- STOCKMAYER, W. H., P. J. FLORY, 1974 NOBEL PRIZE WINNER, **48** g 38
- STORCH, E. A., *see* HERTEL, E. S., **49** 1354
- STOTZ, M. W., *see* GATZA, P. E., **41** 767
- STRANG, J. D., *see* PILLAI, P. S., **45** 241
- STRECKER, R. A. H., VULCANIZATION OF LIQUID POLYDIENES WITH DITHIOLS AND PEROXIDES, **44** 675
- STRICHARCZUK, P. T., THERMOPLASTIC ELASTOMERS IN AUTOMOTIVE APPLICATIONS (ABSTRACT), **50** 414
- STRUCKER, N. E., *see* BEREJKA, A. J., **46** 590
- STRIJK, L. C. E., *see* SCHWARZL, F. R., **42** 557
- STUCKEY, J. E., *see* J. H. FARMER, **45** 1064
- STUDEBAKER, M. L., *see* KLYNE, R. A., **46** 192
- , A CHEMIST LOOKS AT SOME ASPECTS OF PHYSICAL TESTING OF RUBBER (ABSTRACT), **42** 1485
- , LITHIUM ALUMINUM HYDRIDE ANALYSIS OF SULFUR-CURED VULCANIZATES, **43** 624
- , SURVEY OF TREADWEAR, GROOVE CRACKING, AND CARBON BLACK PROPERTIES, **41** 373
- , AND J. R. BEATTY, CONCEPTS OF COMPOUNDING: A SYMPOSIUM FOR EXAMINATION AND REVIEW OF CONTEMPORARY THINKING OF SOME COMPOUNDING CONCEPTS (ABSTRACT), **45** 1696, 1697, 1698
- , AND J. R. BEATTY, EFFECTS OF COMPOUNDING ON DYNAMIC MECHANICAL PROPERTIES OF RUBBER, **47** 803
- , AND J. R. BEATTY, STUDIES IN THE HARDENING OF SBR ON AGING (ABSTRACT), **41** 1383
- , AND J. R. BEATTY, THE OXIDATIVE HARDENING OF SBR, **45** 450
- , AND R. W. RINHART, SR., INFRARED STUDIES OF OXYGEN-CONTAINING GROUPS ON THE SURFACE OF CARBON BLACK, **45** 106
- STUMPE, N. A., JR., *see* RAILSBACK, H. E., **47** 1302
- SU, A. C. L., *see* GOODMAN, A. L., **49** 1359

- SU, T. K., *see* CHIU, D. S., 50 1000
- SUBRAMANIAM, A., *see* PRICE, C., 44 744
- , GEL PERMEATION CHROMATOGRAPHY OF NATURAL RUBBER, 45 346
- SUDEKUM, J. H., *see* ROWE, P. H., 44 1436
- SUGERMAN, G., *see* MONTE, S. J., 46 1091
- , *see* MONTE, S. J., 49 398, 1351
- , *see* MONTE, S. J., 50 1006
- , *see* MONTE, S. J., 50 446
- , S. J. MONTE, AND D. J. SEEMAN, CUMYLPHENOL DERIVATIVES (ABSTRACT), 49 1350
- SULLIVAN, A. B., *see* D'AMICO, J. J., 46 1299
- , *see* LEIB, R. I., 43 1186
- , *see* MORITA, E., 46 67
- SULLIVAN, A. J., *see* CODDINGTON, D. M., 45 1152
- SULLIVAN, J. E., JR., *see* ATKINS, J. H., 42 1314
- SULLIVAN, J. L., *see* PETERSEN, K. C., 48 1093
- SUMAN, P. T., *see* SOMMER, J. G., 49 1129
- SUMMERS, W. R., Y. B. TEWARI, AND H. P. SCHREIBER, THERMODYNAMIC INTERACTION IN POLY(DIMETHYLSILOXANE)-HYDROCARBON SYSTEMS FROM GAS-LIQUID CHROMATOGRAPHY, 45 1655
- SUNG, C. P., AND O. C. OON, PROCESSING INNOVATIONS IN NATURAL RUBBER (ABSTRACT), 46 582
- SUTTON, N. E., AND J. Q. WOOD, DESIGN AND OPERATING CONSIDERATIONS FOR OVERSEAS SYNTHETIC RUBBER PLANTS (ABSTRACT), 49 1353
- SUZUKI, T., *see* HARWOOD, H. J., 48 1109
- SUZUKI, Y., *see* KUSANO, J., 45 1074
- SVANSON, S. E., *see* SVENSSON, L. G., 49 1182
- SVENSSON, L. G., AND S. E. SVANSON, A BROAD-LINE NMR INVESTIGATION OF ISOPRENE RUBBER FILLED WITH CARBON BLACK, 49 1182
- SVERDEL, M. I., AND F. D. ARONOVICH, HEAT SCHEDULES IN THE VULCANIZATION OF THICK-WALLED ARTICLES, 45 955
- SWAIM, B. C., CORONA DETECTION IN MOLDED INSTRUMENT TRANSFORMERS (ABSTRACT), 46 353
- SWANSON, J. W., J. T. LEIGHT, AND R. L. WEGENER, SILICONE RUBBER IN POWDER FORM (ABSTRACT), 48 337
- SWARIN, S. J., AND A. M. WIMS, APPLICATIONS OF DERIVATIVE AND INTEGRAL THERMOGRAVIMETRY TO ANALYSIS OF RUBBER FORMULATIONS, 47 1193
- SZILAGYI, L., *see* NATTA, G., 41 576, 586
- , T. RICCO, AND F. DANUSSO, CHARACTERIZATION OF VISCOELASTIC BEHAVIOR OF STEREOREGULAR POLYISOPRENES BY RELAXATION EXPERIMENTS, 47 1
- TABATA, Y., *see* KOJIMA, G., 50 403
- TABB, D. L., *see* COLEMAN, M. M., 50 49
- TABOR, D., *see* HORNE, W. B., 41 807
- , *see* LUDEMA, K. C., 41 462
- TADMOR, Z., AND I. KLEIN, THE FORMULATION OF A MATHEMATICAL MODEL FOR PLASTICATING SCREW EXTRUSION, 42 780
- TAKAHASHI, M., *see* SHINOMURA, T., 43 1015, 1025
- TAKENAKA, T., *see* FURUKAWA, J., 46 719
- TAKEUCHI, M., *see* ALAKI, Y., 46 350
- TAKEYAMA, J., AND J. MATSUI, RECENT DEVELOPMENTS WITH TIRE CORDS AND CORD TO RUBBER BONDING (REVIEW), 42 159
- TAMURA, M., *see* YAMASHITA, S., 50 364
- TAMURA, S., *see* MURAKAMI, K., 44 1334
- , AND K. MURAKAMI, CHEMORHEOLOGY OF IRRADIATION-CURED NATURAL RUBBERS: 1. STRESS RELAXATION MECHANISM FOR VARIOUS CURING SYSTEMS IN NATURAL RUBBER AT HIGH TEMPERATURE, 48 141
- , AND K. MURAKAMI, THE DETERMINATION OF NETWORK CHAIN DENSITY AND THE CHEMICAL STRESS RELAXATION OF CROSSLINKED POLYMERS, 46 477
- TANAKA, A., *see* ONOGI, S., 43 849
- TANAKA, T., T. YOKOYAMA, AND Y. YAMAGUCHI, METHODS FOR THE DETERMINATION OF INTERNAL ENERGY CONTRIBUTION TO RUBBER ELASTICITY, 44 127
- TANAKA, Y., AND H. SATO, SEQUENCE DISTRIBUTION OF CIS-1,4- AND TRANS-1,4-UNITS IN POLYISOPRENES, 49 1269
- , AND H. SATO, SEQUENCE DISTRIBUTION OF POLYISOPRENES, 49 1259
- TARASOVA, Z. N., *see* CHERNAYA, V. V., 50 446
- TATE, D. P., *see* SCHULZ, D. N., 49 126
- TAYLOR, G. L., *see* DAVISON, S., 46 30
- , *see* RIJKE, A. M., 42 572
- TAYLOR, R. D., *see* KRYMOWSKI, J. F., 50 671
- , EFFECT OF ALKYL GROUP STRUCTURE ON CURE CHARACTERISTICS OF N,N'-DIALKYLTHIOCARBAMYL-N', N'-DIALKYL-SULFENAMIDE ACCELERATORS, 47 906
- TERADA, J., *see* YAMASHITA, S., 50 364
- TEWARI, Y. B., *see* PATTERSON, D., 45 1638
- , *see* SUMMERS, W. R., 45 1655

- , AND H. P. SCHREIBER, THERMODYNAMIC INTERACTIONS IN POLYMER SYSTEMS BY GAS-LIQUID CHROMATOGRAPHY. II. RUBBER-HYDROCARBONS, 45 1665
- THALER, W. A., AND D. J. BUCKLEY, SR., HIGH-MOLECULAR-WEIGHT, HIGH-UNSATURATION COPOLYMERS OF ISOBUTYLENE AND CONJUGATED DIENES. I. SYNTHESIS, 49 960
- , AND D. J. BUCKLEY, SR., HIGH-MOLECULAR-WEIGHT, HIGH-UNSATURATION ISOBUTYLENE-CONJUGATED-DIENE COPOLYMERS, A NEW FAMILY OF ELASTOMERS. I. SYNTHESIS (ABSTRACT), 48 1105
- THAMM, R. C., PHASE MORPHOLOGY OF HIGH-IMPACT-STRENGTH BLENDS OF EPDM AND POLYPROPYLENE KNIT-LINE BEHAVIOR, 50 24
- THEISEN, D., *see* HAAS, F., 43 1116
- THELIN, J. H., LABORATORY MEASUREMENT OF ABRASION RESISTANCE USING A FREE FLOWING ABRASIVE, 43 1503
- THIRION, P., *see* LANGLEY, N. R., 42 1277
- , VISCOELASTIC PROPERTIES OF RUBBER NETWORKS, 40 981
- , AND R. CHASSET, RECENT OBSERVATIONS ON THE MECHANICAL PROPERTIES OF POLYMER NETWORKS, 44 1256
- THIRUVENGADA, S., *see* SMITH, W. V., 43 1439
- THOMAS, A. G., *see* DERHAM, C. J., 50 397
- , *see* ROBERTS, A. D., 50 266
- , *see* SOUTHERN, E., 42 495
- , FACTORS INFLUENCING THE STRENGTH OF RUBBERS, 48 902
- , AND J. M. WHITTLE, TENSILE RUPTURE OF RUBBER, 43 222
- THOMAS, D. A., *see* CURTIUS, A. J., 45 1582
- THOMAS, R. M., EARLY HISTORY OF BUTYL RUBBER, 42 90
- THOMPSON, D. C., *see* ARNOLD, R. G., 46 619
- THOMPSON, L. C., *see* HÉRZLICH, H. J., 44 1437
- THROCKMORTON, M. C., AND F. S. FARSON, AN HF-NICKEL-R3AL CATALYST SYSTEM FOR PRODUCING HIGH-CIS-1,4-POLYBUTADIENE, 45 268
- TIELKING, J. T., GENERAL DEFORMATIONS OF MEMBRANE STRUCTURES (ABSTRACT), 49 400
- TILTON, J. M., COMPOUNDING FOR THE RADIAL TIRE (ABSTRACT), 41 1092
- TING, E. C., A METHOD OF ANALYSIS OF COMPRESSIBLE VISCOELASTIC SOLIDS, 45 1669
- TITOV, V. V., AND B. K. KARMIN, SPECIFIC FEATURES OF TENSILE AND ELASTIC PROPERTIES OF PURE GUM VULCANIZATES BASED ON ISOPRENE RUBBERS WITH DIFFERENT MICROSTRUCTURE (ABSTRACT), 46 560
- TKACHENKO, G. T., *see* MAREI, A. I., 46 559
- , *see* NEL'SON, K. V., 47 357
- TOBOLSKY, A. V., *see* GOEBEL, J. C., 44 1391
- , *see* SHAW, M. T., 44 579
- , *see* SOOS, Z. G., 43 878
- , *see* STEINER, G., 43 1036
- TODANI, Y., *see* NOMURA, A., 46 558
- TOKITA, N., ANALYSIS OF MORPHOLOGY FORMATION IN ELASTOMER BLENDS, 50 292
- , AND I. PLUSKIN, THE DEPENDENCE OF PROCESSABILITY ON MOLECULAR WEIGHT DISTRIBUTION OF ELASTOMERS, 46 1166
- , AND R. SCOTT, RHEOLOGICAL PROPERTIES AND MOLECULAR STRUCTURE OF ELASTOMERS: EPM, EPDM, 42 944
- TOLBERT, T. L., *see* AGEE, R. D., 48 1094
- , *see* AGEE, R. D., 49 400
- TOMPKINS, D. A., *see* GENT, A. N., 43 873
- TONELLI, A. E., AND E. HELFAND, ELASTICALLY INEFFECTIVE CROSSLINKS IN RUBBERS, 47 1116
- TORNER, R. V., AND L. S. GUDKOVA, THEORY OF PROCESSING, 41 1354
- TOUCHET, P., *see* MITTON, P., 42 964
- , AND P. E. GATZA, PHOSPHAZENE ELASTOMERS FOR FUEL SERVICE UNDER ARCTIC CONDITIONS (ABSTRACT), 49 396
- TOURNUT, C., *see* RIESS, G., 42 447
- TRECKER, D. J., *see* COLOMB, H. O., JR., 44 587
- TREIDA, G. F., RUBBER INJECTION MOLDING ECONOMICS (ABSTRACT), 41 1396
- TRELOAR, L. R. G., EFFECT OF NETWORK BREAKDOWN AND RE-FORMATION ON THE SWELLING OF RUBBERS IN COMPRESSION, 42 589
- , THE ELASTICITY AND RELATED PROPERTIES OF RUBBERS (REVIEW), 47 626
- TREXLER, H. E., ELASTOMER BLENDS—DEPENDENCE OF PROPERTIES ON THE NATURE OF THE POLYMERS AND THE CURE SYSTEMS (ABSTRACT), 49 392
- , THE FORMULATION OF NONBURNING ELASTOMER COMPOUNDS, 46 1114
- TRIVETTE, C. D., JR., *see* KERWOOD, J. E., 42 969
- , JR., *see* LEIB, R. I., 43 1188
- , JR., E. MORITA, AND O. W. MAENDER, PREVULCANIZATION INHIBITORS, 50 570
- TRIVISONNO, N. M., J. R. BEATTY, AND R. F. MILLER, ORIGIN OF TIRE SQUEAL. II. TIRE SQUEAL CALCULATION FROM MATERIALS PROPERTIES, 41 953
- TROFIMOVICH, D. P., L. P. GUSTOVA, I. A. ELKINA, AND Z. P. PUTYATINA, APPLICATION OF CIS-1,4-POLYISOPRENE DISPERSION IN MANUFACTURE OF FOAM RUBBER DIPPED GOODS AND RUBBER

- TREADS (ABSTRACT), 46 580
- TROPPE, F. G., SECONDARY TREATMENT OF WASTE WATER FROM SYNTHETIC RUBBER PRODUCTION, 47 932
- TROTT, G. F., M. S. CLARK, JR., AND S. R. COX, ANALYTICAL TECHNIQUES FOR SOLVING PRODUCTION PROBLEMS ASSOCIATED WITH THE MECHANICAL RUBBER GOODS INDUSTRY (ABSTRACT), 50 438
- TRUE, R. G., *see* RIVIN, D., 46 161
- TSCHOEGL, N. W., CONSTITUTIVE EQUATIONS FOR ELASTOMERS, 45 60
- TSUJI, T., AND H. FUJITA, EXCLUDED-VOLUME EFFECTS IN DILUTE POLYMER SOLUTIONS. V. BUTYL RUBBER IN VARIOUS SOLVENTS, 48 765
- TSUKASA, M., *see* IINO, H., 42 759
- , *see* MINOURA, Y., 43 188
- TSURUGI, J., S. MURAKAMI, AND K. GODA, CHARGE TRANSFER COMPLEXING MECHANISM OF ANTI-OXIDANTS. FATE OF AROMATIC AMINES DURING THERMAL OXIDATION OF NATURAL RUBBER VULCANIZATES, 44 857
- TUCKER, H. A., THE VULCANIZATE PROPERTIES OF COPOLYMERS OF EPICHLOROHYDRIN AND ETHYLENE OXIDE (ABSTRACT), 41 1377
- TUCKER, R. G., *see* KRISHEN, A., 46 1326
- , *see* KRISHEN, A., 48 97
- TUNKEL, I. M., *see* LYKIN, A. S., 45 1597
- TUNO, A., *see* AVELLA, E. R., 41 765
- TURETZKY, S. B., *see* VAN BUSKIRK, P. R., 48 577
- , P. R. VAN BUSKIRK, AND P. F. GUNBERG, QUANTITATIVE EVALUATION OF EMULSION STYRENE-BUTADIENE RUBBERS AND COMPOUNDING VARIABLES BY CONTROLLED MIXING, 49 1
- TURK, D. L., *see* AMBELANG, J. C., 42 1186
- TURNER, J. L., *see* PATEL, H. P., 49 1095
- TURNER, R. R., D. W. CARLSON, AND A. G. ALTENAU, DETERMINATION OF UNGRAFTED RUBBER IN ABS POLYMERS (ABSTRACT), 46 1327
- , L. G. GAETA, A. G. ALTENAU, AND R. W. KOCH, DETERMINATION OF CARBON-BOUND LITHIUM IN POLYMER CEMENTS, 42 1054
- TY, V., *see* KRAMER, O., 48 164
- UEDO, A., *see* NOMURA, A., 46 558
- UGELSTAD, J., AND F. K. HANSEN, KINETICS AND MECHANISM OF EMULSION POLYMERIZATION. ADDENDUM, 50 639
- , AND F. K. HANSEN, KINETICS AND MECHANISM OF EMULSION POLYMERIZATION, 49 536
- ULMER, J. D., *see* HICKS, A. E., 45 26
- , V. E. CHIRICO, AND C. E. SCOTT, THE EFFECT OF CARBON BLACK TYPE ON THE DYNAMIC PROPERTIES OF NATURAL RUBBER, 46 897
- , V. E. CHIRICO, AND E. S. DIZON, APPLICATION OF AN EQUIVALENT STRAIN AT EQUAL STRESS PRINCIPLE TO THE DYNAMIC HYSTERESIS OF CARBON-BLACK-LOADED AND OIL-EXTENDED RUBBER, 48 592
- , W. M. HESS, AND V. E. CHIRICO, THE EFFECTS OF CARBON BLACK ON RUBBER HYSTERESIS, 47 729
- UMEMURA, J., *see* FURUKAWA, J., 48 719
- URANECK, C. A., MOLECULAR WEIGHT CONTROL OF ELASTOMERS PREPARED BY EMULSION POLYMERIZATION, 49 610
- , AND J. E. BURLEIGH, MODIFICATION OF EMULSION POLYMERIZATION WITH BLENDS OF MERCAPTANS, 48 728
- , AND J. E. BURLEIGH, MOLECULAR WEIGHT DISTRIBUTION OF POLYSTYRENE AND OF BUTADIENE-STYRENE COPOLYMERS PREPARED IN EMULSION SYSTEMS, 43 1424
- , AND J. N. SHORT, SOLUTION POLYMERIZED RUBBERS WITH SUPERIOR BREAKDOWN PROPERTIES (ABSTRACT), 41 1375
- URATANI, K., *see* FURUKAWA, J., 48 719
- URBAN, E., *see* HESS, W. M., 46 204
- URBON, J. P., *see* MEZYNSKI, S. M., 44 1452
- USAMOTO, T., *see* IMOTO, M., 43 424, 431
- VACHEROT, M., AND J. MARCHAL, DETERMINATION OF 1,4 AND 3,4 ADDITION IN POLYISOPRENES BY RAPID PYROLYSIS AND VAPOR PHASE CHROMATOGRAPHY, 41 418
- VAIDYA, D. V., *see* STEPHENS, H. L., 47 472
- VALLES, E. M., AND C. W. MACOSKO, THE EFFECT OF NETWORK STRUCTURE IN THE EQUATION OF RUBBER ELASTICITY, 49 1232
- VALVASSORI, A., *see* FLISI, U., 43 778
- , *see* FLISI, U., 44 1093
- VAN BLOOIS, F., *see* SALOMON, G., 41 643
- VAN BROECKHOVEN, J. A. M., *see* CLAGUE, A. D. H., 47 1136
- VAN BUSKIRK, P. R., *see* TURETZKY, S. B., 49 1
- , S. B. TURETZKY, AND P. F. GUNBERG, PRACTICAL PARAMETERS FOR MIXING, 48 577
- VAN DE CASTLE, J. F., *see* BALDWIN, F. P., 43 522
- VAN DER WAL, C. W., *see* SCHWARZL, F. R., 42 557
- VAN GILS, G. E., THE SOLUBILIZATION OF SULFUR IN THE LATEX VULCANIZATION PROCESS, 50 141
- VAN GULICK, N. M., J. J. VERBANC, P. P. CARUSO, AND R. J. ATHEY, COORDINATION COMPLEXES OF

- METHYLENE DIANILINE—CHEMISTRY AND APPLICATIONS (ABSTRACT), 40 1102
- , J. J. VERBANC, P. P. CARUSO, AND R. J. ATHEY, COORDINATION COMPLEXES OF 4,4'-DIAMINODIPHENYLMETHANE—CHEMISTRY AND APPLICATIONS, 40 320
- VAN KREVELEN, D. W., AND P. J. HOFTYZER, PRACTICAL EVALUATION OF THE INTRINSIC VISCOSITY-MW RELATIONSHIP. II. ESTIMATION OF K VALUES OF POLYMER SOLUTIONS, 42 462
- VAN LIEROP, B., HYDROCARBON EMISSIONS IN THE RUBBER INDUSTRY (ABSTRACT), 47 1307
- VAN OENE, see RUSCH, K. C., 44 839
- VANCE, R. M., AND K. A. BURGESS, LABORATORY TIRE GROOVE CRACKING TEST, 41 1080
- VANDERBILT, B. M., RUBBER FROM GOLDENROD (ABSTRACT), 50 448
- VANDERHOFF, J. W., see BRADFORD, E. D., 41 514
- , see EL-AASSER, M. S., 50 997
- VANZO, E., LOWER CRITICAL SOLUTION TEMPERATURE OF POLYBUTADIENE SOLUTIONS, 41 1285
- VASILEV, A., AND V. DOROSIEVA, STRESS RELAXATION OF SBR VULCANIZATES WITH VARIOUS CROSSLINKING AND MODIFYING AGENTS, 47 1241
- VEITH, A. G., A RAPID QUANTITATIVE METHOD FOR MEASURING OZONE CRACKING AND ITS USE IN OUTDOOR DYNAMIC TESTING, 45 293
- , ACCELERATED TIRE WEAR UNDER CONTROLLED CONDITIONS. I. DESCRIPTION OF THE TEST SYSTEM, 46 801
- , ACCELERATED TIRE WEAR UNDER CONTROLLED CONDITIONS. II. SOME FACTORS THAT INFLUENCE TIRE WEAR, 46 821
- , MEASUREMENT OF WET CORNERING TRACTION OF TIRES, 44 962
- VEKSLJ, Z., see MILLER, W. G., 48 1078
- VER STRATE, G., see BALDWIN, F. P., 45 709
- , see GARDNER, I. J., 44 1015
- , see GARDNER, I. J., 46 1019
- , AND F. P. BALDWIN, UNSOLVED PROBLEMS ASSOCIATED WITH ETHENE-PROPENE ELASTOMERS (ABSTRACT), 45 1686
- , E. N. KRESGE, AND C. COZEWITH, POLYMERIZATION CONTROL OF STRUCTURE AND PROPERTIES OF ETHENE-PROPENE ELASTOMERS (ABSTRACT), 46 1322
- VERBANC, J. J., see ARNOLD, R. G., 41 1097
- , see STEWART, C. W., 44 1203
- , see VAN GULICK, N. M., 48 1102
- , see VAN GULICK, N. M., 49 320
- VERHELST, W. F., K. G. WOLTHUIS, A. VOET, P. EHRLBURGER, AND J. B. DONNET, THE ROLE OF MORPHOLOGY AND STRUCTURE OF CARBON BLACKS IN THE ELECTRICAL CONDUCTANCE OF VULCANIZATES, 50 735
- VESCELIUS, L. E., see ANDERSON, J. N., 49 1238
- VIAL, T. M., RECENT DEVELOPMENTS IN ACRYLIC ELASTOMERS (REVIEW), 44 344
- , AND A. SINGH, ACRYLIC ELASTOMERS FOR AUTOMOTIVE USE—HIGH TEMPERATURE TESTING (ABSTRACT), 46 1328
- VIALLE, J., J. GUILLLOT, AND A. GUYOT, ACRYLONITRILE COPOLYMERIZATIONS. IV. BUTADIENE COPOLYMERIZATION, 45 1546
- VICKERS, R. A., ELASTOMERIC SPRINGS FOR SEISMIC SHOCK ISOLATION, 47 1039
- , AND K. R. WELDIN, TESTING OF SEALS AND SEALANTS FOR THE U. S. SUPERSONIC TRANSPORT (ABSTRACT), 43 937
- VICKERY, G., P. V. FULLMAN, AND J. E. SNYDER, MIXING: THE INFLUENCE OF METAL OXIDE DISPERSION ON NEOPRENE V-BELT FATIGUE DURABILITY (ABSTRACT),
- VICKEY, G. C., MIXING PREPARED RUBBERS AND PREDISPERSED PIGMENTS FOR IMPROVED UNIFORMITY (ABSTRACT), 49 404
- VICKROY, V. V., see GENT, A. N., 41 1182
- VINOGRADOV, G. V., E. A. DZYURA, A. Y. MALKIN, AND V. A. GRECHANOVSKII, VISCOELASTIC PROPERTIES OF LINEAR POLYMERS IN THE HIGH-ELASTIC STATE, 45 1015
- , Y. G. YANOVSKY, A. I. ISAYEV, V. P. SHATALOV, AND V. G. SHALGANOVA, INFLUENCE OF VIBRATIONS ON THE VISCOELASTIC BEHAVIOR OF MONODISPERSE POLYBUTADIENES, 45 1082
- VINOGRADOVA, T. I., see FEDYUKIN, D. L., 46 511
- VITOLINS, G., ADHESION OF CHLOROBUTYL BLENDS TO HIGHLY UNSATURATED ELASTOMERS. III. EFFECT OF MINERAL FILLERS, OIL, AND RESIN. (ABSTRACT), 42 971
- VLASAK, R. L., AND H. A. VOGEL, PRODUCTION OF HIGH-PERFORMANCE FLUORELASTOMERS (ABSTRACT), 49 1357
- VOET, A., see ABOYTES, P., 43 464
- , see MARSH, P. A., 41 344
- , see MARSH, P. A., 43 470
- , see MARSH, P. A., 44 844
- , see PAPIRER, E., 42 1200
- , see SIRCAR, A. K., 43 973, 1327
- , see VERHELST, W. F., 50 735
- , A. K. SIRCAR, AND T. J. MULLENS, ELECTRICAL PROPERTIES OF STRETCHED CARBON BLACK LOADED VULCANIZATES, 42 874
- , AND F. R. COOK, ANALYSIS OF CONTRIBUTIONS TO DYNAMIC MECHANICAL PROPERTIES OF CARBON-FILLED VULCANIZATES, 41 1215

- , AND F. R. COOK, INVESTIGATION OF CARBON CHAINS IN RUBBER VULCANIZATES BY MEANS OF DYNAMIC ELECTRICAL CONDUCTIVITY, 41 1207
- , AND J. C. MORAWSKI, ADAPTION OF THE RHEOVIBRON TO THE MEASUREMENT OF DYNAMIC PROPERTIES AT ELONGATIONS UP TO SAMPLE RUPTURE, 47 758
- , AND J. C. MORAWSKI, DYNAMIC MECHANICAL AND ELECTRICAL PROPERTIES OF VULCANIZATES AT ELONGATIONS UP TO SAMPLE RUPTURE, 47 765
- , AND P. ABOYTES, MEASUREMENT OF CHAIN STRUCTURE IN CARBON BLACKS, 43 1359
- , F. R. COOK, AND A. K. SIRCAR, RELAXATION OF STRESS AND ELECTRICAL RESISTIVITY IN CARBON-FILLED VULCANIZATES AT MINUTE SHEAR STRAINS, 44 175
- , F. R. COOK, AND R. HOGUE, PARTICLE INTERACTION IN CARBON BLACK-LOADED VULCANIZATES, 43 969
- , J. C. MORAWSKI, AND J. B. DONNET, REINFORCEMENT OF ELASTOMERS BY SILICA, 50 342
- , P. ABOYTES, AND E. PAPIER, THE SIGNIFICANCE OF EXTERNAL CARBON BOUND HYDROGEN ON CARBON BLACKS FOR ELASTOMER REINFORCEMENT (ABSTRACT), 43 1529
- VOGEL, H. A., *see* VLASAK, R. L., 49 1357
- VON WALD, J. L., A TECHNOLOGICAL FORECAST ON FUTURE RUBBER PROCESSING (ABSTRACT), 48 1096
- VOORHEES, K. J., *see* HILEMAN, F. D., 48 343
- VORACHEK, J. J., A. G. CAUSA, AND R. A. FLEMING, A STEEL-TIRE-CORD OSCILLATORY-SHEAR DYNAMIC ADHESION TEST (ABSTRACT), 49 414
- VORIH, W. J., DESIGNING QUIET TREAD SPACINGS FOR TIRES (ABSTRACT), 44 1450
- VOYUTSKII, S. S., *see* RAEVSKII, V. G., 41 601
- , *see* YAGNYATINSKAYA, S. M., 41 1244
- VREELAND, J. H., LATEX IN THE COATED PAPER INDUSTRY (ABSTRACT), 49 414
- WADE, W. H., *see* DEVINEY, M. L., 47 837
- , AND M. L. DEVINEY, JR., ADSORPTION AND CALORIMETRIC INVESTIGATIONS ON CARBON BLACK SURFACES. I. IMMERSIONAL ENERGETICS OF HEAT TREATED CHANNEL AND FURNACE BLACKS, 44 218
- , M. L. DEVINEY, JR., W. A. BROWN, M. H. HNOOSH, AND D. R. WALLACE, ADSORPTION AND CALORIMETRIC INVESTIGATIONS ON CARBON BLACK SURFACES, 45 117
- WAGNER, E. R., AND L. M. ROBESON, IMPACT POLYSTYRENE: FACTORS CONTROLLING THE RUBBER EFFICIENCY, 43 1129
- WAGNER, M. G., MILL BEHAVIOR OF ELASTOMERS: SCALEUP CRITERIA (ABSTRACT), 42 1479
- WAGNER, M. P., *see* CREASEY, J., 41 1388
- , *see* FETTERMAN, M. Q., 45 1161
- , *see* HEWITT, N. L., 47 458
- , *see* RUSSELL, D. B., 41 1300
- , FINE-PARTICLE SILICAS IN TIRE TREADS, CARCASS, AND STEEL-BELT SKIM, 50 356
- , HEAT GENERATION AND RUBBER-FILLER COUPLING BONDS, 47 697
- , REINFORCING SILICAS AND SILICATES, 49 703
- , AND G. C. DERRINGER, IMPROVED RUBBER-STEEL CORD ADHESION—A KINETIC STUDY (ABSTRACT), 45 1144
- WAKEFIELD, L. B., *see* ADAMS, H. E., 45 1252
- , *see* CRANE, G., 48 338
- WALDROP, M. A., AND G. KRAUS, NUCLEAR MAGNETIC RESONANCE STUDY OF THE INTERACTION OF SBR WITH CARBON BLACK, 42 1155
- WALKER, J. C., *see* ALLBERT, B. J., 41 753
- , *see* HORNE, W. B., 41 807
- WALKER, J. S., *see* SCHNECKO, H., 45 1125
- WALKER, J., *see* COULTHARD, D. C., 50 434
- , *see* RIDLAND, J. J., 48 1094
- , INJECTION MOLDING—PRESENT AND FUTURE (ABSTRACT), 41 1395
- WALKER, L. A., *see* HAMED, P., 44 1432
- WALLACE, A. J., *see* GURSKY, L., 48 1112
- WALLACE, D. R., *see* WADE, W. H., 45 117
- WALRATH, R. L., *see* MAYO, F. R., 41 289
- WALROD, D. H., *see* HARPELL, G. A., 46 1007
- WALSH, D. J., *see* ALLEN, G., 48 194
- , *see* ALLEN, G., 49 1206
- WALTER, G., ELASTOMERS IN THE AUTOMOTIVE INDUSTRY, 49 775
- WALTER, J. D., *see* JANSSEN, M. L., 44 1453
- , *see* PATEL, H. P., 49 1095
- WALTER, J., *see* KRISTENSEN, I. M., 43 1528
- WARD, A. H., *see* KENDRICK, T. C., 47 456
- , *see* MONROE, C. M., 47 1304
- WARD, J. P., *see* SCOTT, K. W., 44 1341
- WARD, T. C., AND J. T. BOOKS, SPIN-LABEL INVESTIGATIONS OF POLYURETHANE NETWORKS, 47 1180
- WARDELL, G. E., *see* O'BRIEN, J., 50 747
- WARNER, H., SINGLE SOURCE BUYING (ABSTRACT), 45 1163
- WARNER, W. C., *see* CAMPBELL, D. R., 42 1
- , *see* FORD, B. W., 44 249



- WARRICK, E. L., SILICONE RUBBER—A PERSPECTIVE (CHARLES GOODYEAR MEDAL ADDRESS, 1976), 49 909
- WARTMANN, H. J., THE RELATIVE PERFORMANCE OF SILICA AND CARBON BLACK IN NATURAL RUBBER AT COMPARABLE CHEMICAL CROSSLINK LEVELS (ABSTRACT), 42 1499
- WATAYA, K., *see* FUJIMOTO, K., 43 860
- WATERMAN, W. W., AND D. L. KLASS, BIOMASS AS A LONG-RANGE SOURCE OF HYDROCARBONS (ABSTRACT), 50 421
- WATSON, A. A., *see* RUSSELL, R. M., 42 418
- , *see* SKINNER, T. D., 42 404
- WATSON, W. F., ANTICIPATED CHANGES IN MARKETING METHODS BEING DICTATED BY CURRENT TRENDS IN RUBBER INDUSTRY PRACTICES (ABSTRACT), 45 1162
- WEAVER, E. J., *see* DEVINEY, M. L., 47 837
- , *see* GWIN, L. E., 49 1365
- , *see* KACHUR, V., 49 1349
- WEEKS, J. J., *see* BEKKEDAHL, N., 43 1275
- WEENING, W. E., ASPECTS OF ADHESION OF STEEL CORD TO RUBBER (ABSTRACT), 47 479
- WEGENER, R. L., *see* SWANSON, J. W., 48 337
- WEI, P. E., *see* REHNER, J., JR., 42 985
- WEIGMANN, H. D., *see* LAMB, G. E. R., 49 1145
- , AND G. E. R. LAMB, EFFECTS OF RUBBER-CURING CHEMICALS ON TENSILE STRENGTH OF POLYESTER YARNS, 49 1040
- WEINHOLD, J. F., THE ROLE OF ENERGY R&D IN EXPANDING OUR USABLE RESOURCE BASE (ABSTRACT), 50 416
- WEINSTEIN, A. H., INCORPORATION OF ANTIOXIDANT GROUPS INTO POLYDIENES.I. VIA CHAIN TRANSFER REACTIONS OF SYMMETRICAL DITHIODIPHENOLS, 50 641
- , INCORPORATION OF ANTIOXIDANT GROUPS INTO POLYDIENES.II. VIA FREE-RADICAL REACTIONS OF PHENOL- OR AMINE-SUBSTITUTED SULFUR COMPOUNDS, 50 650
- WEIR, R. J., *see* RIDLAND, J. J., 48 1094
- , *see* RITCHIE, K., 49 408
- , T. O. WESTERLUND, AND P. S. BYRNE, OBSERVATIONS ON THE EFFECTS OF EMISSION CONTROL REGULATIONS ON THE BEHAVIOR OF NITRILE RUBBER COMPOUNDS (ABSTRACT), 45 1690
- WEISLOGEL, O. E., *see* BUCHANAN, R. A., 41 764
- WEISS, D. E., *see* KATRITZKY, A. R., 48 1044, 1055
- WEISSBEIN, L., *see* SINGH, A., 41 692
- , *see* SINGH, A., 42 648
- , *see* WILLIAMS, B. L., 41 757
- WEISSERT, F. C., *see* ANDERSON, J. N., 42 918
- , *see* AVGEROPOULOS, G. N., 49 93
- , *see* BOHM, G. G. A., 50 423
- , POLYMER STRUCTURE AND MULTISPEED RHEOLOGY, 42 903
- , G. N. AVGEROPOULOS, AND G. G. A. BOHM, HETEROGENEOUS POLYMER BLENDS. II. PHYSICAL PROPERTIES OF BINARY ELASTOMER COMPOSITES (ABSTRACT), 49 392
- , J. N. ANDERSON, W. W. BARBIN, AND J. R. FRAZIER, THERMAL ANALYSIS OF ELASTOMERIC COMPOUNDS (ABSTRACT), 41 1390
- WEISSMAN, S. I., *see* SCHAEFER, J., 45 1127
- WELCH, J. A., *see* MEYER, D. A., 49 1362
- , *see* MEYER, D. A., 50 145
- WELDIN, K. R., *see* VICKERS, R. A., 43 937
- WELLER, P. A., URETHANE ENERGY ABSORBERS FOR AUTOMOBILE BUMPERS, 46 843
- WENGHOEFER, H. M., ENVIRONMENTAL EFFECTS ON RFL ADHESION, 47 1066
- WENRICK, J. D., *see* MEYERS, F. S., 47 1213
- WERTHEIMER, M. R., *see* SCHWARZ, H. F., 47 473
- WEST, A. C., A NEW GENERATION OF FLUOROELASTOMERS: WHAT DOES IT MEAN TO YOU? (ABSTRACT), 50 1005
- WEST, J. C., *see* LILAONITKUL, A., 49 1357
- , *see* MORTON, M., 45 1157
- WEST, J. R., *see* HALE, K. L., 48 1091
- , *see* MCCORMICK, C., 49 1365
- , AND C. E. MCCORMICK, INFORMATION ON THE VALIDITY OF ACCELERATED TREADWEAR TESTS (ABSTRACT), 43 929
- WESTERLUND, T. O., *see* WEIR, R. J., 45 1690
- WESTFAHL, J. C., ELECTRON SPIN RESONANCE STUDY OF PHENOLIC ANTIOXIDANTS. II. FREE RADICAL STRUCTURES ARISING FROM ANTIOXIDANTS CONTAINING THE 3,5-DI-T-BUTYL-4-HYDROXYBENZYL GROUP, 46 1134
- , SPECTROSCOPY IN THE RUBBER INDUSTRY, 49 417
- , C. J. CARMAN, AND R. W. LAYER, ELECTRON SPIN RESONANCE STUDY OF PHENOLIC ANTIOXIDANTS. CORRELATION OF ORGANIC FREE RADICAL STABILITY WITH ANTIOXIDANT ACTIVITY, 45 402
- WESTLEY, S. A., RECENT DEVELOPMENTS IN NOVEL CROSSLINKING SYSTEMS FOR NATURAL RUBBER (ABSTRACT), 49 1361

- WESTLINNING, H., REINFORCEMENT AND ABRASION, 41 1033  
 —, VULCANIZATION OF RUBBER WITH AMINOMERCAPTOTRIAZINES, 43 1194  
 —, AND S. WOLFF, CONSIDERATIONS ON STRUCTURE OF NATURAL RUBBER VULCANIZATES, 41 659  
 WEWERKA, D., K. HUMMEL, AND W. INSELSBACHER, REACTIONS IN CROSSLINKED POLYMERS. 3. A METAL MOLD FOR COLLECTING VOLATILE PRODUCTS DURING THE CROSSLINKING REACTION, 49 1142  
 WHATE, I. M., see BROWN, W. J., 41 758  
 WHEELANS, M. A., INJECTION MOLDING WITH NATURAL RUBBER, 44 620  
 WHITE, J. L., see BIALAS, G. A., 42 675, 682  
 —, see KOTAKA, T., 48 310  
 —, see MEHTA, R. U., 45 1140  
 —, ELASTOMER RHEOLOGY AND PROCESSING (REVIEW), 42 257  
 —, EXTRUSION OF POLYMER MELTS AND MELT FLOW INSTABILITIES. III. THEORETICAL ANALYSIS OF EXTRUSION THROUGH A SLIT DIE, 42 691  
 —, PROCESSABILITY OF RUBBER AND RHEOLOGICAL BEHAVIOR, 50 163  
 —, RHEOLOGICAL AND ENERGETIC CONSIDERATIONS OF MIXING AND DEVELOPMENT OF MORPHOLOGY IN ELASTOMER BLENDS AND COMPOUNDS (ABSTRACT), 50 423  
 —, THEORY AND PRACTICE OF THE EXTRUSION OF ELASTOMERS (ABSTRACT), 50 1001  
 —, D. G. SALLADAY, D. QUISENBERRY, N. NISHIDA, AND D. J. MAC LEAN, ELASTOMER SOLUTIONS—MOLECULAR STRUCTURE AND PHYSICAL PROPERTIES (ABSTRACT), 45 1138  
 —, Y. IDE, AND R. D. PATEL, RHEOLOGICAL AND PHASE SEPARATION PHENOMENA IN THE POLYMERIZATION OF STYRENE AND RUBBER-STYRENE SOLUTIONS (ABSTRACT), 47 1310  
 WHITE, J. R., see HOGAN, J. M., 46 1326  
 WHITE, W. W., DESIGN OF SBR LATEXES FOR VARIOUS END APPLICATIONS (ABSTRACT), 49 411  
 WHITTAKER, R. E., see HARWOOD, J. A. C., 44 690  
 —, see PAYNE, A. R., 44 440  
 —, see PAYNE, A. R., 45 1043  
 WHITTINGTON, L. E., see CORMAN, B. G., 42 1473  
 —, see CORMAN, B. G., 43 1349  
 —, see CORMAN, B. G., 44 1430  
 —, see CORMAN, B. G., 45 278  
 —, see DEVINEY, M. L., 41 382  
 —, see DEVINEY, M. L., 47 127  
 —, see DEVINEY, M. L., JR., 44 87  
 —, see LEWIS, J. E., 42 892  
 WHITTINGTON, W. H., see WOODS, M. E., 46 589, 1334  
 —, AND M. E. WOODS, MASTICATING POWDERED RUBBER COMPOUNDS IN CONVENTIONAL EQUIPMENT (ABSTRACT), 45 1154  
 —, M. E. WOODS, AND P. R. HOLMAN, POWDERED RUBBER TECHNOLOGY VI. ENERGY ANALYSIS OF POWDERED RUBBER PROCESSING (ABSTRACT), 47 1312  
 WHITTLE, J. M., see THOMAS, A. G., 43 222  
 WIEDENMANN, R., see AHNE, H., 48 878  
 WIEDIE, D. A., RUBBER CHEMICALS PURCHASING (ABSTRACT), 45 1163  
 WIENKOOP, G. R., see KENNEY, V. R., 49 399  
 WILCHINSKY, Z. W., AND E. N. KRESGE, A QUANTITATIVE TEST FOR OZONE RESISTANCE OF RUBBER VULCANIZATES, 47 895  
 WILCOX, F. W., MILLABLE ELASTOMERS (ABSTRACT), 45 1094  
 WILDER, C. R., see HAWS, J. R., 42 1495  
 —, see HOWARD, W. S., 48 356  
 —, USE OF RADAR FOR MEASURING SPEED IN VEHICLE SKID TESTS (ABSTRACT), 50 439  
 —, AND J. R. HAWS, PERFORMANCE OF TREAD COMPOUNDS IN VARIOUS TIRE CONSTRUCTIONS, 45 10  
 WILES, D. M., see CARLSSON, D. J., 47 991  
 WILHELM, M. R., see PALMER, M., 50 438  
 WILKES, C. E., see CARMAN, C. J., 44 781  
 —, see CARMAN, C. J., 48 329  
 —, see FOLT, V. L., 44 1  
 —, see MORRISSEY, R. T., 46 1331  
 WILLET, P. R., HEAT GENERATION OF TIRES DUE TO THE VISCOELASTIC PROPERTIES OF ELASTOMERIC COMPONENTS, 47 363  
 —, HYSTERETIC LOSSES IN ROLLING TIRES, 46 425  
 WILLIAMS, A. R., AND T. HOLMES, RECENT ADVANCES IN STUDY OF TIRE-TO-PAVEMENT INTERACTIONS (ABSTRACT), 44 1439  
 WILLIAMS, B. L., AND L. WEISSBEIN, TORSIONAL BRAID ANALYSIS OF ANTIOXIDANT ACTIVITY IN ELASTOMER SYSTEMS. I. INITIAL STUDIES (ABSTRACT), 41 757  
 WILLIAMS, G. E., see BUSWELL, A. G., 45 1142  
 WILLIAMS, J. G., AND T. J. MAJOR, COMPLEX STRESS RELAXATION IN RUBBER, 43 735  
 WILLIAMS, M. L., see DEVRIES, K. L., 46 540  
 —, see KELLEY, F. N., 42 1175  
 WILLIAMS, R. J., AND R. W. A. HUDSON, TECHNIQUES FOR EXAMINATION OF HIGH-IMPACT POLYSTYRENE BY ELECTRON MICROSCOPY, 42 641

- WILSON-JONES, R. A., *see* HORNE, W. B., 41 807
- WILSON, A., AND P. MAHONEY, TECHNIQUE FOR EVALUATION OF FRICTIONAL PROPERTIES OF RUBBER SOLE AND HEEL COMPOUNDS (ABSTRACT), 44 1434
- WILSON, E., *see* ALARIE, Y., 48 343
- WILSON, F. H., JR., *see* AMBELANG, J. C., 42 1186
- WILSON, G. J., *see* HARIANAWALA, A., 45 1167
- , *see* OXLEY, C. E., 42 1147
- WILSON, T. R., *see* SNAVELY, K. E., 46 1324
- WILSON, W. A., *see* HORVATH, J. W., 41 770
- WIMS, A. M., *see* MYERS, M. E., JR., 46 464
- , *see* SWARIN, S. J., 47 1193
- WINKLER, D. S., *see* BURG, G. R., 49 397
- , *see* ROBERTS, R. W., 46 591
- , *see* STEPHENS, W. L., 47 472
- , H. J. SCHOSTAREZ, AND H. L. STEPHENS, GUAYULE RUBBER: VULCANIZATION PROPERTIES OF GUM AND FILLED STOCKS,
- WINTERS, A. J., *see* CORNELL, J. A., 43 613
- WIRTH, K. H., A NEW DIMENSION IN EPDM COMPOUNDING (ABSTRACT), 42 977
- WISE, R. W., *see* DEASON, W. R., 42 1481
- WISEMAN, W. A., CONTINUOUS CURING WITH HOT AIR (ABSTRACT), 44 838
- WITSIEPE, W. K., *see* BROWN, M., 45 1138
- , *see* HAGMAN, J. F., 49 395
- WOJCIAK, L. H., *see* HILEMAN, F. D., 48 343
- WOLF, F. P., AND G. ALLEN, THE ENERGETIC CONTRIBUTION TO RUBBER ELASTICITY IN THE RANGE OF SMALL UNIAXIAL COMPRESSION AND MODERATE ELONGATION, 48 1018
- WOLF, F., *see* KAINRADL, P., 49 258
- WOLF, G. M., AND E. P. DEPALMA, PAINTED AND COLOR-PIGMENTED ELASTOMERICS FOR BUMPER STONE DEFLECTORS (ABSTRACT), 46 1325
- WOLF, R. F., *see* GOTSHALL, W. W., 47 470
- WOLFE, H. W., AND B. M. REGES, URETHANE FOAMS, FLEXIBLE AND RIGID (ABSTRACT), 45 1694
- WOLFE, J. R., AND I. C. KOGON, THE MALEIMIDE CURE SYSTEM. A NEW ROUTE TO HIGH-PERFORMANCE VULCANIZATES OF CHLOROSULFONATED POLYETHYLENE (ABSTRACT), 43 1515
- , JR., ELASTOMERIC POLYETHER-ESTER BLOCK COPOLYMERS. I. STRUCTURE-PROPERTY RELATIONSHIPS OF TETRAMETHYLENE TEREPHTHALATE-POLYETHER TEREPHTHALATE COPOLYMERS, 50 688
- , JR., THE CHEMISTRY OF SULFUR CURING. I. THE KINETICS OF VULCANIZATION OF AN EPDM ELASTOMER ACCELERATED BY ZINC DIMETHYLDITHIOCARBAMATE (ABSTRACT), 41 760
- , JR., THE CHEMISTRY OF SULFUR CURING. IV. EFFECTS OF ORGANIC ACCELERATORS ON THE REACTION OF CYCLOHEXENE WITH SULFUR, 41 1339
- , JR., T. L. PUGH, AND A. S. KILLIAN, THE CHEMISTRY OF SULFUR CURING. III. EFFECTS OF ZINC OXIDE ON THE MECHANISM OF THE REACTION OF CYCLOHEXENE WITH SULFUR, 41 1329
- WOLFF, S., *see* WESTLINNING, H., 41 659
- , CROSSLINKING OF RUBBER COMPOUNDS WITH BIS(3-TRIETHOXSILYLPROPYL) TETRASULFIDE (ABSTRACT), 50 447
- WOLTHUIS, K. G., *see* VERHELST, W. F., 50 735
- WONG, C. P., *see* LANGLEY, N. R., 42 1277
- WOOD, J. G., *see* SUTTON, N. E., 49 1353
- WOOD, L. A., CREEP OF PURE GUM VULCANIZATES OF NATURAL RUBBER, 43 1482
- , MODULUS OF NATURAL RUBBER CROSSLINKED BY DICUMYL PEROXIDE. II. COMPARISON WITH THEORY, 46 1287
- , MODULUS OF NATURAL RUBBER CROSSLINKED BY DICUMYL PEROXIDE. III. SOME MOLECULAR INTERPRETATIONS, POSSIBLE REFINEMENTS OF THEORY, AND CONCLUSIONS, 50 233
- , PHYSICAL CONSTANTS OF DIFFERENT RUBBERS, 49 189
- , AND N. BERKEDAH, SPECIFIC HEAT OF NATURAL RUBBER AND OTHER ELASTOMERS ABOVE THE GLASS TRANSITION TEMPERATURE, 41 564
- , G. W. BULLMAN, AND F. L. ROTH, LONG-TIME CREEP IN A PURE-GUM RUBBER VULCANIZATE: INFLUENCE OF HUMIDITY AND ATMOSPHERIC OXYGEN, 48 154
- , G. W. BULLMAN, AND G. E. DECKER, MODULUS OF NATURAL RUBBER CROSSLINKED BY DICUMYL PEROXIDE. I. EXPERIMENTAL OBSERVATIONS, 45 1388
- WOODS, M. E., *see* DE MARCO, R. D., 45 1111
- , *see* GOSHORN, T. R., 42 1478
- , *see* WHITTINGTON, W. H., 45 1154
- , *see* WHITTINGTON, W. H., 47 1312
- , AND J. A. DAVIDSON, FUNDAMENTAL CONSIDERATIONS FOR THE COVULCANIZATION OF ELASTOMER BLENDS. II. LEAD OXIDE-ACTIVATED CURES OF NBR-EPDM BLENDS, 49 112
- , AND R. P. KROSKY, POWDERED RUBBER TECHNOLOGY. III. MEASUREMENT OF QUALITY OF MASTICATED POWDERED NITRILE COMPOUNDS (ABSTRACT), 45 1689
- , AND W. H. WHITTINGTON, POWDERED RUBBER TECHNOLOGY. V. ECONOMIC ANALYSIS OF THE PROCESSING OF POWDERED RUBBER COMPOUNDS (ABSTRACT), 46 1334
- , R. J. MORSEK, AND W. H. WHITTINGTON, POWDERED RUBBER TECHNOLOGY. IV. RECENT ADVANCES IN POWDERED NITRILE ELASTOMERS (ABSTRACT), 46 589

- WRIGHT, C. J., *see* ALLEN, G., 47 1127
- WRIGHT, J. C., R. G. BUCKLES, J. T. DUNN, H. M. LEEPER, AND S. I. YUM, AN ELASTOMERIC MICRO-METERING SYSTEM FOR THE CONTROLLED ADMINISTRATION OF DRUGS, 50 959
- WRIGHT, R. F., *see* HSIEH, H. L., 45 900
- WU, R. T., AND J. J. BAYERL, AN IMPROVED FLEXING MACHINE. II. SOME FACTORS AFFECTING CUT-GROWTH RESISTANCE (ABSTRACT), 45 1151
- WYCHERLEY, P. R., *see* ABRAHAM, P. D., 45 863
- YAGNYATINSKAYA, S. M., *see* RAEVSKII, V. G., 41 601
- , V. G. RAEVSKII, L. S. FRUMKIN, AND S. S. VOYUTSKII, REINFORCEMENT OF POLYMERS. II. EFFECT OF VULCANIZATION ON TEAR STRENGTH OF FILLER-RUBBER MIXES AND ON ELASTOMER-TO-FILLER ADHESION, 41 1244
- YAKUBCHIK, A. I., *see* KIRPICHEV, V. P., 43 1225
- YAKUZHINA, K. A., *see* LEZHNEV, N. N., 44 1282
- YAMAGUCHI, Y., *see* TANAKA, T., 44 127
- YAMASHITA, S., *see* FURUKAWA, J., 43 836
- , M. TAMURA, J. TERADA, AND S. KOHJIYA, DIISOCYANATE VULCANIZATION OF 1-CHLOROBUTADIENE-BUTADIENE RUBBER, 50 364
- YANDELL, W. O., THE USE OF A MECHANO-LATTICE ANALOGY FOR DETERMINING THE ABRADING STRESSES IN SLIDING RUBBERS, 44 758
- YANNAS, I. V., TRANSITION FROM LINEAR TO NONLINEAR VISCOELASTIC BEHAVIOR. III. LINEARITY BELOW AND ABOVE TG, 45 1823
- YANOVSKY, Y. G., *see* VINOGRADOV, G. V., 45 1082
- YASUDA, G., *see* NINOMIYA, K., 42 714
- YEH, G. S. Y., MORPHOLOGY OF STRAIN-INDUCED CRYSTALLIZATION OF POLYMERS. PART 1, 50 863
- YERZLEY, F. L., MECHANICAL OSCILLOGRAPH--CONVENIENT KEY TO TRANSPORTATION RUBBER (ABSTRACT), 45 1154
- YINGLING, W. P., NEW HORIZONS IN HEAT BELTS (ABSTRACT), 48 1098
- YOKOYAMA, T., *see* TANAKA, T., 44 127
- YOSHIMIYA, N., *see* FUJIMOTO, K., 41 669
- YOSHIMOTO, T., *see* ALAKI, Y., 46 350
- YOSHIMURA, N., *see* FUJIMOTO, K., 41 1109
- , *see* SEKIGUCHI, H., 42 547
- , AND K. FUJIMOTO, STRUCTURE OF VULCANIZED AND UNVULCANIZED SBR-BR BLENDS, 42 1009
- YOUNG, D. G., AND S. J. GOODSTEIN, THE EFFECTS OF INNER TUBE SPLICING PROCESS VARIABLES ON UNCURED AND CURED SPlice STRENGTH (ABSTRACT), 41 1395
- , AND S. J. GOODSTEIN, THE EFFECTS OF INNER TUBE SPLICING PROCESS VARIABLES ON UNCURED AND CURED SPlice STRENGTH (ABSTRACT), 42 973
- YOUNG, E. J., *see* D'AMICO, J. J., 41 704
- , *see* MORITA, E., 41 721, 736
- YOUNG, J. F., *see* LANTZ, W. L., 50 413
- YOUNG, J. W., R. C. JENKINS, AND A. F. COFFINDAFFER, COMPUTER APPLICATIONS IN THE TIRE CORD LABORATORY (ABSTRACT), 43 1525
- YOUNG, R. N., *see* MORTON, M., 49 303
- YU, C. U., *see* CHEN, R. Y. S., 48 176
- , AND J. E. MARK, EVALUATION OF THE THEORIES OF RUBBERLIKE ELASTICITY USING SWOLLEN NETWORKS CROSSLINKED AT DIFFERENT DEGREES OF DILUTION, 48 186
- , AND J. E. MARK, SPECIFIC SOLVENT EFFECTS IN SWOLLEN POLYMER NETWORKS, 47 1151
- YUM, S. I., *see* LEEPER, H. M., 50 969
- , *see* WRIGHT, J. C., 50 959
- ZAISER, G. L., *see* GOODMAN, A. L., 49 1359
- ZAKIROVA, M. A., *see* GOVOROVA, O. A., 50 435
- ZAMBONI, V., *see* CARBONARO, A., 46 1274
- , U. FLISI, AND G. GIUNCHI, CROSSLINK DENSITY EVALUATION OF EPDM VULCANIZATES, 44 1109
- ZAPP, R. L., CHLOROBUTYL COVULCANIZATION CHEMISTRY AND INTERFACIAL ELASTOMER BONDING, 48 251
- , AND A. A. OSWALD, RADIATION-INDUCED CROSSLINKING OF CHLOROBUTYL AND POLYDIENE ELASTOMERS. PROMOTION BY POLYTHIOLS, 48 860
- , G. E. SERNIUK, AND L. S. MINCKLER, ISOCYANATE REACTIONS WITH DIFUNCTIONAL POLYISOBUTYLENES, 43 1154
- ZELINSKI, R. P., *see* MARRS, O. L., 47 461
- , AND C. W. CHILDERS, LINEAR ELASTOMERIC BLOCK POLYMERS (REVIEW), 41 161
- ZERBINI, V., TORSION RESILIENCE PENDULUM, 43 1005
- ZHAKAROV, N. D., *see* POLYAK, M. A., 46 566
- ZHAKOVA, V. D., *see* KOFFMAN, L. S., 46 557
- ZIEGEL, K. D., OZONE-RESISTANT BLENDS OF EPDM AND SBR (ABSTRACT), 49 393
- ZLATKEVICH, L. Y., RADIOTHERMOLUMINESCENCE AND ITS APPLICATION TO THE STUDY OF ELASTOMER STRUCTURE, 49 179
- , AND V. G. NIKOLSKII, DEPENDENCE OF THE GLASS TRANSITION TEMPERATURE ON THE COMPOSITION OF ELASTOMER MIXTURES, 46 1210
- ZOLOTAREVSKAYA, L. K., A. M. LIPKIN, A. E. GRINBERG, AND L. G. ANGERT, 1,1,4-DERIVATIVES OF THIOSEMICARBAZIDE--NEW NON-STAINING ANTIOXONANTS, 46 517

## SUBJECT INDEX

**ABRASION**, *see* ALSO TESTING METHODS, TIRES,

- TREADWEAR OF RUBBER, **41** 209
  - AND CRACK GROWTH, **48** 902
  - AND REINFORCEMENT, **41** 1033
  - AND TEARING ENERGY, **48** 902
  - AS A FUNCTION OF HARDNESS, **47** 468
  - COEFFICIENT OF FRICTION AND, **45** 1241
  - CONTACT AREA AND, **45** 1094
  - CORRELATION WITH ROAD TESTS, **44** 1173
  - EFFECT OF ASPERITY SHAPE ON, **44** 758
  - EFFECT OF CARBON BLACK STRUCTURE, **42** 1495
  - EFFECT OF CROSSLINK DENSITY, **41** 1033
  - EFFECT OF FATIGUE, **41** 1022
  - EFFECT OF OXIDATION, **41** 1022
  - EFFECT OF ROAD SURFACE TEXTURE ON, **44** 758
  - EFFECT OF SEVERITY, **41** 1022
  - EFFECT OF TEMPERATURE, **41** 209
  - FRICTIONAL PROPERTIES OF ELASTOMERS AND, **45** 1094
  - HARDNESS CHANGES AND, **45** 1241
  - HIGH VELOCITY AND, **45** 1241
  - IN NITROGEN, **41** 209
  - LABORATORY, APPARATUS FOR, **43** 1503
  - LABORATORY TESTS, COMPARISON OF, **44** 1173
  - LATTICE ANALOGY TO PREDICT, **44** 758
  - LOAD DEPENDENCE OF AND TIRE WEAR, **43** 701
  - MEASUREMENT OF, **43** 1503
  - MECHANISM OF, **48** 902
  - MECHANISM OF WEAR AND, **45** 1241
  - OF RUBBER BY BLADE ABRADER, **48** 902
  - OF RUBBER, EFFECT OF TEMPERATURE, **42** 1087
  - OF TREAD COMPOUND, **47** 467
  - PATTERNS, **44** 1451
  - RUBBER, FACTORS AFFECTING, **44** 1437
  - STRESSES IN SLIDING RUBBER, **44** 758
  - TESTS, WITH PAPER TAPE, **41** 1022
- ABRASION RESISTANCE**
- CONTROLLED CONDITIONS, **46** 801, 821
  - EFFECT OF PROMOTERS, **46** 410
  - EFFECT OF RUBBER-FILLER BONDS, **47** 697
  - EFFECT OF STRAIN ON, **44** 214
  - IN EPDM, **45** 1334
  - NEW TECHNOLOGY CARBON BLACKS, **46** 1239
  - OF FILLER-REINFORCED VULCANIZATES, **46** 410
  - OF POLYURETHANE ELASTOMER, **48** 73
  - OF SBR-BR TREADS, EFFECT OF CURING TEMPERATURE ON, **48** 356
  - OF SILICA-RUBBER SYSTEMS, **46** 410
  - RADIOIODINE METHOD, **46** 787

- RELATION TO TREAD WEAR, **49** 12
  - SAF CARBON BLACK CONTENT AND, **45** 1241
  - TEMPERATURE GRADIENTS AND, **45** 1241
- ABS POLYMERS**, *see* POLY(ACRYLONITRILE CO BUTADIENE CO STYRENE)

**ACCELERATORS**

- 2-AMINO-4-ETHYLAMINO-6-MERCAPTO- TRIAZINE AS, **43** 1194
- ANALYSIS BY GAS CHROMATOGRAPHY, **46** 1325, 1326
- 3-AZABICYCLO (3.2.2) NON-3-YL-THIOCARBONYL, 3-AZABICYCLO (3.2.2) **44** 889
- 3-AZABICYCLO (3.2.2) NON-3-YLTHIOCARBONYL, AZACYCLOHEPTYL SULFIDE AS, **44** 889
- 3-AZABICYCLO (3.2.2) NON-3-YLTHIOCARBONYL, DIMETHYLAMINO SULFIDE AS, **44** 889
- 3-AZABICYCLO (3.2.2) NON-3-YL-THIOCARBONYL, DI-TERT-BUTYLAMINO **44** 889
- 3-AZABICYCLO (3.2.2) NON-3-YLTHIOCARBONYL, MORPHOLINO SULFIDE AS, **44** 889
- 3-AZABICYCLO (3.2.2) NON-3-YLTHIOCARBONYL, PIPERIDINO SULFIDE AS, **44** 889
- 3-AZABICYCLO (3.2.2) NON-3-YLTHIOCARBONYL, PYRROLIDINO SULFIDE AS, **44** 889
- AZACYCLOHEPTYLTHIOCARBONYL, 2-AZABICYCLO (3.2.2) NON-3-YL SULFIDE AS, **44** 889
- AZACYCLONONYLTHIOCARBONYL, 3-AZABICYCLO (3.2.2) NON-3-YL SULFIDE AS, **44** 889
- AZACYCLOOCTYLTHIOCARBONYL, 3-AZABICYCLO (3.2.2) NON-3-YL SULFIDE AS **44** 889
- 2-BENZIMIDAZOLYL, N-MORPHOLINO DISULFIDE AS, **44** 898
- 2-BENZOTHAZOLYL, N-MORPHOLINO DISULFIDE AS, **44** 898
- 2-BENZOXAZOLYL, N-MORPHOLINO DISULFIDE AS, **44** 898
- 2,4-BIS (AMINO)-6-MERCAPTOTRIAZINE AS, **43** 1194
- BIS(2-AMINO-4-ETHYLAMINO-6- TRIAZINYL) DISULFIDE AS, **43** 1194
- BIS(2,4-BIS-(AMINO)-6- TRIAZINYL) DISULFIDE AS, **43** 1194
- BIS(2,4-BIS)DIETHYLAMINO)-6- TRIAZINYL) DISULFIDE AS, **43** 1194
- BIS(2,4-BIS)ETHYLAMINO)-6- TRIAZINYL) DISULFIDE AS, **43** 1194
- 2,4-BIS(DIETHYLAMINO)-6-MERCAPTO- TRIAZINE AS, **43** 1194
- BIS(2-ETHYLAMINO-4-DIETHYLAMINO-6- TRIAZINYL) DISULFIDE AS, **43** 1194

- 2,4-BIS(ETHYLAMINO)-6-MERCAPTOTRIAZINE AS, 43 1194  
 CARBON-14 LABELED, 45 467  
 CARBON-14 LABELED, 43 572  
 2-(5-CHLOROBENZOTHAZOLYL), N-MORPHOLINO DISULFIDE AS, 44 898  
 CONCENTRATION IN BOUND RUBBER AT CARBON BLACK INTERFACE, 45 94  
 CORRELATION OF FRAGMENTATION WITH ACTIVITY OF, 45 160  
 CURE RATE AND, 47 906  
 CYCLOALKYLTHIAMINES, 46 67  
 CYCLOALKYLTHIO-3-AZABICYCLO (3,2,2) NONANE, 46 47  
 CYCLOHEXYL-6-(2-AMINO-4-ETHYL-AMINOTRIAZINE) SULFENAMIDE AS, 43 1194  
 CYCLOHEXYL-2-BENZOTHAZOLE SULFENAMIDE, 45 1403  
 CYCLOHEXYL-6-(2,4-BIS)DIETHYL-AMINO)TRIAZINE) SULFENAMIDE AS, 43 1194  
 CYCLOHEXYL-6-(2,4-BIS)ETHYL-AMINO)TRIAZINE) SULFENAMIDE AS, 43 1194  
 CYCLOHEXYL-6-(2-ETHYLAMINO-4-DIETHYLAMINOTRIAZINE) SULFENAMIDE AS, 46 47  
 CYCLOHEXYLTHIOMETHYLPYRIDINES, 46 47  
 CYCLOHEXYLTHIOPYRROLIDINES, 46 47  
 DIALKYLTHIOCARBAMYL SULFENAMIDES, 47 906  
 DIMETHYLAMINOTHIOCARBONYL, 3-AZABICYCLO (3,2,2) NON-3-YL SULFIDE AS, 44 889  
 DITHIAMINES, 41 721  
 EFFECT OF AMINO GROUPS ON, 44 889  
 EFFECT OF CARBON BLACK ON DISTRIBUTION IN RUBBER VULCANIZATES, 45 94  
 EFFECT OF HEAT HISTORY IN POLYBUTADIENE ON, 43 799  
 EFFECT OF LEVEL ON SCORCH OF NATURAL RUBBER, 44 889  
 EFFECT OF RING SIZE ON, 47 906  
 EFFECT OF SOLUBILITY ON BLEND PROPERTIES, 44 1065  
 EFFECT OF THIAZOLE SUBSTITUENTS ON, 44 898  
 EFFECT ON CROSSLINK DENSITY, 46 504  
 EFFECT ON POLYESTER CORDS, 49 1040  
 EFFECT ON RUBBER-CORD ADHESION, 46 981  
 EFFECT ON TENSILE STRENGTH OF EPDM  
 EFFECT ON VULCANIZATION OF EPDM-NITRILE RUBBER BLENDS, 44 1065  
 EFFECT ON VULCANIZATION RATE, 46 504, 1299  
 ELECTRON SPIN RESONANCE SPECTROSCOPY OF, 46 938, 957  
 2-(6-ETHOXYBENZOTHAZOLYL), N-MORPHOLINO DISULFIDE AS, 44 898  
 2-ETHYLAMINO-4-DIETHYLAMINO-6-MERCAPTOTRIAZINE AS, 43 1194  
 FOR EPDM, 45 709  
 FOR POLYCHLOROPRENE VULCANIZATION, 48 19  
 FRAGMENTATION BY ELECTRON IMPACT, 45 160  
 FRAGMENTATION IN MASS SPECTROMETER, 46 1299  
 FRAGMENTS ATTACHED TO VULCANIZATES, 43 549, 572  
 HIGH ALKYL SUBSTITUTION IN, 44 1065  
 IDENTIFICATION BY MASS SPECTROMETRY, 46 67, 1035, 1299  
 IDENTIFICATION OF, 41 630  
 IDENTIFICATION OF, 45 546  
 IMINOCARBODITHIOATES, 41 736  
 IN VULCANIZATES, 46 1035  
 MASS SPECTRA OF, 45 160  
 MASS SPECTRAL PATTERNS OF, 45 160  
 MASS SPECTRAL PATTERNS OF VARIOUS, 46 47, 1299  
 MECHANISM OF, 43 1294, 1311  
 MECHANISM OF, 47 1303  
 2-(4-METHYL-5-ACETYLTHIAZOLYL), N-MORPHOLINO DISULFIDE AS, 44 898  
 2-(4-METHYL-5-ETHOXYCARBONYL-THIAZOLYL) N-MORPHOLINO DISULFIDE AS, 44 898  
 2-(4-METHYLTHIAZOLYL), N-MORPHOLINO DISULFIDE AS, 44 898  
 2-MORPHOLINODITHIOBENZOTHAZOLE AND 2-MORPHOLINOTHIOTHAZOLE AS, 47 1304  
 MORPHOLINOTHIOCARBONYL, 3-AZABICYCLO (3,2,2) NON-3-YL SULFIDE AS, 44 889  
 MORPHOLINYL-2-BENZOTHAZOLYL DISULFIDE, 45 1403  
 NEW, 47 1303  
 2-(6-NITROBENZOTHAZOLYL), N-MORPHOLINO DISULFIDE AS, 44 898  
 N-T-BUTYL-2-BENZOTHAZOLE SULFENAMIDE, 45 1372  
 NUCLEAR MAGNETIC RESONANCE DATA OF, 46 1299  
 OXODIETHYLENE-2-BENZOTHAZOLE SULFENAMIDE, 45 1403  
 PENDENT, AS CROSSLINK PRECURSORS, 45 467  
 PENDENT GROUPS, 44 771  
 PIPERIDINOTHIOCARBONYL, 3-AZABICYCLO(3,2,2) NON-3-YL-SULFIDE AS, 44 889  
 PREPARATION OF, 46 67, 1299  
 PREVULCANIZATION INHIBITOR AND, 43 1188, 1522  
 RAMAN SPECTROSCOPY OF, 46 938, 957  
 REACTION MECHANISMS OF, 46 524, 938, 957  
 RELATIVE SOLUBILITIES OF, 44 1065  
 ROLE IN KINETICS OF SULFUR VULCANIZATION, 43 558  
 RUBBER-BOUND INTERMEDIATE, 46 938  
 SCORCH PROPERTIES, 47 906, 1303  
 SULFUR-35 LABELED, 45 467  
 SYNTHESIS OF, 44 889, 898  
 TETRAMETHYLTHIURAM DISULFIDE, 45 1403  
 TETRAMETHYLTHIURAM MONOSULFIDE, 45 1403  
 THIAZOLE IN HIGH TEMPERATURE VULCANIZATION BY SULFUR, 44 1316  
 TRITIUM LABELED, 45 467  
 VULCANIZATION, SULFENAMIDES AS, 50 671  
**ACETALDEHYDE**  
 FORMATION DURING OXIDATION OF POLYISOPRENE, 47 1094  
**ACETATES**  
 HEALTH HAZARD, 44 512  
**ACETIC ACID**  
 FORMATION DURING OXIDATION OF POLYISOPRENE, 47 1094  
 N-OCTYL ESTER, SPECIFIC SOLVENT EFFECT ON POLYDIMETHYLSILOXANE, 47 1151  
**ACETONE**  
 FORMATION DURING OXIDATION OF POLYISOPRENE, 47 1094  
**ACETONE EXTRACTION**  
 EFFECT ON TENSILE-MODULUS FUNCTION, 43 854  
**ACIDS**  
 TALLOW FATTY, USE IN RUBBER, 48 348  
**ACRYLATE VULCANIZATES**  
 PROPERTY MODIFICATION OF, 50 435  
**ACRYLATE-BUTADIENE RUBBER**  
 BY EMULSION POLYMERIZATION, 49 610



**ACRYLIC ACID**

- 4-ANILINOPHENYL ESTER OF, POLYMERIZABLE ANTIOXIDANT, **46 96**
- 3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL ESTER OF, POLYMERIZABLE ANTIOXIDANT, **46 96**
- N-(4-ANILINOPHENYL) AMIDE OF, POLYMERIZABLE ANTIOXIDANT, **46 96**

**ACRYLONITRILE-BUTADIENE COPOLYMER, *see* ALSO NITRILE RUBBER**

ALTERNATING, **48 719**

**ACRYLONITRILE-BUTADIENE-STYRENE RESIN**

- ETHYLENE-PROPYLENE RUBBER AS IMPACT MODIFIER, **49 978**
- MODIFIERS FOR POLYMERIZATION, **48 728**
- PHOTOOXIDATION OF, **48 692**

**ACRYLONITRILE-ISOPRENE RUBBER**

- POLYMERIZATION, **50 650**
- WITH BOUND ANTIOXIDANT, **50 650**

**ACTIVATION ENERGY**

- OF OIL DIFFUSION IN RUBBER, **43 1349**
- OF RELAXATION OF RUBBER, **45 71, 82**

**ACTIVATION ENERGY OF CARBON-CARBON CROSSLINK**

BREAKDOWN, **44 579**

**ACTIVATOR OF SULFUR VULCANIZATION**

- REACTION WITH ACCELERATOR, **46 938**

**ACYL HALIDES**

- FLUORINATED, ELASTOMERS FROM, **46 619**

**ADHESION**

- ADSORPTION LAYER AND, **45 1604**
- AGING AND, **46 251**
- AND FILLER REINFORCEMENT, **41 601**
- BETWEEN ELASTOMERS AND SILICA, **50 342**
- BETWEEN RUBBER INTERFACES, **46 251**
- BONDING AGENTS IN WIRE ADHESION, **49 409**
- BY RESORCINOL FORMALDEHYDE SYSTEM, **42 159**
- CAVITATION, **45 1604**
- CHLOROBUTYL TO UNSATURATED ELASTOMERS, **42 971**
- COMPOUNDING ELASTOMERS FOR, **49 408**
- COVULCANIZATION AND, **46 251**
- DYNAMIC, **47 171, 188**
- EFFECT OF CROSSLINK STRUCTURE ON, **46 251**
- EFFECT OF HUMIDITY, **47 1066**
- EFFECT OF MODULUS, **47 161**
- EFFECT OF OZONE, **47 1066**
- EFFECT OF UV LIGHT, **47 1066**
- EQUILIBRIUM AND KINETIC ASPECTS OF, **45 1604**
- FAILURE LOCUS, **47 1066**
- FIBER GLASS TIRE CORD AND, **45 1143**
- FREE ENERGY OF INTERFACIAL MIXING, **45 1604**
- H-VALUE FOR TESTED TIRE, **47 446**
- IMPROVED BY RADIC-FREQUENCY-ACTIVATED, **46 549**
- INTERDIFFUSION AND, **45 1604**
- INTERFACIAL TENSION AND, **45 1604**
- LOCUS OF FAILURE, **45 1604**
- MECHANISM, DRY-BONDING, **50 998**
- MICRODEFECTS, **45 1604**
- MICROMECHANICS, **45 1604**
- MODIFIED H-TEST, **47 434**
- OF ARAMID CORDS TO RUBBER, **50 445**
- OF CHLOROBUTYL RUBBER, **46 251**
- OF ELASTOMERS, **42 30**
- OF ELASTOMERS TO CORDS, **42 159**
- OF ELASTOMERS TO GLASS, **42 60**
- OF NYLON TO SBR COMPOUNDS, **50 998**
- OF POLYACRYLATE TO GLASS, **48 830**
- OF RUBBER, EFFECTS OF OIL ON, **47 161**

OF RUBBER TO METAL AND GLASS, **48 73**

OF RUBBER TO RUBBER, **42 1480**

OF SBR, **45 251**

OF STEEL WIRE TO RUBBER, **42 183, 613**

OPTIMIZING WIRE ADHESION, **49 409**

POLARITY AND, **45 1604**

POLYESTER TIRE CORD AND, **45 1142**

PROMOTERS FOR RUBBER-TO-CORD, **48 1103**

PROPERTIES OF EPDM AND, **45 709**

RESOTROPIN AS PROMOTER FOR, TO WIRE CORD, **48 346**

RFL FOR TIRE CORD, **47 1066**

RHEOLOGY OF, **45 1604**

RUBBER, ROLE OF SILICA AND SILICATES, **41 1300**

RUBBER TO CORD, **47 127, 171, 213, 434, 457**

RUBBER TO METAL, **47 457**

RUBBER TO STEEL, **47 171, 479**

RUBBER TO STEEL CORD, EFFECT ON TIRE PERFORMANCE, **47 171**

RUBBER TO STEEL CORDS, **50 217**

RUBBER-CORD, **46 442, 981**

RUBBER-FILLER, **41 601, 1244**

RUBBER-RUBBER, EFFECT OF DIFFUSION OF CURATIVES, **41 1312**

SHEAR TEST, **47 434**

SILANE COUPLING AGENTS AND, **45 1604**

SILICAS IN EPDM FOR, **47 457, 458**

STATIC, EFFECT OF CEMENTS ON, **47 188**

STEEL TIRE CORD AND, **45 1144**

STRESS BIREFRINGENCE, **47 434**

TEST FOR, **42 1486**

TEST FOR RUBBER-METAL ADHESION, **46 862**

THERMODYNAMICS AND RHEOLOGICAL ASPECTS, **45 1604**

TO FABRIC, **47 511**

TO VARIOUS FIBERS, **47 1066**

WETTING AND SPREADING KINETICS, **45 1604**

WIRE TO RUBBER, **45 16, 26**

**ADHESION TEST**

DYNAMIC, FOR STEEL TIRE CORD, **49 414**

**ADHESION TESTING**

DYNAMIC, **47 171, 188, 213**

**ADHESIVE**

- BLOCK COPOLYMER, **47 461**
- BOND FAILURE, **43 229**
- LATEX, **43 1255**
- PEEL OF JOINTS, **49 1200**
- PEEL STRENGTH, **43 229**
- POLYDIMETHYLSILOXANE, **47 463**
- POLYSULFIDE ELASTOMER, **41 114**
- POLYURETHANE, **47 463**
- PROPERTIES OF RADIAL BLOCK POLY(BUTADIENE CO STYRENE), **47 461**
- RADIAL BLOCK COPOLYMERS FOR, **49 1352**
- ROOM-TEMPERATURE VULCANIZING, **47 458**
- SPRAYABLE, **47 465**
- USE OF THERMOPLASTIC ELASTOMERS, **50 413**

**ADHESIVE BOND STRENGTH**

EFFECT OF EPDM GRADE ON, **44 1043**

**ADHESIVE BONDS**

- FRACTURE MECHANICS OF, **47 202**
- HARDNESS AND, **47 202**
- MODES OF STRESS TO FAILURE, **47 202**

**ADHESIVE SHRINKAGE**

IN BOND FAILURE, **47 202**

**ADIPIC ACID**

- ESTERS, DERIVATIVE THERMOGRAVIMETRY AND GAS CHROMATOGRAPHY, **47 193**

**ADSORBED RUBBER ON CARBON BLACK**

- KINETIC UNIT, 45 82  
 PARTICLES OF, 45 82  
 SIZE OF, 45 82
- ADSORPTION**  
 LARGE MOLECULES FOR DETERMINING SURFACE AREA OF PARTICLES, 44 1287  
 OF RUBBER ON CARBON BLACK, 41 1256  
 POLYMER MOLECULES BY CARBON BLACK SURFACE, 44 1297
- ADSORPTION ISOTHERMS**  
 OF HYDROCARBONS ON CARBON BLACK, 45 117
- AGING**, *see* ALSO ANTIOXIDANTS, ANTIOXONANTS, OXIDATION, STRESS RELAXATION  
 AND FATIGUE LIFE, 43 651  
 AND SPRING STIFFNESS, 47 1039  
 DYNAMIC, OIL MIGRATION DURING, 44 87  
 EFFECT ON TACK, 42 1040  
 EFFECT OF CARBON-CARBON CROSSLINKS ON, 43 572  
 EFFECT OF CURE TIME ON, 43 572  
 EFFECT OF MONOSULFIDIC CROSSLINKS ON, 43 572  
 EFFECT OF POLYSULFIDIC CROSSLINKS ON, 43 572  
 EFFECT OF ZINC DIMETHYLDITHIOCARBAMATE ON, 43 651  
 EFFECT ON ADHESION OF HIGH-OIL-CONTENT RUBBER, 47 161  
 EFFECT ON CROSSLINK STRUCTURE, 43 1215  
 EFFECT ON DYNAMIC PROPERTIES, 47 803  
 EFFECT ON INTERFACIAL ADHESION OF RUBBER BY, 46 251  
 EFFECT ON MEASUREMENT OF SULFUR CROSSLINKS, 43 624  
 EFFECT ON NATURAL RUBBER BY THIOSEMICARBAZIDES, 46 517  
 EFFECT ON REINFORCING PROPERTIES, 44 1282  
 EFFECT ON STRESS-STRAIN OF VARIOUS RUBBERS, 47 803  
 EFFECT ON TEAR STRENGTH, 44 1043  
 FORMATION OF CARBONYL AND HYDROXYL GROUPS DURING, 47 1265  
 FORMATION OF CONJUGATED POLYENES IN POLYISOPRENE DURING, 47 1094  
 HIGH-TEMPERATURE, OF POLYACRYLATES, 46 1328  
 HYSTERESIS AND FATIGUE FAILURE, 45 1043  
 INCREASE OF CROSSLINK DENSITY DURING, 43 651  
 MECHANISMS IN POLY(BUTADIENE CO ACRYLONITRILE), 46 483  
 OF CARBON BLACK, 44 1282  
 OF LATEX FILMS, 43 1255  
 OF NATURAL RUBBER CURED WITH URETHANES, 43 501  
 OF POLYBUTADIENE, 47 511  
 OF POLYPENTENAMER, 47 511  
 OF RUBBERS VULCANIZED WITH DITHIOL-S-TRIAZINES, 50 660  
 OF RUBBERS WITH BOUND ANTIOXIDANTS, 50 641, 650, 660  
 OF SBR, 47 511  
 OF SBR, HARDENING, 41 1383  
 OF STYRENE-BUTADIENE RUBBER, 45 450  
 OF STYRENE-BUTADIENE RUBBER VULCANIZATES, 43 572  
 OF TIRE TREAD VULCANIZATES IN VACUO, 43 1215  
 OF URETHANE CROSSLINKED AND AMINE-BORANE CROSSLINKED NATURAL RUBBER, OXIDATIVE AND VULCANIZATE STRUCTURE, 43 651  
 OXIDATIVE OF EPDM, 45 709  
 OXIDATIVE, OF LATEX FILMS, 50 446  
 PENDENT ACCELERATOR GROUPS DURING, 43 572  
 PENDENT ACCELERATOR GROUPS ON NATURAL RUBBER AND, 45 467  
 POLYPROPYLENE ETHER GLYCOL RUBBER, 44 923  
 RUBBER VULCANIZATES AND MBT, 42 735  
 RUBBER-BOUND ANTIOXIDANTS AND VULCANIZATE, 45 204  
 RUBBER-WIRE ADHESION AND, 45 26  
 SEQUENCE, 47 1036  
 STATIC, OIL MIGRATION DURING, 44 87  
 STUDY BY INFRARED SPECTROSCOPY, 47 1265  
 STUDY BY STRESS RELAXATION, 47 1265  
 STUDY BY SWELLING, 47 1265  
 SULFIDE CROSSLINKS AND, 45 381  
 THERMAL AND VULCANIZATE STRUCTURE, 43 651  
 ULTRAVIOLET RADIATION AND, 45 481  
 VISCOELASTIC BEHAVIOR OF RUBBERS, 42 1294
- AIR PERMEABILITY, OF IIR**, 49 967
- AIR POLLUTION FROM TIRE WEAR**  
 ANALYSIS OF, 47 150
- AIR SPRING**  
 FORCE-DEFLECTION RELATIONS, 47 384  
 MECHANICAL INSTABILITY, 47 384
- AKRON ABRADER**  
 IN ABRASION STUDIES, 44 1173
- ALANES**, 48 736
- ALCOHOLS**  
 HEALTH HAZARD OF, 44 512  
 USE AS FUELS, 50 421
- ALDEHYDES**  
 CROSSLINKING BY, 43 168
- ALFIN POLYBUTADIENE**  
 INFRARED SPECTRUM OF, 43 333  
 MOLECULAR WEIGHT DISTRIBUTION OF, 43 333
- ALFIN POLYISOPRENE**, 43 333
- ALFIN RUBBER**, 43 587, 1332
- MOLECULAR WEIGHT MODIFIER, 43 333  
 SKID RESISTANCE, 43 333  
 TRACTION, 43 333  
 TREAD WEAR INDEX, 43 333
- ALFREY-GOLDINGER EQUATION**  
 USE FOR REACTIVITY RATIOS, 46 30
- ALKALI METALS AS POLYMERIZATION INITIATORS**, 48 359
- ALKYL-4,6-DICHLORO-SYM-TRIAZINE, 2-**  
 PROPERTIES OF, 49 1031
- ALKYL-4,6-DITHIOL-SYM-TRIAZINE, 2-**  
 NEOPRENE VULCANIZATION, 49 1031  
 TOXICOLOGY, 49 1031
- ALKYLLITHIUM**, *see* BUTYLLITHIUM AND ORGANOLITHIUM COMPOUNDS  
 ASSOCIATION IN SOLUTION, 43 22  
 STRUCTURE OF, 43 22
- ALKYLPHENOL FORMALDEHYDE RESINS**  
 IN RUBBER VULCANIZATION, 41 621
- ALLOOCIMENE**, *see* OCTA-2,6-TRIENE, 2,6-DIMETHYL
- ALLOPHANATE**  
 CROSSLINKS, IN POLYURETHANES, 50 934
- ALLYL ETHERS**  
 ELASTOMERS FROM FLUORINATED, 46 619
- ALLYLIC CHLORIDE**  
 IN EPOXIDE RUBBER, 42 1028

**ALPHA-F VALUES**

IN OSCILLATING DISK RHEOMETER STUDIES, 45 129

MEASURE OF CROSSLINK DENSITY BY, 45 129

MEASURE OF CURING EFFICIENCY BY, 45 129

**ALTERNATING COPOLYMERS**

OF BUTADIENE AND ACRYLONITRILE, 46 719

POLY(BUTADIENE CO ACRYLONITRILE), 46 1264

POLY(ISOBUTYLENE CO ETHYL ACRYLATE), 46 1068

POLY(ISOBUTYLENE CO METHYL ACRYLATE), 46 1068

POLY(STYRENE CO ACRYLONITRILE), 46 1068

POLY(STYRENE CO METHYL ACRYLATE), 46 1068

POLY(STYRENE CO METHYL METHACRYLATE), 46 1068

**ALUMINA TRIHYDRATE**

AS FLAME RETARDANT, 50 523

FOR SMOKE INHIBITION, 46 124

**ALUMINUM ALKYL**

AS COCATALYSTS FOR RING-OPENING

POLYMERIZATION, 47 511

**ALUMINUM ALKYL AND ALKYL HALIDES**

COCATALYSTS IN EPDM SYNTHESIS, 45 709

**ALUMINUM ETHOXIDE**

SCORCH CONTROL OF VULCANIZATION BY, 46 78

**ALUMINUM HYDRIDE DERIVATIVES**

AS DIENE POLYMERIZATION CATALYSTS, 46 736

**ALUMINUM ISOPROPOXIDE**

SCORCH CONTROL OF VULCANIZATION BY, 46 78

**AMINE COMPLEX**

OF ZINC BIS(DIMETHYLDITHIOCARBAMATE), 46 524, 938

WITH ZINC SALT OF BENZOTHAZOLINETHIONE, 43 572, 588

**AMINE-BORANES**

VULCANIZING AGENTS FOR NATURAL RUBBER, 43 501

**AMINE-CHLOROBORANES**

VULCANIZING AGENTS FOR NATURAL RUBBER, 43 501

**AMINES**

ANTIOXIDANT ACTIVITY OF, 44 857

ANTIOXIDANT ACTIVITY OF OXIDATION INTER-

MEDIATES OF, 44 857

AS ANTIOXIDANTS, 44 1421

AS CURING AGENTS FOR FLUOROELASTOMERS, 46 612

EFFECT ON POLYESTER CORDS, 49 1040

FOR CROSSLINKING OF TERMINALLY BROMI-

NATED BR, 46 202

IDENTIFICATION BY THIN LAYER CHROMATO-

GRAPHY, 47 1206

PRIMARY, SECONDARY, AND TERTIARY, AN-

TIOXIDANT ACTIVITY OF, 44 857

QUENCHING OF SINGLET OXYGEN BY, 47 976

**AMINO ACIDS**

CONTENT OF PROTEIN IN NATURAL RUBBER, 46 47

**AMINOLYSIS**

OF TIRE CORDS, 49 1145

**AMINOMERCAPTOTRIAZINES, 43 1194**

ACCELERATORS OF SULFUR VULCANIZATION OF

ELASTOMERS, 43 1194

ACTIVATION ENERGY OF CROSSLINKING WITH,

43 1194

EFFECT ON HEAT GENERATION OF VULCANI-

ZATES, 43 1194

EFFECT ON POLYSULFIDE SULFUR, 43 1194

**AMINOPROPYLTRIETHOXYLSILANE**

SURFACE TREATMENT OF GLASS BY, 46 819

**AMINO-1,3,4-THIAZOLE, 2-**

AS VULCANIZATION ACCELERATOR FOR

POLYCHLOROPRENE, 46 19

**AMINOTHIOCARBONYL AMINE DISULFIDES AS**

VULCANIZING AGENTS, 44 881

ANALYSIS OF IN VULCANIZATES, 44 857

EFFICIENCY OF OXIDATION INTERMEDIATES OF,

44 857

EFFICIENCY OF VARIOUS, 44 857

FATE OF DURING AUTOXIDATION OF VULCANI-

ZATES, 44 857

FOR EPDM, 44 1441

INTERMEDIATES DURING OXIDATION, 44 857

MECHANISM OF, 44 857, 1421

METAL IONS AS, 44 1421

PHENOLIC, 44 1421

**AMINOTHIOCARBONYL AMINE SULFIDES AS AC-**

CCELERATORS, 44 889

**AMINOTHIOMIDE CURE MODIFIERS**

EFFECT ON RUBBER COMPOUNDS, 49 333

SYNTHESIS, 49 333

**AMINOTHIOMIDES**

AS SCORCH INHIBITORS, 50 570

**AMMONIUM ADIPATE**

CURE OF POLYACRYLATE RUBBERS BY, 44 344

**AMMONIUM BENZOATE**

CURE OF POLYACRYLATE RUBBERS BY, 44 344

**AMORPHOUS ELASTOMERS**

MASTER DEFORMATION CURVES FOR, 46 69

**ANALOG COMPUTERS**

IN ELASTOMER RESEARCH, 41 86

**ANALYSIS, see ALSO SPECIFIC MATERIALS BEING**

ANALYZED AND IDENTIFICATION OF COM-

POUNDING INGREDIENTS BY COLUMN

CHROMATOGRAPHY, 41 630

ACCELERATORS BY GAS CHROMATOGRAPHY, 46

1325

BY THIN LAYER CHROMATOGRAPHY, 44 381

FOR COMPRESSIBLE VISCOELASTIC SOLIDS, 45

1669

OF ACCELERATORS, 44 381

OF AIRBORNE TIRE DUSTS, 46 232

OF AMINE ANTIOXIDANTS IN VULCANIZATES, 44

857

OF ANTIOXIDANTS, 44 381

OF CARBON-LITHIUM BONDS IN POLYMER CE-

MENTS, 42 1054

OF CHLORINE BY NEUTRON ACTIVATION, 45

1560

OF COMPOUNDING INGREDIENTS, 42 625

OF COPOLYMER COMPOSITIONAL VARIATION

WITH MOLECULAR WEIGHT, 46 449

OF CROSSLINK TYPE, 42 1136, 1412

OF DEGRADED VULCANIZATES BY IR SPEC-

TROSCOPY, 46 289

OF ELASTOMERS BY GAS CHROMATOGRAPHY,

42 1350

OF ELASTOMERS BY RADIOISOTOPES, 42 1, 1277

OF INTERFACIAL BONDING OF RUBBERS, 46 251

OF MERCAPTANS, 43 549, 644

OF POLYMERS, 44 381

OF RUBBER VULCANIZATES BY INFRARED AND

NMR SPECTROSCOPY, 44 1278

OF SBR BY THIN-LAYER CHROMATOGRAPHY, 46

310

OF SULFUR CROSSLINKS, 43 210, 424, 522, 549,

624, 651, 664, 1040, 1215

- OF TIRE COMPONENTS, 48 301, 631, 640, 653  
 OF VULCANIZATES, BY CURIE-POINT PYROLYSIS-GAS CHROMATOGRAPHY, 48 97  
 OF VULCANIZATES, BY THERMOANALYTICAL METHODS, 48 26, 301, 631, 640, 653, 661  
 OF VULCANIZED STYRENE-BUTADIENE RUBBER, 43 1332  
 THERMAL OF VARIOUS RUBBERS, 45 329  
 THERMOGRAPHIC FOR BUTADIENE IN STYRENE-BUTADIENE RUBBER, 43 1327
- ANALYTICAL METHODS**  
 IN SOLVING PRODUCTION PROBLEMS, 50 438
- ANGLE ABRASION INDEX**, 47 467
- ANILINE**  
 N-(2,2-DINITROPROPYL)-N,4- DINITROSO, SYNTHESIS, 47 289  
 NITROSO, CURING AGENTS FOR RUBBERS, 47 289  
 N-(2-METHYL-2-NITROPROPYL)-N- NITROSO, SYNTHESIS, 47 289
- ANILINOMETHACRYLAMIDE**  
 AS POLYMER-BOUND ANTIOXIDANT IN NBR, 48 337
- ANIONIC POLYMERIZATION**  
 CHAIN-END STRUCTURE, 48 359  
 EFFECT OF SOLVENT, 48 359  
 EXPERIMENTAL TECHNIQUE, 48 359  
 GRAFTING TO CARBON BLACK BY, 48 410  
 HIGH-VACUUM TECHNIQUE, 48 359  
 INITIATION METHODS, 48 359  
 KINETICS, 48 359  
 MECHANISM, 48 359  
 MOLECULAR WEIGHT DISTRIBUTION IN, 48 359  
 OF BLOCK POLYMERS, 41 161  
 OF DIENES, 48 359  
 OF VINYL MONOMERS, 48 359  
 PURIFICATION OF MATERIALS FOR, 48 359  
 REVIEW, 48 359  
 TO PREPARE BLOCK COPOLYMER, 48 359  
 WITH ALKALI METALS, 48 359  
 WITH ALKYL LITHIUM, 48 359
- ANISOTROPY**  
 AND CHAIN STIFFNESS OF SYNTHETIC RUBBERS, 43 836  
 EFFECTS IN RUBBER ELASTICITY, 45 638  
 IN FLUOROELASTOMER SHRINKAGE, 49 35  
 IN MOLDED NBR, 48 236  
 OF SWOLLEN NETWORKS OF POLYISOPRENE, 43 829  
 STUDIED BY LINEAR SWELLING, 48 236
- ANTHRAQUINONE**  
 AS DIFUNCTIONAL COUPLING AGENT, 49 1305
- ANTIMONY OXIDE**  
 IN NONBURNING ELASTOMER-COMPOUNDS, 46 1114
- ANTIOXIDANTS**, 45 1146, 1147  
 ACTION DURING THERMAL OXIDATION OF NATURAL RUBBER VULCANIZATES, 44 857  
 ACTIVITY OF, BY TORSIONAL BRAID ANALYSIS, 41 757  
 ACTIVITY OF POLYMERIZABLE ANTIOXIDANTS AS, 46 96  
 ADDITION OF PEROXIDE RADICALS TO OLEFINS AND, 47 976  
 AMINE, POLYMERIZABLE, 46 96  
 ANALYSIS, 42 265  
 AND AUTOXIDATION, 47 976  
 AND FATIGUE, 42 1095  
 4-ANILINODIPHENYL ESTERS, 46 96  
 ANTAGONISM OF SULFUR COMPOUNDS, 45 381  
 AS COMPONENTS OF UV STABILIZERS FOR POLYURETHANES, 48 1101  
 ATTACHED TO RUBBER CHAINS, 43 1225  
 BOUND, 47 960, 1306  
 CHAIN BREAKING, 47 949, 960, 976  
 CHEMICALLY ATTACHED, 46 96, 106  
 CHEMICALLY BOUND, 50 641, 650  
 COMPETITIVE RADICAL GENERATION FROM, 45 402  
 COPOLYMERIZED IN NBR, 48 337  
 CRITICAL CONCENTRATIONS, 47 1300  
 DEPOLYMERIZED SCRAP RUBBER AS, 48 62  
 DEUTERATED, 46 1134  
 DI-TERT-BUTYL-4-HYDROXYPHENYL, 46 96  
 EFFECT ON ABRASION, 43 1503  
 EFFECT ON AGING OF NBR, 46 483  
 EFFECT ON CURE OF EPDM, 46 1007  
 EFFECT ON RUBBER-CORD ADHESION, 48 981  
 EFFECT ON SCORCH TIME, 46 981  
 EFFECT ON SHEAR MODULUS OF NATURAL RUBBER, 43 304  
 EFFECT ON STRESS RELAXATION OF POLYACRYLATES, 46 1328  
 ELECTRON SPIN RESONANCE SPECTRA OF, 46 1134  
 ELECTRON SPIN RESONANCE SPECTROSCOPY OF, 45 402  
 FOR CHLORINATED POLYETHYLENE, 43 1519  
 FOR EMULSION RUBBERS, 46 96  
 HEALTH HAZARDS IN THE RUBBER INDUSTRY, 45 627  
 IDENTIFICATION OF, 41 630  
 IDENTIFICATION OF, 45 546  
 IN HOSE MANUFACTURE, 48 1094  
 INCORPORATED BY CHAIN TRANSFER, 50 641, 650  
 INCORPORATED BY CROSSLINKING WITH DITHIOL-S-TRIAZINES, 50 660  
 INCORPORATED IN POLYDIENES, 50 641, 650  
 MECHANISM OF ACTION OF, 47 949, 976, 991  
 MECHANISMS OF REACTIONS OF, 46 1134  
 MIGRATION OF, 42 892  
 NONDISCOLORING, 41 255  
 ORGANIC SULFUR COMPOUNDS, AS, 47 949  
 OXIDATION HALF-WAVE POTENTIALS OF PHENOLIC, 47 960  
 PEROXIDES AND, 47 976  
 PHENOLIC, 42 1466  
 PHENOLIC, POLYMERIZABLE, 46 96  
 POLYMERIZABLE, 46 106  
 POLYMERIZABLE, 47 1306  
 PREVENTIVE, 47 949, 960, 976  
 PRIMARY RADICALS IN, 45 1134  
 PROOXIDANT EFFECT, 47 1300  
 RADICAL LIFETIME AND ACTIVITY OF, 45 402  
 RADICAL STABILITY OF, 46 1334  
 REACTION INTERMEDIATES, 46 1134  
 RELATIVE STABILITY OF RADICALS FROM, 45 402  
 REVIEWS, 47 949, 960, 976  
 RUBBER BOUND, 45 204  
 STORAGE AGING, 47 960  
 SULFUR CONTAINING, 47 949, 976  
 SYNERGISM, 47 976  
 VOLATILIZATION, 47 960
- ANTIOXIDATION**  
 BY N-PHENYL-2-NAPHTHYLAMINE, 45 359  
 MECHANISM, 45 359, 402  
 MOLECULAR CHAIN SCISSION AND, 45 359  
 PREVENTIVE, 45 359
- ANTIOZONANTS**,

- EPDM AS, 42 975, 1186  
 EXTRACTABILITY BY WATER, 42 1471  
 HEALTH HAZARDS IN THE RUBBER INDUSTRY, 45 627  
 KINETICS OF SURFACE LAYER DEVELOPMENT IN NATURAL RUBBER AND EPDM, 43 1230  
 LEACHING OF FROM RUBBER COMPOUNDS, 44 1441  
 MECHANISM OF ACTION OF, 43 1230, 1340  
 MECHANISM OF PROTECTION BY, 48 41  
 NON-STAINING, PREPARATION OF, 46 517  
 PHENYLENEDIAMINES AS, 42 1186  
 PROTECTION OF VULCANIZATES BY, 48 41  
 SOLUBILITY IN WATER, AND EFFECT OF PH, 44 1441
- APPARATUS**  
 FOR ABRASION RESISTANCE, 43 1503  
 FOR CALORIMETRY OF SULFUR-RUBBER REACTIONS, 43 1275  
 FOR DYNAMIC PROPERTIES OF RUBBERS, 43 1491  
 FOR HEAT OF REACTION OF SULFUR WITH NATURAL RUBBER, 43 1275  
 FOR STRESS RELAXATION MEASUREMENT, 43 262  
 FOR VOLUME CHANGES ON EXTENSION, 43 1015, 1503
- ARAMID CORDS**  
 ADHESION TO RUBBER, 50 445
- ARAMID FIBERS**  
 REINFORCEMENT OF RUBBER, 49 379  
 SHORT FIBERS IN ELASTOMERS, 49 1160  
 SHORT, IN REINFORCEMENT OF ELASTOMERS, 50 945
- ARTIFICIAL HEART**  
 WITH POLYOLEFIN DIAPHRAGM, 49 1363
- ASPERITY**  
 EFFECT OF SHAPE ON SLIDING RUBBER, 44 758
- ASPHALT**  
 PAVEMENT, USE OF RUBBER IN, 50 1006  
 REINFORCEMENT BY ELASTOMERS, 42 1476
- ASSOCIATION NUMBERS OF POLYMERS, 43 22**
- ATMOSPHERIC ATTACK ON RUBBER, 42 1095**
- ATOMIC ABSORPTION SPECTROSCOPY, 47 448**  
 TIRE-CORD DIP PICKUP BY, 47 448
- ATTENUATED TOTAL REFLECTANCE SPECTROSCOPY,**  
 IN STUDY OF OZONE ATTACK ON RUBBER VULCANIZATES, 48 41  
 OF POLYMERS, 43 860
- AUTOMATIC TRANSMISSION FLUIDS**  
 RESISTANCE OF FLUOROELASTOMERS, 50 420
- AUTOMATION**  
 ELECTRON MICROSCOPE ANALYSIS, 42 1209  
 STRAIN RATE MEASUREMENT, 42 1420
- AUTOMOTIVE APPLICATIONS**  
 AUTOMOTIVE MOUNTS OF NR, 50 145  
 BODY SEALS WITH LATEX FOAM, 49 413  
 HIGH-MODULUS ELASTOMERS, 49 1365  
 IN TIRES, BELTS, HOSE, ETC. (REVIEW), 49 775  
 OF VARIOUS POLYMERS (REVIEW), 49 775  
 THERMOPLASTIC ELASTOMERS, 50 414
- AUTOXIDATION, 44 857, 1421**  
**AUTOXIDATION, 47 976**  
 MECHANISM, 45 359  
 CHAIN SCISSION DURING, 45 359  
 CROSSLINKING DURING, 45 359  
 OF EPDM AND TERMONOMERS, 45 1125  
 OF HYDROCARBONS, 45 359  
 OF POLYISOPRENE, NMR STUDY, 48 953
- OF RUBBER, 45 359  
 OF TIRE TREADS, 43 1215  
 RETARDED, 45 359
- AZABICYCLO (3.2.2) NON-3-YLSULFENYL CHLORIDE, 3-, 44 881**
- AZEPINES**  
 FORMATION DURING VULCANIZATION BY NITRENES, 43 605
- AZIDODIFORMATE**  
 DECOMPOSITION OF, 43 605  
 N-OCTADECYL, 43 605  
 TETRAMETHYLENE BIS, AS VULCANIZING AGENT, 43 605  
 VULCANIZATION OF BUTYL RUBBER BY, 43 605  
 VULCANIZATION OF CHLOROSULFONATED POLYETHYLENE BY, 43 605  
 VULCANIZATION OF ETHYLENE-PROPYLENE RUBBER BY, 43 605  
 VULCANIZATION OF NATURAL RUBBER BY, 43 605  
 VULCANIZATION OF POLYBUTADIENE BY, 43 605  
 VULCANIZATION OF POLYCHLOROPRENE BY, 43 605  
 VULCANIZATION OF POLYISOBUTYLENE BY, 43 605  
 VULCANIZATION OF STYRENE-BUTADIENE RUBBER BY, 43 605
- AZIRIDINE**  
 (4,4'-METHYLENE)BIS, AS VULCANIZING AGENT FOR LIQUID RUBBER, 48 139
- AZIRIDINES**  
 IN VULCANIZATION REACTIONS WITH OLEFINS, 43 605
- AZO COMPOUNDS**  
 AS FOAMING AGENTS, 50 678  
 AS SIMULTANEOUS INITIATORS AND BLOWING AGENTS, 50 678  
 IN RUBBER CURE, 50 660  
 TOXICITY, 50 678
- BAKER-WILLIAMS FRACTIONATION, 43 1439**
- BALATA, see ALSO TRANS-POLYISOPRENE**  
 COMPOSITIONAL AND STRUCTURAL ANALYSIS BY INFRARED, 45 546  
 NMR SPECTRUM, 48 953  
 VAPOR PHASE CHROMATOGRAPHY, 41 418
- BALLOON TIRES**  
 HISTORY, 41 952
- BANBURY, see INTERNAL MIXERS**
- BARIUM SULFATE**  
 FILLER FOR FLUOROELASTOMERS, 48 619  
 IN MICROSCOPY OF VULCANIZATES, 48 653
- BEARINGS**  
 ELASTOMERS FOR AUTOMOTIVE APPLICATIONS, 49 775
- BELLOWS SEALS**  
 ELASTOMERS FOR AUTOMOTIVE APPLICATIONS, 49 775
- BELTING**  
 FORMULATION FOR FIRE RETARDANCE, 50 523
- BELTS**  
 AUTOMOTIVE, DESIGN, 48 1097  
 CONVEYOR, CARCASS MATERIALS, 48 1097  
 DISPERSIONS IN MANUFACTURE OF, 48 1093  
 FOR HANDLING HOT MATERIAL, 48 1098  
 MICROWAVE HEATING IN MANUFACTURE OF, 48 1098  
 POLYESTER FABRIC IN, 48 1092
- BENZANTHRACENE**  
 DIFFUSION COEFFICIENT IN RUBBERS, 45 278

**BENZENE**

- 2,4-DICHLOROMETHYL, SPECIFIC SOLVENT EFFECT ON POLYDIMETHYLSILOXANE, 47 1151
- DIFFUSION IN RUBBERS, 45 278
- EQUATION-OF-STATE PARAMETERS FOR, 46 338
- INTERACTION CONSTANT WITH POLYBUTADIENE, 43 549

**BENZENE, ORTHO-DICHLORO**

- WITH OXYGEN TO DISSOLVE SBR VULCANIZATES, 47 150

**BENZENE, 2,4,6-TRIS(3,5-DI-TERT-BUTYL-4-HYDROXYBENZYL)-1,3,5-TRIMETHYLBENZENE**

- ANTIOXIDANT ACTION OF, 45 402
- ESR SPECTRUM OF, 45 402

**BENZOIC SULFIMIDE**

- SCORCH TIME OF SULFUR VULCANIZATION AND, 45 1513

**BENZOTHAZOLE**

- DERIVATIVES, AS COACCELERATORS, 50 1011
- DETERMINATION OF, 44 1429
- 2-(MORPHOLINODITHIO), ACCELERATOR ACTION OF, 47 1304
- 2-(MORPHOLINOTHIO), ACCELERATOR ACTION OF, 47 1304

**BENZOTHAZOLE, 2-, 2,6-DIMETHYLMORPHOLINOTHIO-**

- MASS SPECTRUM OF, 45 160

**BENZOTHAZOLE, 2-ALLYL-**

- MASS SPECTRUM OF, 45 160

**BENZOTHAZOLE, 2-HYDROXY-**

- MASS SPECTRUM OF, 45 16

**BENZOTHAZOLE, 2-MORPHOLINODITHIO-**

- MASS SPECTRUM OF, 45 16

**BENZOTHAZOLE SULFENAMIDES**

- IN CURE OF NATURAL RUBBER, 50 671
- MASS SPECTRA OF, 45 160
- REACTION WITH THIOCARBAMYL SULFENAMIDES, 50 671

**BENZOTHAZOLINETHIONE, see ALSO MERCAPTOBENZOTHAZOLE**

- ACCELERATED SULFUR VULCANIZATION OF NATURAL RUBBER, 47 251
- ACCELERATED SULFUR VULCANIZATION OF SBR, 47 266
- AND AGING, 42 735

- CARBON-14 LABELED, 43 572

- CARBON-14 LABELED, 45 467

- CONCENTRATION AS A FUNCTION OF VULCANIZATION TIME, 43 1188, 1311

- CREEP OF GUM NATURAL RUBBER VULCANIZED BY SULFUR AND, 43 1482

- DETERMINATION OF, 44 1429

- EFFECT OF HEAT HISTORY IN POLYBUTADIENE, 43 799

- EFFECT ON CROSSLINKING EFFICIENCY OF DICUMYL PEROXIDE AND SULFUR, 51 266

- EXCHANGE WITH SULFUR, 42 1

- HEALTH HAZARD OF, 44 512

- IDENTIFICATION IN RUBBER, 42 625

- IN CURATIVE DIFFUSION, 42 1058

- IN EFFICIENT VULCANIZATION, 42 404

- IN INJECTION MOLDING RECIPES, 42 1336

- IN MECHANISM OF ACCELERATED SULFUR VULCANIZATION, 42 1366

- IN MECHANISM OF VULCANIZATION, 43 1311

- IN RAMAN SPECTRA OF POLYBUTADIENE VULCANIZATE, 44 71

- ISOTOPICALLY TAGGED, 42 892

- KINETICS AND MECHANISM OF, 45 1513

- KINETICS OF CONSUMPTION IN VULCANIZATION, 47 251

- MASS SPECTRUM OF, 45 160

- RAMAN SPECTRUM OF, 47 906

- REACTION RATE CONSTANT, 45 1513

- REACTION WITH DICUMYL PEROXIDE, 47 253, 266

- REACTION WITH 2-(4-MORPHOLINOTHIO) BENZOTHAZOLE, 45 1513

- REACTION WITH N-(CYCLOHEXYLTHIO)-ORTHO-BENZOIC SULFIMIDE, 45 1513

- REACTION WITH N-(CYCLOHEXYLTHIO) PHTHALIMIDE, 45 1513

- REACTION WITH N-(CYCLOHEXYLTHIO) PHTHALIMIDE DURING CURE, 43 1188

- REACTION WITH N-(PARA-TOLYLTHIO)-ORTHO-BENZOIC SULFIMIDE, 45 1513

- REACTION WITH N-TERT-BUTYL-2-BENZOTHAZOLE SULFENAMIDE, 45 1513

- REACTION WITH N-(TRICHLOROMETHYLTHIO)-ORTHO-BENZOIC SULFIMIDE, 45 1 513

- SCORCH INHIBITOR FOR THIURAM VULCANIZATION, 46 504

- TRAPPING OF, IN RETARDED VULCANIZATION, 47 79

- ULTRAVIOLET SPECTRA, 45 1513

**BENZOTHAZOLYDIETHYLTHIOCARBAMYL SULFIDE**

- HEALTH HAZARD OF, 44 512

**BENZOTHAZOLYL DISULFIDE**

- CHEMO-STRESS RELAXATION OF NATURAL RUBBER VULCANIZATES, 43 788

- CONTAINING RADIOSULFUR, 42 1, 892

- EFFECT OF HEAT HISTORY IN POLYBUTADIENES, 43 799

- HEALTH HAZARD OF, 44 512

- IDENTIFICATION IN RUBBER, 42 625

- IN CURATIVE DIFFUSION, 42 1058

- IN EFFICIENT VULCANIZATION, 42 404, 418

- IN MECHANISM OF ACCELERATED SULFUR VULCANIZATION, 42 1366

- IN POLYBUTADIENE VULCANIZATION, 43 549

- IN RUBBER BLENDS, 50 35

- MASS SPECTRUM OF, 45 160

- RADIOACTIVE IN MIGRATION STUDY, 42 892

**BENZOTHAZOLYL MONOSULFIDE, 44 771****BENZOTHAZOLYL TETRASULFIDE, 44 771****BENZOTHAZOLYL-N-MORPHOLINYL DISULFIDE**

- CARBON-14 LABELED, 43 572

**BENZOYL PEROXIDE**

- IN GENERATION OF RADICALS FROM ANTIOXIDANTS, 45 402

**BENZYL-2-BENZOTHAZOLE SULFENAMIDE**

- MASS SPECTRUM OF, 45 160

**BIAS-PLY PASSENGER TIRES**

- HYSTERESIS LOSSES IN, 47 118

**BICYCLO(3,2,0)-2,6-HEPTADIENE**

- AS TERMONOMER IN EPDM, 45 709

**BICYCLO(2,2,1)HEPTADIENE, 2,5-, 2-METHYL-**

- TERMONOMER IN EPDM, 45 709

**BICYCLO(2,2,1)HEPTENE, 5-, 2-ETHYLIDENE-**

- TERMONOMER IN EPDM, 45 709

**BICYCLO(2,2,1)HEPTENE, 5-, 2-METHYLENE-**

- TERMONOMER IN EPDM, 45 709

**BICYCLO(4,3,0)-3,7-NONADIENE**

- AS TERMONOMER IN EPDM, 45 709

**BICYCLO(4,3,0)NONADIENE, 3,7-, 5-METHYL-**

- TERMONOMER IN EPDM, 45 709

**BICYCLO(4,3,0)NONADIENE, 3,7-, 5,6-DIMETHYL-**

- TERMONOMER IN EPDM, 45 709



- BIMODAL MOLECULAR WEIGHT DISTRIBUTION**, 44  
166  
OF NATURAL RUBBER, 45 346
- BIODEGRADATION**  
OF TIRE SCRAP, 47 597  
OF WASTEWATER FROM SYNTHETIC RUBBER  
MANUFACTURE, 47 932
- BIOMASS**  
AS HYDROCARBON SOURCE, 50 421
- BIOOXIDATION**  
WASTEWATER FROM SYNTHETIC RUBBER PRO-  
DUCTION, 47 932
- BIREFRINGENCE**  
AMORPHOUS POLYETHYLENE, 41 1182  
DEPENDENCE ON STRESS, 47 625, 1234  
EFFECT OF TEMPERATURE ON, 41 533  
IN STRETCHED NATURAL RUBBER, 46 653  
MEASURE OF, 46 653  
OF NBR, 46 1264  
OF RUBBERS, 43 400, 883, 1194  
STRAIN FUNCTION, 47 1234  
STRESS OF SWOLLEN POLYISOPRENE NET-  
WORKS, 43 829  
TEMPERATURE DEPENDENCE AND RUBBER  
ORIENTATION, 42 509
- BIS(2-AMINOPHENYL) DISULFIDE**  
AS BOUND ANTIOXIDANT, 50 650
- BISMUTH DIMETHYLDITHIOCARBAMATE**  
HEALTH HAZARD OF, 44 512
- BIS-N,N' (2-BENZOTHAIAZOLYTHIOMETHYLENE)  
UREA**  
HEALTH HAZARD OF, 44 512
- BIS(3-TRITHOXYSILYLPROPYL) TETRASULFIDE**  
CROSSLINKING OF RUBBER WITH, 50 447
- BLACK INCORPORATION TIME**  
AND MOLECULAR WEIGHT DISTRIBUTION, 49 278  
AS MIXING CRITERION, 49 1  
EFFECT OF POLYDISPERSITY, 49 291  
IN SBR, 49 278
- BLENDS**, see ALSO SPECIFIC MATERIALS  
ADHESION TO STEEL TIRE CORD, 47 171  
ANALYSIS OF, 44 1278  
AND MORPHOLOGY, 49 93  
AND RHEOLOGY, 49 93  
CARBON BLACK DISPERSION IN, 44 814, 826  
CARBON BLACK DISTRIBUTION IN, 46 653  
CARBON BLACK DISTRIBUTION IN, 47 48  
CHARACTERIZATION OF, 50 1  
CHLOROBUTYL AND POLYBUTADIENE, 46 251  
CHLOROBUTYL AND SBR, 46 251  
CHLOROBUTYL AND UNSATURATED RUBBERS,  
42 985  
COMPATIBILITY OF, 50 35  
COMPATIBILITY OF COMPONENTS IN, 47 481  
COMPOUNDING OF, 44 1065  
CROSSLINK STRUCTURE IN, 46 251  
DIFFERENTIAL THERMAL ANALYSIS, 42 110  
DIFFERENTIAL THERMAL ANALYSIS OF, 44 814,  
821  
DISPERSION IN, AND CRYSTALLINITY, 50 278  
DISTRIBUTION OF COMPOUNDING MATERIALS IN,  
47 481  
DOMAIN SIZE IN, 50 714  
EFFECT OF ACCELERATOR SOLUBILITY ON VUL-  
CANIZATE PROPERTIES OF, 44 1065  
EFFECT OF CARBON BLACK ON PROPERTIES, 50  
301  
EFFECT OF HALOGENATION ON EPDM, 44 1025  
EFFECT ON POLYMER PROPERTIES, 47 481  
ELASTOMER-PLASTIC, 47
- ELECTRON MICROSCOPY OF, 43 1  
ELECTRON MICROSCOPY OF, 44 814  
ELECTRON MICROSCOPY OF, 46 1193  
ELECTRON MICROSCOPY OF, 47 64  
EPDM AND NITRILE RUBBER, 44 1065  
EPDM AND OTHER RUBBERS, 44 1435, 1438  
EPDM AND POLYISOPRENE, 44 1109  
FATIGUE PROPERTIES OF, 50 429  
GLASS TRANSITION IN, 50 278  
HEAT GENERATION OF VULCANIZATES OF, 43  
1194  
HETEROGENEITY AND CROSSLINKING, 42 985  
HETEROGENEOUS, MISCIBILITY STUDY, 50 714  
IN FOAMS, 43 1255  
IN LIGHT-COLORED COMPOUNDS, 47 1317  
INTERFACIAL BONDING OF, 46 251  
METHODS FOR CHARACTERIZATION, 47 481  
METHODS FOR PRODUCING, 47 481  
MICROSCOPY OF, 46 653  
MICROSTRUCTURE OF, 47 481  
MISCIBILITY BY RADIOLUMINESCENCE, 50 714  
MISCIBILITY OF, 43 370  
MOONEY-RIVLIN CONSTANTS FOR, 44 1109  
MORPHOLOGY OF, 43 370  
MORPHOLOGY OF, 50 278  
NATURAL RUBBER AND POLYBUTADIENE, SKID  
RESISTANCE OF, 44 1450  
NATURAL RUBBER WITH EPDM, 47 895  
OF BROMOBUTYL-MODIFIED ELASTOMERS, 49  
408  
OF CARBOXY-SBR AND VINYLPIRIDINE-SBR, 42  
759  
OF CHLORINATED BUTYL IN TIRE SIDEWALLS, 46  
1112  
OF CIS-BR AND NATURAL RUBBER, 41 669, 766  
OF CIS-BR AND SBR, 41 669, 1109  
OF COMPATIBLE POLYMERS, 48 218  
OF ELASTOMERS AND DISPERSION, 50 278  
OF ELASTOMERS AND THERMOPLASTICS, 49 978  
OF ELASTOMERS, COVULCANIZATION, 49 112  
OF EPDM AND OTHER POLYMERS, 45 709  
OF EPDM AND POLYDIENES, 49 105, 341  
OF EPDM AND POLYPROPYLENE, 50 24  
OF EPDM AND SBR, OZONE RESISTANCE, 49 393  
OF NBR AND EPDM, 49 112  
OF NITRILE RUBBER AND POLY(VINYL  
CHLORIDE) AND PROCESSING, 45 1111  
OF NITRILE RUBBER AND PVC, 41 769, 770  
OF NR AND BR, VULCANIZATION, 48 26  
OF POLYMERS, 41 495  
OF POLYMERS, DIELECTRIC LOSS, 41 669  
OF POLYMERS, HETEROGENEOUS, 49 392  
OF POLYMERS, RHEOLOGY OF, 41 1348  
OF RUBBER, ANALYSIS BY C-13 NMR, 48 705  
OF RUBBERS, 43 400, 883, 1194  
OF RUBBERS, ANALYSIS BY PYROLYSIS-GC, 48  
97  
OF RUBBERS AND RESINS, IDENTIFICATION OF,  
45 546  
OF RUBBERS, DYNAMIC PROPERTIES, 48 89  
OF RUBBERS, ELECTRON MICROSCOPY, 41 344  
OF RUBBERS, FRICTION ON ICE, 48 527  
OF SBR, EPDM, AND BR, 49 105  
OF SPECIALTY ELASTOMERS, 50 434  
OF THERMOPLASTIC RUBBERS AND PLASTICS,  
49 1351  
OIL DIFFUSION COEFFICIENTS IN, 44 87  
OIL MIGRATION IN, 44 87  
PARTICLE COARSENING, 50 714  
PERMANENT SET OF, 43 1194

- PHASE MICROSCOPY, 41 344  
 PLASTIC-ELASTOMER BLENDS, 47 481  
 POLYBUTADIENE-CHLOROBUTYL, 47 48  
 POLYBUTADIENE-NATURAL RUBBER, 47 48  
 POLYBUTADIENE-SBR, 47 48, 858  
 PROCESSABILITY OF, 47 481  
 RHEOLOGY OF, 46 1193  
 RHEO-OPTICS OF, 43 849  
 SBR/BR STRUCTURE OF, 42 1009  
 SBR-NATURAL RUBBER, 47 48  
 STRUCTURE-PROPERTY RELATIONSHIPS, 47 57  
 TENSILE STRENGTH OF, 44 1065  
 TIRE TREAD WEAR AND WET SKID OF, 44 996  
 TRANSFER OF CARBON BLACK BETWEEN PHASES OF, 46 178  
 UNIFORM, OF ELASTOMERS, 49 399  
 VULCANIZATE PROPERTIES OF, 49 112  
 ZONE SIZE OF, 44 814
- BLOCK COPOLYMERIZATION BY ALKYL LITHIUM, 43 22**  
 BUTADIENE-ISOPRENE, 43 22  
 BUTADIENE-STYRENE, 43 22  
 ISOPRENE-STYRENE, 43 22
- BLOCK COPOLYMERS, 48 242, 1044, 1067**  
**BLOCK COPOLYMERS, 47 1304, 1311**  
 BLENDS, 47 481  
 BY ANIONIC POLYMERIZATION, 48 359  
 CHARACTERIZATION OF, 41 426  
 ETHYLENE AND PROPYLENE, 41 426  
 ETHYLENE-PROPYLENE, 45 709  
 FROM OLEFINIC MONOMERS, 49 1351  
 FROM TETRAMETHYLENE OXIDE AND TEREPHTHALATE, 49 1357  
 IN ADHESIVES AND MECHANICAL GOODS, 50 413  
 INCOMPATIBILITY IN, 41 495  
 LINEAR ELASTOMERIC (REVIEW), 41 161  
 MICRODOMAIN STRUCTURE, 49 237  
 NOMENCLATURE, 41 161  
 OF PIVALOLACTONE AND ACRYLATE-G-PIVALOLACTONE, 50 127  
 OF POLYBUTADIENE AND POLYSTYRENE, 47 461  
 OF SILICONE RUBBERS, 49 909  
 POLY(ALPHA-METHYLSTYRENE) AND POLY(DIMETHYLSILOXANE), 47 456, 1304  
 POLY(BUTADIENE CO STYRENE), 46 242  
 POLYETHERESTER, 50 688  
 POLYMER INTERFACES IN, 49 237  
 POLY(STYRENE CO BUTADIENE CO STYRENE), 46 242  
 POLYURETHANE, 47 19  
 POLYURETHANE-POLYETHER, 44 1447  
 PROPERTIES OF, 47 1304  
 PROPERTIES OF POLY(BUTADIENE CO ACRYLONITRILE), 46 242  
 RADIAL, 46 588  
 RADIAL, ADHESIVE APPLICATIONS, 49 1352  
 SALES AND MARKETING OF BLENDS, 50 433  
 STYRENE-BUTADIENE, 45 1005, 1564  
 STYRENE-BUTADIENE-STYRENE, 45 241, 252
- BLOCK POLYMERS**  
 STRESS SOFTENING, 42 956  
 VISCOELASTIC AND ULTIMATE TENSILE PROPERTIES OF SBS, 42 1257
- BLOCK-LENGTH DISTRIBUTION**  
 OF ETHYLENE-PROPYLENE COPOLYMERS, 50 988
- BLOW MOLDING**  
 OF COPOLYESTER THERMOPLASTIC ELASTOMER, 49 1359
- BLOWING AGENTS**  
 AZO COMPOUNDS AS, 50 678
- BLOWING IN VULCANIZATES**  
 NUCLEATION OF BUBBLES, 44 1363
- BODY SEALS**  
 ELASTOMERS FOR AUTOMOTIVE APPLICATIONS, 49 775
- BONDED RUBBER, 47 729**  
 CARBON BLACK CONCENTRATION AND, 47 729  
 CARBON-BLACK STRUCTURE EFFECT, 47 729  
 MIXING AND, 47 729
- BONDING, see ALSO ADHESION**  
 COMPOUNDS FOR, 46 981  
 ROOM TEMPERATURE VULCANIZATION, 46 580  
 RUBBER-CORD, 46 981  
 WITH BASIC ACCELERATORS, 46 981  
 WITH DIFFERENT SULFENAMIDES, 46 981
- BONDING AGENTS**  
 IN FIBER-RUBBER COMPOSITES, 50 945  
 IN WIRE ADHESION, 49 409
- BOUND RUBBER, see ALSO CARBON BLACK**  
**BOUND RUBBER, 42 850, 858**  
 AND TIRE WEAR, 47 467  
 CARBON BLACK LOADING AND, 45 94  
 CURATIVE CONCENTRATION AND, 45 94  
 DETERMINATION OF, 49 1019  
 EFFECT OF COUPLING AGENTS ON, 48 410  
 EFFECT OF HEAT TREATMENT ON, 48 410  
 EFFECT OF MIXING CONDITIONS, 41 1256  
 EFFECT OF MOLECULAR WEIGHT ON, 41 1256  
 EFFECT OF MOLECULAR WEIGHT ON, 43 973  
 EFFECT OF PROMOTERS ON, 48 410  
 EFFECT OF SOLVENT ON, 43 973  
 EFFECT OF TEMPERATURE ON, 43 973  
 EFFECT ON PROCESSABILITY, 48 548  
 EFFECT ON PROPERTIES, 46 570  
 HEAT AND, 45 94  
 IN BLACK-FILLED BR, 50 747  
 IN CARBON-BLACK-RUBBER SYSTEMS, 48 410  
 IN SBR-CARBON-BLACK COMPOUNDS, 48 577  
 IN SILICA-RUBBER SYSTEMS, 48 410  
 IN SILICA-SILICONE SYSTEMS, 48 556  
 MAXIMUM ENERGY BONDING IN, 43 973  
 MICROSCOPY OF, 46 653  
 NUCLEAR MAGNETIC RESONANCE STUDIES OF, 44 1273  
 OF POLYBUTADIENE, 45 94  
 ON CARBON BLACK, 48 810  
 ON SILICA, 48 810  
 SBR AND CARBON BLACK, 47 425, 467  
 THEORY, 48 810
- BOUNDARY LAYER THEORY**  
 FOR OZONE ATTACK, 43 1230
- BRABENDER PLASTICORDER, see ALSO INTERNAL MIXERS**  
 AND HETEROGENEOUS POLYMER BLENDS, 49 93  
 RANDOM, IN POLYMERS, 49 1276
- BRABENDER PLASTOGRAPH, 46 1193**
- BRAKING COEFFICIENT, 47 467**  
 AS FUNCTION OF HARDNESS, 47 469  
 VARIATION WITH CORNERING COEFFICIENT, 44 962
- BRANCHED POLYMERS**  
 LIGHT SCATTERING OF, 41 437  
 STRUCTURE OF, 41 437
- BRANCHING, see CHAIN BRANCHING**
- BRASS**  
 EFFECT OF OIL ON ADHESION TO RUBBER, 47 161
- BREAKDOWN**  
 ELECTRICAL, OF RUBBER-CARBON BLACK VUL-

- CANIZATES, 41 1219
- BREAKER BELTS**  
FOR TIRES, STIFFNESS OF, 41 988
- BRIDGE BEARINGS**  
OF NATURAL RUBBER, 50 145
- BRITTLINESS TEMPERATURE**, 44 1396
- BROMOBUTYL RUBBER**  
CURE RATE AND VULCANIZATE PROPERTIES, 45 1167  
IN RUBBER BLENDS, 47 1317  
MICROWAVE CURING, 47 473  
VULCANIZATION OF, 46 1334
- BROMOBUTYL-MODIFIED ELASTOMER BLENDS**  
HEAT RESISTANCE AND DYNAMIC PROPERTIES, 49 408
- BUBBLES IN RUBBER**  
GROWTH OF, 44 1363  
HOMOGENEOUS NUCLEATION OF, 44 1363
- BUECHE-HALPIN THEORY OF FRACTURE**, 41 1168
- BULK FRICTION**, 42 1122
- BUTADIENE**  
AS POLYFUNCTIONAL COUPLING AGENT, 49 1305
- BUTADIENE-ACRYLONITRILE COPOLYMER**, *see* NITRILE RUBBER
- BUTADIENE-ISOPRENE COPOLYMERS**  
BUTYL-2-BENZOTHAZOLE SULFENAMIDE, MASS SPECTRUM OF, 45 180  
NETWORK STRUCTURE OF, 45 1597  
OLIGOMERS OF, 45 1597  
REACTION WITH BENZOTHAZOLINETHIONE, 45 1513  
SULFUR-35 LABELED, 45 467  
TRITIUM LABELED, 45 467
- BUTADIENE-STYRENE BLOCK POLYMERS**, 41 161
- BUTADIENE-STYRENE RUBBER**, *see* STYRENE-BUTADIENE RUBBER
- BUTANE**  
OXIDATION OF, 45 437
- BUTANEDIOL, 1,4-**  
CURING AGENT FOR URETHANES, 44 52  
IN THERMOPLASTIC ELASTOMERS, 50 1  
OXIDATION PRODUCT OF POLYISOPRENE, 47 1094
- BUTANEDIONE, 2,3-**  
OXIDATION PRODUCT OF POLYISOPRENE, 47 1094
- BUTANEDITHIOL, 1,4-**  
IN RADIATION CURE OF CIIR, 48 860
- BUTANETHIOL, 1-**  
IN RADIATION CURE OF CIIR, 48 860
- BUTANONE, 2-**  
4-HYDROXY, OXIDATION PRODUCT OF POLYISOPRENE, 47 1094
- BUTENAL, 2-**  
OXIDATION PRODUCT OF POLYISOPRENE, 47 1094
- BUTENE-BUTADIENE COPOLYMER**, 45 1532  
NMR SPECTRUM OF, 45 1532
- BUTENESULFENIC ACID**  
AS PEROXIDE DECOMPOSER, 49 147
- BUTEN-2-ONE, 1-**  
OXIDATION PRODUCT OF POLYISOPRENE, 47 1094
- BUTYL HYDROPEROXIDE**  
DECOMPOSITION BY SULFUR COMPOUNDS, 49 147
- BUTYL METHACRYLATE**  
POLYMERIZATION, 43 74
- BUTYL PEROXIDE**  
INITIATION OF OXIDATION BY, 45 437
- BUTYL RUBBER**  
ABRASION OF, 41 209  
ADHESION, 42 30  
AIR BARRIER OF, 45 1151  
AIR PERMEABILITY, 49 967  
ANISOTROPY OF, 43 836  
BANBURY MIXING TIME, 48 410  
BLENDS CONTAINING, 47 481  
BLENDS WITH POLYETHYLENE, 49 978  
BLENDS WITH VARIOUS RUBBERS, 44 814  
BOUND RUBBER AND CARBON BLACK, 42 1494  
BROMINATED, IDENTIFICATION IN BLENDS, 48 653  
CARBON BLACK MORPHOLOGY IN, 50 842  
CARBON BLACK REINFORCEMENT, 48 410  
CHAIN CROSS SECTION AND MOONEY-RIVLIN CONSTANTS, 50 798  
CHLORINATED, IN SIDEWALL BLENDS, 48 1112  
CHLORINATED, TIRE LINER COMPOUND FROM, 47 1315  
CRITICAL SURFACE TENSION OF SPREADING, 42 30  
CURATIVE DIFFUSION IN, 42 1058  
DAMPING BY, 44 1043  
DIELECTRIC LOSS FACTOR OF, 44 294  
DIFFERENTIAL THERMAL ANALYSIS, 42 110, 1490  
DIFFUSION OF OIL IN, 44 1430  
DIFFUSION OF SULFUR IN, 44 1307  
DILUTE-SOLUTION PROPERTIES, 48 765  
DOUBLE STRAIN AMPLITUDE AND PHASE ANGLE IN, 44 440  
DYNAMIC PROPERTIES, 45 1151  
DYNAMIC PROPERTIES, 47 803  
DYNAMIC RHEOLOGICAL PROPERTIES, 41 758  
DYNAMIC SHEAR MODULI OF VULCANIZATES OF, 44 258  
EFFECT OF AGING ON TEAR OF, 44 1043  
EFFECT OF CARBON BLACK AND PLASTICIZER ON DYNAMIC PROPERTIES OF, 44 258  
EFFECT OF CARBON BLACK LOADING ON TENSILE STRESS RELAXATION OF, 44 185  
EFFECT OF CARBON-BLACK CONCENTRATION, 47 803  
EFFECT OF MILL SIZE ON MIXING OF, 44 440  
EFFECT OF PROMOTER ON REINFORCEMENT, 48 410  
EFFECT OF VARIOUS HYDROCARBONS ON, 45 278  
EQUATION OF STATE FOR, 42 1399  
FLAMMABILITY, 46 1114  
FREE VOLUME OF, 45 278  
FRICTION, 42 1122  
FRICTION, 44 1147  
HALOGENATED, 48 1114  
HEALTH HAZARD IN MANUFACTURE OF, 44 512  
HEAT RESISTANCE OF TRUCK TIRE INNER TUBES FROM, 43 929  
HYDROXYL-TERMINATED, 50 1010  
HYSTERESIS OF, 47 803  
IDENTIFICATION IN BLENDS, 48 653  
IMMOBILIZATION AT SURFACE OF CARBON BLACK, 43 973  
IN THERMOPLASTIC ELASTOMERS, 49 978  
IN TREAD STOCKS, 41 943  
IN-PHASE AND OUT-OF-PHASE RESPONSE OF, 44 440  
INTERACTION WITH CARBON BLACK, 42 850, 858  
ISOPRENE STRUCTURE IN, 42 392  
LIQUID, IN RUBBER COMPOUNDING, 48 590  
LOW-TEMPERATURE FLEXIBILITY, 44 1043

- LOW-TEMPERATURE FLEXIBILITY, 45 1151  
 MISCIBILITY OF ELASTOMERS WITH, 43 370  
 MORPHOLOGY OF BLACK-LOADED, STRAINED  
 VULCANIZATES OF, 43 1015  
 MORPHOLOGY OF BLENDS WITH, 43 370  
 NUCLEAR MAGNETIC RESONANCE, 42 392  
 OIL DIFFUSION COEFFICIENT-CONCENTRATION  
 FUNCTION, 44 87  
 OIL MIGRATION IN, 45 278  
 OXIDATION MECHANISM, 49 1010  
 OZONE CRACKING, 41 1294  
 PEROXIDE CURING, 42 1147  
 PHYSICAL CONSTANTS OF, 49 189  
 POLYSTYRENE GRAFT IN, 46 1044  
 RADIATION CURING OF, 40 860  
 RADIO THERMOLUMINESCENCE, 49 179  
 RESIN CURING OF, 44 914  
 SHEAR BREAKDOWN OF CARBON BLACK IN, 43  
 943  
 SHEAR MODULUS AND DOUBLE STRAIN  
 AMPLITUDE, 44 440  
 SILICA REINFORCEMENT, 48 410  
 SPRING RATE OF, 44 1043  
 STIFFNESS OF MOLECULAR CHAINS OF, 43 836  
 STIFFNESS-HYSTERESIS CHARTS, 47 803  
 STRESS RELAXATION, 50 895  
 STRESS-STRAIN STUDIES, 41 1231  
 STRUCTURE OF, 48 765  
 TENSILE STRENGTH RETENTION OF INNER  
 TUBES OF, 44 397  
 THERMAL ANALYSIS OF, 45 329  
 THERMAL ANALYSIS OF, 48 661  
 THERMAL CONDUCTIVITY OF BLACK FILLED, 42  
 1314  
 THERMAL DIFFUSIVITY, 47 849  
 THERMAL EXPANSION OF, 45 278  
 THERMAL GRAVIMETRIC ANALYSIS, 42 1490  
 THERMODYNAMICS OF MIXING, 42 1397  
 THETA SOLVENTS FOR, 48 765  
 TRANSMISSIBILITY OF, 44 440  
 UNSATURATION IN, 41 400  
 USE IN DRUG ADMINISTRATION RESERVOIR, 50  
 969  
 VISCOSITY OF LOW MOLECULAR WEIGHT FRAC-  
 TIONS OF, 43 935  
 VOLUME CHANGE OF STRAINED VULCANIZATES  
 OF, 43 1025  
 VULCANIZATION BY BIS-AZIDODIFORMATES, 43  
 605  
 VULCANIZATION BY NITRENES, 43 605  
 VULCANIZATION WITH 2-(MORPHOLINODITHIO)-  
 BENZOTHAZOLE, 50 90  
**BUTYL CRESOLS**  
 T, DITHIOBIS-, 50 641  
**BUTYLLITHIUM**  
 EFFECT OF BUTOXYLITHIUM IMPURITY, 48 1070  
 INITIATION OF POLYMERIZATION, 48 1070  
 ISOMERS IN POLYMERIZATION, 48 1070  
 POLYMERIZATION BY, 43 22  
 REACTION WITH STYRENE AND ISOPRENE, 48  
 1070  
**BUTYL-TERT-BUTANETHIOL SULFINATE**  
 AS PEROXIDE DECOMPOSER, 49 147  
**BUTYROLACTONE**  
 4-METHYL-4-VINYL, OXIDATION PRODUCT OF  
 POLYISOPRENE, 47 1094  
**CABLE, see ALSO WIRE**  
 RUBBER INSULATED, 40 350  
 SHIELD DESIGN FOR HIGH VOLTAGE, 40 351  
 SILICONE RUBBER INSULATION FOR, 48 355  
**CADMIUM DIETHYLDITHIOCARBAMATE**  
 HEALTH HAZARD OF, 44 512  
**CALCIUM CARBONATE**  
 FILLER FOR FLUOROELASTOMERS, 46 619  
 IN VULCANIZATES, MICROSCOPY OF, 46 653  
**CALCIUM OXIDE**  
 DRYING AGENT IN VULCANIZING NATURAL RUB-  
 BER, 43 501  
 IN FLUOROELASTOMER VULCANIZATES, 46 619  
**CALENDERING**  
 CONTROL BY COMPUTER, 49 399  
 OF FLUOROELASTOMERS, 46 619  
**CALENDERS**  
 THEORY OF, 41 1354  
**CALORIMETER**  
 VULCANIZATION IN, 43 1275  
**CALORIMETRY**  
 OF ALKANES ON CARBON BLACK SURFACES, 45  
 117  
**CAMBER**  
 FORCE IN TIRES, 43 981  
 IN PNEUMATIC TIRES, 43 981  
 LATERAL SLIP AND, 43 981  
**CAPILLARY FLOW**  
 OF BLENDS, 46 1193  
 OF NBR, 46 417  
**CAPILLARY RHEOMETER, 46 417, 1193**  
 AND MASTER CURVE, 46 69  
 USE FOR CARBON-BLACK-FILLED NBR, 48 615  
**CAPROLACTAM**  
 EFFECT ON VULCANIZATE PROPERTIES OF SBR,  
 47 1241  
**CARBON-14**  
 ACCELERATORS, 45 467  
 HYDROCARBONS, 45 278  
**CARBON-13**  
 NUCLEAR MAGNETIC RESONANCE SPECTROS-  
 COPY, 44 781  
 NUCLEAR MAGNETIC SPECTRA OF  
 POLYBUTADIENE, 47 1136  
**CARBON BISULFIDE**  
 AS SOLVENT FOR ISOBUTYLENE COPOLYMERS,  
 49 980  
**CARBON BLACK**  
 ABRASION STUDIES OF HAF-HS AND ISAF, 44  
 1173  
 ACIDIC GROUPS ON SURFACE OF, 44 307  
 ADSORBED RUBBER ON, 45 82  
 ADSORPTION BY, 44 218  
 ADSORPTION FROM SOLUTION BY, 44 307  
 ADSORPTION OF C-4 HYDROCARBONS ON, 45  
 117  
 ADSORPTION OF POLYMER ON, 48 548, 810  
 ADSORPTION OF RUBBER ON, 41 1256  
 AGGREGATE STRUCTURE OF, 44 307  
 AGGREGATES, 42 1209, 1496  
 AGGREGATES, 45 1171  
 AGGREGATES, 47 411, 1082  
 AGGREGATES, CENTRIFUGATION AND IMAGE  
 ANALYSIS, 50 1000  
 AGGREGATES, POLYDISPERSITY OF, 48 538  
 AGING OF, 44 1282  
 AN ENVIRONMENTAL CONTROL, 44 512  
 ANALYSIS BY TGA, 42 1490  
 AND CROSSLINK DENSITY INCREASE, 47 251  
 AND ELASTIC MODULUS-STRAIN AMPLITUDE  
 FUNCTION, 47 729  
 AND ELECTRICAL PROPERTIES OF EPM, 45 1688

- AND FLUOROELASTOMER SHRINKAGE, **49** 43  
AND RUBBER MIXTURES. HEAT TREATMENT, **48** 410  
AND RUBBER RELAXATION, **45** 82  
AND SHEAR MODULUS, **47** 825  
AND STRAIN DISTRIBUTION, **47** 729  
AND VULCANIZATE PROPERTIES, **42** 598  
ANISOMETRY, **47** 411  
BASAL LAYER PLANES IN, **44** 307  
BONDED RUBBER AND, **47** 729  
BONDING OF BR TO, **50** 747  
BONDING TO RUBBER, **44** 175  
BONDING TO RUBBER DURING VULCANIZATION, **41** 330  
BOUND RUBBER AND, **42** 850, 858, 1494  
BOUND RUBBER AND, **43** 973  
BOUND RUBBER AND, **45** 94  
BREAKDOWN DURING MIXING, **47** 858, 1082  
BREAKDOWN DURING MIXING, **50** 765  
BREAKDOWN OF, **47** 411, 1082  
CHAIN STRUCTURE, **41** 356, 1207  
CHAIN STRUCTURE, MEASUREMENT OF, **43** 1359  
CHANNEL BLACK, **47** 33  
CHARACTERIZATION BY ELECTRON MICROSCOPE, **50** 842  
CHEMICAL CHANGE AND BREAKDOWN, **43** 943  
CHEMICAL STRUCTURE. EFFECT ON DYNAMIC PROPERTIES, **45** 1051  
CHEMISORPTION AT INTERFACE OF, **43** 973  
CHEMISORPTION OF, **44** 307  
CLASSIFICATION OF, **41** 1271  
COLLECTION, **47** 38  
COMPRESSED AND OIL ABSORPTION, **44** 199  
COMPUTER DATA PROCESSING OF PARTICLE SIZE OF, **44** 230  
CONCENTRATION AND DYNAMIC PROPERTIES, **47** 729  
CONCENTRIC LAYER ORIENTATION, **44** 307  
CONDUCTIVE, **50** 735  
CONDUCTIVITY OF OIL DISPERSION OF, **43** 1359  
CONTINUOUS GRAPHITIC LAYER NETWORK, **44** 230  
CRYSTALLINITY BY X-RAY DIFFRACTION, **48** 410  
DBP ABSORPTION TEST, **45** 1171  
DBP NUMBER, IODINE NUMBER, AND TINT, **46** 821  
DEGREE OF DISPERSION BY RESISTIVITY, **50** 194  
DEGREE OF DISPERSION IN RUBBER, **47** 469  
DIBUTYL PHTHALATE ABSORPTION, **47** 1082  
DIBUTYL PHTHALATE ABSORPTION OF COMPRESSED, **44** 199  
DIBUTYL PHTHALATE TEST, **47** 411  
DIELECTRIC LOSS FACTOR, **44** 294  
DIFFERENTIAL HEATS OF ADSORPTION ON, **44** 218  
DIFFUSION COEFFICIENT OF HYDROCARBONS IN VARIOUS RUBBERS AND, **45** 27 8  
DISPERSION. EFFECT ON RADIO FREQUENCY HEATING, **41** 1219  
DISPERSION IN LIQUID ELASTOMERS, **46** 148  
DISPERSION IN LIQUID RUBBER, **44** 750  
DISPERSION IN MINERAL OIL, **50** 735  
DISPERSION MEASUREMENT BY MICROSCOPY, **46** 653  
DISTRIBUTION IN BLENDS, **46** 178, 653  
DISTRIBUTION IN BLENDS OF RUBBERS, **41** 344  
DISTRIBUTION IN RUBBER BLENDS, **43** 400  
DISTRIBUTION OF CURATIVES IN RUBBER VULCANIZATES AND, **45** 94  
DISTRIBUTION OF IN POLYMER BLENDS, **47** 48  
DPG TEST FOR OXIDATION, **50** 211  
D-SPACINGS IN, **43** 470  
DURING MASTICATION OF RUBBERS, **46** 653  
ECOLOGY OF MANUFACTURE, **47** 1308  
EFFECT OF AGGREGATE SIZE ON RUBBER PROPERTIES, **48** 538  
EFFECT OF BLACK TYPE ON DIELECTRIC HEATING, **44** 294  
EFFECT OF BOUND HYDROGEN ON REINFORCEMENT BY, **43** 1529  
EFFECT OF CONCENTRATION ON BONDED RUBBER, **47** 858  
EFFECT OF CONCENTRATION ON CRYSTALLIZATION OF POLYBUTADIENE, **46** 178  
EFFECT OF DENSIFICATION ON MODULUS CONFERRED BY, **44** 199  
EFFECT OF DISPERSION ON TREAD PERFORMANCE, **42** 700  
EFFECT OF DYNAMIC MODULI, **47** 765, 825  
EFFECT OF GLASS TRANSITION OF RUBBER, **41** 1194  
EFFECT OF GRAPHITIZATION ON ABRASION, **44** 214  
EFFECT OF HEAT TREATMENT ON STRUCTURE OF, **41** 356  
EFFECT OF HEAT TREATMENT TEMPERATURE ON, **44** 307  
EFFECT OF HEATING ON STRUCTURE, **48** 410  
EFFECT OF LOADING ON SHEAR STRESS RELAXATION OF SBR, **44** 175  
EFFECT OF LOADING ON TIRE TREADWEAR AND TRACTION, **44** 1445  
EFFECT OF LOADING ON WEAR, **43** 1070  
EFFECT OF LOADING ON WET SKID, **43** 1070  
EFFECT OF MILL-BREAKDOWN ON RUBBER PROPERTIES, **47** 1082  
EFFECT OF MILLING ON STRUCTURE, **42** 1493  
EFFECT OF MIXING CONDITIONS ON DISPERSION OF, **44** 750  
EFFECT OF MOLECULAR WEIGHT ON BOUND RUBBER, **43** 973  
EFFECT OF, ON RHEOLOGY OF NBR, **48** 615  
EFFECT OF PARTICLE SIZE ON STRAIN RELAXATION RATE MINIMA, **44** 185  
EFFECT OF PYROLYSIS ON SIZE OF, **47** 1082  
EFFECT OF SOLVENT ON BOUND RUBBER, **43** 973  
EFFECT OF STORAGE ON, **44** 1282  
EFFECT OF STRUCTURE ON CONDUCTIVITY OF, **43** 1359  
EFFECT OF STRUCTURE ON ELASTIC MODULUS, **46** 897  
EFFECT OF STRUCTURE ON TREAD PERFORMANCE, **42** 700  
EFFECT OF STRUCTURE ON WEAR, **42** 1495  
EFFECT OF SURFACE AREA MODULUS, **44** 440  
EFFECT OF TEMPERATURE ON BOUND RUBBER, **43** 973  
EFFECT OF TYPE ON DYNAMIC PROPERTIES, **46** 897  
EFFECT OF TYPE ON MIGRATION OF EXTENDER OIL IN RUBBER, **43** 1349  
EFFECT OF TYPE ON MIXING PROCEDURE, **46** 897  
EFFECT OF TYPE ON TIRE TREADWEAR AND TRACTION, **44** 1445  
EFFECT ON AGING OF NATURAL RUBBER, **41** 182  
EFFECT ON CRACK GROWTH OF TIRE TREAD COMPOUNDS, **47** 231

- EFFECT ON CRYSTALLIZATION OF NATURAL RUBBER IN A CAPILLARY RHEOMETER, 43 449  
 EFFECT ON DAMPING COEFFICIENT, 44 258  
 EFFECT ON DIFFUSION OF OIL, 42 1473  
 EFFECT ON DISOCYANATE CROSSLINKING, 43 501  
 EFFECT ON DOUBLE STRAIN AMPLITUDE AND DYNAMIC MODULUS, 44 440  
 EFFECT ON DYNAMIC COMPLEX SPRING RATE, 44 258  
 EFFECT ON ELASTOMER BREAKDOWN DURING MILLING, 46 1218  
 EFFECT ON ELECTRICAL CONDUCTANCE OF VULCANIZATES, 50 735  
 EFFECT ON FATIGUE AND CUT GROWTH, 48 1090  
 EFFECT ON FATIGUE LIFE OF BLACK-LOADED RUBBER VULCANIZATES, 47 231  
 EFFECT ON FLUOROELASTOMER CURE, 49 43  
 EFFECT ON FRICTION OF RUBBER ON ICE, 48 527  
 EFFECT ON GREEN STRENGTH OF POLYISOPRENES, 46 1234  
 EFFECT ON HYSTERESIS, 47 729  
 EFFECT ON HYSTERESIS AND BREAKING ENERGY, 43 687  
 EFFECT ON INJECTION MOLDING, 42 1321 1336  
 EFFECT ON INTERFACIAL ADHESION OF RUBBERS, 46 251  
 EFFECT ON ISOTHERMAL AND ADIABATIC TENSILE STRENGTH OF RUBBERS, 44 397  
 EFFECT ON MIXING OF SBR COMPOUND, 49 1  
 EFFECT ON NMR RELAXATION TIME OF BR, 50 747  
 EFFECT ON PHASE ANGLE IN BUTYL RUBBER, SBR, AND NATURAL RUBBER, 44 440  
 EFFECT ON POISSON RATIO OF ELASTOMERS, 48 246  
 EFFECT ON PROPERTIES, 47 231, 424, 729, 1082  
 EFFECT ON PROPERTIES OF ELASTOMER BLENDS, 50 301  
 EFFECT ON RELAXATION RATE OF SBR OF SURFACE AREA OF, 44 185  
 EFFECT ON RUBBER RELAXATION TIME, 46 1218  
 EFFECT ON SHEAR COMPLEX MODULUS, 44 258  
 EFFECT ON SHEAR ELASTIC MODULUS, 44 258  
 EFFECT ON SHEAR LOSS MODULUS, 44 258  
 EFFECT ON SHEAR VISCOSITY, 47 825  
 EFFECT ON STATIC SPRING RATE, 44 258  
 EFFECT ON TENSILE STRESS RELAXATION OF SBR OF LOADINGS OF, 44 185  
 EFFECT ON THERMAL CONDUCTIVITY, 50 253, 480  
 EFFECT ON THERMAL DIFFUSIVITY, 47 849  
 EFFECT ON TIRE PROPERTIES, 48 1091  
 EFFECT ON TREAD WEAR, 41 1271  
 EFFECT ON VULCANIZATION, 44 199  
 EFFECT ON VULCANIZATION WITH DICUMYL PEROXIDE, 47 251  
 EFFECT ON VULCANIZING, 45 129  
 EFFECTIVE LOADING BY, 44 199  
 EFFECTIVENESS FACTOR FOR VARIOUS BLACKS, 45 1171  
 ELECTRON MICROGRAPHS OF, 44 307  
 ELECTRON MICROGRAPHS OF, 45 145  
 ELECTRON MICROGRAPHS OF, 46 1239  
 ELECTRON MICROSCOPY, 50 996  
 ELECTRON MICROSCOPY OF, 44 844  
 ELECTRON MICROSCOPY OF, 47 413, 858, 1082  
 EXCHANGE WITH RUBBER OF SURFACE SULFUR OF, 43 449  
 EXTERNALLY BOUND HYDROGEN ON, 43 1529  
 FEEDSTOCK, 47 39  
 FEF, 47 37  
 FILLED SBR, DYNAMIC PROPERTIES, 48 592  
 FOR TIRE TREADS, 41 1105  
 FORM FACTOR RELATED TO RUBBER PROPERTIES, 44 230  
 FREE VOLUME OF RUBBER AND, 45 278  
 FROM PETROLEUM COKE, 47 470  
 FROM PYROLYSIS OF SCRAP TIRES, 49 1120  
 FROM PYROLYSIS OF TIRES, 47 597  
 FUNCTIONAL GROUP MODIFICATION, 48 410  
 FUNCTIONAL GROUPS ON SURFACE OF, 41 382  
 FUTURE OF, 50 432  
 GEL WITH RUBBER, 47 858  
 GRAFTING OF POLYMERS TO, 48 410  
 GRAPHITIZATION OF, 43 1529  
 GRAPHITIZED, 46 877  
 GRAPHITIZED, 47 858  
 GRAPHITIZED AND VULCANIZATION, 45 129  
 GRAPHITIZED FT BLACK AS ADSORPTION STANDARD, 45 960  
 GRAPHITIZED, IN SBR, 48 548  
 HAF, MORPHOLOGY OF, 46 204  
 HEAT TREATMENT OF, 43 470  
 HEATS OF ADSORPTION OF, 44 307  
 HEATS OF ADSORPTION OF HYDROCARBONS, 45 117  
 HEATS OF IMMERSION IN HYDROCARBONS, 45 117  
 HEAT-TREATED, 44 307  
 HETEROGENEOUS NATURE OF SURFACE OF, 44 218  
 HYDROGEN ATOMS ON SURFACE OF, 44 307  
 HYDROXYL GROUPS ON SURFACE OF, 44 307  
 HYSTERESIS AND RUBBER FAILURE AND, 45 1043  
 IDENTIFICATION AND DETERMINATION IN VULCANIZATES, 49 1060  
 IDENTIFICATION BY MICROSCOPE, 46 653  
 IDENTIFICATION IN VULCANIZATES, 50 842  
 IDENTIFICATION IN VULCANIZATES BY PYROLYSIS, 43 1529  
 IMMERSIONAL CALORIMETRY OF, 44 218  
 IMMOBILIZATION OF ELASTOMERS BY, 43 973  
 IN BLENDS OF RUBBER, 44 814  
 IN CAPILLARY RHEOMETRY, 46 615  
 IN DEPOLYMERIZED SCRAP RUBBER, 48 50  
 IN FLUOROELASTOMERS, 46 619  
 IN INTERNAL MIXERS, 49 12  
 IN POLY(ALKYLENE OXIDE) RUBBERS, 45 900  
 IN POLYISOPRENE MIXES, 49 1  
 IN RUBBER, ELECTRON MICROSCOPY, 50 996  
 IN RUBBER MIXING, 48 577  
 IN UNVULCANIZED COMPOUNDS, RESISTIVITY OF, 50 194  
 IN VULCANIZATES, STRAIN-DEPENDENT DYNAMIC PROPERTIES, 48 79, 89  
 INCREASING CROSSLINK DENSITY IN RUBBERS AND, 45 94  
 INFLUENCE ON CARBON-13 NMR SPECTRUM OF POLYISOPRENE, 46 359  
 INFLUENCE ON SWELLING RATE, 42 804  
 INFRARED ABSORPTION BY, 45 108  
 INFRARED ABSORPTION OF HEAT TREATED, 45 106  
 INFRARED ABSORPTION OF SURFACE GROUPS



- OF VARIOUS, 45 106  
 INFRARED ABSORPTIVITIES OF VARIOUS, 45 106  
 INTERACTION WITH CIS-BR, 50 747  
 INTERACTION WITH POLYISOPRENE, 46 1234  
 INTERACTION WITH RUBBER, NMR STUDY, 48 1109  
 INTERPLANAR SPACINGS IN, 43 470  
 LABELED HYDROGEN IN, 42 1200  
 LACTONE GROUPS ON SURFACE OF, 44 307  
 LARGE-PARTICLE OIL FURNACE BLACK, 45 145  
 LIGHT SCATTERING BY, 46 653  
 LOADING AND OIL DIFFUSIVITY, 45 276  
 LOW ANGLE X-RAY STUDIES OF, 46 588  
 LOW STRUCTURE, LOW PH, 41 1387  
 MANUFACTURE AND ECOLOGY, 47 1308  
 MASTICATION OF RUBBER AND, 45 1171  
 MICROSTRUCTURE, 41 356  
 MICROSTRUCTURE, 42 1209  
 MICROSTRUCTURE, 44 307  
 MICROSTRUCTURE IN RUBBERS, 46 653  
 MIGRATION IN RUBBER BLENDS, 43 400  
 MIGRATION IN RUBBERS, 44 185  
 MIGRATION OF, IN BLENDS OF CHLOROBUTYL AND POLYBUTADIENE, 46 204  
 MIXING ENERGY OF, 49 12  
 MORPHOLOGY, 42 1209, 1496  
 MORPHOLOGY, 43 470  
 MORPHOLOGY, 44 230, 307  
 MORPHOLOGY, 47 729, 858, 1082  
 MORPHOLOGY AND ELECTRICAL CONDUCTANCE OF VULCANIZATES, 50 735  
 MORPHOLOGY, BY IMAGE ANALYSIS COMPUTER, 46 204  
 MORPHOLOGY, EFFECT ON PROCESSING, 50 842  
 MORPHOLOGY, EFFECT ON VULCANIZATE PROPERTIES, 50 842  
 MORPHOLOGY IN DIFFERENT VULCANIZATES, 50 842  
 MORPHOLOGY OF VULCANIZATES UNDER STRAIN LOADED WITH, 43 1015  
 MULLINS EFFECT, 45 1171  
 NETWORK WITH RUBBER, ESTIMATION OF, 47 729  
 NEW SOURCES OF, 50 432  
 NEW TECHNOLOGY, 46 1239  
 NITROGEN ADSORPTION ISOTHERMS ON, 43 960  
 NMR STUDY OF INTERACTION WITH BR, 50 747  
 OCCLUDED RUBBER AND, 45 1171  
 OCCLUDED RUBBER IN, 44 728  
 OCCLUDED RUBBER IN, 47 411  
 OCCLUDED VOLUME AND, 45 1171  
 OIL FURNACE BLACK, 47 411  
 OXIDATION OF, 44 1282  
 OXIDATIVE CHAIN SCISSION OF NATURAL RUBBER AND, 46 381  
 OXIDIZED, 43 470  
 OXIDIZED, 44 307  
 PACKING DENSITY, 44 199  
 PARACRYSTALLINE GRAPHITIC LAYER STRUCTURE, 44 230  
 PARTICLE AGGREGATION, 48 79, 89  
 PARTICLE DISTRIBUTION IN AGGREGATES OF, 43 1015  
 PARTICLE GEOMETRY AND VULCANIZING PARAMETERS, 45 129  
 PARTICLE SIZE, 46 588, 653  
 PARTICLE SIZE, 47 411, 1082  
 PERFORMANCE OF PRESENT-DAY, 48 339  
 PERSISTENT STRUCTURE IN, 43 1359  
 PI-ELECTRONS ON SURFACE OF, 44 307  
 PORE SIZE OF, 43 464  
 POROSITY MEASUREMENT OF, 43 960  
 PRESSURE-MILLING OF, 47 1082  
 PROPERTIES AND GROOVE CRACKING, 41 373  
 PROPERTIES AND TREAD WEAR, 41 373, 1386  
 PYROLYTIC VOLATILE ANALYSES OF, 44 307  
 QUANTIMET MEASUREMENT, 47 858, 1082  
 QUANTITATIVE DETERMINATION BY MICROSCOPY, 46 653  
 QUINONE GROUPS ON SURFACE OF, 44 307  
 RADICAL DISTRIBUTION FUNCTION, 47 411  
 RANDOM DISTRIBUTION OF, 41 1219  
 REFLOCCULATION, 48 410  
 REINFORCEMENT BY, 48 410  
 REINFORCEMENT BY, 49 12  
 REINFORCEMENT IN TERMINALLY UNSATURATED BR NETWORKS, 48 202  
 REINFORCEMENT OF EPM BY, 45 709  
 REINFORCEMENT OF LIQUID ELASTOMERS, 48 161  
 REINFORCEMENT OF PHOSPHONITRILIC FLUORO-ELASTOMERS BY, 47 32  
 REPLACEMENT BY SILICA, 50 356  
 ROAD WEAR OF RUBBER REINFORCED BY, 48 1239  
 RUBBER BONDED TO SURFACE OF, 47 858  
 RUBBER INTERACTION WITH, 47 858  
 RUBBER TO WIRE ADHESION AND, 45 26  
 RUBBER TRAPPED BY, 47 858  
 RUPTURE OF RUBBER BONDING TO, 44 185  
 S AND N TYPES IN TIRE COMPOUNDS, 50 211  
 SATURATION ADSORPTION BY RUBBERS OF, 43 465  
 SBR MASTERBATCHES, BOUND RUBBER, 48 548  
 SEDIMENTATION OF, 47 1082  
 SHAPE CLASSIFICATION OF PRIMARY UNITS, 46 204  
 SHAPE EFFECT ON TIRE WEAR, 48 178  
 SHAPE FACTOR, 47 729  
 SHAPE IMAGE ANALYSIS, 46 204  
 SHIFT FACTORS FOR EQUIVALENCE OF, 44 199  
 SIZE DISTRIBUTION, 47 1082  
 SRF, SEMI-REINFORCING FURNACE BLACK, 47 253  
 STOKES DIAMETER, 46 1239  
 STRAIN MAGNIFICATION AND RELAXATION RATE BY, 44 185  
 STRUCTURE AND ELECTRICAL CONDUCTANCE OF VULCANIZATES, 50 735  
 SURFACE ACCESSIBILITY TO ELASTOMERS, 43 465  
 SURFACE, ACIDITY, 45 106, 129  
 SURFACE ACTIVITY, 41 356, 382  
 SURFACE AREA BY AEROSOL ADSORPTION, 43 941  
 SURFACE AREA MEASUREMENT, 44 1287  
 SURFACE AREA OF, 43 465  
 SURFACE AREA OF, 48 192, 1239  
 SURFACE AREA OF, 47 858, 1082  
 SURFACE AREA OF, 49 12  
 SURFACE AREA TESTS, 46 192, 1239  
 SURFACE AREAS MEASURED BY VARIOUS METHODS, 44 207  
 SURFACE, CHANGE DURING AGING OF, 44 1282  
 SURFACE CHEMISTRY OF, 44 307  
 SURFACE OXIDATION, 48 410  
 SURFACE PROPERTIES OF, 44 307, 1282  
 SURFACE REACTIONS OF, 44 307  
 SURFACE TREATMENT, 48 410  
 SURFACE-BOUND HYDROGEN, 48 410

SURFACE-MODIFIED, 48 410  
 TETRAMETHYLTHIURAM DISULFIDE VULCANIZATION AND, 45 129  
 THICKNESS OF BOUND LAYER ON, 50 747  
 THREE PHASE SYSTEM IN RUBBER, 45 94  
 TINTING STRENGTH, 48 1239  
 TRANSFER OF, IN ELASTOMER BLENDS, 45 178  
 TRANSIENT STRUCTURE CHANGE AND RESISTIVITY, 44 175  
 TRANSIENT STRUCTURE CHANGE AND SHEAR STRESS, 44 175  
 TRANSIENT STRUCTURE IN, 43 969, 1359  
 TRITIATED, 43 1529  
 TYPES, IN SBR MIXES, 49 1  
 ULTRASONIC DISPERSION, 47 858, 1082  
 UNIT AND DOMAIN DIMENSIONS OF, 44 230  
 UNIT SPACING, 47 729  
 VARIATION OF DISPERSION WITH MIXING TIME, 46 1218  
 VISCOUS MODULUS AND, 47 729, 825  
 VOID VOLUME IN, 44 199  
 VULCANIZATION AND, 45 94

#### **CARBON BLACK: STRUCTURE, 46 897, 1239**

**CARBON BLACK STRUCTURE, 47 411**  
 AND CRITICAL STRAIN, 43 1025  
 AND INTERPARTICLE DISTANCE, 43 969  
 AND OCCLUDED VOLUME, 44 199  
 BREAKDOWN AND SHEARING FORCE, 43 943  
 BREAKDOWN AS FUNCTION OF LOADING IN RUBBER, 43 943  
 BREAKDOWN AS FUNCTION OF RUBBER VISCOSITY, 43 943  
 BREAKDOWN UNDER STRAIN, 43 1015  
 BY ELECTRON MICROSCOPE, 49 1068  
 BY MERCURY POROSIMETRY, 44 805  
 CONCENTRATION EQUIVALENCE, 44 199  
 EFFECT OF CROSSLINKING ON SHIFT FACTOR OF, 44 199  
 EFFECT OF STRAIN ON SHIFT FACTOR OF, 44 199  
 EFFECT OF TEMPERATURE ON SHIFT FACTOR OF, 44 199  
 EFFECT ON DYNAMIC MECHANICAL PROPERTIES, 41 1215  
 EFFECT ON DYNAMIC PROPERTIES, 44 440  
 EFFECT ON ELECTRICAL CONDUCTIVITY, 41 1207  
 EFFECT ON PROPERTIES, 48 538  
 EFFECT ON STRAIN-SHEAR STRESS FUNCTIONS, 44 175  
 INDEX OF, 44 805  
 SHIFT FACTOR FOR, 44 199  
 SHIFT FACTOR IN EPDM RUBBER, 44 199  
 SHIFT FACTOR IN STYRENE BUTADIENE RUBBER, 44 199  
 SURFACE, AND VULCANIZATION, 45 129  
 WEAR OF TIRE TREADS OF VARIOUS TIRE CONSTRUCTIONS AND, 45 10

#### **CARBON-14 DATING**

FOR IDENTIFICATION OF IR AND NR, 50 819

#### **CARBON DIOXIDE**

FROM FLUOROELASTOMERS DURING CURE, 49 367

#### **CARBON FIBERS**

IN REINFORCEMENT OF ELASTOMERS, 50 945

**CARBON GEL, see BOUND RUBBER**

#### **CARBON MONOXIDE**

PHYSIOLOGICAL RESPONSE TO, 48 342

#### **CARBON-13 NMR**

OF POLYBUTADIENE, 45 1283

TACTICITY TRIAD DISTRIBUTION, 45 1283

#### **CARBON-13 NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY, 44 781**

CARBON ATOM STRUCTURE AND, 46 350  
 ELASTOMER CHARACTERIZATION BY, 48 705  
 LINE INTENSITIES IN, 46 250  
 MICROSTRUCTURE AND SPECTRAL LINE ASSIGNMENT, 46 350  
 POLYBUTADIENE, 46 350, 359  
 POLYBUTADIENE, 47 1136  
 POLYISOPRENE, 46 359, 1126  
 SEQUENCE DISTRIBUTION OF MICROSTRUCTURE, 46 350

#### **CARBON-14 TAGGED**

ACCELERATORS, 43 572  
 ACCELERATORS, 44 771  
 ETHYLIDENENORBORNENE, 46 1019  
 EXTENDER OILS, 43 1349  
 OIL IN MIGRATION STUDIES, 47 127  
 OIL LABELLED BY, 44 87  
 POLY(ETHYLENE CO PROPYLENE CO BUTENE), 46 30  
 VULCANIZING AGENTS, 43 572

#### **CARBON TETRACHLORIDE**

HEALTH HAZARD, 44 512

#### **CARBON-RUBBER GEL, 44 1208, 1227, 1249**

#### **CARBON-TO-CARBON CROSSLINK**

ARRHENIUS ACTIVATION ENERGIES OF, 44 579  
 THERMAL STABILITY OF, 44 579  
 VARIATION OF STABILITY OF, 44 579

#### **CARBORANE ELASTOMERS, 48 14**

#### **CARBORANE-SILOXANE ELASTOMERS, 48 14**

#### **CARBORANE-SILOXANE POLYMERS, 41 1378**

#### **CARBOXYLATED LATEX**

OF POLYCHLOROPRENE, 49 412

#### **CARBOXYLATED POLYISOPRENE, 46 47**

#### **CARBOXYLIC RUBBERS**

SCORCH CONTROL, 48 78

#### **CARBOXYNITROSO RUBBER, 44 40**

OXIDATION RESISTANCE, 44 40

SOLVENT RESISTANCE, 44 40

#### **CARCASS**

COMPOUNDING FOR ADHESION TO TIRE CORD, 47 213

STATE OF CURE, IN TIRES, 41 1371

#### **CARDIOVASCULAR SYSTEMS**

USE OF RUBBERS, 49 1363

#### **CARPET BACKING**

FORMULATION FOR FIRE RETARDANCE, 50 523

LATEX IN, 49 414

#### **CARPET UNDERLAY**

FORMULATION FOR FIRE RETARDANCE, 50 523

#### **CATALASE ANTIOXIDANT, 44 1421**

#### **CATALYST**

ACIDIC FOR ALDEHYDIC CROSSLINKING, 43 188

AND MOLECULAR WEIGHT DISTRIBUTION OF

EPM, 45 709

DEACTIVATION IN EPM COPOLYMERIZATION, 45

709

FOR COPOLYMERIZATION OF PROPYLENE OXIDE,

42 1028

FOR ETHYLENE, PROPYLENE, AND DICYCLOPENTADIENE TERPOLYMERIZATION, 42(1) 363, 368

METALLIC FOR OXIDATION OF SBR, 42 1466

RING OPENING POLYMERIZATION, 44 1341

ZIEGLER-NATTA FOR EPM COPOLYMERIZATION,

45 709

#### **CATALYSTS FOR POLYMERIZATION**

AND ABRASION RESISTANCE OF

POLYBUTADIENE, 47 1175

AND CRYSTALLIZATION HALF-TIMES OF

- POLYBUTADIENE, 47 1175  
AND HEAT GENERATION, OF POLYBUTADIENE, 47 1175  
AND TEAR STRENGTH OF POLYBUTADIENE, 47 1175  
OF POLYALKENAMERS, 47 511  
OF POLYBUTADIENE FROM URANIUM COMPOUNDS AND LEWIS ACIDS, 47 1175
- CATECHOL**  
HEALTH HAZARD, 45 627
- CATIONIC POLYMERIZATION**  
EFFECT OF SOLVENT AND TEMPERATURE, 48 1105  
MECHANISM OF CHAIN TERMINATION, 41 400  
OF ISOBUTYLENE WITH ISOPRENE OR CYCLOPENTADIENE, 48 1105
- CAULKS**  
FROM FLUOROELASTOMERS, 46 619
- CAVITIES**  
DISTRIBUTION IN STRAINED VULCANIZATES, 43 1015  
FORMATION OF IN STRAINED, BLACK-LOADED VULCANIZATES, 43 1015  
SHAPE AS FUNCTION OF STRAIN, 43 1015
- CELLULOSE**  
REINFORCEMENT OF EPDM, 50 444
- CELLULOSE ACETATE**  
POLYMER-SOLVENT INTERACTION PARAMETERS, 50 451
- CELLULOSE FIBERS**  
ASPECT RATIO, 47 396  
ELECTRON MICROGRAPH OF, 47 396  
IN ELASTOMERS, 49 1160, 1167  
IN EPDM COMPOSITES, 50 999  
IN EPDM COMPOUNDS, 49 1363  
IN FIBER-RUBBER COMPOSITES, 47 396  
IN RUBBER REINFORCEMENT, 49 1360  
SHORT, AS REINFORCING AGENTS, 48 1108  
SHORT, IN REINFORCEMENT OF ELASTOMERS, 50 945
- CELLULOSE NITRATE**  
POLYMER-SOLVENT INTERACTION PARAMETERS, 50 451
- CELLULOSIC PULPS**  
INCORPORATION OF LATEXES, 49 414
- CEMENT**  
LITHIUM IN POLYMER, 42 1054
- CETYLTRIMETHYLAMMONIUM BROMIDE**, *see* CTAB
- CHAIN BRANCHING**  
AND COEFFICIENTS OF FRICTION IN SOLUTION, 45 519  
AND MACROMOLECULAR DIMENSIONS, 45 519  
AND MOLECULAR WEIGHT DISTRIBUTION, 45 519  
AND RADIUS OF GYRATION, 45 519  
AND SEDIMENTATION CONSTANT, 45 519  
AND UNPERTURBED DIMENSIONS, 45 519  
AND VIRIAL COEFFICIENT, 45 519  
COMB SHAPED, 45 519  
ESTIMATION OF, 45 519  
IN EMULSION POLYMERIZATION, 49 610  
IN EPM COPOLYMERIZATIONS, 45 709  
IN EPM RUBBERS, 45 519, 709  
KINETICS IN CONTINUOUS, STIRRED, TANK REACTOR, 45 709  
LONG-CHAIN, 45 519  
LONG-CHAIN, 48 1035  
MEAN DENSITY OF, 45 519  
OF POLYBUTADIENE, 45 519  
OF POLY(SILOXANE)S, 45 519  
OF POLYSTYRENE, 45 519  
OF POLY(VINYL ACETATE), 45 519  
REVIEW, 45 519  
STOCKMAYER-FIXMAN EQUATION FOR, 45 519  
ZIMM-KILB THEORY, 45 519
- CHAIN CROSS SECTION**  
AND STRESS-OPTICAL COEFFICIENTS, 50 798  
OF POLYMERS, AND MOONEY-RIVLIN CONSTANTS, 50 798  
OF POLYMERS, DETERMINATION, 50 798
- CHAIN DIMENSIONS**  
FROM INTRINSIC VISCOSITY, 46 470  
STOCKMAYER-FIXMAN EQUATION, 46 470
- CHAIN ENTANGLEMENT**, *see* ENTANGLEMENT
- CHAIN EXTENSION**  
LIQUID ELASTOMERS, 46 139  
LIQUID RUBBERS AND, 44 750
- CHAIN SCISSION**  
DURING AUTOXIDATION, 45 359  
DURING FRACTURE, 48 445  
DURING REPEATED EXTRUSION, 50 723  
IN OXIDATION OF POLYISOPRENE, 50 373  
IN OXIDATIVE DEGRADATION OF VULCANIZATES, 50 43  
IN PEROXIDE VULCANIZATION OF EPM, 45 709  
OF NATURAL RUBBER VULCANIZATE, EFFECT OF WAVELENGTH OF LIGHT, 45 48 1  
OF NATURAL-RUBBER VULCANIZATES, 48 141
- CHAIN STIFFNESS**  
AND ANISOTROPY OF SYNTHETIC ELASTOMERS, 43 836  
BACKBONE, 42 1175  
PER MAIN CHAIN ATOM, 42 462
- CHAIN TRANSFER**  
DURING EPM COPOLYMERIZATION, 45 709  
FOR INCORPORATING ANTIOXIDANTS, 50 641, 650  
IN ANIONIC POLYMERIZATION, 48 359  
IN COPOLYMERIZATION OF VINYLIDENE FLUORIDE, 46 619  
IN EMULSION POLYMERIZATION, BY MERCAPTAN BLENDS, THEORY, 48 728
- CHAR FORMATION**  
IN BURNING OF RUBBERS, 50 523
- CHAR PROMOTION IN COMBUSTION OF POLYCHLOROPRENE FOAM**, 48 132
- CHARACTERIZATION OF ELASTOMERS BY C-13 NMR**, 48 705
- CHEMICAL CROSSLINK DENSITY**  
DETERMINATION OF, 43 1215  
EFFECT OF TIRE SERVICE ON, 43 1215  
EQUATION FOR, IN ETHYLENE-PROPYLENE RUBBER, 43 522  
IN NATURAL RUBBER, 43 651, 1215  
IN POLYBUTADIENE, 43 549
- CHEMICAL PROMOTERS**, *see* PROMOTERS AND COUPLING AGENTS
- CHEMICAL PROMOTION**  
EFFECTS OF, 41 1215
- CHEMISORPTION**  
AS FACTOR IN FILLER REINFORCEMENT, 41 330  
CARBON BLACK-ELASTOMER INTERFACIAL, 43 973  
ON CARBON BLACK SURFACES, 41 382
- CHEMORHEOLOGY**  
OF EPDM VULCANIZATES, 44 1334  
OF IRRADIATION-CURED NR, 48 141, 154  
OF RUBBER VULCANIZATES, 48 913  
OF UNCROSSLINKED LINEAR POLYMERS, 48 913  
OF VULCANIZED RUBBERS UNDER MECHANICAL STRESS, 45 1074  
UNDER MECHANICAL STRAIN, 46 388

**CHEMO-STRESS RELAXATION**

NATURAL RUBBER VULCANIZATES, 43 778

**CHI**, *see* POLYMER-SOLVENT INTERACTION  
PARAMETER**CHICLE**COMPOSITION AND STRUCTURE ANALYSIS BY  
INFRARED, 45 546

POLYISOPRENE MICROSTRUCTURE, 49 1259

**CHLORINATED POLYETHYLENE**, 43 171, 1519

BLENDS OF, 47 1301

CHLORINATION OF, 47 1301

COMPOUNDING, 46 1336

CROSSLINKING BY CHLOROKETONES, 43 171

FLAME RESISTANCE OF, 43 1519

FLAMMABILITY, 46 1114

GLASS TRANSITION TEMPERATURE, 48 623

HEAT RESISTANCE OF, 49 407

PYROLYSIS, 50 523

TG, 48 623

**CHLORINATION**

OF ETHYLENE-PROPYLENE COPOLYMERS, 49 353

**CHLOROANILINE**ORTHO, REACTION WITH ISOCYANATE PRE-  
POLYMERS, 50 1011**CHLOROBENZENE**

EQUATION-OF-STATE FOR, 46 338

**CHLOROBUTADIENE-BUTADIENE RUBBER**VULCANIZATION BY AMINOETHYLPIPERAZINE, 50  
364

VULCANIZATION BY DIISOCYANATES, 50 364

**CHLOROBUTYL RUBBER**

ADHESION, 42 971

ANALYSIS BY GAS CHROMATOGRAPHY, 46 1326

BLEND WITH SBR, 48 860

BLENDS WITH VARIOUS RUBBERS, 44 814

CARBON-BLACK-FILLED VULCANIZATES, PROP-  
ERTIES, 48 79

COMPATIBILITY IN BLENDS, 50 35

COMPATIBILITY WITH NR AND BR, 50 35

COVULCANIZED WITH DIENE RUBBERS, 46 251

CROSSLINK DENSITY DETERMINATION, 48 860

DETERMINATION IN VULCANIZATES, 48 97

DYNAMIC MECHANICAL PROPERTIES, 46 1330

HEAT RESISTANCE OF TRUCK TIRE INNER  
TUBES FROM, 43 929

IDENTIFICATION IN BLENDS, 48 631, 653

IN BLENDS, 47 48, 481

IN ELASTOMER BLENDS, 42 985

IN SIDEWALL COMPOUNDS, 50 430

IN TIRE SIDEWALL BLENDS, 43 482

MISCIBILITY OF ELASTOMERS WITH, 43 370

MORPHOLOGY OF BLENDS WITH, 43 370

RADIATION CURING OF, 48 860

STRUCTURE OF, 48 860

SWELLING IN CYCLOHEXANE, 48 860

TENSILE STRENGTH RETENTION OF INNERTUBES  
OF, 44 397

THERMAL ANALYSIS OF, 45 329

**CHLOROCYCLOHEXYL-2',4'-DINITROPHENYL SUL-  
FIDE**, 2, 49 892**CHLOROCYCLOHEXYL-2',4'-DINITRO- PHENYL  
SULFIDE**, 2, 49 982**CHLOROKETONES**

CROSSLINKING AGENTS FOR RUBBERS, 43 171

**CHLOROMETHYL ETHER**

AS DIFUNCTIONAL COUPLING AGENT, 49 1305

**CHLORO-4-OCTENE**

AS MODEL FOR POLYCHLOROPRENE, 50 49

**CHLOROPRENE**COPOLYMER WITH 2,3-DICHLOROBUTADIENE-1,3,  
50 272

COPOLYMER WITH MMA, 49 394

COPOLYMERS OF, 49 650

MANUFACTURE AND CHEMISTRY (REVIEW), 49  
650

REACTIVITY WITH OTHER MONOMERS, 49 650

TOXICITY OF, 49 650

**CHLOROPRENE RUBBER**, *see* POLYCHLOROPRENE**CHLOROSULFONATED POLYETHYLENE**

AUTOMOTIVE APPLICATIONS, 49 775

CRITICAL SURFACE TENSION OF SPREADING, 42  
30

DEGRADATION AND IR IDENTIFICATION, 48 289

EFFECT OF AMINES ON CURE OF, 43 1515

EFFECT OF CARBON BLACK ON CURE OF, 43  
1515ENERGETIC CONTRIBUTION TO ELASTICITY, 45  
638

FLAMMABILITY, 46 1114

FLAMMABILITY, 50 523

IDENTIFICATION IN BLENDS, 48 640

IDENTIFICATION OF COMPOUNDING INGREDIENTS  
IN, 42 625

MALEIMIDE CURE SYSTEM FOR, 43 1515

MALEIMIDE CURES OF, 44 1410

STABILITY, 42 110

STABILITY OF VULCANIZATES, 44 1401

STRESS RELAXATION OF VULCANIZATES OF, 44  
1410

THERMAL ANALYSIS OF, 45 329

VULCANIZATION BY ALDEHYDES, 43 188

VULCANIZATION BY BIS-AZIDODIFORMATES, 43  
505**CHLOROTHIOAMIDE ADDUCTS**

WITH CYCLOHEXENE AND HEXENE, 49 341

**CHLOROTHIO-N-METHYL-PARA-TOLUENE- SUL-  
FONAMIDE**

IN COCURES OF EPDM AND POLYDIENES, 49 341

**CHLOROTHIOPTHALIMIDE**

IN COCURE OF EPDM AND POLYDIENES, 49 341

**CHLOROWAX**

IN NONBURNING COMPOUNDS, 46 1114

**CHROMATOGRAPHY**

ANALYSIS OF TREAD RUBBERS, 42 1350

COLUMN, 41 630

COPOLYMER ANALYSIS AS FUNCTION OF  
MOLECULAR WEIGHT, 46 449

DIFFUSION IN, 46 115

FOR SEPARATING LINEAR AND BRANCHED  
POLYMERS, 41 626

GAS-LIQUID, 45 1, 7, 14

GEL PERMEATION, CALIBRATION, 42 636

GEL PERMEATION, 43 1439

GEL PERMEATION, 46 115

MEASURE OF OIL IN OIL-EXTENDED RUBBER, 46  
449

OF POLYBUTADIENE BY ELUTION, 43 1439

OF PYROLYZATES OF AIRBORNE TIRE DUSTS, 46  
232

OF RUBBER CHEMICALS, 44 381

OF URETHANE FOAM PYROLYSIS PRODUCTS, 48  
343THIN LAYER FOR IDENTIFICATION OF ORGANIC  
COMPOUNDS IN VULCANIZATES, 42 625THIN LAYER, IDENTIFICATION OF AMINE RE-  
SIDUES IN VULCANIZATES BY, 47 1206

THIN LAYER, IN IDENTIFYING RUBBERS, 41 638

THIN-LAYER, OF STYRENE-BUTADIENE  
COPOLYMERS, 48 343**CHROMIUM TRIFLUOROACETATE**

- VULCANIZING AGENT FOR CARBOXYNITROSO RUBBER, 44 40
- CHRYSENE**  
DIFFUSION COEFFICIENT IN RUBBERS, 45 278
- CINNAMATE**  
4-ANILINOPHENYL ESTER, POLYMERIZABLE ANTIOXIDANT, 46 96  
3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL ESTER, POLYMERIZABLE ANTIOXIDANT, 46 96
- CLASSIFICATION OF TREAD GRADE CARBON BLACKS**, 41 1271
- CLAY**  
DYNAMIC PROPERTIES IN RUBBER, 44 440  
DYNAMIC PROPERTIES IN WATER, 44 440  
IN VULCANIZATES, MICROSCOPY, 46 653  
SILANE-TREATED, 44 1435
- CLEANING OF CURING MOLDS**  
BY VULCANIZING SPECIAL COMPOUNDS, 49 1129
- CLEAVAGE**  
OF CROSSLINKS, KINETICS, 48 913  
OF MAIN CHAIN, KINETICS, 48 913
- CLOUD POINT**  
OF BLEND OF BR AND POLY(PROPYLENE OXIDE), 50 714  
OF POLYMER SOLUTIONS, 45 667
- COAGENT VULCANIZATION**, 43 613
- CO-AGGLOMERATION OF LATEX**, 43 1
- COAGULATION**  
EFFECT ON PROPERTIES OF SBR BLACK MASTERBATCH, 42 957
- COAL**  
CLEAN FUELS AND FEEDSTOCKS FROM, 50 416
- COAL FINES**  
IN FLUOROELASTOMER, SHRINKAGE, 49 43
- COALESCENCE**  
OF LATEXES, 50 997
- COATED PAPER**  
LATEX IN INDUSTRY, 49 414
- COBALT COMPOUNDS**  
EFFECT ON EMULSION POLYMERIZATION, 43 1451
- COBALT SALTS**  
CATALYSTS FOR OXIDATION OF POLYISOPRENE, 41 271
- COBALT TALLATE**  
EFFECT ON ADHESION OF RUBBER TO STEEL, 47 171
- COCURE**  
CURATIVE DIFFUSION IN, 49 112  
OF DIFFERENT BLEND COMPONENTS, 49 112  
OF EPDM AND NBR, PB304-ACTIVATED, 49 112
- COHESION**, 45 1604
- COLLAGEN**  
ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593
- COMB POLYMERS**  
AS MODELS FOR BRANCHING, 48 1035
- COMBUSTION**  
OF HYDROCARBON ELASTOMERS, 48 124  
OF POLYCHLOROPRENE, FOAM, 48 132  
OF POLYURETHANES, 48 343  
OF RUBBERY MATERIALS, MECHANISM, 50 523  
OF SBR LATEX FOAM, 48 124  
OF VARIOUS ELASTOMERS, 48 124, 340  
PRODUCTS, PHYSIOLOGICAL RESPONSE TO, 48 343
- COMONOMER DISTRIBUTION IN COPOLYMERS**, 46 449
- COMPATIBILITY**  
AND PHASE INTERACTION, 50 35  
OF ELASTOMERS, 43 370  
OF POLYMER MIXTURES, 48 218  
OF POLYMERS, 41 495  
OF POLYMERS, 42 447  
OF POLYMERS, 46 653, 1188, 1193  
OF POLYSTYRENE-POLY(VINYL METHYL ETHER), 48 218  
OF RUBBER BLENDS, 50 35
- COMPATIBILIZATION OF BLENDS**  
BY PHASE INTERACTION, 50 35  
OF BR, NR, SMR, CIIR, 50 35
- COMPLEXED COPOLYMERIZATION**, 46 1068  
ALTERNATING COPOLYMERS FROM, 46 1068
- COMPLIANCE**, 46 1166  
AND CHAIN SCISSION, 42 1501  
COMPLEX SHEAR, 42 1277  
CREEP, 42 557  
EQUILIBRIUM, 42 1175  
EQUILIBRIUM SHEAR, 42 1285  
FLOW, 42 903  
ISOCRONOUS AS FUNCTION OF STRESS, 45 1623  
OF NATURAL RUBBER, 45 1388  
SHEAR CREEP, 42 1501  
STORAGE, 42 1277
- COMPOSITES**  
FIBER-RUBBER, ANISOTROPY OF, 50 999  
OF SHORT FIBERS WITH ELASTOMERS, 49 1160, 1167  
RUBBER-FIBER, 47 396, 1074  
RUBBER-POLYESTER TIRE CORD, 47 1314  
SHORT-FIBER REINFORCED, 50 945  
TIRE CORD-RUBBER, 49 1096
- COMPOSITIONAL DISTRIBUTION**  
IN EPM COPOLYMERIZATION, 45 709  
THEORY, 45 709  
THIN LAYER CHROMATOGRAPHY, 45 667
- COMPOUNDING INGREDIENTS**  
IDENTIFICATION OF, 41 630
- COMPOUNDING OF RUBBERS A COMPREHENSIVE TREATISE**, 45 1696, 1697, 1698
- COMPRESSIBILITY**  
INFLUENCE ON COMPRESSION MODULUS, 46 286  
OF POLY(DIMETHYLSILOXANE), 46 331  
OF POLYISOBUTYLENE, 42 1409
- COMPRESSION MODULUS**  
APPARATUS FOR MEASURING, 46 1316  
DEPENDENCE ON POISSON'S RATIO, 46 285
- COMPRESSION RELAXATION**  
EFFECTS OF COMPOUNDING VARIATIONS, 46 305  
IN NBR VULCANIZATES, 50 906  
IN VARIOUS RUBBERS, 50 915
- COMPRESSION SET**  
AND KINETIC THEORY OF ELASTICITY, 43 1040  
CHEMICAL REACTION AND, 43 540  
EFFECT OF CROSSLINK STABILITY ON, 43 1040  
EFFECT OF CURE TIME ON EPDM ON, 43 1040  
EFFECT OF ETHYLIDENENORBORNENE IN EPDM ON, 43 1040  
EFFECT OF METHYLENENORBORNENE IN EPDM ON, 43 1040  
EFFECTS OF TEMPERATURE, 46 305  
EQUATION FOR, 43 1040  
INFLUENCE OF CURE SYSTEM, 46 305  
LOW OF FLUOROCARBON ELASTOMERS, 42 1503  
MICRO SIZE, 44 479  
OF FLUOROELASTOMER VULCANIZATES, 46 619  
OF NBR, 46 305

- OF POLYBUTADIENE, 47 511  
OF POLYISOPRENE, 46 555  
OF SBR, 47 511  
OF TRANS-POLYPENTENAMER, 47 511
- COMPRESSION STRESS-STRAIN**  
IN VARIOUS RUBBERS, 50 915  
NATURAL RUBBER, 42 580
- COMPUTER**  
ANALOG, 47 717  
ANALOG, FOR COMPOSITE NMR SPECTRA, 43 1525  
CALENDER CONTROL BY, 49 399  
CONTROL OF VULCANIZATION, 50 442  
CURING BY PROGRAM FOR, 42 1481  
DATA ACQUISITION BY, 43 1524  
DATA ACQUISITION BY, 47 1300  
IN COMPOUND DEVELOPMENT, 46 587  
IN CONTROL OF BATCH POLYMERIZATION REACTIONS, 43 1523  
IN ELASTOMER RESEARCH (REVIEW), 41 86  
IN RUBBER COMPOUNDING, 41 756, 1095  
PHYSICAL TESTING OF RUBBER BY, 42 1482  
TREATMENT OF DATA, 45 1687  
USE IN CONVEYOR BELT CURING, 50 438  
USE IN CURING CONTROL, 49 406
- COMPUTER COMPOUNDING**, 45 1155  
AND OPTIMIZING VULCANIZATION, 45 1151
- COMPUTER PROGRAM**  
MECHANO-LATTICE ANALOGY OF SLIDING RUBBER, 44 758
- COMPUTER PROGRAMS**  
FOR AGING RESISTANCE ESTIMATION, 43 1100  
FOR ANALYSIS OF CUREMETER DATA, 43 1526  
FOR COMPOUND OPTIMIZATION, 43 1100, 1527, 1528  
FOR CORRELATION OF TIRE PERFORMANCE AND TIRE COMPOSITION, 43 1070  
FOR EPDM COMPOUND OPTIMIZATION, 43 1526  
FOR NMR MEASURE OF STYRENE-BUTADIENE RUBBER, 43 1525  
IN TIRE CORD LABORATORY, 43 1525
- CONDUCTANCE**, see ALSO DIFFUSIVITY (THERMAL) SPECIFIC, 47 765
- CONDUCTIVITY**  
EFFECT OF CARBON BLACK STRUCTURE ON, 43 1359  
EFFECT OF SHEAR RATE ON, 43 1359  
EFFECT OF TIME ON, 43 1359  
ELECTRICAL, 41 1207  
ELECTRICAL, EFFECT OF DYNAMIC PROPERTIES, 44 440  
ELECTRICAL, OF BLACK-LOADED RUBBERS, 50 735  
ELECTRICAL, OF RUBBER BLENDS, 46 178  
ELECTRICAL OF SBR, 42 874  
ELECTRICAL, OF VULCANIZATES, 50 735  
HEAT, OF THICK-WALLED ARTICLES, 45 955  
OF CARBON BLACK DISPERSION IN OIL, 43 1359  
SHOCK WAVES IN ELASTIC NONCONDUCTORS, 45 999  
THERMAL OF BUTYL RUBBER, 42 1314
- CONFIGURATION**  
OF POLYMER MOLECULES, 48 513  
RANDOM, 48 513
- CONFIGURATIONAL SEQUENCE STRUCTURE OF POLYBUTADIENES**, 46 350
- CONFORMATIONAL ENERGY**  
IN RUBBERLIKE ELASTICITY THEORY, 48 495
- CONJUGATED DIENES**  
COPOLYMERS WITH ISOBUTYLENE, 49 960
- CONSECUTIVE REACTIONS**  
IN KINETICS OF SULFUR VULCANIZATION, 43 588
- CONSERVATION**  
IN THE RUBBER INDUSTRY, 50 1003, 1004, 1006, 1007  
OF VEHICLE ENERGY, 50 422
- CONSTANTS OF MOONEY-RIVLIN EQUATIONS**, 45 182, 1634, 1656
- CONSTITUTIVE EQUATIONS**  
AND STRESS ANALYSIS, 45 1104  
FOR ELASTOMERS, 45 60  
OF THREE LAYERED CYLINDRICAL SHELL, 46 294
- CONTINUOUS STIRRED TANK REACTORS**  
IN EMULSION POLYMERIZATION, 50 601
- CONTINUOUS VULCANIZATION**  
HIGH TEMPERATURE, 44 1316
- CONVEYOR BELTING**  
RELIABILITY OF, 41 755
- CONVEYOR BELTS**  
COMPUTERIZED CURING, 50 438
- COORDINATION**  
CATALYSIS IN PREPARATION OF EPM, 45 709  
CATALYSTS FOR SYNTHESIS OF EPM, 45 709
- COORDINATION COMPLEXES**  
OF 4,4'-DIAMINODIPHENYLMETHANE, 49 320  
OF 2,3-DI(4-AMINOPHENYL)BUTANE, 49 320
- COPOLYESTER THERMOPLASTIC ELASTOMERS**  
BLOW MOLDING, 49 1359  
PROCESSING AND PROPERTIES, 49 1358
- COPOLYESTER-ETHER ELASTOMER**  
DEVELOPMENTS, 50 414
- COPOLYMER MOLECULAR WEIGHT**  
DETERMINATION OF (REVIEW), 41 245
- COPOLYMERIZATION**  
CONVERSION WITH TIME, 43 897  
EFFECT OF MIXING ON MOLECULAR WEIGHT AND COPOLYMER COMPOSITION DISTRIBUTIONS, 43 906  
EFFECT OF TEMPERATURE ON COPOLYMER COMPOSITION DISTRIBUTION, 43 921  
OF ETHYLENE AND TAGGED PROPYLENE, 50 988  
STATISTICS, OF EPM, 50 988  
THEORY, 44 771
- COPOLYMERS**  
ALTERNATING, OF BUTADIENE WITH ACRYLONITRILE AND DEUTERATED ANALOGS, 48 719  
ANALYSIS OF, BY C-13 NMR, 48 705  
OF ISOBUTENE AND CONJUGATED DIENES, 49 960, 967  
OF ISOBUTENE AND ISOPRENE, 49 937  
OF SILICONE RUBBER, 49 909  
PREPARATION AND CHARACTERIZATION, 49 394  
RADIAL BLOCK, ADHESIVE APPLICATIONS, 49 1352  
SPECTROSCOPY OF (REVIEW), 49 417
- COPPER IONS**  
AS ANTIOXIDANT, 44 1421
- CORD**, see ALSO TIRE CORD  
ADHESION TO RUBBER, 42 159  
COMPRESSION, 42 1000  
FATIGUE TESTER, 42 1000  
FIBERGLASS, 42 1491  
IN HOSE DESIGN, 42 666  
IN TIRE EXPANSION, 42 1079  
PATH AND TIRE CONTOUR, 42 1034  
STEEL, ADHESION TO RUBBER, 42 613  
TENSION IN TIRES, 42 812  
VARIABLE ANGLE IN CYLINDRICAL MEMBRANE,



45 1677

**CORD ADHESION**

DYNAMIC ADHESION, 49 1349  
WITH ISOBUTYLENE-DIENE COPOLYMERS, 49 967

**CORD FORCES**

AND SHELL MEMBRANE THEORY, 43 1055  
AS FUNCTION OF ANGULAR POSITION, 43 1055  
ASYMMETRY IN ROLLING TIRE, 43 1055  
IN COMPRESSION, 43 282  
IN EXTENSION, 43 282  
NYLON, AS REINFORCING MEMBER FOR, 43 282  
STEEL, AS REINFORCING MEMBER FOR, 43 282

**CORD-REINFORCED RUBBER SHELLS, 43 282**

CORD ANGLE VARIATION IN, 43 282  
PRESSURE DEFORMATION OF, 43 282

**CORNERING**

OF TIRES, 41 988  
SLIP ANGLE IN, 42 1014  
STABILITY, 44 1456

**CORONA**

TEST APPARATUS, 48 353

**CORRELATION**

INTERMOLECULAR AND INTRAMOLECULAR, 48 513  
MOLECULAR ORDER DEFINED BY, 48 513

**CORRESPONDING STATES, 47 778****COTTON FIBERS**

REINFORCEMENT OF RUBBER, 49 379

**COUPLING AGENTS**

SILANE, USE IN RICE-HULL-ASH FILLED COMPOUNDS, 50 1009  
TITANATE, 50 1008  
TITANATES, 50 446  
TITANATES IN FILLED POLYMER SYSTEMS, 49 398  
TITANIUM DERIVATIVES AS, 49 1351  
VARIOUS COMPOUNDS AS, 49 1305

**COUPLING AGENTS, see ALSO PROMOTERS**

EFFECT ON BOUND RUBBER, 48 410  
EFFECT ON MECHANICAL PROPERTIES OF VULCANIZATES, 48 410  
FOR SILICA-RUBBER SYSTEMS, 48 410  
TITANATE, FOR FILLERS IN POLYMERS, 48 1091

**COVULCANIZATION**

EPDM AND DIENE RUBBERS, 47 88  
OF CHLOROBUTYL AND POLYBUTADIENE, 46 251

**CRACK GROWTH**

AND ABRASION, 48 902  
BY OZONE, 43 1230  
EFFECT OF SOLVENTS ON NBR, 49 1324  
EQUATION FOR, 47 1253  
IN RUBBERS, 48 902  
IN TIRES, 42 1462  
LABORATORY TESTS, 44 1186  
MECHANISM IN NYLON, 48 445  
NON-RELAXING CONDITIONS, 47 1253  
OF TIRE TREAD COMPOUNDS, 47 231  
OF VULCANIZATES OF SBR, 47 1253  
SPEED OF INSTABILITY, 45 1582  
STATIC AND DYNAMIC COMPONENTS, 47 1253  
VELOCITY OF, 45 1582

**CRACK RESISTANCE**

EFFECT OF MOS<sub>2</sub> ON FLEXING, 49 140

**CRACKING**

EFFECT OF EPDM ON, 42 975  
FATIGUE IN POLYBUTADIENE, 42 1095  
FUNCTION OF BLACK STRUCTURE, 42 700  
FUNCTION OF SULFUR CONTENT, 42 700  
OZONE, 42 1186  
TIRES, 42 1462

**CRAZING**

EFFECT OF NITROGEN ON, 48 445  
OF PRESTRAINED RUBBER AT LOW TEMPERATURE, 48 445

**CRAZING OF PLASTICS**

ELECTRON MICROSCOPICAL STUDY OF, 43 1

**CREEP, see ALSO RELAXATION, STRESS RELAXATION, RETARDED DEFORMATION**

APPARATUS FOR, 46 1077  
CHAIN SCISSION CONTRIBUTION TO, 42 1501  
COMPLIANCE, 42 557  
COMPLIANCE, 45 1623  
COMPLIANCE OF VULCANIZATES, 46 1077  
COMPRESSION, 42 903  
CROSSLINK DENSITY AND, 44 707  
CROSSLINK LENGTH AND, 44 707  
EFFECT OF PEROXIDE CONCENTRATION ON, 43 1482  
EFFECT OF TEMPERATURE ON, 43 1482

EQUATIONS, 46 1077

EQUATIONS FOR, 48 154

EXTRANETWORK MATERIAL AND, 44 707

LONG-TIME, OF NATURAL RUBBER VULCANIZATES, 48 154

MAIN CHAIN MODIFICATION AND, 44 707

MEASUREMENT OF, 44 707

NATURAL RUBBER, 44 707

NONISOTHERMAL, 50 884

OF CROSSLINKED BR, 50 884

OF FIBER-RUBBER COMPOSITES, 47 396

OF GUM NATURAL RUBBER VULCANIZATES, 43 1482

OF NATURAL RUBBER VULCANIZATES, EFFECT OF HUMIDITY AND OXYGEN ON, 48 154

OF NATURAL RUBBER VULCANIZED WITH AMINEBORANES, 43 501

OF POLYBUTADIENE, 42 1095

OF POLYCHLOROPRENE, 47 455

OF POLYETHER URETHANE, 42 1095

OF POLYISOPRENE, 46 555

OF POLYVINYL CHLORIDE, 42 373

OF RUBBER UNDER STRESS, 50 397

POLYMER NETWORKS, 44 1256

SHEAR COMPLIANCE, 42 1501

STATIC VS. CYCLIC STRESS, 50 397

TEST FOR TACKIFIERS, 50 440

UNDER LARGE TENSILE STRESSES, 42 557

**CREPE HARDENING OF SILICONE RUBBER, 48 558**

**CRESOL, 2,6-DICUMYL-PARA-**

ANTIOXIDANT ACTIVITY, 45 402

**CRITICAL RATE OF SHEAR, 44 1, 12, 29****CRITICAL SOLUTION TEMPERATURE, 41 1285**

AND POLYMER-SOLVENT INTERACTION PARAMETER, 50 451

**CRITICAL STRAIN**

AS FUNCTION OF CARBON BLACK STRUCTURE, 43 1025

EFFECT OF CURE ON, 43 1025

**CRITICAL STRESS, 45 71****CRITICAL SURFACE TENSION OF SPREADING, 42 30****CROSSLINK COLONIZATION**

IN POLYBUTADIENE VULCANIZATES, 43 549

**CROSSLINK DENSITY**

AND DIFFUSION COEFFICIENTS OF OILS, 45 278  
AND ENTANGLEMENT IN EPDM, 42 1167  
AND FAILURE PROPERTIES OF EPM, 45 709  
AND FILLER-RUBBER BONDING, 47 697  
AND FREE VOLUME OF RUBBERS, 45 278  
AND MAIN CHAIN RUPTURE, 42 505

- AND MECHANICAL STRESS, 45 1074  
 AS A FUNCTION OF REACTION TIME, 47 251  
 BY GAS CHROMATOGRAPHY, 49 233  
 CONSTANT AT VARIABLE ACCELERATOR-TO-SULFUR RATIO, 42 969  
 DETERMINATION, 48 795, 960  
 DETERMINATION BY ELASTIC MODULUS, 47 285  
 DETERMINATION BY EQUILIBRIUM TENSION, 47 303  
 DETERMINATION BY FLORY-REHNER EQUATION, 45 709  
 DISTRIBUTION, 42 659  
 DISTRIBUTION IN CARBON BLACK-FILLED VULCANIZATES, 45 94  
 EFFECT OF CROSSLINK TYPE, 47 803  
 EFFECT OF CURE TIME ON, 43 1294, 1311  
 EFFECT OF DICUMYL PEROXIDE, 47 266  
 EFFECT OF HEAT AGING OF EPDM ON, 43 1040  
 EFFECT OF HEAT HISTORY DURING CURE OF EPDM ON, 43 1040  
 EFFECT OF HIGH TEMPERATURE VULCANIZATION, 46 566  
 EFFECT OF METHYL IODIDE, 47 266  
 EFFECT OF RADIATION DOSE ON, 48 141  
 EFFECT OF SILICA ON, 48 795  
 EFFECT OF STEARIC ACID, 47 266  
 EFFECT OF STRETCHING ON, 48 1004  
 EFFECT OF SULFUR, 47 266  
 EFFECT OF SMTD CONCENTRATION ON, 43 1294  
 EFFECT OF ZINC OXIDE, 47 266  
 EFFECT ON BREAKING ENERGY, 44 690  
 EFFECT ON CREEP RATE, 44 707  
 EFFECT ON DIFFUSION COEFFICIENT, 42 495  
 EFFECT ON STRESS RELAXATION, 44 579, 707  
 EFFECT ON STRESS RELAXATION, 50 895  
 EXTRACTION OF LOW MOLECULAR WEIGHT MATERIAL, 42 471, 1136  
 FLORY AND REHNER EQUATION, 42 744  
 FROM COMPRESSION MODULUS OF SWOLLEN VULCANIZATES, 42 580  
 HEAT GENERATION AND, 47 697  
 HYSTERESIS AND, 47 803  
 IN EPDM, 43 411, 1040  
 IN EPDM, 44 653, 1109  
 IN EV SYSTEMS, 42 404, 418  
 IN INTERPENETRATING NETWORKS, 44 607  
 IN NATURAL RUBBER, 43 210, 1294, 1311  
 IN PEROXIDE-CURED EPM COPOLYMERS, 45 709  
 IN POLYMER ENGINEERING, 42 1175  
 IN VULCANIZATE ANALYSIS, 43 624  
 IN VULCANIZED EPM RUBBER, 45 709  
 INCREASE BY SRF BLACK  
 INFLUENCE OF CARBON BLACK, 42 604  
 MEASURED BY MOONEY-RIVLIN PLOT, 45 182  
 MEASUREMENT BY FLORY-HUGGINS EQUATION, 44 1109  
 MEASUREMENT BY MOONEY-RIVLIN EQUATION, 44 1109  
 MEASUREMENT OF, 44 707, 1316  
 MEASUREMENT OF BY OSMOTIC PRESSURE, 41 432  
 MICROMETHOD FOR ESTIMATION, 42 580  
 NUCLEAR MAGNETIC RESONANCE MEASUREMENT, 44 1273  
 OF FILLED POLYACRYLATE, 48 845  
 OF NATURAL RUBBER, 48 141  
 OF NATURAL RUBBER VULCANIZATES, 45 182, 1064  
 OF NATURAL RUBBER VULCANIZATES, 47 251  
 OF PEROXIDE CURING IN PRESENCE OF SULFUR, 42 744  
 OF PLASTICIZED IONIC RUBBER, 45 908  
 OF POLYBUTADIENE VULCANIZATES, 45 182  
 OF POLYSULFIDIC CROSSLINKS, 45 1064  
 OF RADIATION-CURED RUBBERS, 48 880  
 OF SBR VULCANIZATES, 47 266  
 OF SULFUR-FREE THIURAM VULCANIZATES, 45 945  
 OF SWOLLEN RUBBER IN COMPRESSION, 42 589  
 OF VARIOUS ELASTOMERS, 49 233  
 POLYBUTADIENE, 42 1136  
 SHIFT FACTOR, 50 895  
 STIFFNESS-HYSTERESIS EFFECT, 47 803  
 STORAGE MODULUS AND, 47 803  
 THERMAL STRESS RELAXATION ESTIMATION, 45 1064  
 VARIATION OF STABILITY OF, 44 579  
 VARIATION WITH METHYL HALIDE REACTION, 42 1136  
**CROSSLINK DISTANCES IN VULCANIZED RUBBER**  
 NMR MEASUREMENTS, 44 1273  
**CROSSLINK DISTRIBUTION**, 43 210  
**CROSSLINK DISTRIBUTION**, 44 771  
 EFFECT OF CROSSLINK TYPE ON, 43 1040  
 EFFECT ON PROPERTIES, 43 664  
**CROSSLINK FUNCTIONALITY**  
 AND CROSSLINKING DEGREE-SOL CONTENT FUNCTION, 45 1597  
 AND VULCANIZATE PROPERTIES, 45 1597  
**CROSSLINK PRECURSORS**, 45 467  
**CROSSLINK SCISSION**  
 AND ANTIOXIDANTS, 45 381  
 AND CARBON BLACK, 45 381  
 AND SULFIDES, 45 381  
 AND SULFUR COMPOUNDS, 45 381  
 BY METHYL IODIDE, 43 1311  
 BY THIOLS, 43 210  
 CONTRIBUTION TO CREEP, 42 1501  
 DURING AGING, 42 924  
 EFFECT ON COMPRESSION SET OF EPDM, 43 1040  
 MECHANISM OF, 45 381  
 OF NATURAL RUBBER, 45 381  
**CROSSLINK STABILITY**  
 EFFECT OF SULFUR RANK, 43 1040  
 EFFECT ON COMPRESSION SET OF EPDM, 43 1040  
**CROSSLINK STRUCTURE**, 42 1136  
 CHANGES DURING AGING OF EPDM, 43 1040  
 EFFECT OF TERMONOMERS ON, 43 411  
 EFFECT OF TIRE SERVICE ON, 43 1215  
 EFFECT ON FAILURE ENVELOPE, 43 664  
 EFFECT ON FATIGUE LIFE, 43 664  
 EFFECT ON OXIDATIVE AGING, 43 651  
 EFFECT ON OXYGEN ABSORPTION, 43 664  
 EFFECT ON PROPERTIES OF NATURAL RUBBER VULCANIZATES, 43 664, 1215  
 EFFECT ON TENSILE STRENGTH, 43 664  
 EFFECT ON TENSILE STRENGTH AND OXYGEN ABSORPTION, 42 1412  
 EFFECT ON TENSILE STRENGTH-MODULUS FUNCTION, 43 664  
 EFFECT ON THERMAL AGING, 43 651  
 IN POLYBUTADIENE VULCANIZATES FROM SULFUR AND DIPHENYLGUANIDINE, 43 549  
 IN VARIOUS SECTIONS OF TIRES, 43 1215  
 MEASUREMENT IN NATURAL RUBBER, 43 210  
 OF ETHYLENE-PROPYLENE VULCANIZATES AS A FUNCTION OF DIOLEFIN STRUCTURE, 43 522  
**CROSSLINKED POLYMERS**

- COLLECTION AND ANALYSIS OF VOLATILES, 49 1147
- CRACK GROWTH IN NBR, 49 1324
- CROSSLINKING**, see ALSO AGING, SWELLING, AND VULCANIZATION
- AND MOLECULAR WEIGHT BETWEEN CROSSLINKS, 47 354
- AND RUBBER ELASTICITY THEORY, 48 495
- BY IONIZING RADIATION, 46 30
- BY PEROXIDE, PROMOTION BY S-TRIAZINES, 48 878
- BY RADIATION, 48 860, 878
- DURING STRESS RELAXATION OF VULCANIZATES, 47 1265
- EFFECT OF ANTIOXIDANT, 46 483
- EFFECT OF CROSSLINK STRUCTURE, 46 483
- EFFECT OF VULCANIZATION BY PRODUCTS, 46 483
- EFFECT ON VISCOELASTIC PROPERTIES, 48 981
- EFFICIENCY OF, 47 251
- IN EMULSION POLYMERIZATION, 49 610
- IN SULFUR VULCANIZATION, 48 889
- OF AGED NBR, 46 483
- OF COPOLYMERS OF ISOBUTYLENE AND DIENES, 49 960, 967
- OF FLUOROSILICONE RUBBER, 48 944
- OF NATURAL RUBBER, 49 1361
- OF POLYBUTADIENE UNDER STRAIN, 48 1004
- OF POLYMER CHAINS, 49 1219
- OF SBR BY THIURAMS, 49 1193
- OF TERMINALLY UNSATURATED BR WITH POLYAMINES, 48 202
- SULFURLESS, 50 660
- SYNERGISM WITH SULFENAMIDE MIXTURES, 50 671
- WITH AZO COMPOUNDS, 50 660
- WITH BIS-(3-TRIETHOXYSILYLPROPYL) TETRASULFIDE, 50 447
- WITH DITHIOL-S-TRIAZINES, 50 660
- WITH PEROXIDES, 50 660
- WITH SULFENAMIDES, 50 671
- CROSSLINKS**
- AND SURFACE ACIDITY OF CARBON BLACKS, 45 129
- CHANGES DURING TIRE SERVICE, 43 1215
- DANGLING, 43 624
- DISULFIDE IN EPDM, 48 889
- DISULFIDIC, 43 522, 1215
- EFFECT OF EXTRACTION ON, 43 624
- EFFECT OF STRETCHING ON, 48 902
- EFFECT OF TRIPHENYLPHOSPHINE ON, 43 664
- EFFECT OF TYPE ON INTERFACIAL BONDING OF RUBBER BLENDS, 46 251
- EFFECT ON AGING OF STYRENE BUTADIENE RUBBER, 43 572, 624
- EFFECT ON TEARING ENERGY, 48 902
- EFFICIENCY OF, 42 404, 418, 1245
- ELASTICALLY INEFFECTIVE, 47 1116
- ENTANGLEMENTS AS, 48 164
- FORMATION IN SULFUR CURING, KINETICS OF, 43 588
- FUNCTIONALITY OF, EFFECT ON NETWORK PROPERTIES, 48 1008
- IN 1,2-POLYBUTADIENE, 48 164
- IN STATES OF STRAIN, 48 164
- INTRAMOLECULAR, 47 1116
- POLYSULFIDE IN NATURAL RUBBER, 48 141
- POLYSULFIDIC, 43 522, 549, 572
- POLYSULFIDIC, REACTION WITH TRIPHENYLPHOSPHINE, 45 173, 182
- SCISSION BY METHYL IODIDE, 43 1311
- SCISSION IN NATURAL RUBBER, 48 141
- STRESS-LABILE, 43 501
- STRUCTURE IN EPM, 45 709
- THERMAL CLEAVAGE, 48 913
- TRIFUNCTIONAL, 44 152
- TYPE IN EPM AND EFFECT ON FAILURE PROPERTIES, 45 709
- TYPES IN NATURAL RUBBER, 48 141
- CROTONALDEHYDE**, see 2-BUTENAL
- CROTONATE**
- 3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL, POLYMERIZABLE ANTIOXIDANT, 46 96
- CRYSTALLINITY**
- AND COMPOSITION OF EPM, 45 709
- AND STRESS OF EPM, 45 709
- AND VULCANIZATE PROPERTIES OF EPM, 45 709
- BY NMR, 46 22
- DETERMINATION BY GAS CHROMATOGRAPHY, 46 7
- DETERMINATION BY INFRARED SPECTROSCOPY, 45 546
- EFFECT ON HEAT CONDUCTION, 50 480
- EFFECT ON THERMAL CONDUCTIVITY, 50 480
- IN ALPHA-OLEFIN POLYMERS, 46 30
- IN EPM RUBBER, 45 709
- OF NATURAL RUBBER BY MICROSCOPY, 45 653
- OF POLYETHER-ESTER ELASTOMERS, 50 1
- OF POLYURETHANES, 47 19
- CRYSTALLIZATION**
- AND MECHANICAL HISTORY, 42 530
- AND MORPHOLOGICAL ASPECTS, 45 1315
- AND STARK RUBBER, 42 540
- CALORIMETRY OF, 49 210
- CIS-POLYBUTADIENE, 47 357
- CIS-POLYISOPRENE, 47 342
- CORAL RUBBER AND HEVEA BLENDS, 45 1303
- CROSSLINKING AND SECONDARY NUCLEI, 45 1315
- DETERMINATION OF POLYMER COMPATIBILITY BY, 46 178
- EFFECT OF ACETONE EXTRACT FROM NATURAL RUBBER ON, 44 29
- EFFECT OF BLENDING TIME ON, 50 278
- EFFECT OF CARBON BLACK ON, 44 29
- EFFECT OF CARBON BLACK ON ELASTOMER, 46 178
- EFFECT OF ETHYLENE SEQUENTIAL HOMOGENEITY IN EPDM, 44 1093
- EFFECT OF MICROSTRUCTURE ON, 44 12
- EFFECT OF MOLECULAR WEIGHT ON, 44 12
- EFFECT OF OIL ON, 44 29
- EFFECT OF SBR ON POLYBUTADIENE, 46 178
- EFFECT OF STEARIC ACID ON, 44 29
- EFFECT OF TEMPERATURE ON, 44 1
- ELECTRON MICROGRAPHS OF, 44 1
- FOLD SURFACE ENERGY, 45 1315
- FOR DISPERSION OF ELASTOMER BLENDS, 50 278
- GROWTH RATES, 45 1315
- HALF-TIMES, 47 511, 1175
- IN A CAPILLARY RHEOMETER, 44 1, 12, 29
- IN BLOCK COPOLYMER, 42 1257
- IN ISOMERIZED NATURAL RUBBER, 45 1315
- IN NATURAL RUBBER, 45 1315
- IN STRAINED, CROSSLINKED FIBERS, 45 1315
- KINETICS OF POLYBUTADIENE, 42 535
- LAMELLAR IN CROSSLINKED AND ISOMERIZED HEVEA, 45 1315
- MEASUREMENT OF, 42 110

- MINIMUM SEQUENCE LENGTH FOR, 46 30  
 OF BIAXIALLY STRETCHED RUBBER, 48 1093  
 OF CIS-POLYPENTENAMER, 42 1235  
 OF NATURAL RUBBER, 42 540  
 OF NATURAL RUBBER, 44 1, 12, 29  
 OF POLYALKENAMERS, 47 511  
 OF POLYISOPRENE, 44 12, 29  
 OF POLYISOPRENES, 46 22, 559  
 OF POLYPENTENAMER, 47 511  
 ON STRETCHING OF RUBBER, 47 342, 357  
 ORIENTATION AND, 44 1  
 POLYMER HISTORY OF, 42 769  
 RATE OF, 47 511  
 SECONDARY NUCLEI, 45 1315  
 SILVER NITRATE COMPLEXES, 45 1303  
 STRAIN-INDUCED, 50 863  
 STRESS INDUCED IN NATURAL RUBBER, 42 1420  
 STRESS-INDUCED, 46 1274  
 STRESS-INDUCED IN EPDM, 44 1093  
 STRUCTURAL IRREGULARITY AND, 45 1303  
 SYNERGISM BY NATURAL RUBBER, 45 1303  
 TEMPERATURE EFFECTS ON SECONDARY NUCLEI, 45 1315  
 THERMALLY INDUCED, 50 863
- CRYSTALLIZATION KINETICS**  
 BY GAS CHROMATOGRAPHY, 46 14  
 COMPARISON OF METHODS OF DETERMINATION, 46 14  
 FROM NMR SPECTRA, 46 22  
 OF CIS-POLYISOPRENE, 46 22  
 OF TRANS-POLYISOPRENE, 46 1331
- CTAB ADSORPTION TEST OF CARBON BLACK**  
 SURFACE AREA, 44 1287
- CTAB SPECIFIC SURFACE**  
 OF CARBON BLACK, 48 538
- CUMENE HYDROPEROXIDE**  
 DECOMPOSITION BY SULFUR COMPOUNDS, 49 147
- CUMYL ACETATE**  
 IN POLYMER SYSTEMS, 49 1350
- CUMYL PEROXIDE**  
 CURE EPR, 41 304
- CUMYLMETHYLSTYRENE**  
 IN POLYMER SYSTEMS, 49 1350
- CUMYLPHENOL DERIVATIVES**, 49 1350
- CURATIVE DISPERSION**  
 EFFECTS OF, 46 511
- CURE**, *see* ALSO VULCANIZATION, CROSSLINKING  
 CHARACTERISTICS BY OSCILLATING DISK RHEOMETER, 47 475  
 CHARACTERISTICS OF NATURAL RUBBER, 47 476  
 CHARACTERISTICS OF POLYBUTADIENE, 47 475  
 CHARACTERISTICS OF POLYISOPRENE, 47 475  
 CHARACTERISTICS OF SBR, 47 475
- CURE MODIFIERS**  
 N-(AMINOTHIO)IMIDES, 49 333  
 RETARDATION BY PHTHALIC ANHYDRIDE, 49 118
- CURE RATE**, *see* ALSO VULCANIZATION  
 BRABENDER CURVES, 46 999  
 CONTROL, 46 1103  
 CUROMETER, 46 999, 1007  
 EFFECT OF RETARDERS, 46 999  
 HEAT FLOW AND, 46 1103  
 IN WIRE ADHESION, 46 409  
 KINETIC PARAMETER, 46 999  
 OF ACCELERATORS, 44 889, 896  
 OF POLYPENTENAMER, 47 511  
 OF VULCANIZING AGENTS, 44 881, 896  
 SULFUR-FREE THIURAM VULCANIZATION, 46 945
- CURE RETARDATION**  
 BY PHTHALIC ANHYDRIDE, 49 118  
 MEASUREMENT BY SCORCH TIME, 49 118
- CURE TIME**  
 MICROMEASUREMENT OF, 44 479  
 OF NATURAL RUBBER, 47 251  
 OF SBR, 47 266
- CURIE-POINT PYROLYSIS-GAS-CHROMATOGRAPHY**  
 DETERMINATION OF POLYMERIC CONSTITUENTS IN VULCANIZATES, 46 97
- CURING AGENTS FOR FLUOROELASTOMERS**, 46 819
- CUSHIONING**  
 FORMULATION FOR FIRE RETARDANCE, 50 523
- CUT GROWTH**  
 EFFECT OF CARBON BLACK ON, 48 1090  
 EPDM, 44 1203  
 IN TIRES, 42 1462  
 RESISTANCE OF REINFORCED NATURAL RUBBER, 45 1051  
 TEARING ENERGY, 45 1043
- CYANACRYL**  
 STRESS RELAXATION OF, 41 692
- CYANOETHYLATED POLYOXYPROPYLENE POLYAMINES**  
 POLYMERS FROM, 50 435
- CYCLOIZATION REACTIONS**, 47 511
- CYCLOIZED RUBBER**  
 STUDY OF SURFACES BY SEM, 50 327
- CYCLOALKYLTHIOAMINES**  
 AS ACCELERATORS AND PREVULCANIZATION INHIBITORS, 46 67
- CYCLOBUTANE, 1,4-DIVINYL-**  
 TERMONOMER IN EPDM, 45 709
- CYCLOBUTENE**  
 RING-OPENING POLYMERIZATION OF, 47 511
- CYCLODODECATRIENE**  
 DITHIOL ADDUCTS AS RADIATION-CURING PROMOTERS, 46 860  
 REACTION WITH DITHIOLS, 46 860
- CYCLODODECENE**  
 RING-OPENING POLYMERIZATION OF, 47 511
- CYCLOHEPTADIENE, 1,4-**  
 TERMONOMER IN EPDM, 45 709
- CYCLOHEXANE**  
 AS SOLVENT FOR ISOBUTYLENE COPOLYMERS, 49 960  
 EQUATION-OF-STATE PARAMETERS FOR, 46 338
- CYCLOHEXENE**  
 AS MODEL FOR RUBBER VULCANIZATION STUDIES, 41 1329, 1339  
 MODEL OF POLYBUTADIENE IN VULCANIZATION STUDIES, 45 182  
 RADIATION CROSSLINKING AT SITES OF, 44 567  
 REACTION OF WITH SULFUR, EFFECT OF ZINC OXIDE AND ACCELERATIONS, 411) 1329, 1339
- CYCLOHEXENE, 4-VINYL-**  
 TERMONOMER IN EPDM, 45 709
- CYCLOHEXYDITHIOBENZOXAZOLE AND DERIVATIVES**  
 ACCELERATOR ACTIVITY OF, 46 1299  
 AS RETARDERS, 46 1299  
 MASS SPECTRAL FRAGMENTATION PATTERNS, 46 1299  
 NMR DATA, 46 1299  
 PREPARATION OF, 46 1299
- CYCLOHEXYL PHENYL-PARA-PHENYLENEDIAMINE**  
 ANTIOXIDANT ACTIVITY OF, 44 857  
 OXYGEN ABSORPTION OF VULCANIZATES CON-

- TAINING, 44 857
- CYCLOHEXYLAMINE**  
IDENTIFICATION BY THIN LAYER CHROMATOGRAPHY, 47 1206
- CYCLOHEXYL-2-BENZOTHAZOLE SULFENAMIDE**  
CARBON-14 LABELLED, 44 771  
DISTRIBUTION IN NATURAL RUBBER, 45 94  
MASS SPECTRUM OF, 45 160  
THERMAL DECOMPOSITION OF, 45 94
- CYCLOHEXYLDITHIOBENZAZOLE, 45 1513**
- CYCLOHEXYLDITHIOBENZIMIDAZOLE AND DERIVATIVES**  
ACCELERATOR ACTIVITY, 46 1299  
AS RETARDERS, 46 1299  
MASS SPECTRAL FRAGMENTATION PATTERN, 46 1299  
PREPARATION OF, 46 1299
- CYCLOHEXYLDITHIOBENZOTHAZOLE, 45 1513**
- CYCLOHEXYLDITHIOBENZOTHAZOLE AND DERIVATIVES**  
AS ACCELERATORS, 46 1299  
MASS SPECTRAL FRAGMENTATION PATTERNS, 46 1299  
NMR DATA, 46 1299  
PREPARATION OF, 46 1299
- CYCLOHEXYLDITHIO-2-BENZOTHAZOLES**  
AS SCORCH INHIBITORS, 50 570
- CYCLOHEXYLDITHIO-4-METHYL- THIAZOLES AND DERIVATIVES**  
AS ACCELERATORS, 46 1299  
MASS SPECTRAL FRAGMENTATION PATTERNS, 46 1299  
NMR DATA, 46 1299  
PREPARATION OF, 46 1299
- CYCLOHEXYL-N-TERT-BUTYL-2-BENZO- THIAZOLE SULFENIMIDE**  
ACCELERATORS, 46 67  
MASS SPECTRUM OF, 45 160
- CYCLOHEXYLTHIOAMINES**  
AS SCORCH INHIBITORS, 50 570
- CYCLOHEXYLTHIOMETHYLPYPERIDINES**  
ACCELERATORS OF SULFUR VULCANIZATION, 46 67
- CYCLOHEXYLTHIO-ORTHO-BENZOIC SULFIMIDE**  
RETARDER OF VULCANIZATION, 47 79
- CYCLOHEXYLTHIO-ORTHO-BENZOIC SULFIMIDE, 45 1513**  
INFRARED SPECTRUM OF, 45 1513  
REACTION WITH BENZOTHAZOLINETHIONE, 45 1513
- CYCLOHEXYLTHIOPHTHALIMIDE**  
AS SCORCH INHIBITOR, 48 1108  
COMPARISON WITH CYCLOALKYLTHIOAMINES AS PREVULCANIZATION INHIBITORS, 46 67  
INFRARED SPECTRUM OF, 45 1513  
MECHANISMS OF PREVULCANIZATION INHIBITION, 48 790  
MECHANISMS OF PREVULCANIZATION INHIBITION, 48 790  
PREVULCANIZATION INHIBITOR, 43 1188, 1522  
REACTION WITH BENZOTHAZOLINETHIONE, 45 1513  
RETARDER OF VULCANIZATION, 47 79  
SYNTHESIS AND REACTION AS CURE MODIFIER, 49 333
- CYCLOHEXYLTHIOPYPERIDINES**  
AS ACCELERATORS OF SULFUR VULCANIZATION, 46 67
- CYCLOOCTADIENE, 1,5-,**  
MODEL FOR POLYBUTADIENE, 43 549
- POLYMERS FROM, 44 1341
- RING-OPENING POLYMERIZATION OF, 47 511
- TERMONOMER IN EPDM, 45 709
- TERMONOMER IN EPDM, 45 709
- CYCLOOCTENE**  
METHATHESIS WITH ACYCLIC OLEFINS, 47 511  
POLYMERIZATION OF, 44 1341  
RING-OPENING POLYMERIZATION OF, 47 511
- CYCLOOLEFINS**  
POLYMERS FROM, 44 1341
- CYCLOPENTADIENE**  
COPOLYMER WITH ISOBUTYLENE, 49 960
- CYCLOPENTENE**  
EXTRACTION PROCESS FOR ISOLATION OF, 47 511  
POLYMERIZATION, 42 1235  
POLYMERIZATION TO TRANS POLYPENTENAMER, 43 1116  
RING-OPENING POLYMERIZATION OF, 47 511  
SYNTHESIS FROM PIPERYLENE, 47 511
- CYLINDERS**  
RUBBER, DEFORMATION OF, 46 530
- DAMPING**  
BY BUTYL RUBBER, 44 1043  
BY EPDM, 44 1043  
BY NATURAL RUBBER, 44 1043  
EFFECT OF PROCESS OIL ON, 44 1043
- DAMPING COEFFICIENT**  
AT LOW TEMPERATURE, 45 1033  
DECAY OF ONE-DIMENSIONAL SHOCK WAVES, 45 999  
EFFECT OF CARBON BLACK LOADING ON, 44 258  
EFFECT OF CROSSLINKING ON, 44 258  
OF POLYBUTADIENE, 45 1015, 1082  
OF REINFORCED NATURAL RUBBER, 45 1051  
OF VULCANIZATES OF STYRENE-BUTADIENE RUBBER, 44 258
- DE MATTIA FLEX TESTER**  
IN STUDY OF CARBON BLACK FILLED VULCANIZATES, 47 231
- DEBORAH NUMBER, 42 1479**
- DECANE**  
CHEMO-STRESS RELAXATION OF NATURAL RUBBER VULCANIZATES, 43 778  
MODEL FOR POLYETHYLENE CROSSLINKING, 43 613
- DECATRIENE**  
MONOMER IN EPDM, 45 709
- DECAY OF RADICALS**  
EFFECT OF TEMPERATURE, 41 678
- DEFORMATION**  
CROSSLINKED RUBBER, HEAT OF, 49 210  
OF MEMBRANE STRUCTURES, 49 400  
OF RUBBER TUBES, 44 1380
- DEFORMATION INDEX, 46 1166**  
DIAGRAM, 46 1166  
POLYBUTADIENE, 46 1166
- DEGRADATION, see ALSO AGING, OXIDATION,**  
CROSSLINK SCISSION, 42 924  
AND FAILURE BEHAVIOR, 42 1095  
BY METHYLE HALIDES, 42 1136  
MECHANICAL IN RHEOLOGY, 42 1294  
MECHANICAL OF RUBBER, 46 388  
OF FLUOROELASTOMER, 50 83  
OF POLYBUTADIENE, 48 692  
OF POLYESTER TIRE CORDS, 49 1145  
OF THIURAM ACCELERATORS, 49 1193  
OF URETHANES, 42 648

- OF VULCANIZATES BY BOILING IN 1,2-DICHLOROBENZENE, 48 289
- OF VULCANIZATES FOR IR IDENTIFICATION, 48 289
- ZINC COMPOUNDS DURING, 42 735
- DEGRADATION MECHANISM OF RUBBER**
- CHEMICAL, 44 534
- EFFECT OF CONCENTRATION, 44 534
- EFFECT OF PRESSURE, 44 534
- EFFECT OF SOLVENT, 44 534
- EFFECT OF TEMPERATURE, 44 534
- REACTION SCHEME, 44 534
- SHEAR METHODS, 44 534
- DEGRADATION OF RUBBER**
- AUTOXIDATION OF EPDM, 45 437, 1125
- BY OZONE, 45 293
- BY REPEATED EXTRUSION, 50 723
- CHAIN SCISSION, 45 359
- CHEMICAL AUTOXIDATION, 45 359, 481, 709
- EFFECT OF CONCENTRATION, 44 534
- EFFECT OF PRESSURE, 44 534
- EFFECT OF SOLVENT, 44 534
- EFFECT OF TEMPERATURE, 44 534
- MECHANICAL, CAPILLARY EFFECT, 44 534
- MECHANICAL CHAIN SCISSION, 45 359
- MECHANICAL STRESS AND, 45 309, 1074
- NATURAL RUBBER, 45 381
- PHOTOXIDATION, 45 481
- POLYBUTADIENE, 45 423
- REACTION SCHEME, 44 534
- SHEAR METHODS, 44 534
- STRESS RELAXATION AND HEAT, 45 1064
- STYRENE-BUTADIENE RUBBER, 45 450
- THERMAL STABILITY OF POWDERED PVC-NITRILE RUBBER POLYBLENDS, 45 111 1
- DEHYDROISODICYCLOPENTADIENE**
- IN EPDM, 48 747
- DELTA MOONEY**
- AS MIXING CRITERION, 49 1
- DENSITY**
- EQUATION OF CHANGE WITH TEMPERATURE FOR POLYISOBUTYLENE, 42 1409
- OF AMORPHOUS POLYMERS, 49 207
- POLY(DIMETHYLSILOXANE), 46 331
- DEPOLYMERIZATION OF SCRAP RUBBER, 48 50**
- DEPOLYMERIZED SCRAP RUBBER**
- ANTIOXIDANT ACTIVITY OF, 48 62
- AS COMPOUNDING INGREDIENT, 48 50
- AS FUEL OIL EXTENDER, 48 50
- AS STABILIZER FOR SOLUTION RUBBER, 48 62
- DESIGN AND ENGINEERING**
- WITH NATURAL RUBBER, 50 145
- DESTRUCTION COEFFICIENTS**
- IN OZONE CRACKING, 43 1230
- DETERMINATION**
- OF CARBON BLACK IN VULCANIZATES, 49 1060
- OF POLYMER CONSTITUENTS IN RUBBER VULCANIZATES, 48 97, 310, 631, 640, 653, 661
- DEUTERATED ELASTOMERS, 48 719**
- DEVULCANIZATION, 43 549**
- BY METHYL IODIDE, 43 1311
- DIBENZAMIDODIPHENYL DISULFIDE IN, 43 1332
- OF CARBON BLACK-FILLED VULCANIZATES, 43 572
- OSMIUM TETROXIDE IN, 43 572
- WITH METHYL HALIDES, 42 1136
- WITH O-DICHLOROBENZENE, 43 1332
- DEXSIL, 41 1378**
- DIALLYL PHTHALATE**
- IN EPDM, 43 431
- DIAMINODIPHENYLMETHANE, 4,4'**
- APPLICATIONS OF, 49 320
- CHEMISTRY OF, 49 320
- COMPLEXES OF, AS CURING AGENTS FOR POLYURETHANES, 48 1102
- COORDINATION COMPLEXES, 49 320
- HEALTH HAZARDS, 45 627
- SALT COMPLEXES OF, SYNTHESIS AND PROPERTIES, 48 1102
- DIAMINOHEXANE, 1,6-**
- AS CURING AGENT FOR FLUOROELASTOMERS, 46 619
- CROSSLINKING AGENT FOR POLY(BUTADIENE CO VINYLPIRIDINE), 46 1285
- DI(4-AMINOPHENYL)BUTANE, 2,3-**
- COORDINATION COMPLEXES OF, 49 320
- DIAZADISIROPENTADECANETHIONE, 41 255**
- DIBROMO-2-BUTENE, 1,4-**
- AS DIFUNCTIONAL COUPLING AGENT, 49 1305
- DIBROMO-PARA-XYLENE**
- AS DIFUNCTIONAL COUPLING AGENT, 49 1305
- DIBUTYL PHTHALATE ABSORPTION, 47 729, 858, 1052**
- BY CARBON BLACK, 43 943, 960
- FOR CARBON BLACK, 47 417
- FOR ESTIMATING OCCLUDED RUBBER IN CARBON BLACK, 47 417
- FOR SILICA, 47 417
- OF CARBON BLACK, 48 538
- DIBUTYLAMINE**
- HEALTH HAZARD OF, 44 512
- DICHLOROBENZENE, see ALSO BENZENE, ORTHO-DICHLORO**
- DICHLOROBUTADIENE**
- COPOLYMER WITH CHLOROPRENE, 50 272
- DICHLOROCARBENE**
- ADDITION TO EPDM, 43 411
- DICHLORO-PARA-XYLENE**
- AS DIFUNCTIONAL COUPLING AGENT, 49 1305
- DICHLOROTOLUENE, 2,4-, see BENZENE, METHYL-DICHLORO**
- DICINNAMYLDIENE-1,6-DIAMINOHEXANE**
- AS CURING AGENT FOR FLUOROELASTOMERS, 46 619
- DICUMYL PEROXIDE**
- CROSSLINKED NR AND MODULUS, 50 233
- CROSSLINKING OF EPM, 45 709
- CROSSLINKING OF NATURAL RUBBER, 45 1388
- EFFECT OF MBT ON VULCANIZATION RATE CONSTANT, 47 251, 266
- ESR SPECTRUM OF, 45 402
- IN CROSSLINKING POLYISOPRENE, 49 1142
- KINETICS OF DECOMPOSITION, 47 251, 266
- VULCANIZATION BY, 47 32, 251, 266, 303, 511, 697, 1265
- VULCANIZATION BY, CROSSLINKING EFFICIENCY, 47 251, 266
- VULCANIZATION OF NATURAL RUBBER, 47 251
- VULCANIZATION OF SBR, 47 266
- DICYCLOHEXYL TRISULFIDE**
- AS SCORCH INHIBITOR, 50 570
- DICYCLOHEXYLMETHANE DIISOCYANATE**
- IN VULCANIZATION OF NATURAL RUBBER, 43 501
- DICYCLOHEXYLTHIOPIPERAZINE**
- AS ACCELERATOR OF SULFUR VULCANIZATION, 46 67
- DICYCLOPENTADIENE**
- AS TERMONOMER IN EPDM, 45 709
- EFFECT ON EPDM CROSSLINKING, 43 411
- TERMONOMER OF EPDM, 42 363, 368



**DICYCLOPENTADIENE DIOXIDE**

CURATIVE FOR CARBONITROSIO RUBBER, 44 40

**DI(3,5-DI-TERT-BUTYL-4-HYDROXY-BENZYL) ETHER**

ANTIOXIDANT ACTION OF, 45 402

**DI(3,5-DI-TERT-BUTYL-4-HYDROXY)-PHENYL**

ANTIOXIDANT ACTION OF, 45 402

ESR SPECTRUM OF, 45 402

**DI(3,5-DI-TERT-BUTYL-4-HYDROXY-PHENYL)METHANE**

ANTIOXIDANT ACTION OF, 45 402

ESR SPECTRUM OF, 45 402

**DIE SWELL**

AND PROCESSABILITY OF SBR, 49 291

AS A MIXING CRITERION, 49 1

AS FUNCTION OF PROCESSING CONDITIONS, 50 765

DEFINITION, 46 1218

EFFECT OF BLACK STRUCTURE, 46 1218

EFFECT OF CARBON BLACK, 46 1218

EFFECT OF MECHANICAL CLEAVAGE OF RUBBER ON, 46 1218

EFFECT OF MOLECULAR WEIGHT DISTRIBUTION ON, 46 1218

EQUATIONS FOR, 46 1218

IN BLACK/SBR, 50 765

IN REPEATED EXTRUSION OF

POLYISOBUTYLENE, 50 723

OF RUBBER BLENDS, 47 48

OF SBR-BLACK COMPOUNDS, 49 1

TEMPERATURE DEPENDENCE, 45 1688

**DIELECTRIC HEATING**

EFFECT OF LOSS FACTOR ON, 44 294

EFFECT OF POLAR COMPOUNDS ON, 44 294

FOR CONTINUOUS VULCANIZATION, 44 294

**DIELECTRIC LOSS**

OF BLENDS OF BR AND SBR, 41 1109

OF BLENDS OF POLYMERS, 41 669

**DIELECTRIC PROPERTIES**

COMPARED WITH VISCOELASTIC PROPERTIES, 41 1249

**DIELECTRIC RELAXATION OF RUBBER BLENDS, 47 481****DIELS-ALDER ADDUCTS**

IN VULCANIZATION OF FKM COPOLYMERS BY

DIAMINES, 50 83

**DIENE FUNCTIONALITY**

IN POLYISOBUTYLENE, 49 390

**DIENE POLYMERS**

NMR STUDIES, 41 47

SPECTROSCOPY OF (REVIEW), 49 417

**DIENES**

ANALYSIS FOR IN EPDM, 45 709

AND ETHYLENE PROPYLENE COPOLYMERIZATION, 45 709

AS TERMONOMERS IN EPDM, 45 709

CONJUGATED, AND ETHYLENE PROPYLENE

COPOLYMERIZATION KINETICS, 45 709

**DIETHYLLUMINIUM HALIDES**

IN ISOBUTENE-ISOPRENE COPOLYMERIZATION, 49 937

**DIETHYLENE GLYCOL**

EFFECT ON DIELECTRIC HEATING, 44 294

**DIFFERENTIAL PYROLYSES**

OF CARBON BLACK-ELASTOMER BLENDS, 50 301

DIFFERENTIAL SCANNING CALORIMETRY, *see*

ALSO THERMAL ANALYSIS

CALIBRATION BY MELTING POINT, 50 922

FOR GLASS TRANSITION MEASUREMENT, 50 922

FOR GLASS TRANSITIONS IN EPDM, 45 709

FOR IDENTIFICATION OF RUBBERS IN BLENDS, 48 301, 631, 640, 653

FOR TG OF CHLORINATED POLYETHYLENE, 48 623

GLASS TRANSITION OF POLYSTYRENE, 49 224

IN ANALYSIS OF VULCANIZATION, 48 26

IN SOLVING PRODUCTION PROBLEMS, 50 438

OF NBR, 48 678

OF NITRILE RUBBERS, 45 222

OF POLYISOPRENE, 50 922

OF TREAD AND SIDEWALL STOCKS, 48 301, 631, 640, 653

OF VARIOUS RUBBERS, 45 369

OXIDATION STUDY BY, 47 1300

PROPYLENE-BUTADIENE COPOLYMER, 45 1532

USE IN ANALYZING VULCANIZATES, 48 661

**DIFFERENTIAL THERMAL ANALYSIS, 41 537, 1392****DIFFERENTIAL THERMAL ANALYSIS, 42 110**

OF BLENDS OF POLYMERS, 41 344, 495

OF ETHYLENE PROPYLENE RUBBER, 43 171

OF NITRILE RUBBER, 47 308

OF POLYURETHANES, 47 1160

OF RUBBER BLENDS, 44 814

OF SBS BLOCK COPOLYMERS, 45 252

OF URETHANE ELASTOMERS, 41 421

**DIFFERENTIAL THERMOGRAVIMETRY, *see* ALSO**

THERMAL ANALYSIS

FOR IDENTIFICATION OF COMPOUNDING COMPONENTS, 48 661

FOR IDENTIFICATION OF RUBBERS IN BLENDS, 48 631, 640, 653

**DIFFRACTION**

IN RHEO-OPTICAL STUDIES (REVIEW), 49 458

**DIFFUSION**

ACTIVATION ENERGIES OF, 47 1127

AND ADHESION, 42 53

COEFFICIENTS OF RUBBER BLENDS, 44 87

CONCENTRATION DEPENDENCE, 44 87

CONFIGURATIONAL EQUATIONS FOR, 48 128

EFFECT OF FLEXING ON, 44 87

EFFECT OF MOLECULAR SHAPE ON, 43 1349

EFFECT OF OIL VOLATILITY ON, 43 1349

EFFECT OF TEMPERATURE, 41 1312

IN POLYMERS, AS DETECTED BY ESR, 48 1078

IN RUBBER OF ANIOZONANTS, 44 1441

OF ACCELERATORS, IN RUBBERS, 41 1312

OF BENZENE IN POLYSTYRENE-POLY(VINYL

METHYL ETHER) FILMS, 48 218

OF BRANCHED MOLECULES, 45 519

OF CURATIVES, 42 1058

OF CURATIVES, EFFECT ON ADHESION, 41 1312

OF EXTENDER OILS, 44 1430

OF LIQUIDS IN CROSSLINKED RUBBERS, 42 495

OF LOW MOLECULAR WEIGHT RUBBERS

THROUGH MEMBRANES, 48 115

OF N-HEXADECANES IN NATURAL RUBBER, 42 1277

OF OIL, COEFFICIENT OF, 44 87

OF OIL IN RUBBER, 42 474

OF OIL IN RUBBER, 43 1349

OF SULFUR, IN RUBBERS, 41 1312

OF SULFUR, TEMPERATURE DEPENDENCE, 44 1307

OF VAPORS IN EPDM, 45 709

RADIOISOTOPE STUDY, 42 1

SEGMENTAL, FOR VARIOUS RUBBERS, 47 1127

THERMAL EFFECT IN RUBBER ON OIL, 43 1349

TRACER STUDIES OF, 42 481

- DIFFUSION COEFFICIENTS**  
OF VARIOUS HYDROCARBONS IN RUBBERS, 45 278
- DIFFUSION OF OXYGEN**  
EFFECT IN OXIDATIVE DEGRADATION OF VULCANIZATES, 50 43
- DIFFUSIVITY (THERMAL),**  
AND THERMAL CONDUCTIVITY, 47 849  
EFFECT OF CARBON BLACK ON, 47 849  
ERRORS IN MEASUREMENT, 47 849  
OF EPDM, 47 849  
OF FLUOROELASTOMERS, 47 849  
RELATIVE TEMPERATURE COEFFICIENT, 47 849  
THEORY, 47 849
- DIHYDROBENZENE**  
MOLECULAR WEIGHT MODIFIER, 43 333
- DIHYDROMYRCENE, see 2,6-DIMETHYL-2-CIS-6-OCTADIENE**
- DIHYDRONAPHTHALENE**  
MOLECULAR WEIGHT MODIFIER, 43 333
- DIHYDROTHIOPHENE, 2,5-**  
RAMAN SPECTRUM OF, 44 71
- DIHYDROKYPOLISOPRENE**  
SYNTHESIS OF, 49 303
- DI(2-HYDROXY-3-TERT-BUTYL-5-METHYL-PHENYL) SULFIDE**  
ANTIOXIDANT ACTION OF, 45 402  
ESR SPECTRUM OF, 45 402
- DIIDO-2-BUTENE, 1,4-**  
AS DIFUNCTIONAL COUPLING AGENT, 49 1305
- DIISOCYANATES**  
IN POLYURETHANE FORMATION, 47 19, 1160  
IN VULCANIZATION OF NATURAL RUBBER, 47 100  
SYNTHESIS AND USE, 48 70, 75
- DI(IISOCTYLPHENOL) DISULFIDE**  
AS RADIAL TRAP, 44 668
- DIISOPROPYLBENZENE HYDROPEROXIDES, 45 1686**
- DIISOPROPYL-2-BENZOTHAZOLE SULFENAMIDE**  
MASS SPECTRUM OF, 45 160
- DILATOMETER**  
FOR STRETCHED RUBBER, 43 1025
- DILATOMETRY**  
GLASS TRANSITION TEMPERATURE OF CHLORINATED POLYETHYLENE, 48 623  
OF POLYISOBUTYLENE, 42 1397
- DILUTE SOLUTIONS**  
OF RUBBER, EXCLUDED VOLUME EFFECT IN, 48 765  
OF TRANS-POLYPENTENAMER, 48 781
- DIMENSION OF POLYMERS**  
DETERMINATION, 41 569
- DIMENSIONAL CHANGES**  
IN NBR ON MOLDING, 48 236
- DIMETHYL 2,5-2,5-DI-TERT-BUTYLPEROXYHEXANE**  
IN CURING FLUOROELASTOMERS, 50 417
- DIMETHYL DIMETHYLTHIOCARBANYL SULFENAMIDE, 48 938**
- DIMETHYL PHTHALATE**  
AS POLYFUNCTIONAL COUPLING AGENT, 49 1305
- DIMETHYL TEREPHTHALATE, 50 1**
- DIMETHYL-2-CIS-6-OCTADIENE, 2,6-**  
NMR OF, 48 953  
OXIDATION, 48 953  
OXIDATION PRODUCTS, 48 953
- DIMETHYLDIETHOXYSILOANE**  
HYDROLYSIS OF, 49 909
- DIMETHYLDITHIOCARBAMATE SALTS IN RADIATION CURING, 48 860**
- DI(2-METHYL-4-HYDROXY-5-TERT-BUTYL-PHENYL) SULFIDE**  
ANTIOXIDANT ACTION OF, 45 402  
ESR SPECTRUM OF, 45 402
- DIMETHYL-2-NAPHTHYLAMINE**  
ANTIOXIDANT ACTIVITY OF, 44 857  
OXYGEN ABSORPTION OF VULCANIZATES CONTAINING, 44 857  
URETHANE FORMATION WITH POLYPROPYLENE ETHER GLYCOL, 44 923
- DIMETHYLSILOXANE**  
POLYMERS OF, 49 909
- DINITROBENZENESULFENYL CHLORIDE, 2,4-**  
FOR CHARACTERIZATION OF OLEFINS, 49 992
- DINITROSO-N-METHYLANILINE**  
REACTION WITH POLYMERS, 49 1019
- DINITROSO-N-METHYLANILINE, 46 573**  
AS MODIFIER FOR POLYISOPRENE, 46 511
- DIOCTYL-P-PHENYLENEDIAMINE**  
AS ANTIOXONANT IN NATURAL RUBBER, 48 41
- DI-ORTHO-TOLYLGUANIDINE**  
HEALTH HAZARD OF, 44 512  
IN POLYBUTADIENE, EFFECT OF HEAT HISTORY ON, 43 799
- DI-PARA-BENZOQUINONEIMINYL ESTER OF METHYLENEBIS(CYCLOHEXANE-4-CARBAMIC ACID)**  
IN VULCANIZATION OF NATURAL RUBBER, 43 501
- DI-PARA-BENZOQUINONEIMINYL ESTER OF P, P'-TOLUENEDICARBAMIC ACID**  
IN VULCANIZATION OF NATURAL RUBBER, 43 501
- DIPENTAMETHYLENETHIURAM TETRASULFIDE**  
EFFECT OF HEAT HISTORY IN POLYBUTADIENE, 43 799
- DIPHENYLAMINE**  
HEALTH HAZARDS, 45 627
- DIPHENYLGUANIDINE**  
ABSORPTION TEST FOR BLACK OXIDATION, 50 211  
CARBON-14 LABELED, 45 467  
EFFECT OF TRIPHENYLPHOSPHINE ON VULCANIZATES CONTAINING, 43 664  
IN NATURAL RUBBER VULCANIZATION, 43 664  
IN POLYBUTADIENE, EFFECT OF HEAT HISTORY ON, 43 799  
IN POLYBUTADIENE VULCANIZATION, 43 549
- DIPHENYLMETHANE DIISOCYANATE,**  
FORMATION OF POLYURETHANE NETWORKS, 49 1206  
IN VULCANIZATION OF CHLORO-BR/BR, 50 364  
URETHANE FORMATION WITH, 44 923
- DIPHENYL-P-PHENYLENEDIAMINE**  
INHIBITOR FOR OXYGEN ABSORPTION, 45 359
- DISPERSION**  
AS STEP IN MIXING PROCESS, 48 462  
DEGREE OF, DETERMINATION, 48 462  
EFFECT ON PHYSICAL PROPERTIES, 48 462  
OF CARBON BLACK IN COMPOUNDS, DETERMINATION BY RESISTIVITY, 50 194  
OF ELASTOMER BLENDS BY CRYSTAL BEHAVIOR, 50 278  
OF ELASTOMERS IN BLENDS, 42 985  
OF SILICA IN ELASTOMERS, 50 342
- DISPERSION OF CURATIVES**  
EFFECT ON VULCANIZATE PROPERTIES, 48 511
- DISPERSION OF INGREDIENTS**  
IN MIXING, 49 1
- DISPERSIONS**  
POLYSULFIDE ELASTOMERS, 41 114
- DISPOSAL**  
OF SCRAP TIRES, 47 597  
OF SCRAP TIRES, 48 50  
OF WASTE RUBBER, 47 1307

**DISTRIBUTION FUNCTIONS**

BAMFORD, 45 519  
 BEASLEY, 45 519  
 GAUSSIAN, 45 519  
 LOG NORMAL, 45 519  
 RANDOM, 45 519  
 STATISTICAL, 45 519  
 STOCKMAYER, 45 519

**DISTRIBUTION OF NETWORK CHAINS, 42 659, 1277****DISULFIDE**

BIS(2-AMINO-4-ETHYLAMINO-6- TRIAZINYL) AS VULCANIZATION ACCELERATOR, 43 1194  
 BIS(BENZOTHAZOLYL), RAMAN SPECTRUM OF, 47 906  
 BIS(2,4-BIS(AMINO)-6-TRIAZINYL) AS VULCANIZATION ACCELERATOR, 43 1194  
 BIS(2,4-BIS(DIETHYLAMINO)-6-TRIAZINYL), AS VULCANIZATION ACCELERATOR,  
 BIS(2,4-BIS(ETHYLAMINO)-6- TRIAZINYL), AS VULCANIZATION ACCELERATOR,  
 BIS(DODECYLSOPROPYLTHIURAM), 44 1065  
 BIS(2-ETHYLAMINO-4-DIETHYL- AMINO-6-TRIAZINYL), AS VULCANIZATION ACCELERATOR, 43 1194  
 BIS(OCTADECYLSOPROPYLTHIURAM), 44 1065  
 CYCLOHEXYL BENZOTHAZOLYL, 46 1299  
 2,2'-DIBENZAMIDODIPHENYL, IN DEVULCANIZATION, 43 1332  
 IN RUBBER VULCANIZATES, 42 1412  
 MASS SPECTRAL FRAGMENTATION PATTERNS, 46 1299  
 NMR DATA, 46 1299  
 POLY-2-DIETHYLAMINOTRIAZINYL-4,6-, AS VULCANIZING AGENT FOR STYRENE BUTADIENE RUBBER, 43 1194  
 PREPARATION OF, 46 1299  
 TETRAALKYLTHIURAM, 44 1065  
 UNSYMMETRICAL, 46 1299

**DISULFIDE CROSSLINKS**

IN EPDM, 48 889

**DISULFIDE VULCANIZATES**

AGING AND FATIGUE LIFE OF, 43 651  
 IN TIRE TREADS, 43 1215

**DI-*TERT*-BUTYL SULFOXIDE**

AS PEROXIDE DECOMPOSER, 49 147

**DI-*TERT*-BUTYL-4-HYDROXYBENZYL DERIVATIVES, 3,5-**

ESR SPECTRA OF, 46 1134  
 PRIMARY RADICALS IN, 46 1134

**DI-*TERT*-BUTYL-PARA-CRESOL DERIVATIVES, 2,6-**

ESR SPECTRA OF, 46 1134  
 MECHANISM OF RADICAL DEGRADATION, 46 1134  
 RADICAL REACTIONS OF, 46 1134

**DI-*TERT*-BUTYLPHENOL) DISULFIDE,**

RADICAL TRAP, 44 688

**DI-*TERT*-BUTYLPHENOLS,**

DITHIOBIS, 50 641

**DITHIOAMINES**

FROM CYCLIC AMINES, AS ACCELERATORS, 41 721

PREPARATION OF, FROM CYCLIC AMINES, 41 704

**DITHIO-BIS(MORPHOLINE)**

AS SCORCH INHIBITOR, 49 333

**DITHIOBIS(MORPHOLINE)**

GRAFTED ON EPDM, 47 88  
 IN ACCELERATOR SYSTEMS, 47 1304

**DITHIOCARBAMATES**

ACCELERATORS OF EPDM-NITRILE RUBBER BLENDS, 44 1065  
 AS ACCELERATORS IN SULFUR VULCANIZATION

OF EPDM, 41 316

AS ANTIOXIDANTS IN PEROXIDE CURED EPM, 41 304

METAL ALKYL, 44 1065

OF CARBON BLACK VULCANIZATES, 41 1215

PREPARATION OF, FROM CYCLIC AMINES, 41 704

RELATIVE SOLUBILITY OF, 44 1065

**DITHIODIMORPHOLINE, 4,4'-**

MASS SPECTRUM OF, 45 160

**DITHIOLS**

IN RADIATION CURING, 48 860

**DITHIOL-S-TRIAZINES**

AS SULFURLESS CROSSLINKING AGENTS, 50 660  
 WITH ATTACHED ANTIOXIDANT, 50 660

**DITHIOPHENOLS**

AS CHAIN TRANSFER AGENTS FOR INCORPORATING ANTIOXIDANTS INTO POLYDIENES, 50 641  
 SYNTHESIS AND PROPERTIES, 50 641

**DITHIOTRICHLOROMETHANES**

RETARDERS OF VULCANIZATION, 47 79

**DI-*TRICHLOROPHENYL* SULFIDE**

AS RADICAL TRAP, 44 668

**DIURETHANE CURE SYSTEM**

IN CROSSLINKING NR, 49 1361

**DIVINYLBENZENE**

AS POLYFUNCTIONAL COUPLING AGENT, 49 1305

**DODECADIENE, 4,8-**

300 MHZ NMR, 46 1156

**DODECANE**

'MOLECULAR PROBE' FOR GAS-LIQUID CHROMATOGRAPHY OF POLYMERS, 46 1, 7

**DODECANEDITHIOL, 1,12-**

IN RADIATION CURING, 48 860

**DOPPLER LINE BROADENING, 47 1127**

AND DIFFUSION COEFFICIENT, 47 1127  
 TEMPERATURE DEPENDENCE, 47 1127

**DOUBLE BOND SCISSION**

IN RING-OPENING POLYMERIZATION, 47 511

**DOUBLE STRAIN AMPLITUDE**

AND PHASE ANGLE, 44 440  
 AND SHEAR MODULUS, 44 440  
 EFFECT OF CHEMICAL PROMOTORS, 44 440  
 EFFECT OF FREQUENCY, 44 440  
 EFFECT OF MIXING TIME, 44 440  
 EFFECT OF TEMPERATURE, 44 440  
 IN-PHASE AND OUT-OF-PHASE, 44 440

**DRUGS**

CONTROLLED ADMINISTRATION OF, 50 959, 969

**DUST FROM TIRE WEAR**

ANALYSIS, 47 1005, 1011, 1275  
 AND SEVERITY OF TIRE WEAR, 47 1275  
 ATMOSPHERIC, 46 232  
 COMPARISON TO ENGINE-EXHAUST PARTICULATES, 47 1275  
 DEGRADATION IN BIOSPHERE, 47 1011  
 EFFECT OF ROAD SURFACE, 47 1011  
 ESTIMATE OF TOXICITY, 47 1005  
 FATE OF, 47 1275  
 OXIDATION OF, 47 1011  
 PHYSICAL APPEARANCE, 47 1275  
 SAMPLING METHOD, 46 232  
 SIZE DISTRIBUTION, 47 1005, 1011, 1275  
 ZINC ANALYSIS AND, 47 1275

**DYNAMIC ADHESION**

OF RUBBER TO CORDS, 49 1349

**DYNAMIC ELECTRICAL PROPERTIES**

OF CARBON BLACK VULCANIZATES, 48 79

**DYNAMIC MODULUS, 47 765**

FREQUENCY FUNCTION FOR PERFLUORORUBBERS, 44 660

- OF DILUTE SOLUTIONS AND LONG-CHAIN BRANCHING, **48** 1035  
 OF RUBBER NETWORKS, **48** 981  
 TEMPERATURE VARIATION OF PERFLUORORUBBERS, **44** 660  
**DYNAMIC PROPERTIES**, *see* ALSO VISCOELASTIC PROPERTIES  
 ADL BALL REBOUND TESTER, **46** 1087  
 AND CARBON BLACK, **44** 440  
 AND ELECTRICAL CONDUCTANCE, **47** 765  
 AND ELECTRICAL CONDUCTIVITY, **44** 440  
 AND MICROSTRUCTURE, **42** 1175  
 AND SHOCKWAVES, **45** 999  
 AND STIFFNESS, **44** 440  
 AND STRAIN-AMPLITUDE VARIATION, **47** 729, 765  
 AND TEMPERATURE VARIATION, **47** 729, 765  
 AND TIRE HEAT BUILDUP, **44** 440  
 APPARATUS FOR, **43** 1005, 1491  
 AT GLASS TRANSITION TEMPERATURES, **42** 557  
 BLOCK COPOLYMERS, **45** 999  
 CARBON BLACK REINFORCED RUBBER, **41** 1194  
 CHEMICAL PROMOTERS AND, **44** 440  
 CONTACT AREA AND FRICTION, **45** 1094  
 DOMAIN MODEL FOR, **44** 440  
 EFFECT OF CARBON BLACK AGGREGATES, **47** 231, 424, 729, 1082  
 EFFECT OF CARBON BLACK ON, **50** 842  
 EFFECT OF FREQUENCY ON, **44** 440  
 EFFECT OF HEAT TREATMENT, **48** 410  
 EFFECT OF MIXING ON, **44** 440  
 EFFECT OF PROMOTERS, **48** 410  
 EFFECT OF TEMPERATURE ON, **44** 440  
 EFFECT OF VULCANIZATION DEGREE ON, **44** 440  
 EFFECT ON ADHESION TO TIRE CORD, **47** 171  
 GOODRICH FLEXOMETER, **46** 897  
 GOODYEAR-HEALY REBOUND, **46** 897  
 HYSTERESIS AND RUBBER FAILURE, **45** 1043, 1598  
 MEASUREMENT OF, **47** 1, 19, 48, 57, 118, 171, 188, 202, 213, 231, 307, 318, 333, 363, 396, 411, 511, 697, 717, 729, 758, 765, 778, 803, 825, 1039, 1053, 1082, 1175, 1253, 1265  
 MIXING EFFECT, **47** 803  
 MTS ELASTOMER TEST SYSTEM, **46** 897  
 NATURAL RUBBER, **45** 309  
 OF AGING ELASTOMERS, **42** 1501  
 OF BLENDS, **41** 495  
 OF BLENDS OF POLYMERS, **41** 669, 1109  
 OF CARBON BLACK IN PARAFFIN OIL, **44** 440  
 OF CARBON-BLACK-FILLED OIL-EXTENDED SBR, **48** 592  
 OF CARBON-BLACK-REINFORCED VULCANIZATES, **46** 79, 89  
 OF CLAY IN RUBBER, **44** 440  
 OF CLAY IN WATER, **44** 440  
 OF ELASTOMER BLENDS, **48** 89  
 OF ELASTOMERS FROM 4 TO 250 DEGREES K, **45** 1033  
 OF EPDM, **45** 709  
 OF FILLED RUBBERS, **44** 440  
 OF NBR, **46** 417  
 OF OIL-EXTENDED RUBBER, **42** 1277  
 OF PHENYL-2-NAPHTHYLAMINE IN RUBBER, **44** 440  
 OF POLYURETHANE-POLYETHER BLOCK COPOLYMERS, **44** 1447  
 OF PVC, **42** 373  
 OF RUBBER, **41** 1203  
 OF RUBBER NETWORK, FACTORS AFFECTING, **44** 1256  
 OF SBR, **47** 333  
 OF SBR-1500, **50** 791  
 OF SBR FILLED WITH GLASS BEADS, **42** 1498  
 OF TRANS-POLYPENTENAMER, **47** 511  
 PIRELLI HYSTERESIMETER, **46** 897, 935  
 REINFORCED NATURAL RUBBER, **45** 1051  
 RHEOVIBRON, **46** 1087  
 SYNDIOTACTIC TRANS-1,2-POLYPENTADIENE, **43** 771  
 TEST APPARATUS FOR, **44** 249, 440  
 TIRES, **45** 1  
 VARIABLES AFFECTING, **50** 439  
 VARIATION WITH STRAIN, **44** 440  
 VISCOELASTIC BEHAVIOR, **45** 1082  
 WALLACE DYNAMIC TESTER, **46** 897  
 WITH RHEOVIBRON, **47** 333, 368, 756, 765  
**DYNAMIC SPRING RATE**, **45** 1151  
**DYNAMIC STRESS RELAXOMETER**  
 DESCRIPTION OF, **49** 247  
 ESTIMATION OF PROCESSABILITY, **49** 247  
**ECOLOGY**  
 CARBON BLACK MANUFACTURE AND, **47** 1308  
 CONTROL OF, **47** 1307, 1308  
 HYDROCARBON EMISSIONS, **47** 1307  
 WASTEWATER AND, **47** 932  
**EHRENFEST'S SECOND ORDER TRANSITION**, **41** 544  
**EICOSANES**  
 DIMERS FROM REACTION OF DECANE WITH PEROXIDE, **43** 613  
**ELASTIC BEHAVIOR**  
 AMORPHOUS POLYETHYLENE, **41** 1182  
**ELASTIC ENERGY**  
 STORED IN RUBBERS, **48** 902  
**ELASTIC MODULUS**, **47** 729, 765, 778, 803  
 TEMPERATURE-FREQUENCY TRANSPOSITION, **46** 877  
 THEORY OF, **46** 877  
 AND ELONGATION, **47** 765  
 AND SPECIFIC CONDUCTANCE, **47** 765  
 AND STRAIN AMPLITUDE, **47** 765  
 EFFECT OF AGING, **47** 803  
 EFFECT OF CARBON BLACK TYPE, **46** 897  
 EFFECT OF FREQUENCY, **46** 897  
 EFFECT OF STRAIN AMPLITUDE, **46** 877, 897  
 EFFECT OF SURFACE AREA AND STRUCTURE OF BLACK, **46** 897  
 EFFECT OF TEMPERATURE, **46** 897  
 OF NATURAL RUBBER, **46** 897  
 OF VULCANIZATES, EFFECT OF CARBON BLACK STRUCTURE, **46** 877  
 REINFORCED NATURAL RUBBER, **45** 1051  
**ELASTIC RECOVERY**, **48** 1166  
**ELASTICITY**, *see* ALSO RUBBER ELASTICITY  
 COMPLEX STRESS RELAXATION FOR RUBBER CYLINDER, **43** 735  
 EFFECT OF NETWORK STRUCTURE, **49** 1232  
 EQUATION FOR, **49** 1232  
 MECHANICS OF INFLATED RUBBER CYLINDER, **43** 735  
 NEO-HOOKEAN, **47** 768  
 OF RUBBERS AT ZERO STRAIN, **50** 441  
 OF UNCROSSLINKED RUBBERS, **48** 995  
 THEORY OF RUBBER AND DIPOLE ORIENTATION, **43** 878  
**ELASTICITY THEORY**, **42** 441, 580, 589, 835, 1167, 1175, 1277, 1285, 1501  
**ELASTICITY THEORY**, **43** 1040  
**ELASTICITY THEORY**, **44** 127, 152, 1380, 1391  
**ELASTICITY THEORY**, **45** 638, 1634, 1646

- ELASTICITY THEORY**, 47 625, 1116, 1151  
 AND COMPRESSION SET, 43 1040  
 AND CRYSTALLIZATION, 47 625  
 AND GLASSY STATE, 47 625  
 AND SWOLLEN VULCANIZATES, 47 1151  
 ANISOTROPY EFFECTS, 45 638  
 AS FUNCTION OF SWELLING DURING VULCANIZATION, 45 1646  
 CONFIRMATION OF, 43 549  
 EFFECT OF INTRAMOLECULAR INTERACTIONS ON, 43 1473  
 EFFECT OF VOLUME CHANGE WITH EXTENSION ON, 43 1473  
 ELASTIC FREE ENERGY AND, 43 1473  
 ENERGETIC CONTRIBUTION TO, 45 638, 709  
 ENTROPY EFFECTS, 45 638  
 EQUATION OF STATE, 45 638, 1634, 1646  
 EXCLUDED VOLUME EFFECTS, 45 638  
 FOR ETHYLENE-PROPYLENE RUBBER, 43 522  
 FOR NATURAL RUBBER, 43 1473  
 FOR POLYBUTADIENE VULCANIZATES, 43 549  
 GAUSSIAN THEORY, 45 638  
 INDENTATION OF RUBBER, 41 1122  
 KINETIC, 47 625  
 LIQUID FREE ENERGY AND, 43 1473  
 MATHEMATICAL, 46 398  
 MOLECULAR, 46 127  
 MOLECULAR THEORIES, 45 638  
 NON-EQUILIBRIUM EFFECTS, 45 1646  
 POLY(DIMETHYLSILOXANE), 45 1646  
 STATISTICAL, 46 1287  
 USE IN BELTED TIRE DESIGN, 46 294  
 VISCOELASTIC PROPERTIES, 45 1015
- ELASTIN**  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593
- ELASTOMER SOLUTION**  
 NMR, 41 47
- ELASTOMERIC BLOCK COPOLYMERS**  
 MORPHOLOGY, 49 65  
 PREPARATION OF, 41 161  
 PROPERTIES, 41 161  
 TEAR STRENGTH OF, 49 65  
 TENSILE STRENGTH OF, 49 65
- ELASTOMERS**, *see* ALSO SPECIFIC POLYMERS  
 ADHESION, 42 30  
 BLENDS OF, 49 105  
 BLENDS WITH THERMOPLASTICS, 49 978  
 COMPOSITES WITH SHORT FIBERS, 49 1180  
 COMPOUNDING FOR ADHESION, 49 408  
 CROSSLINK DENSITY BY GAS CHROMATOGRAPHY, 49 233  
 DEFORMATION SOFTENING, 42 399  
 ELONGATION AT LOW TEMPERATURE, 49 1111  
 ENGINEERING OF, 42 1175  
 ETHYLENE-ACRYLIC, 49 395  
 FLAMMABILITY OF, 49 158  
 HEATS OF COMBUSTION, 49 158  
 HETEROGENEOUS BLENDS, 49 392  
 HIGH-MODULUS, IN AUTOMOTIVE PARTS, 49 1365  
 HOMOGENEITY, 49 179  
 IN CARDIOVASCULAR RESEARCH, 49 1363  
 IN DYNAMIC CORD ADHESION TESTS, 49 1349  
 INTERPENETRATING NETWORKS, 43 893  
 OLEFINIC LINKAGES IN, 49 992  
 OXYGEN INDEX, 49 158  
 PHOSPHAZENE FOR FUEL SERVICE, 49 396  
 PHYSICAL CONSTANTS, 49 189  
 PROCESSING OF, 49 1160  
 RADIOISOTOPE ANALYSIS, 42 1  
 RADIOTHERMOLUMINESCENCE, 49 179  
 REINFORCEMENT BY CELLULOSE FIBERS, 49 1360  
 REINFORCEMENT BY GLASS FIBERS, 49 1350  
 REINFORCEMENT BY SILICA, 49 703  
 RHEOLOGY AND PROCESSING, 42 257  
 RHEOLOGY OF, 49 52  
 SURFACE ENERGY EFFECTS FOR SMALL HOLES OR PARTICLES, 43 873  
 THERMODYNAMICS, 42 441, 835, 1397, 1409  
 UNIFORM BLENDS OF, 49 399  
 VISCOELASTIC PROPERTIES, 49 52
- ELASTO-OPTICAL EFFECTS IN POLYMERS**, 41 533
- ELECTRICAL INSULATION**  
 ELASTOMERS FOR AUTOMOTIVE APPLICATIONS, 49 821  
 FLAME RETARDANT, 44 1440  
 NON-CHLORINE CONTAINING, 44 1440
- ELECTRICAL PROPERTIES**  
 OF CARBON-BLACK-FILLED VULCANIZATES, 48 79, 89  
 OF EPM-BASED COMPOSITIONS, 48 351, 354  
 OF THERMOSETTING ELASTOMERS IN AUTOMOTIVE WIRING, 48 353  
 OF VULCANIZATES, 47 765
- ELECTRICAL RESISTIVITY**  
 ACTIVATION ENERGY OF RELAXATION OF, 44 175  
 EFFECT OF RUBBER TYPE ON RELAXATION OF, 44 185  
 RELATION TO REINFORCEMENT OF FILLED SBR, 44 175  
 RELAXATION AS FUNCTION OF TEMPERATURE, 44 175  
 RELAXATION OF, 44 175  
 RELAXATION OF FILLED SBR AS FUNCTION OF STRAIN, 44 175  
 REVERSIBLE RELAXATION, 44 175
- ELECTROCHEMICAL TREING**  
 IN EPM COMPOUNDS, 48 353
- ELECTRON ACCEPTOR FUNCTION**  
 OF CARBON BLACK, 44 307
- ELECTRON DIFFRACTION**  
 SMALL ANGLE, STYRENE-BUTADIENE BLOCK COPOLYMER, 45 1564
- ELECTRON DONOR FUNCTION**  
 OF CARBON BLACK, 44 307
- ELECTRON MICROGRAPHS**, 47 57, 64, 357, 411, 858, 1082  
 OF BLENDS, 47 57  
 OF CARBON BLACK, 46 148, 176, 204, 653, 877, 897  
 OF CARBON BLACKS, 47 411, 858, 1082  
 OF FRACTURED RUBBER SURFACES, 48 653  
 OF PROTEIN FROM NATURAL RUBBER, 48 47  
 OF VULCANIZATE SECTION, 48 877
- ELECTRON MICROSCOPY**, *see* ALSO SCANNING ELECTRON MICROSCOPY, AND CARBON BLACK MORPHOLOGY, 46 204  
 AUTORADIOGRAPHIC STUDIES ON GUN AND CARBON BLACK FILLED RUBBER, 48 855  
 CARBON BLACK STRUCTURE BY SCANNING AND TRANSMISSION, 49 1068  
 CARBON BLACK STUDY WITH, 42 1209  
 IMAGE ANALYSIS OF CARBON BLACK, 48 538  
 IMAGE ANALYSIS OF CARBON BLACK, 50 1000  
 IN MORPHOLOGY OF PIVALOLACTONE-EPDM GRAFTS, 50 109  
 IN RUBBER RESEARCH, 50 996

- MOLECULAR WEIGHT BY, 46 653  
 OF BLENDS OF RUBBERS, 41 344  
 OF BLENDS OF VARIOUS RUBBERS, 44 814  
 OF CARBON BLACK, 41 356  
 OF CARBON BLACK, 43 470, 1359  
 OF CARBON BLACK, 44 307, 844  
 OF CARBON BLACK, 50 835  
 OF CARBON BLACK IN VULCANIZATES, 50 842  
 OF CARBON-BLACK AGGREGATES, 47 411, 1082  
 OF FIBER-RUBBER COMPOSITE, 47 387  
 OF FUMED SILICA, 47 411  
 OF INTERPENETRATING POLYMER NETWORKS, 45 1582  
 OF LATEXES AND FILMS, 50 997  
 OF NR STAINED WITH  $\text{AgNO}_3$ , 50 835  
 OF PRECIPITATED SILICA, 47 411  
 OF RUBBER, 43 1  
 OF RUBBER BLENDS, 47 57, 64  
 OF RUBBERS, 46 653  
 OF SURFACE OF STRETCHED FILM, 47 357  
 STUDY OF HIGH-IMPACT POLYSTYRENE, 42 641  
 SURFACE AREA BY, 44 1287
- ELECTRON SPIN RESONANCE**, 42 1155
- ELECTRON SPIN RESONANCE**, 47 1160  
 CIS-1,4-POLYBUTADIENE, 45 933  
 CIS-1,4-POLYISOPRENE, 45 908  
 DETECTION OF FREE RADICALS, 48 445  
 FOR STUDY OF MOTION IN POLYMERS, 48 1078  
 IN OZONE CRACKING STUDIES, 46 540  
 IN THE RUBBER INDUSTRY (REVIEW), 49 417  
 OF ACCELERATORS, 46 938  
 OF ANTIOXIDANTS, 46 1134  
 OF RADICALS FROM MECHANICAL DEGRADATION, 44 668  
 OF THERMAL DECOMPOSITION OF ACCELERATORS, 46 957  
 OF VULCANIZING SYSTEMS, 46 957  
 PHENOLIC ANTIOXIDANTS, 45 402  
 STUDY OF BOND RUPTURE BY, 48 445  
 STUDY OF CARBON BLACK BY, 48 445  
 STUDY OF FILLED RUBBER BY, 45 445
- ELONGATION**  
 EFFECT OF STRESS, 46 1234  
 EFFECT ON MILLING OF ELASTOMERS, 46 1166  
 EQUATION AS A FUNCTION OF TEMPERATURE, 46 388  
 NBR, 46 417  
 OF ELASTOMERS AT LOW TEMPERATURE, 49 1111  
 RELATIONSHIP, TO GLASS TRANSITION, AND MELTING TEMPERATURE, 46 242  
 TEMPERATURE DEPENDENCE, 46 242  
 TEMPERATURE OF MAXIMUM, 46 242  
 ULTIMATE, OF VULCANIZATES, 46 242
- EMULSIFICATION**  
 ROLE IN VULCANIZATION, 43 588
- EMULSION POLYMERIZATION**  
 BRANCHING AND CROSS BRANCHING, 49 610  
 CONTINUOUS (REVIEW), 50 601  
 DEPLETION EQUATIONS, 49 610  
 EFFECTS OF AGITATION, 49 610  
 INITIATION IN MONOMER DROPLETS, 49 536  
 KINETICS, 50 639  
 KINETICS OF (REVIEW), 49 536  
 MECHANISM OF (REVIEW), 49 536  
 MOLECULAR WEIGHT CONTROL, 49 610  
 MOLECULAR WEIGHT VARIATION IN, 43 74  
 MW REGULATION WITH BLENDS OF MERCAPTANS, 46 728  
 OF VARIOUS MONOMERS, 49 610
- PARTICLE GENERATION IN, 50 601  
 PARTICLE NUCLEATION DURING, 43 74  
 PARTICLE SIZE DISTRIBUTION IN, 43 74  
 PARTICLE SIZE FROM, 43 74  
 RATE EQUATION FOR CONVERSION DURING, 43 74
- EMULSION RUBBERS**  
 COPOLYMERIZED WITH POLYMERIZABLE ANTIOXIDANTS, 46 106
- ENCAPSULATION**  
 OF COMPOUNDING INGREDIENTS, 48 1093
- END-TO-END DISTANCE**  
 EXCLUDED VOLUME EFFECT, 45 638  
 OF POLYMER CHAIN, 45 638
- ENERGETIC CONTRIBUTION TO ELASTIC FORCE**  
 FROM THERMOELASTICITY, 46 593  
 MEASUREMENT, 46 593  
 MOLECULAR INTERPRETATIONS, 46 593  
 THERMODYNAMICS OF, 46 593
- ENERGETIC CONTRIBUTION TO RUBBER ELASTICITY**, 48 1018
- ENERGETIC STRESS**  
 OF NATURAL RUBBER, 43 270
- ENERGY**  
 ACTIVATION, FOR VISCOUS FLOW, 46 161  
 AT BREAK AND CARBON BLACK, 43 687  
 BALANCE, IN INTERNAL MIXERS, 48 624  
 DISSOCIATION OF HYDROGEN FROM HYDROCARBONS, 46 1007  
 INTERNAL, OF POLYMER CHAINS, 46 126  
 OF FRACTURE OF RUBBER, 48 445  
 OF MIXING, 46 462  
 SURFACE EFFECTS FOR SMALL HOLES OR PARTICLES IN ELASTOMERS, 43 873  
 TEMPERATURE DEPENDENCE, 46 126
- ENERGY ABSORBERS**  
 FOR AUTOMOBILE BUMPERS, 46 843, 862  
 NATURAL RUBBER, 50 145
- ENERGY CONSUMPTION**  
 FRICTIONAL LOSSES BETWEEN TIRES AND ROADS, 46 425  
 OF ROLLING TIRES, 46 425
- ENERGY DENSITY**  
 BREAKING, 46 1166  
 EQUATIONS FOR, 46 1166
- ENERGY INPUT TO BREAK (RUBBER)**, 44 690  
 EFFECT OF CROSSLINK DENSITY, 44 690  
 EFFECT OF HYSTERESIS, 44 690  
 EFFECT OF STRAIN, 44 690  
 EFFECT OF TEMPERATURE, 44 690
- ENERGY LOSSES IN TIRES**  
 MECHANISM OF, 47 118, 363
- ENERGY REQUIREMENTS**  
 IN ELASTOMER PROCESSING, 50 431
- ENERGY RESOURCES**  
 EFFECT OF LEGISLATION, 50 415  
 R AND D TO EXPAND ENERGY BASE, 50 416
- ENERGY TO BREAK**  
 AND FILLERS, 45 1043  
 HYSTERESIS AND RUBBER FAILURE, 45 309, 1043
- ENGINE EXHAUST PARTICLES**, 47 1275
- ENGINEERING**  
 OF POLYMERS, 42 1175  
 WITH NATURAL RUBBER, 50 145
- ENTANGLEMENT**, 44 1256
- ENTANGLEMENT**, 46 359, 477  
 AND CHEMICAL CROSSLINKS, 42 1167  
 AND CREEP MEASUREMENTS, 50 884  
 AND MOONEY-RIVLIN CONSTANTS, 50 798



- CHAIN, 48 164  
 CIS-POLYBUTADIENE, 42 1136, 1167  
 EFFECT OF SWELLING OF VULCANIZATES, 44 1208, 1227  
 EFFECT OF VULCANIZATION OF SWOLLEN RUBBER ON, 44 744  
 EFFECT ON CROSSLINK DENSITY, 48 913  
 EFFECT ON STRESS-STRAIN PROPERTIES, 44 1208, 1227  
 EFFECT ON VISCOELASTIC BEHAVIOR OF POLYMERS, 41 1  
 FLOW, 42 1294  
 IN CROSSLINKED EPDM, 45 709  
 IN EPDM, 42 1167  
 IN MODEL POLYSTYRENE NETWORKS, 48 194  
 IN POLYMERS (REVIEW), 41 1  
 MOLECULAR WEIGHT BETWEEN, 46 477  
 NATURAL RUBBER, 42 1167  
 NETWORKS IN 1,2-POLYBUTADIENE, 48 164, 1004  
 OF RUBBER MOLECULES, 47 1, 697, 1116  
 SBR, 42 1167  
 STRESS RELAXATION AND CROSSLINKS, 45 1064  
 TECHNIQUES OF MEASUREMENT, 41 1  
 TRAPPED, 42 1277  
 TRAPPED, 48 164  
 VISCOELASTIC PROPERTIES AND, 45 1015
- ENTHALPY**  
 ADSORPTION OF DODECANE ON POLYMERS, 46 1  
 CHANGE DURING REACTION OF SULFUR WITH NATURAL RUBBER, 43 1275  
 CONTRIBUTION TO POLYMERIZATION, 47 511  
 MIXING OF DODECANE WITH POLYMERS, 46 1  
 OF MELTING, POLYISOPRENE AND POLYBUTADIENE, 47 1175
- ENTHALPY OF FUSION**  
 OF POLYOCTENAMER, 49 170
- ENTHALPY OF MIXING**, 42 1397
- ENTHALPY OF SOLUTIONS**, 45 1638
- ENTROPY**  
 COMBINATORIAL OF MIXING, 45 1638  
 COMPONENT OF SHEAR MODULUS OF NATURAL RUBBER, 46 1287  
 CONTRIBUTION TO RUBBER ELASTICITY, 48 1018  
 EFFECTS IN ELASTIC THEORY, 45 638
- ENTROPY CONTRIBUTION**  
 TO ELASTICITY, 47 625  
 TO POLYMERIZATION, 47 511
- ENVIRONMENT**  
 OSHA CONSIDERATIONS, 49 413
- ENVIRONMENTAL HEALTH CONTROL IN THE RUBBER INDUSTRY**, 45 627
- EPDM**, *see* ETHYLENE-PROPYLENE-DIENE RUBBER
- EPICHLOROHYDRIN-ETHYLENE OXIDE RUBBER**, 46 587
- EPICHLOROHYDRIN RUBBER**, 41 1377
- EPICHLOROHYDRIN RUBBER**, 42 964
- EPICHLOROHYDRIN RUBBER**, 47 32, 57  
 AGING, 46 927  
 FILLER EFFECT, 46 927  
 FLAME RETARDANCE, 50 523  
 FLAMMABILITY, 46 1114  
 MELT VISCOSITY, 42 790  
 RHEOLOGICAL BEHAVIOR, 42 1487  
 RHEOLOGY OF, 43 1523
- EPISULFIDE**  
 IN SULFUR VULCANIZATION, 43 549
- EPM**, *see* ETHYLENE PROPYLENE RUBBER
- EPOXIDE**  
 FORMATION DURING OXIDATION OF OLEFIN MODELS FOR NATURAL RUBBER, 45 381  
 FORMATION IN OXIDATION OF POLYISOPRENE, 48 953  
 THREE-CONSTANT AND CALCULATION OF STRESS STRAIN CURVES, 45 60
- EPOXIDE RUBBER**, 42 1028
- ADHESION TO TIRE CORDS WITH, 42 159
- EPOXIDES**  
 AS ACTIVATORS OF CATALYSTS FOR RING-OPENING POLYMERIZATION, 47 1094
- EPOXY RESIN**  
 LATEX AND FILMS, ELECTRON MICROSCOPY, 50 997  
 POLYSULFIDE ELASTOMER COCURES, 41 114
- EPOXYCYCLOHEXYLETHYLTRIMETHOXSILANE**, 3,4-SURFACE TREATMENT OF GLASS BY, 48 819
- EQUATION OF STATE**  
 OF ELASTOMERS, 45 60, 1638, 1646, 1655  
 OF POLYISOBUTYLENE, 42 1409  
 OF RUBBER ELASTICITY, 43 270  
 PARAMETERS, 46 331
- EQUATIONS**  
 THREE-CONSTANT AND CALCULATION OF STRESS STRAIN CURVES, 45 60
- EQUIBIAXIAL TENSION**, 46 398
- EQUILIBRIUM CROSSLINK DENSITY**  
 AND MECHANICAL STRESS, 45 1074
- EQUIVALENCE PRINCIPLE**  
 IN DEFORMATION OF FILLED AND GUM RUBBER COMPOUNDS, 48 592
- ETHANOL**  
 OXIDATION PRODUCT OF POLYISOPRENE, 47 1094
- ETHYL ACETATE**  
 AS DIFUNCTIONAL COUPLING AGENT, 49 1305
- ETHYL ACRYLATE**  
 PHOTOPOLYMERIZATION, 48 819
- ETHYL METHACRYLATE**, *see* METHACRYLIC ACID, ETHYL ESTER
- ETHYLENE DICHLORIDE**  
 HEALTH HAZARD OF, 44 512
- ETHYLENE DIMETHACRYLATE**  
 COAGENT FOR PARAFFIN CROSSLINKING, 43 613
- ETHYLENE GLYCOL DIMETHACRYLATE**  
 AS CROSSLINKING AGENT FOR POLY(ETHYL ACRYLATE), 48 819, 830, 845
- ETHYLENE PROPYLENE**  
 REACTIVITY RATIO PRODUCT, 44 711
- ETHYLENE-ACRYLIC ELASTOMER**  
 HEAT AND OIL RESISTANCE, 49 395
- ETHYLENE-PROPYLENE**  
 BLOCK POLYMERS, STRUCTURE OF, 41 426  
 FAST CURING, 41 1385  
 IN TIRES, 41 1097  
 KINETICS OF THIURAM ACCELERATED VULCANIZATION, 41 761  
 PEROXIDE VULCANIZATES, EFFECT OF SULFUR ON STABILITY, 41 304  
 STABILITY OF, 41 304  
 SULFUR VULCANIZATION OF, 41 316  
 TENSILE STRENGTH, 41 304  
 THERMOELASTICITY OF, 41 1148
- ETHYLENE-PROPYLENE RUBBER**  
 ACCELERATORS FOR VULCANIZATION OF, 44 1065  
 ALLYLIC HYDROGEN REQUIREMENT FOR VULCANIZATION, 43 572  
 ANALYSIS BY GAS CHROMATOGRAPHY, 46 1326  
 ANALYSIS BY INFRARED SPECTROSCOPY, 44 1015

- ANALYSIS BY RADIOASSAY, 44 1015  
 AND SURFACE-MODIFIED CARBON BLACK, 48 410  
 AND THEORY OF RUBBER ELASTICITY, 48 495  
 ANISOTROPY OF, 43 836  
 AS ANTIOZONANT, 44 1436  
 AS ANTIOZONANTS, 42 975, 1136  
 AUTOHESION, 42 1480  
 BLENDS OF, 45 709  
 BLENDS WITH DIENE RUBBERS, 49 353  
 BLENDS WITH NATURAL RUBBER AND SBR, 46 653  
 BLENDS WITH OTHER RUBBERS, 44 814, 1435, 1436  
 BLOCK POLYMERS, STRUCTURE OF, 41 426  
 BLOCK-LENGTH DISTRIBUTION, 50 988  
 BONDING TO METAL OF, 44 1043  
 BROMINATED, 44 721  
 BULK VISCOSITY OF, 45 709  
 CARBON-13 NMR SPECTROSCOPY OF, 44 761  
 CATALYSIS FOR THE PREPARATION OF, 45 709  
 CHAIN BRANCHING OF, 45 709  
 CHARACTERIZATION OF, 45 709  
 CHARACTERIZATION OF NETWORKS, 41 1388  
 CHEMORHEOLOGY OF, 44 1334  
 COMPARISON OF CHLORINATION AND BROMINATION, 44 1025  
 COMPATIBILITY, 46 1210  
 COMPOSITION, ACCURATE MEASURE OF, 44 1015  
 COMPOSITION BY INFRARED, 45 546, 709  
 COMPOUNDING, 42 977  
 COMPOUNDING FOR LOW COST, 44 1435  
 COMPRESSION SET OF, 43 1040  
 COMPUTER FOR CALCULATION OF VULCANIZATE PROPERTIES, 43 1526  
 CONTROL OF STRUCTURE AND PROPERTIES, 46 1322  
 COPOLYMERIZATION CATALYSTS, 45 709  
 COPOLYMERIZATION KINETICS, 45 709  
 CRITICAL SURFACE TENSION OF SPREADING, 42 30  
 CROSSLINK DENSITY, 43 411  
 CROSSLINK DENSITY, 44 1109  
 CROSSLINK STRUCTURE, 43 411, 424  
 CRYSTALLINITY OF, 45 709  
 CRYSTALLIZATION AS A FUNCTION OF COMPOSITION, 44 1093  
 CRYSTALLIZATION OF, 44 1093  
 CURE COMPATIBILITY BY HALOGENATION, 44 1025  
 CURE RATE DEPENDENCE ON DIENES IN, 43 1521  
 CURING BEHAVIOR OF VARIOUS DIENES IN, 43 1521  
 DEGRADATION AND IR IDENTIFICATION, 48 289  
 DEHYDROHALOGENATION OF, 49 353  
 DEHYDROHALOGENATION OF HALOGENATED, 44 1025  
 DETERMINATION IN BLENDS, 44 1429  
 DIALLYL PHTHALATE IN, 43 424  
 DICUMYL PEROXIDE IN, 43 424  
 DIELECTRIC LOSS OF, 44 294  
 DIELECTRIC PROPERTIES, 48 351  
 DIFFERENTIAL THERMAL ANALYSIS, 42 110  
 DIFFUSION OF CURATIVES IN, 42 1058  
 DIFFUSION PROPERTIES OF, 45 709  
 DIFFUSIVITY OF OILS IN, 43 1349  
 DISTRIBUTION OF CARBON BLACK IN, 46 653  
 DOUBLE BOND CONSUMPTION DURING CURE, 43 860  
 DYNAMIC PROPERTIES OF, 46 1330  
 DYNAMIC SHEAR MODULI OF VULCANIZATES, 44 258  
 EFFECT OF BLACK LOADING ON SPRING RATE, 44 1043  
 EFFECT OF BLACK TYPE ON SPRING RATE OF, 44 1043  
 EFFECT OF COMPOSITION ON ANALYSIS, 44 1015  
 EFFECT OF COMPOSITION ON FATIGUE RESISTANCE, 44 1203  
 EFFECT OF DIENE CONTENT ON SHEAR CREEP, 44 1043  
 EFFECT OF ETHYLENE CONTENT ON MOONEY-RIVLIN CONSTANTS, 44 1109  
 EFFECT OF ETHYLENE SEQUENTIAL HOMOGENEITY ON, 44 1093  
 EFFECT OF GRADE ON ADHESIVE BOND STRENGTH, 44 1043  
 EFFECT OF GRADE ON SPRING RATE, 44 1043  
 EFFECT OF HALOGENATION, ON, 44 1025  
 EFFECT OF HEAT AGING ON TEAR STRENGTH OF, 44 1043  
 EFFECT OF MILL SIZE ON MIXING, 44 479  
 EFFECT OF MORPHOLOGY ON, 45 437  
 EFFECT OF PRECURE DILATION ON NETWORK, 44 1326  
 EFFECT OF SILICA FILLER, 48 795  
 EFFECT OF STRAIN ON CRYSTALLIZATION OF, 44 1093  
 EFFECT OF TERMONOMER ON HALOGENATION, 44 1025  
 EFFECT OF TERMONOMERS ON CROSSLINKING, 43 411  
 ELECTROCHEMICAL TREEING IN, 48 353  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 ENTHALPY OF, 44 1093  
 FAST-CURING, 43 1518  
 FLOW AND RHEOLOGY, 42 682  
 FRICTION OF, 44 1440  
 GLASS TRANSITION IN, 45 709  
 GLASS TRANSITION TEMPERATURE, 46 1166, 1210  
 GRAFT OF STYRENE AND ACRYLONITRILE ONTO, 44 1130  
 GRAFT POLYMER WITH POLYSTYRENE, 46 1044  
 GRAFT POLYMERS OF, 45 709  
 HALOGEN ATTACK ON ALLYLIC HYDROGEN ATOMS, 44 1025  
 HALOGENATED COPOLYMER, 49 353  
 HALOGENATION, EFFECT ON RUBBER TO METAL ADHESION OF, 44 1025  
 HEALTH HAZARD IN MANUFACTURE OF, 44 512  
 HEAT AGING AND CROSSLINK DENSITY OF, 43 1040  
 HEXADIENE TERPOLYMER, 44 1057, 1203  
 HIGH-FREQUENCY ISOLATION BY, 44 1043  
 HOSE, 42 980  
 HYDROGENATED POLYISOPRENE AS MODEL OF, 44 1093  
 IN A TRIBLEND, 43 400  
 IN BLENDS, 47 481  
 IN INSULATION OF POWER CABLES, 48 351  
 IN SPONGE PRODUCTION, 43 1518  
 IN TIRE SIDEWALL BLENDS, 43 482  
 INFRARED ABSORBANCE DATA, 46 30  
 INFRARED OF, 44 1015  
 INFRARED SPECTROSCOPY, 45 546  
 INJECTION MOLDING OF, 42 1321, 1336

INTRINSIC VISCOSITY-MOLECULAR WEIGHT RELATIONS, 45 709  
 KINETICS OF THE SYNTHESIS OF, 45 709  
 KINETICS OF VULCANIZATION OF, 43 411  
 LONG-CHAIN BRANCHING, 48 1035  
 LOSS TANGENT OF, 44 1043  
 LOW TEMPERATURE FLEXIBILITY OF, 44 1043  
 LOW VISCOSITY, 44 1436  
 MANUFACTURING PROCESS, 45 709  
 MATURING PROCESS OF VULCANIZATION, 43 1040  
 MAXIMUM RELAXATION TIME, 46 1166  
 METHYLENE BIS(ACRYLAMIDE) IN, 43 424  
 MIGRATION OF EXTENDER OIL IN, 42 1473  
 MILL BEHAVIOR AND ITS SCALE UP, 42 1479  
 MISCIBILITY OF ELASTOMERS WITH, 43 370  
 MOLECULAR WEIGHT DISTRIBUTION OF, 45 709  
 MONOMER SEQUENCE IN, 44 781  
 MONOSULFIDIC CROSSLINKS IN SULFUR VULCANIZATES OF, 44 1334  
 MOONEY-RIVLIN CONSTANTS FOR, 44 1109  
 MORPHOLOGY OF BLENDS WITH, 43 370  
 NETWORKS, 41 1388  
 OIL DIFFUSION COEFFICIENT-CONCENTRATION FUNCTION, 44 87  
 OIL FOR, 42 1474  
 OIL-EXTENDED, 44 1435  
 ORIENTATION BIREFRINGENCE, 42 509  
 OXIDATION OF, 45 437  
 OXIDATION RATE OF, 45 437  
 OXIDATIVE AGING OF, 45 709  
 OXIDATIVE DEGRADATION OF VULCANIZATES, 43 431  
 OXYGEN SCISSION OF NETWORKS, 43 431  
 PATENTS ON, 45 709  
 PEROXIDE CURE OF, 44 1334  
 PEROXIDE CURING, 42 1245  
 PEROXIDE VULCANIZATION OF, 45 709  
 PHASE ANGLE TANGENT OF VULCANIZATES OF, 44 258  
 PHENYLENE BIS(MALEIMIDE) IN, 43 424  
 PHYSICAL PROPERTIES OF, 45 709  
 POLYMER-BENZENE INTERACTION PARAMETER, 44 1109  
 POLYMER-SOLVENT INTERACTION PARAMETER, 47 303  
 POLYMER-SOLVENT INTERACTIONS PARAMETERS, 45 709  
 POLYSULFIDIC CROSSLINKS IN VULCANIZATES, 44 1334  
 PROMOTED PEROXIDE CURE, 48 878  
 PROMOTED RADIATION CURE, 48 878  
 PROPERTIES OF VULCANIZATES FROM NITRENES AND, 43 605  
 RADIOACTIVE ETHYLENE IN, 44 1015  
 RADIOACTIVE PROPYLENE IN, 44 1015  
 RADIOACTIVELY TAGGED, 50 988  
 REACTIONS OF PEROXIDES WITH, 45 709  
 REACTIVITY RATIO PRODUCT FOR, 44 781  
 REACTIVITY RATIOS, 45 709  
 REDUCTION OF CROSSLINKS BY LITHIUM ALUMINUM HYDRIDE, 43 411, 424  
 REVIEW, 45 709  
 RHEOLOGICAL PROPERTIES, 45 709  
 RHEO-OPTICS OF BLENDS WITH POLYPROPYLENE, 43 849  
 SEQUENCE DISTRIBUTION BY INFRARED AND NMR, 45 546, 709  
 SHEAR BREAKDOWN OF CARBON BLACK IN, 43 943

SHIFT FACTOR FOR CARBON BLACK EQUIVALENCE IN, 44 199  
 SILANE COUPLING AGENTS AND, 44 1080  
 SMALL ANGLE X-RAY SCATTERING OF, 45 709  
 SOLUTION PROPERTIES, 45 709  
 SOLVENT-POLYMER INTERACTION CONSTANT, 43 411  
 SPECIFIC HEAT OF, 44 1093  
 SPRING RATE OF, 44 1043  
 STABILITY OF, 41 304  
 STIFFNESS OF MOLECULAR CHAINS OF, 43 836  
 STRESS RELAXATION OF, 44 1334  
 STRESS RELAXATION OF VULCANIZATES OF, 43 431  
 STRESS STRAIN PROPERTIES OF, 44 1326  
 STRESS-INDUCED CRYSTALLIZATION, 44 1093  
 STRUCTURE BY INFRARED, 45 546, 709  
 STUDY OF CROSSLINKING BY ATTENUATED TOTAL REFLECTION, 43 860  
 SYNTHESIS OF, 45 709  
 TACK IMPROVEMENT, 42 966  
 TACK MEASUREMENT, 42 1040  
 TACTICITY OF PROPYLENE UNITS, 45 546  
 TEAR STRENGTH OF, 44 1043  
 TEMPERATURE COEFFICIENT FOR UNPERTURBED DIMENSIONS, 45 593  
 TENSILE STRENGTH, 41 304  
 TENSILE STRENGTH AS FUNCTION OF HALOGEN CONTENT, 44 1025  
 THERMAL EXPANSION COEFFICIENT, 45 709  
 THERMAL PROPERTIES OF, 45 709  
 THERMAL STABILITY IMPROVEMENT OF, 44 1441  
 THERMODYNAMIC BEHAVIOR OF, 44 1093  
 THERMOELASTIC BEHAVIOR, 43 778  
 THERMOELASTIC BEHAVIOR, 44 1093  
 THERMOELASTIC EFFECTS IN, 45 709  
 THERMOELASTICITY, 41 1148  
 TREADWEAR, 44 1203  
 VINYLCHLOROHENE TERPOLYMER, 44 653  
 VULCANIZATION, BY BIS-AZIDODIFORMATES, 43 605  
 VULCANIZATION BY CHLOROKETONES, 43 171  
 VULCANIZATION BY GRADIENT TEMPERATURE METHOD, 43 931  
 VULCANIZATION BY NITRENES, 43 605  
 VULCANIZATION BY OCTACHLOROCYCLOHEXENONE, 43 171  
 VULCANIZATION BY PEROXIDE, 43 171, 424, 522  
 VULCANIZATION BY PEROXIDES, 48 275, 1007  
 VULCANIZATION BY POLYCHLOROALICYCLIC KETONES, 43 171  
 VULCANIZATION BY QUINONDS, 43 522  
 VULCANIZATION BY RESINS, 43 522  
 VULCANIZATION BY SULFUR, 43 424, 522  
 VULCANIZATION BY SULFUR DONORS, 43 424, 522  
 VULCANIZATION OF FAST CURING, 43 1518  
 WEIGHT AVERAGE MOLECULAR WEIGHT, 48 1166  
 WETTING INDEX FOR FILLERS, 46 1166  
 WHITESIDE WALL COVERSTRIP, 44 1437  
 WINDSHIELD WIPER BLADE FROM, 44 1440  
**ETHYLENE-PROPYLENE-DIENE RUBBER, see ALSO**  
 ETHYLENE-PROPYLENE RUBBER  
 ACCELERATOR INFLUENCE, 45 1348  
 ACCELERATOR SYNERGISM, 45 1348  
 ACCELERATOR-SULFUR CONCENTRATION AND CURING TEMPERATURE, 45 1348  
 ADDUCT WITH N-CHLOROTHIOAMIDES, 49 341  
 ADHESION OF, 45 709  
 AGING AND STRESS-STRAIN, 47 803

- AND ACCELERATOR CONCENTRATION, 45 1348  
 AND STRESS RELAXATION, 45 1334  
 AND TERMONOMER TYPES, 45 1334  
 ANTIOXIDANT ACTION IN, 45 402  
 AS IMPACT MODIFIER, 49 978  
 AUTOMOTIVE APPLICATIONS, 49 775  
 AUTOXIDATION OF, 45 1125  
 BLEND WITH CHLORINATED POLYETHYLENE, 47 1300  
 BLEND WITH NATURAL RUBBER, OZONE RESISTANCE, 47 895  
 BLENDS WITH NITRILE RUBBER, 50 430  
 BLEND WITH POLYURETHANE SCRAP, 48 972  
 BLENDS OF, 45 709  
 BLENDS WITH POLYPROPYLENE, MICROSCOPY OF, 50 24  
 BLENDS WITH SBR FOR OZONE RESISTANCE, 49 393  
 BONDING TO METAL, 47 457  
 BONDING TO RFL, 47 458  
 CARBON BLACK MORPHOLOGY IN, 50 842  
 CATALYSTS FOR THE PREPARATION OF, 45 709  
 CELLULOSE FIBER COMPOSITES, 50 999  
 CELLULOSE FIBERS IN, 49 1363  
 CHAIN BRANCHING IN, 45 709  
 CHAIN CROSS SECTION AND MOONEY-RIVLIN CONSTANTS, 50 798  
 CHARACTERIZATION BY C-13 NMR, 48 705  
 CHARACTERIZATION OF, 45 709  
 CHEMISTRY OF DITHIOCARBAMATE-ACCELERATED VULCANIZATION, 41 760  
 CHEMORHEOLOGY, 48 913  
 CHLORINATED AND CHLOROSULFONATED, 45 709  
 CLEAVAGE OF CROSSLINKS AND MAIN CHAINS, 48 913  
 COCURING WITH DIENE RUBBERS, 47 88  
 COMPOSITION AND STRUCTURE BY INFRARED AND NMR, 45 546, 709  
 COMPOSITIONAL DISTRIBUTION OF, 45 709  
 COMPOUNDING OF, 45 709  
 COMPOUNDS WITH S TYPE BLACKS, 50 211  
 CROSSLINK STRUCTURE IN, 45 709  
 CROSSLINKING WITH DITHIOL-S-TRIAZINES, 50 660  
 CROSSLINKS IN, 45 709  
 CRYSTALLINITY IN, 45 709  
 CURING AIDS FOR, 47 924  
 CURING OF, 47 924  
 DETERMINATION OF, IN VULCANIZATES, 48 97  
 DETERMINATION OF UNSATURATION IN, 45 546, 709  
 DIENES USED IN THE PREPARATION OF, 45 709  
 DYNAMIC MECHANICAL PROPERTIES OF, 45 709  
 DYNAMIC PROPERTIES, 48 79  
 EFFECT OF AGING ON ELASTIC MODULUS AND STRESS-STRAIN, 47 803  
 EFFECT OF CROSSLINK DENSITY ON FAILURE PROPERTIES, 45 709  
 EFFECT OF DOUBLE-BOND CONTENT, 48 889  
 EFFECT OF POLYMER TYPE ON ADHESION, 47 459  
 EFFECT OF STEARIC ACID, 45 1348  
 ELASTOMERIC SPRING FROM, 47 1039  
 ELECTRICAL CONDUCTION BY BAND CONDUCTION, HOPPING, AND ION DIFFUSION, ELECTRICAL PROPERTIES OF CARBON BLACK FILLED, 45 1688  
 ELONGATION AT BREAK, 45 709  
 ETHYLIDENENORBORNENE IN, 46 1019  
 FAST CURING, 48 747  
 FILLED VULCANIZATES AND OXYGEN ABSORPTION, 45 1334  
 FILLED WITH GLASS BEADS, FRACTURE, 48 445  
 FILLER REINFORCEMENT OF, 45 709  
 FLAME RETARDATION, 50 523  
 FLAMMABILITY, 48 114  
 FOR ELECTRICAL APPLICATION, 48 354  
 FOR ROOM-TEMPERATURE-VULCANIZING ADHESIVE, 47 459  
 GLASS TRANSITION TEMPERATURE OF, 45 709  
 GRAFT POLYMERS OF, 45 709  
 GRAFTED, MORPHOLOGY OF, 50 109  
 GRAFTED WITH ACCELERATORS, 47 88  
 GRAFTS WITH PIVALOLACTONE, 50 109  
 GUM VULCANIZATES, AND OXYGEN ABSORPTION, 45 1334  
 HEAT BUILDUP AND ABRASION, 45 1334  
 HIGH SULFUR CONCENTRATIONS IN COMPOUNDS OF, 45 1348  
 IN BLENDS, DYNAMIC PROPERTIES, 48 89  
 IN RUBBER BLENDS, 47 64, 895, 1300, 1317  
 IN SIDEWALL COMPOUNDS, 50 430  
 IN THERMOPLASTIC ELASTOMERS, 49 978  
 IN TIRES, 41 1097  
 IN WHITE SIDEWALL STOCKS, IDENTIFICATION, 48 631, 653  
 INFRARED SPECTROSCOPY, 45 546, 709  
 INHERENT VISCOSITY AND GEL CONTENT, 50 99  
 INTRINSIC VISCOSITY-MOLECULAR WEIGHT RELATIONS, 45 709  
 KINETICS OF THIURAM ACCELERATED VULCANIZATION, 41 761  
 LIGHT INDUCED AUTOXIDATION, 45 1125  
 LONG-CHAIN BRANCHING, 48 1035  
 LOW SULFUR CONCENTRATIONS IN COMPOUNDS OF, 45 1348  
 MANUFACTURING PROCESS, 45 709  
 MILL BEHAVIOR, 45 1412  
 MIXING OF, 45 709  
 MOLECULAR WEIGHT DISTRIBUTION OF, 45 709  
 MORPHOLOGY OF NR BLENDS, 50 292  
 NBR BLENDS, COCURE, 49 112  
 NETWORK CHAIN DENSITIES, 45 1348  
 OIL EXTENSION OF, 45 709  
 OIL RESISTANCE, 46 1066  
 OVEN AGING OF PHENOLIC ANTIOXIDANTS IN, 45 402  
 OXIDATIVE AGING OF, 45 437, 709  
 OZONE RESISTANCE OF, 45 709  
 OZONE RESISTANCE OF BLENDS OF, 45 709  
 PAINTING AND PIGMENTING OF, 47 454  
 PATENTS ON, 45 709  
 PEROXIDE CURE OF, 48 275, 1007  
 PEROXIDE VULCANIZATION OF, 45 709  
 PHYSICAL PROPERTIES OF, 45 709  
 POLYBUTADIENE BLENDS, 49 93  
 POLYMER-SOLVENT INTERACTION PARAMETER, 45 709  
 POLYSTYRENE GRAFT ON, 46 1044  
 PROCESSING OF, 45 1412  
 PROPERTIES OF FILLED COMPOUNDS AFTER AGING, 46 1007  
 PYROLYSIS, 50 523  
 RADIATION CURING, 47 924  
 RADIO THERMOLUMINESCENCE, 49 179  
 REFRACTIVE INDICES OF ETHYLIDENENORBORNENE CONTAINING, 48 1019  
 REINFORCEMENT BY CELLULOSE FIBERS, 50 444  
 RELAXATION MODULUS, 45 1412  
 RESIN VULCANIZATION OF, 45 709  
 RESISTANCE TO OZONE, 50 443

- RESISTIVITY OF BLACK COMPOUNDS, 50 194  
 REVIEW, 45 709  
 RHEOLOGICAL PROPERTIES OF, 45 709  
 RHEOLOGY, 49 93  
 RHEOLOGY AND MORPHOLOGY OF BLENDS, 50 423  
 ROTATIONAL SHEAR VISCOSITY OF, 45 709  
 SEQUENCE DISTRIBUTION OF, 45 546, 709  
 SET PROPERTIES OF VULCANIZATES, 45 709  
 SHEAR MODULUS, 45 1412  
 SHEAR MODULUS, 49 93  
 SMALL-ANGLE X-RAY SCATTERING OF, 45 709  
 SOLUTION PROPERTIES, 45 709  
 SPRINGS FROM, 47 1039  
 STIFFNESS-HYSTERESIS CHARTS, 47 803  
 STRESS CRYSTALLIZATION OF, 45 709  
 STRESS RELAXATION, 48 913  
 SULFONATED, IN FOAM, 50 437  
 SULFUR VULCANIZATION, 48 889  
 SULFUR VULCANIZATION OF, 41 316  
 SULFUR VULCANIZATION OF, 45 709  
 SYNTHESIS OF, 45 709  
 TEAR STRENGTH, 45 709  
 TENSILE STRENGTH, 45 709  
 TENSILE STRENGTH AS A FUNCTION OF MODULUS, 45 193  
 THERMAL ANALYSIS OF, 45 369  
 THERMAL ANALYSIS OF, 48 661  
 THERMAL DEGRADATION, 48 913  
 THERMAL DIFFUSIVITY IN, 47 849  
 THERMOELASTIC EFFECTS IN, 45 709  
 THERMOGRAMS OF FILLED VULCANIZATES, 45 1334  
 THERMOGRAVIMETRY OF, 47 1193  
 TRIMETHYLOL TRIMETHACRYLATE AS COCURING MONOMER, 47 924  
 UNSOLVED PROBLEMS, 45 1686  
 VISCOELASTIC CHARACTERIZATION OF, 50 99  
 VULCANIZATE PROPERTIES, 45 709  
 VULCANIZATE PROPERTIES, 49 1363  
 VULCANIZATE PROPERTIES AFTER AGING, 46 1007  
 VULCANIZATION BY RADIATION, 45  
 VULCANIZATION KINETICS, 45 709  
 VULCANIZATION KINETICS, 48 889  
 VULCANIZATION WITH 2-(MORPHOLINODITHIO)-BENZOTHAZOLE, 50 90  
 X-RAY DIFFRACTION OF, 45 709
- ETHYLENE-PROPYLENE-TRIENE COPOLYMERS**  
 PREPARATION AND PROPERTIES, 48 747
- ETHYLENE-VINYL ACETATE COPOLYMER**  
 APPLICATION OF RUBBER COMPOUNDING TECHNOLOGY TO, 49 1359  
 DEGRADATION AND IR IDENTIFICATION, 48 289  
 FOAMED WITH AZO COMPOUNDS, 50 678  
 PROMOTED PEROXIDE CURE, 48 878  
 PROMOTED RADIATION CURE, 48 878
- ETHYLIDENENORBORNANE**  
 PREPARATION OF, 47 88
- ETHYLIDENENORBORNENE**, *see* ALSO  
 2-ETHYLIDENEBICYCLO(2.2.1)-5-HEPTENE  
 ANALYSIS OF IN EPDM, 46 1019  
 AS TERMONOMER IN EPDM, 46 1019  
 CARBON-14 TAGGED, 46 1019  
 RADIOASSAY, 46 1019
- ETHYLLITHIUM**  
 INITIATION OF POLYMERIZATION, 43 22
- ETHYL-1,11-TRIDECADIENE TERMONOMER IN EPDM**, 11-, 45 709
- EXCHANGE REACTIONS OF SULFUR**, 43 449
- EXCLUDED VOLUME**  
 EFFECT IN ELASTIC THEORY, 45 638  
 IN RUBBER ELASTICITY THEORY, 48 495
- EXPERIMENTAL DESIGN**, 41 86
- EXTENSION OF RUBBER**  
 VOLUME DURING, 44 1391
- EXTRA NETWORK STRUCTURES IN SULFUR VULCANIZATION**, 43 549, 588
- EXTRACTION**  
 OF OIL FROM NATURAL RUBBER, 42 1277  
 OF POLYISOPRENE, 42 471
- EXTRUDED SWELL**, *see* DIE SWELL
- EXTRUDED RUBBER**  
 MICROWAVE VULCANIZATION, 48 1100
- EXTRUDER**,  
 COLD FEED, 45 1434  
 DESIGN OF, 41 1354  
 FLOW THROUGH, 41 23  
 HOT FEED, 45 1434  
 MECHANISM OF, 45 1434  
 PIN TYPE, CAPABILITY IN RUBBER PROCESSING, 49 403  
 PROCESSING OF POWDERED RUBBER, 48 1098  
 VENTED, 45 1434
- EXTRUSION**  
 BASIC THEORY, 45 1421  
 CONTINUOUS MIXING, 45 1421  
 CONVEYING PRINCIPLE, 45 1421  
 DIE SWELL, 48 577  
 ENERGY BALANCE, 45 1421  
 MACHINERY DEVELOPMENT, 45 1421  
 MATHEMATICAL MODEL, 42 780  
 MIXING, 45 1421  
 OF BLACK-FILLED NBR, 48 615  
 OF ELASTOMERS, 50 163  
 OF ELASTOMERS, THEORY AND PRACTICE, 50 1001  
 OF POLYISOBUTYLENE, EFFECT ON MWD, 50 723  
 OF POLYMER MELTS, 42 675, 682, 691  
 OF POLYMERS, THEORY OF, 41 1354  
 OF RUBBER, 41 23  
 OF VINYLIDENE FLUORIDE COPOLYMERS, 46 619  
 PLASTICATING SCREW, 42 780  
 PRESSURE DROP, 45 1421  
 RESIDENCE TIME, EQUATION OF TADMOR AND KLEIN, 45 1421  
 SCREW GEOMETRY, 45 1421  
 SHRINKAGE IN BLACK/SBR, 50 765  
 SLIT DIE, 42 691  
 SWELLING, CONTROL OF, 41 1132  
 TECHNOLOGY AND CONTINUOUS VULCANIZATION, 50 1003  
 TEMPERATURE DISTRIBUTION, EQUATION OF TADMOR AND KLEIN, 45 1421
- EXTRUSION SHRINKAGE**  
 EFFECT OF ALPHA-F VALUES FROM DISK RHEOMETER, 45 129
- FABRICS FOR RUBBER INDUSTRY**, 44 847
- FACITCE**  
 IDENTIFICATION IN RUBBERS, 46 653  
 MODIFIED BY NITROSODIPHENYLAMINE IN RUBBER-BOUND ANTIOXIDANT3, 45 204
- FAILURE**, *see* ALSO AGING, ANTIOXONANTS, CRACKING, CUT GROWTH, FATIGUE  
 ADHESIONAL, 42 30  
 ENVELOPE, 42 1267  
 ENVELOPE OF NITRILE RUBBER, 47 307  
 ENVELOPE OF SBR-1500, 50 791

- FINITE EXTENSIBILITY AND VISCOELASTICITY, 43  
714  
IN RAPID SINUSOIDAL FLEXING, 48 357  
OF POLYBUTADIENE, 42 1095  
OF POLYURETHANES, 42 648  
OF RUBBERS, THEORY, 48 902  
PROPERTIES OF RUBBER, 44 1396  
TENSILE, OF RUBBERS, 43 902
- FAILURE PROPERTIES OF RUBBER**  
HYSTERESIAL EFFECT, 45 1043
- FATIGUE**, *see* ALSO CRACKING, CUT GROWTH  
AND AGING OF NATURAL RUBBER VULCANIZATES, 43 651  
AND FAILURE OF ELASTOMERS, 50 440  
AT RUBBER TO METAL BONDS, 47 171, 186  
BY ROTARY FLEXOMETER, 49 258  
EFFECT OF AIR AGING ON, 43 1194  
EFFECT OF CARBON BLACK ON, 48 1090  
EFFECT OF CROSSLINK STRUCTURE ON, 43 651, 664  
EFFECT OF CYCLIC SULFIDES IN VULCANIZATES ON, 43 651  
EFFECT OF OZONE ON, 43 1230  
ESTIMATE OF LIFE, 42 1175  
FIBERGLASS TESTING FOR, 42 1491  
HYSTERESIS AND FAILURE, 45 1043  
IN DYNAMIC ADHESION TESTING, 47 171, 186, 1253  
OF ELASTOMER BLENDS, 50 429  
OF GLASS CORD BELTS, 44 946  
OF NATURAL RUBBER VULCANIZATES, 43 651  
OF NATURAL RUBBER VULCANIZATES, 43 1194  
OF POLYBUTADIENE, 42 1095  
OF POLYURETHANE FOAMS, 43 758  
OF RUBBERS, 48 902  
OF TIRE CORD, 42 1000  
OF TIRE CORD ADHESION, 42 159  
REINFORCED NATURAL RUBBER, 45 1051  
TENSION-BENDING, 47 396  
TESTING, 47 171, 186, 1253  
UNAGED, 43 651
- FATIGUE LIFE**  
AT MAXIMUM AND MINIMUM TEARING ENERGIES, 47 1253  
EFFECT OF MIXING ENERGY ON, 50 765  
EFFECTS OF CARBON BLACK PARAMETERS, 47 231  
EQUATION FOR, 47 1253  
OF BLACK-RUBBER VULCANIZATES, 47 231, 1253  
OF VULCANIZATES OF SBR, 47 1253
- FATIGUE OF RUBBER**  
AND HYSTERESIS, 45 309  
AND OXYGEN, 45 309  
AND OZONE, 45 309  
FAILURE TIME AND STRAIN ENERGY DENSITY FUNCTION, 45 309  
FLAW SIZE AND, 45 309  
FRACTURE MECHANICS AND, 45 309  
LABORATORY TESTS AND SERVICE PERFORMANCE, 45 309  
MECHANICAL, AND CRACK GROWTH, 45 309
- FATTY ACIDS**  
TALLOW, USE IN RUBBER, 48 348
- FEED STOCKS**  
FOR THE RUBBER INDUSTRY, 49 1353  
FROM COAL, 50 416
- FERRIC ACETYLACETONATE**  
CATALYST FOR CHAIN EXTENSION OF POLYMERIC DIOLS, 45 1554
- FERRIC FERRICYANIDE**  
OXIDATION OF CONJUGATED POLYENES BY, 47 1094
- FIBER REINFORCEMENT**  
IN RUBBER PACKING CUPS, 49 1360  
IN V-BELT COMPOUNDS, 49 1364
- FIBERGLASS**  
ADHESION, 42 159  
FATIGUE TESTING OF, 42 1491
- FIBER-RUBBER COMPOSITE**  
ANISOTROPY OF, 50 945, 999  
CREEP, 47 396  
ELECTRON MICROGRAPH, 47 396  
FATIGUE OF, 47 396  
FIBER ORIENTATION, 47 396, 1066  
MECHANICAL PROPERTIES OF, 50 945  
MODULUS, 47 396, 1066  
OF ORIENTED CELLULOSE FIBER, 47 396  
PROPERTIES, 48 1108  
SOLVENT SWELLING, 47 396  
STRESS RELAXATION, 47 396  
SWELLING ANISOTROPY, 50 999  
TENSILE STRENGTH, 47 396
- FIBERS**  
AND ENDURANCE, 44 271  
AND LAW OF CUMULATIVE DAMAGE, 44 271  
AND MOLECULAR CHAIN BREAKAGE, 44 271  
CALCULATION OF DIRECTION MODULUS IN RUBBER, 47 1066  
EFFECT OF ACTIVATION ENERGY OF GROWTH, 44 271  
EFFECT OF FORCE AMPLITUDE, 44 271  
EFFECT OF FRACTURE SURFACE ENERGY, 44 271  
EFFECT OF FREQUENCY, 44 271  
EFFECT OF MODULUS, 44 271  
EFFECT OF MORPHOLOGY, 44 271  
EFFECT OF STRAIN AMPLITUDE, 44 271  
EFFECT OF TEMPERATURE, 44 271  
EFFECT ON PENETRATION RESISTANCE, 49 379  
EFFECT ON PHYSICAL PROPERTIES, 49 379  
FATIGUE LIFE, 44 271  
GENERATED IN SITU, FOR REINFORCEMENT, 49 402, 1364  
IN COMPOSITES, ANISOTROPY OF, 50 999  
IN FLUOROELASTOMERS, 49 43  
MATHEMATICAL MODEL, 47 1066  
MODULUS OF RUBBER COMPOSITE, 47 1066  
ORIENTATION EFFECT IN SHRINKAGE, 49 43  
ORIENTATION IN RUBBER, 47 1066  
REINFORCEMENT OF RUBBER, 49 379  
SHORT, IN REINFORCEMENT OF ELASTOMERS, 50 945
- FIBERS (GLASS)**, 44 846, 946  
REINFORCEMENT BY, 44 846  
RHEOLOGY OF, 44 846  
SHORT, IN REINFORCEMENT OF ELASTOMERS, 50 945
- FILLER**  
INJECTION MOLDING AND, 44 620
- FILLER AGGREGATES**, 44 1249
- FILLER REINFORCEMENT**, *see* ALSO REINFORCEMENT  
AND ABRASION, 41 1033  
CHEMISORPTION IN, 41 330  
EFFECT OF VULCANIZATION, 41 330  
FILLER-RUBBER BONDING DURING VULCANIZATION, 41 330  
MECHANISM OF, 41 330  
OF POLYSULFIDE ELASTOMERS, 41 114  
STUDIES WITH MODEL OLEFINS, 41 330



- THEORY, 41 1203
- FILLER-RUBBER ADHESION**
- EFFECT OF VULCANIZATION, 41 1244
- INTERACTION, 41 659
- FILLER-RUBBER BONDING**, 47 697
- FILLERS**, *see* ALSO CARBON BLACK, REINFORCEMENT, SILICA
- ADSORPTION OF RUBBER ON, 48 810
- AND HYDROGEN TRANSFER, 42 1200
- CHEMICAL INTERACTION WITH POLYMERS, 42 850, 858, 1494
- COUPLING AGENTS FOR, 48 1091
- DETERMINATION OF CONTENT BY TGA, 42 110, 1490
- EFFECT OF DISPERSION ON SBR MASTERBATCH, 42 957
- EFFECT OF MILLING ON STRUCTURE, 42 1493
- EFFECT OF STRUCTURE ON VULCANIZATE PROPERTIES, 42 598
- EFFECT OF SURFACE, STRUCTURE, AND DISPERSION ON TREAD PERFORMANCE, 42 700, 1495
- EFFECT ON DIE SWELL, 42 957
- EFFECT ON GLASS TRANSITION TEMPERATURE, 42 110
- EFFECT ON INJECTION MOLDING OF EPDM, 42 1321, 1336
- EFFECT ON RHEOLOGICAL PROPERTIES, 42 257
- EFFECT ON SHEAR IN GLASSY REGION, 42 557
- EFFECT ON SWELLING RATE, 42 604
- FOR FLUOROELASTOMERS, 46 619
- IDENTIFICATION, 45 546
- IDENTIFICATION IN VULCANIZATES, 46 653
- IN FLUOROELASTOMER SHRINKAGE, 49 43
- IN RUBBER, EFFECT ON HEAT CONDUCTION, 50 480
- MICROSCOPY OF, IN VULCANIZATES, 46 653
- NMR STUDY OF INTERACTION WITH SBR, 42 1155
- POWDER POLYMER TECHNOLOGY, 45 1111
- PVC-NITRILE RUBBER POLYBLENDS, 45 1111
- REINFORCEMENT, 48 795, 819, 830, 845
- RICE-HULL ASH AS, 48 271
- SILANE MODIFICATION, 49 397
- SOFTENING OF VULCANIZATES CONTAINING, 42 339
- STARCH XANTHIDE AS, 48 1092
- FILMS**
- FORMATION FROM LATEX, 41 514
- FROM LATEXES, ELECTRON MICROSCOPY, 50 997
- FINITE ELASTICITY**
- AND STRESS RELAXATION FOR CYLINDER, 43 735
- INFLATED CYLINDER, 43 745
- FIRESTONE FLEXOMETER**
- IN RUBBER-CORD ADHESION TESTING, 47 171
- FIRST-ORDER REACTIONS**
- IN VULCANIZATION BY SULFUR, 43 588
- FLAME RETARDANT ADDITIVES**, 48 1114
- FLAME RETARDANT**
- BY ADDITIVES, 50 523
- OF RUBBERY MATERIALS, 50 523
- FLAME-RETARDANT ELECTRICAL INSULATION**, 44 1440
- FLAMMABILITY**
- AND FLAME-SPREAD MODELS, 48 345
- ANOMALIES IN POLYMERS, 48 344
- EFFECT OF HYDRATED FILLERS, 48 124
- FORMULATION OF, 48 1114
- OF CARBORANE ELASTOMERS, 48 14
- OF ELASTOMERIC COMPOUNDS, 48 1114
- OF ELASTOMERS, 48 340
- OF NATURAL AND SYNTHETIC POLYMERS, 49 158
- OF POLYURETHANES, 48 343
- OF RUBBERS (REVIEW), 50 523
- REVIEW OF TEST METHODS, 43 1529
- STABILIZATION, 50 523
- TESTING, 50 523
- TESTS, 46 1114
- FLATSPOTTING**
- MECHANISM OF, 42 159
- FLAW SIZE AND RUBBER FATIGUE**, 45 309
- FLEX CRACKING**, *see* ALSO FATIGUE FAILURE
- OF BLENDS, 47 48
- OF POLYPENTENAMER, 47 511
- REINFORCED NATURAL RUBBER, 45 1051
- FLEX LIFE**
- EFFECT OF MOLYBDENUM SULFIDE, 49 140
- OF CAST POLYURETHANE, 48 1101
- FLEXIBILITY**
- LOW TEMPERATURE, 44 1043
- OF REINFORCED NATURAL RUBBER, 45 1051
- PROPERTY OF ELASTOMERS FROM 4 TO 250 DEGREES K, 45 1033
- VISCOELASTIC PROPERTIES, 45 1015
- FLEXING**
- AND PHYSICAL PROPERTIES OF VULCANIZED NATURAL RUBBER, 45 450
- COMPUTER TREATMENT OF DATA, 45 1687
- FAILURE MODE IN RAPID SINUSOIDAL, 48 357
- FLEXURAL STRENGTH**
- OF LAMINATES, 43 229
- FLEXURE OF LAYERED ORTHOTROPIC SHELLS**
- AS RELATED TO BELTED TIRE, 46 294
- FLORY FUNCTION**, 44 1208, 1227
- FLORY-HUGGINS EQUATION**, 44 1109
- EPDM AND, 44 1104
- FLORY-REHNER EQUATION**, 47 697, 1265
- AND NATURAL RUBBER VULCANIZATES, 43 624
- AND POLYBUTADIENE VULCANIZATES, 43 549
- APPLIED TO EPDM, 45 709
- STRESS RELAXATION AND CROSSLINKS, 45 1064
- SULFUR-FREE THIURAM VULCANIZATION, 45 945
- FLOW**, *see* ALSO RHEOLOGY, EXTRUSION
- AND INJECTION MOLDING, 42 959, 1321, 1336
- AND MECHANICAL DEGRADATION, 42 1294
- AND MOLECULAR BRANCHING, 42 823, 1294
- AND MOLECULAR WEIGHT, 42 823
- AND POLYMER STRUCTURE, 42 903
- EFFECT OF HYDROGEN BONDING ON, 43 1109
- EFFECT OF HYDROXYL GROUPS, 43 1109
- EFFECT OF MOLECULAR WEIGHT ON, 43 1109
- EFFECT OF SHEAR RATE, 43 1109
- EFFECT OF TEMPERATURE, 43 1109
- ENTANGLEMENT, 42 1294
- EPICHLOROHYDRIN RUBBER, 42 790, 1487
- INSTABILITY OF POLYMER, 42 675, 682
- LAMINAR SHEAR, OF ELASTOMERS, 50 163
- MELT, EFFECT OF CARBOXYL GROUPS, 43 1109
- MELT FLOW, 42 257, 675, 682, 691, 823
- OF ELASTOMER BLENDS, 48 1166
- OF ELASTOMERS, 48 1166
- TRANSIENT AND STEADY, 42 714
- UNSTABLE, 42 257
- FLOW CURVE**
- FOR HYDRODYNAMIC ANALYSIS, 48 462
- IN FORM OF POWER LAW, 48 462
- TEMPERATURE DEPENDENCE, 48 462
- FLOW UNIT**

- SUPERMOLECULAR, 47 333
- FLUORESCENCE**  
OF POLYMERS (REVIEW), 49 458
- FLUORESCENCE POLARIZATION**  
OF POLYMERS (REVIEW), 49 458
- FLUOROELASTOMERS**  
AEROSPACE SEALS, 42 1502  
AND AUTOMATIC TRANSMISSION FLUIDS, 50 420  
APPLICATIONS, 46 619  
AUTOMOTIVE APPLICATIONS, 49 775  
CHARACTERIZATION OF, 49 1001  
CHEMICAL RESISTANCE OF, 50 403  
COEFFICIENT OF EXPANSION, 49 35  
COMPRESSION SET, 44 845  
CRITICAL SURFACE TENSION OF SPREADING, 42 30  
DEGRADATION AND IR IDENTIFICATION, 48 289  
DEGRADATION BY AQUEOUS SOLUTIONS, 50 83  
DIELECTRIC PROPERTIES, 44 660  
EFFECT OF FILLERS, 46 619  
EFFECT OF PH ON, 50 83  
FLUID RESISTANCE, 44 660  
FLUIDS RESISTANCE OF, 50 418  
FOR LOW COMPRESSION SET, 42 1503  
FOR LOW TEMPERATURES, 50 419  
FROM TETRAFLUOROETHYLENE AND PROPYLENE, 50 403  
HEAT AGING, 49 1001  
HEAT RESISTANCE OF, 44 660  
INJECTION MOLDING OF, 49 1350  
MONOMERS FOR, 46 619  
NEW, 44 845  
NEW GENERATION, 50 1005  
PEROXIDE CURES, 50 417, 418  
PREPARATION, 46 619  
PROCESSING, 46 619  
PROCESSING OF, 50 417  
PRODUCTION OF, 49 1357  
PROPERTIES, 48 619  
PYROLYSIS AND FLAMMABILITY, 50 523  
REINFORCEMENT OF WITH HALOPOLYMERS, 41 527  
REVIEW OF, 46 619  
SEALANTS, 43 937, 939  
SHRINKAGE OF, 49 35, 43  
SOLVENT RESISTANCE OF, 44 660  
STEAM RESISTANCE OF, 50 418  
STRESS-STRAIN, 41 1231  
STRESS-STRAIN IN COMPRESSION, 50 915  
TEARING, MICROSCOPY OF, 50 875  
THERMAL DIFFUSIVITY, 47 849  
VITON A, FLAMMABILITY, 46 1114  
VOLATILE PRODUCTS FROM, 49 367  
VULCANIZATE PROPERTIES, 44 660  
VULCANIZATE PROPERTIES, 46 619  
VULCANIZATE PROPERTIES STRUCTURE OF, 50 403  
VULCANIZATION, 46 619  
VULCANIZATION BY DIAMINES, 50 83  
VULCANIZATION OF, 49 367  
WEIGHT LOSS DURING CURE, 49 367
- FLUOROELASTOMERS**  
ELASTOMERS FROM, 46 619
- FLUOROSILICONE RUBBER, 47 32**  
AS PLASTICIZERS FOR FLUOROELASTOMERS, 46 619  
EFFECT OF FILLERS, 46 619  
FLAMMABILITY, 46 1114  
HEAT AGING, 48 944
- HIGH TEMPERATURE USE, 44 1350  
MOISTURE RESISTANCE, 45 1166  
MOLECULAR WEIGHT DISTRIBUTION, 48 944  
PEROXIDE CURING, 48 944  
PHYSICAL PROPERTIES OF, 50 420  
PREPARATION, 46 619  
PREPARATION OF, 44 1350  
PROPERTIES, 46 619  
PROPERTIES OF, 44 1350  
SHEAR MODULUS, 44 479  
STRESS RELAXATION, 48 944  
VULCANIZATION, 46 619
- FOAM RUBBERS,**  
FLAMMABILITY, 50 523  
FLEXIBLE, FROM IONIC ELASTOMERS, 50 437  
FLEXIBLE, LOAD-COMPRESSION BEHAVIOR, 43 758  
FROM NATURAL AND POLYISOPRENE LATEX, 43 1255  
HOMOGENEOUS NUCLEATION OF BUBBLES, 44 1363  
MADE WITH AZO FOAMING AGENTS, 50 678  
OF VINYL ACETATE-ETHYLENE COPOLYMER, 50 678  
POLYURETHANE, RECYCLING, 48 972  
PROCESSING OF, 43 1255  
PROPERTIES OF, 43 1255  
PROPERTIES OF FILLED, 43 1255  
SHEAR MODULUS, 44 479  
SHRINKAGE OF, 43 1255  
THERMAL CONDUCTIVITY, 50 480
- FOKKER-PLANCK EQUATION**  
APPLICATION, 46 127
- FORCE ANALYSIS**  
TIRES, 44 1456
- FORCED ELASTIC DEFORMATION, 45 71**
- FORCE-DEFLECTION**  
FUNCTION FOR ELASTOMERIC SPRINGS, 47 1039
- FORCE-TEMPERATURE COEFFICIENT, 44 127**  
NATURAL RUBBER AND, 44 127  
POLYURETHANE, 44 127
- FORECAST**  
TECHNOLOGICAL FOR RUBBER PROCESSING, 48 1096
- FORMALDEHYDE**  
CROSSLINKING BY, 43 188
- FOURIER TRANSFORM NMR**  
CARBON-13, 47 1136  
IN ANALYSIS OF POLYPENTENAMER, 48 329
- FRACTIONATION**  
BAKER-WILLIAMS, 43 1439  
BY ELUTION, 45 667  
BY PRECIPITATION, 45 667  
BY SOLUBILITY, 45 667  
GEL PERMEATION, 43 1439  
IN CHARACTERIZATION OF RUBBERS, 43 1367  
OF POLYBUTADIENE, 43 549  
OF POLYMERS, FREEZING OF SOLUTIONS, 41 1288  
OF POLYMERS, (REVIEWS), 45 667  
OF RUBBERS BY CHROMATOGRAPHY, 41 626  
OF SBR BY THIN-LAYER CHROMATOGRAPHY, 48 310
- FRACTURE ENERGY**  
IN ADHESIVE-BOND FAILURE, 47 202
- FRACTURE MECHANICS**  
OF ADHESIVE BONDS, 47 202  
OF VULCANIZATES, 44 1186
- FRACTURE OF RUBBER**  
AT LOW TEMPERATURE, 48 445

- BOND RUPTURE AND, 48 445  
 CAVITATION MECHANISM, 45 1604  
 ENERGY OF, 48 445  
 FINITE EXTENSIBILITY AND VISCOELASTICITY, 43 714  
 FREE RADICALS IN, 48 445  
 GAS EVOLUTION IN, 48 445  
 GRIFFITH CRITERION, 48 445  
 IN ADHESIVE JOINTS, 45 1604  
 IN PRESENCE OF FILLER, 48 445  
 MECHANICS, 48 902  
 MECHANICS OF, 45 1604  
 MICROSCOPICAL EXAMINATIONS, 46 653  
 OF VISCOELASTIC BODIES, 41 1168  
 THEORY OF, 41 1168
- FREE ENERGY**  
 EFFECT ON KINETIC THEORY OF ELASTICITY, 43 1473  
 ELASTIC, 43 1473  
 GIBBS AND HELMHOLTZ, 47 625  
 LIQUIDLIKE, 43 1473
- FREE RADICALS**  
 AND ANTIOXIDANT ACTION, 45 402  
 AND MECHANICAL STRESS, 45 1074  
 DECAY OF, 48 445  
 DECOMPOSITION RATE AS A FUNCTION OF TEMPERATURE, 44 668  
 DETECTION BY ESR, 48 445  
 DURING TENSILE BREAK, 42 505  
 ELECTRON PARAMAGNETIC RESONANCE SPECTRA OF, 44 668  
 ESR STUDY OF POLYBUTADIENE, 45 933  
 ESR STUDY OF POLYISOPRENE, 45 918  
 FROM MECHANICAL DEGRADATION OF VULCANIZATES, 44 660  
 GENERATED BY OXIDATION OF ANTIOXIDANTS, 46 1134  
 IN AGING OF VULCANIZATES, 42 924  
 IN CARBON BLACK, 42 1200  
 IN PEROXIDE SULFUR VULCANIZATION, 42 744  
 IN PEROXIDE VULCANIZATION, 42 1245  
 IN PEROXIDE VULCANIZATION OF BUTYL, 42 1147  
 IN POLYISOPRENE OXIDATION, 48 953  
 IN PRESTRAINED RUBBER, 48 445  
 IN SULFUR VULCANIZATION REACTIONS, 42 1366  
 MECHANISM OF DEGENERATION, 46 1134  
 MECHANISMS FOR CARBOXYL-TERMINATED POLYBUTADIENE, 42 71  
 PRODUCED BY FRACTURE OF RUBBER, 48 445  
 REACTION WITH OXYGEN, 48 445  
 REACTION WITH RADICAL ACCEPTORS, 44 668  
 RELATIVE STABILITY OF, 44 668  
 STABLE, AS ESR SPIN LABELS, 46 1078  
 STRUCTURE AND REACTIVITY, 44 668  
 TRAPS FOR, 44 668
- FREE VOLUME OF RUBBERS,**  
 AND CARBON BLACK, 45 278  
 AND CROSSLINK DENSITY, 45 278  
 AND DIFFUSION COEFFICIENT OF VARIOUS HYDROCARBONS, 45 278  
 CARBON BLACK-LOADED RUBBER, 44 1297  
 CHANGE WITH TEMPERATURE, 45 278  
 CRITICAL, 45 278  
 GLASS TRANSITION AND, 45 1685  
 OF MONOMERIC FLUIDS, 45 1685
- FREEZING**  
 OF SOLUTIONS OF ISOBUTYLENE POLYMERS, 41 1288
- FREEZING POINT DEPRESSION**
- AND POLYMER-SOLVENT INTERACTION PARAMETER, 50 451
- FRICTION**, see ALSO LUBRICATED FRICTION, SKID RESISTANCE, TEST METHODS, TIRES  
 AND CONTACT AREA, 45 1094  
 AND HYSTERESIS, 41 452  
 AND TEMPERATURE, 45 1094  
 AND WEAR OF RUBBER (REVIEW), 41 209  
 APPARATUS, 41 462  
 BULK, 42 1122  
 COEFFICIENT OF, 44 962  
 DYNAMIC, 44 1147  
 EFFECT OF COMPOUND VARIATIONS, 44 1443  
 EFFECT OF POLYMER VARIATIONS, 44 1443  
 EFFECT OF SPEED, 41 462, 753, 780, 908  
 EFFECT OF TEMPERATURE, 41 209, 462, 908  
 EFFECT OF TEMPERATURE ON, 44 397  
 FACTOR, CALCULATION, 46 127  
 HYSTERETIC STRESSES IN, 44 758  
 MECHANISM, 41 462  
 MECHANISM OF, 44 1147  
 MODES OF, 44 962  
 OF EPDM, 44 1440  
 OF POLYTETRAFLUORETHYLENE, 41 462  
 OF RUBBER, ADHESION, 41 452  
 OF SHOE SOLES AND HEELS, 44 1434  
 OF TIRES, FACTORS IN, 44 1447  
 OF TIRES, ROLE OF TREAD PATTERNS, 41 452  
 ON ICE, 48 527  
 ON WET SURFACES, 41 477, 753, 780, 832, 843, 854, 870, 881, 890, 895, 943  
 PEAK, 44 1450  
 PREDICTION OF HYSTERETIC STRESSES, 44 758  
 ROLLING, 41 462, 908  
 RUBBER DEFORMATION LOSSES IN, 42 1122  
 SLIDING, 41 462, 908  
 SLIDING, 42 1433  
 SLIDING, 44 1450  
 SLIDING VELOCITY AND, 45 1094  
 STATIC, 44 1147  
 SURFACE, 42 1122  
 TEST METHODS, 41 753, 780, 854, 862, 890, 895, 908  
 THEORY, 41 209  
 TIRE SQUEAL, 41 953  
 WAVE OF DETACHMENT IN, 44 1147  
 WET TIRES, 44 962
- FRICTIONAL HEAT IN TIRES, 44 397**
- FUEL FROM TIRE SCRAP, 47 597**
- FUEL SERVICE**  
 PHOSPHAZENE ELASTOMER IN, 49 396
- FUEL-RESISTANT ELASTOMERS**  
 FOR LOW-TEMPERATURE SERVICE, 41 767
- FUELS**  
 ALCOHOLS AS, 50 421  
 CLEAN, FROM COAL, 50 416  
 LIQUID, FROM OIL SHALE, 50 416
- FUNCTIONALITY DISTRIBUTION**  
 BY THIN-LAYER CHROMATOGRAPHY, 50 63  
 IN TELECHELIC PREPOLYMERS, 50 63  
 OF POLYBUTADIENES, 50 63
- FUNGICIDES**  
 FOR SOUTH AMERICAN LEAF BLIGHT, 49 1360
- FURAN**  
 2-METHYL, OXIDATION PRODUCT OF POLYISOPRENE, 47 1094
- FURAN, 2-METHYL-2-VINYL-5-KETO**  
 OXIDATION PRODUCT OF POLYISOPRENE, 47 1094
- FUSION ENTHALPY**  
 OF POLYOCTENAMER, 49 170

**G VALUE**

- CROSSLINKING OF NATURAL RUBBER, 43 262
- SCISSION OF NATURAL RUBBER, 43 262

**GAMMA RADIATION**

- CROSSLINKING OF BR IN STATES OF STRAIN, 48 164

**GAS CHROMATOGRAPHY**

- ANALYSIS OF ACCELERATORS BY, 46 1325
- ANALYSIS OF IR OXIDATION PRODUCTS, 50 373
- ANALYSIS OF OXIDATION PRODUCTS OF POLYISOPRENE BY, 47 1094
- AND POLYMER-SOLVENT INTERACTION PARAMETER, 50 451
- DETERMINATION OF GLASS TRANSITION TEMPERATURES BY, 46 1
- DETERMINATION OF POLYMER CRYSTALLINITY BY, 46 7
- DETERMINATION OF RATES OF CRYSTALLIZATION BY, 46 14
- ELASTOMER CROSSLINK DENSITY BY, 49 233
- HEADSPACE, FOR VOLATILES IN RUBBERS, 50 828
- IN ANALYSIS OF TREADS, 42 1350
- IN RUBBER ANALYSIS, 44 1429
- OF AMINO ACID DERIVATIVES FROM PROTEIN IN NATURAL RUBBER, 46 47
- OF HYDROCARBONS ON NATURAL RUBBER, 45 1665
- OF HYDROCARBONS ON POLY(DIMETHYLSILOXANE), 45 1655
- OF PYROLYSIS PRODUCTS OF RUBBER BLENDS, 47 481
- OF PYROLYZED TAGGED EPM, 50 988
- OF URETHANE FOAM PYROLYSIS PRODUCTS, 48 343
- POLYISOBUTYLENE-HYDROCARBONS, 46 106, 119
- POLYMERS AS LIQUID PHASE, 46 1, 7, 14
- PYROLYZATES OF POLYMERS, 46 1326
- RETENTION VOLUME OF HYDROCARBONS BY POLYMERS, 45 1638, 1655, 1665
- SENSITIVITY OF, 50 828
- TEMPERATURE COEFFICIENTS, 46 106, 119
- THERMODYNAMIC DATA OF POLYMERS FROM, 45 1638, 1655, 1665
- USE IN OXIDATION STUDIES, 48 692

**GASKETS**

- EPDM, 44 1436
- HIGH PERFORMANCE, 46 14

**GAUSSIAN CHAINS**

- IN ENTANGLEMENT NETWORKS, 48 1004
- IN RUBBER ELASTICITY THEORY, 48 1018

**GAUSSIAN MODULUS, 44 1326****GAUSSIAN THEORY**

- OF RUBBERLIKE ELASTICITY, 45 638

**GEHMAN FREEZE POINTS**

- OF NITRILE RUBBERS, 43 1465

**GEL**

- AND VISCOELASTICITY, 41 1132

**GEL CONTENT**

- OF EPDM, 50 99

**GEL PARTICLES**

- TO IMPROVE PROCESSING, 41 1132

**GEL PERMEATION CHROMATOGRAPHY, 41 245****GEL PERMEATION CHROMATOGRAPHY, 42 636****GEL PERMEATION CHROMATOGRAPHY, 43 1424****GEL PERMEATION CHROMATOGRAPHY, 46 115, 449, 1193**

- ANALYSIS OF MONOMER COMPOSITION AS FUNCTION OF MOLECULAR WEIGHT, IN A

**ANALYSIS OF OIL CONTENT IN POLYMERS, 46 449****CHARACTERIZATION OF FLUORORUBBERS, 49 1001****COLUMN CALIBRATION, 45 667**

- COMPARED TO MEMBRANE OSMOMETRY FOR NUMBER-AVERAGE MOLECULAR WEIGHT DETERMINATION, 46 115

**DATA TREATMENT, 45 667****DISTRIBUTION OF HYDROXYL FUNCTIONALITY, 49 1238, 1250****NATURAL RUBBER, 45 346****OF BLOCK COPOLYMER, 48 359****OF PHOSPHONITRILIC FLUOROELASTOMERS, 47 32****OF POLYBUTADIENE, 48 310, 359****OF POLYISOPRENE, 48 359****OF POLYMERS (REVIEW), 45 667****OF POLYSTYRENE, 48 310, 359****OF RANDOM BRANCHED POLYMERS, 49 1290****OF SBR, 47 858****OF SBR, 48 310****OF SHEAR-DEGRADED POLYISOBUTYLENE, 50 723****OF STYRENE COPOLYMER WITH DIVINYLTETRAHYDROBENZENE, 49 1290****TECHNIQUE, 48 359****TECHNIQUES, 45 667****THEORY, 45 667****GEL POINT****MEASUREMENT OF CROSSLINKING OF NR, 50 233****GENGRINOVICH PLOTS, 47 849****GIBBS-DIMARZIO THEORY, 43 95****GLASS****ADHESION OF SURFACE-TREATED, TO POLYACRYLATE, 48 810, 819, 830****BEADS AS FILLER, 42 1498****BELTS IN TIRES, 44 946****CORDS IN TIRES, 44 946****ENTROPY AT ABSOLUTE ZERO, 43 95****FIBER FATIGUE TEST, 42 1491****FIBER TIRE CORD, 42 159****FIBER TIRE CORD ADHESION, 42 159****SURFACE TREATMENT OF, 48 810, 819, 830****TO ELASTOMER ADHESION, 42 30****GLASS FIBERS****REINFORCEMENT OF RUBBER, 49 379****GLASS SPHERES****AS FILLERS FOR POLYACRYLATE, 48 810, 819, 830****DISTRIBUTION IN RUBBER, 48 819****SIZE FRACTIONATION, 48 810****SURFACE TREATMENT OF, 48 810****SURFACE-TREATED, 48 810, 819, 830****GLASS TIRE-CORD****ADHESION TO RUBBER, 47 213****IN RADIAL TIRE CONSTRUCTION, 47 1318****GLASS TRANSITION****ACTIVATION ENERGY OF, 46 1264****AND CONCENTRATION, 43 95****AND CONFIGURATIONAL ENTROPY, 43 95****AND DIELECTRIC CONSTANT, 43 95****AND FREQUENCY, 43 95****AS A RATE PHENOMENON, 43 95****AS A THERMODYNAMIC EFFECT, 43 95****CARBON BLACK COMPOUNDS, 41 1194****EFFECT OF CRYSTALLINITY ON, 43 95****EFFECT OF IONIC FORCES ON, 43 95**

- EFFECT OF MOLECULAR WEIGHT ON, 43 95  
 EFFECT OF STRAIN ON, 43 95  
 EFFECT OF TACTICITY ON, 43 95  
 FREE VOLUME IN, 43 95  
 IN BLENDS OF POLYMERS, 41 1109  
 IN ELASTOMER BLENDS, 50 278  
 IN POLYMERS, 43 95  
 IN RUBBERS, 41 535  
 KINETIC THEORY OF, 41 544  
 MOLECULAR WEIGHT, 43 95  
 MULTIPLE, 43 1465  
 OF URETHANE ELASTOMERS, 41 537  
 THERMODYNAMIC ASPECTS, 41 544  
 VOLUMETRIC PROPERTIES, 43 95
- GLASS TRANSITION PRESSURE, 43 95**
- GLASS TRANSITION TEMPERATURES, 45 1685**  
 ACTIVATION ENERGY MAXIMUM AT, 43 95  
 AND COMPOSITION OF EPDM, 45 709  
 AND DECAY RATE OF FREE RADICALS, 48 445  
 AND FORCE-ELONGATION CURVES, 45 1623  
 AND INTERNAL FRICTION, 45 1033  
 AND VISCOELASTIC PROPERTIES, 45 1015  
 BUTADIENE-STYRENE RUBBER, 44 996  
 BY RADIOTHERMOLUMINESCENCE, 49 179  
 CALORIMETRY OF, 49 224  
 EFFECT OF CARBON BLACK, 44 1297  
 EFFECT OF CARBON BLACK ON, 50 747  
 EFFECT OF COOLING RATE ON, 50 922  
 EFFECT OF HEATING RATE ON, 50 922  
 EFFECT ON TIRE WEAR, 44 996  
 FROM GAS CHROMATOGRAPHIC STUDIES OF  
 POLYMERS AS LIQUID PHASE, 46 1  
 HEAT CAPACITY CHANGE, 43 95  
 IN EPDM, 45 709  
 INTERNAL PRESSURE CHANGE AT, 43 95  
 KINETIC EFFECTS ON, 50 922  
 MEASURE BY RADIOTHERMOLUMINESCENCE, 46  
 1210  
 MULTIPLE, 46 1210  
 NMR LINE WIDTH AT, 43 95  
 OF ALTERNATING COPOLYMERS, 46 1068  
 OF CHLORINATED POLYETHYLENE, 48 623  
 OF NBR, 46 1087  
 OF POLYALKENAMERS, 47 511  
 OF POLYBUTADIENE, 50 884  
 OF POLYISOPRENE, 50 922  
 OF POLYSTYRENE, 49 224  
 OF POLYSTYRENE, 50 922  
 OF POLYURETHANES, 47 1160  
 OF POLYURETHANES, 49 65  
 OF RUBBER ON CARBON BLACK SURFACE, 48  
 410  
 OF SBR, 46 1166  
 OF SBR-BR BLENDS, 48 301  
 RELATIONSHIP TO TEMPERATURE OF MAXIMUM  
 ELONGATION, 46 242  
 RELEASE OF SORBED GAS AT, 48 445  
 STORAGE MODULUS AND, 45 1015  
 STRAIN DEPENDENCE OF, 48 623  
 SYNDIOTACTIC TRANS-1,2-POLYPENTADIENE, 43  
 771  
 USE IN IDENTIFICATION OF BLEND COMPO-  
 NENTS, 48 631, 640, 653  
 VARIATION WITH MICROSTRUCTURE, OF  
 POLYBUTADIENE, 46 1166  
 VISCOSITY CHANGE AT, 43 95  
 VOLUME CHANGE AT, 43 95  
 VOLUME MEASUREMENT, 43 95  
 WLF EQUATION, 45 1015  
 YOUNG'S MODULUS, 45 1033
- GLASS YARN**  
 TENSILE STRENGTHS OF, 45 49
- GLASSES**  
 CLASSIFICATION OF MATERIALS AS, 43 95
- GLASSY STATE**  
 OF POLYPENTENAMER, 42 1235  
 OF UNFILLED AND FILLED RUBBER, 42 110, 557
- GOLDENROD**  
 RUBBER FROM, 50 448
- GOLDHAMMER EQUATION, 45 1685**
- GOUGH-JOULE EFFECT, 47 625**
- GOVERNMENT REGULATIONS**  
 BY NHTSA, 50 426  
 BY OSHA, 50 426  
 INDUSTRY VIEW OF, 50 423
- GRADIENT ELUTION TECHNIQUE**  
 IN THIN-LAYER CHROMATOGRAPHY, 49 310
- GRAFT POLYMERS,**  
 FROM OLEFINIC MONOMERS, 49 1351  
 INCOMPATIBILITY IN, 41 495  
 OF EPDM, 45 709  
 OF PIVALOLACTONE AND ACRYLATE-G-  
 PIVALOLACTONE, 50 127  
 OF PIVALOLACTONE AND EPDM, 50 109  
 OF SILICONE RUBBER, 49 909  
 TENSILE PROPERTIES, 46 1044  
 THERMOPLASTIC ELASTOMERS, 46 1044  
 TO BUTYL RUBBER, 46 1044  
 TO CIS-POLYBUTADIENE, 46 1044  
 TO EPDM, 46 1044  
 TO EPM, 46 1044  
 TO 1,2-POLYBUTADIENE, 46 1044  
 TO POLYETHYLENE, 46 1044  
 TO POLYISOPRENE, 46 1044
- GRAFTING**  
 OF ACCELERATORS ON ELASTOMERS, 47 88
- GRANT-PAUL RELATIONSHIPS, 44 781**
- GRAPHITIZED CARBON BLACK**  
 ADSORPTION BY, 44 307  
 AND BOUND RUBBER, 48 548  
 CHEMISORPTION BY, 44 307  
 HEATS OF ADSORPTION ON, 44 307  
 IN RUBBER VULCANIZATES, 44 1208, 1227, 1249  
 IN SILICONE RUBBER, 48 558  
 SHEAR STRESS RELAXATION OF SBR LOADED  
 WITH, 44 175  
 SURFACE AREA OF, 44 307  
 TENSILE STRESS RELAXATION OF SBR LOADED  
 WITH, 44 185
- GRAPHON**  
 IN RUBBER, 41 1207
- GREEN STRENGTH**  
 EFFECT OF ETHYLENE SEQUENTIAL  
 HOMOGENEITY IN EPDM ON, 44 1093  
 NATURAL RUBBER, 47 342  
 OF CIS-POLYISOPRENE, 44 1432  
 OF POLYISOPRENE, 47 342  
 OF POLYPENTENAMER, 47 511  
 OF SILICONE RUBBER, 50 421
- GRIFFITH THEORY OF FAILURE, 45 540**  
 IRWIN EXTENSION, 45 1604  
 CROWAN MODIFICATION, 45 1604  
 RIVLIN-THOMAS MODIFICATION, 45 1604
- GRINDING**  
 CRYOGENIC, OF RUBBER SCRAP, 50 441  
 OF SCRAP RUBBER AND PLASTICS, 49 375
- GROOVE CRACKING OF TIRES**  
 AND CARBON BLACK PROPERTIES, 41 373  
 EPDM, 44 1203

- LABORATORY TEST, 41 1080  
MECHANISM OF, 44 1186  
TRUCK TIRES, 44 1186
- GROWTH**  
TRUCK TIRE INNER TUBES, 43 929
- GUAYULE RUBBER**  
COMPARISON WITH NR, 50 981  
COMPOUNDING, 50 981  
MEXICAN RESEARCH, 50 427  
VULCANIZATE PROPERTIES, 50 981
- GUTH-GOLD EQUATION, 45 1171**  
**GUTH-GOLD EQUATION, 46 877**  
**GUTH-GOLD EQUATION, 47 411, 729**
- GUTTA-PERCHA**  
BLENDS WITH POLYISOPRENE, 46 571  
CRYSTALLIZATION OF, 50 863  
MICROSTRUCTURE OF, 49 1259  
OXIDATIVE DEGRADATION, 46 913
- HARDNESS**  
AS MEASURE OF STATE OF CURE, 41 1371  
EFFECT OF HEAT-TREATING MASTERBATCH ON, 48 410  
EFFECT OF PROMOTER, 48 410  
EFFECT OF SURFACE OXIDATION OF CARBON BLACK, 48 410  
EFFECT ON TIRE SQUEAL, 41 953  
EFFECT ON WET FRICTION OF RUBBER, 41 870  
ELASTICITY THEORY OF, 41 1122  
MICRO SIZE, 44 479  
MICROTESTER FOR, 42 1483  
NATURAL RUBBER VULCANIZATES, 47 251  
OF SILICA-RUBBER SYSTEM, 48 410  
SBR VULCANIZATES, 47 266  
SILICONE RUBBER VULCANIZATES, 47 285
- HASHIN'S EQUATION, 43 1129**
- HAZARD TO HEALTH**  
FROM ANTIOXIDANTS, 45 627  
FROM ANTIOZONANTS, 45 627  
FROM VARIOUS RUBBER CHEMICALS, 44 479
- HEADSPACE GAS CHROMATOGRAPHY**  
FOR VOLATILES IN RUBBERS, 50 828
- HEALTH CONTROL, 44 512**
- HEAT AGING**  
AND CHEMORHEOLOGY, 48 913  
OF FLUROSILICONE, 48 944
- HEAT BUILDUP, 44 1396**  
IN TRUCK TIRES, 45 1  
LOSS COMPLIANCE AND, 45 1  
LOSS FACTOR AND, 45 1
- HEAT FLOW**  
ANALOG SIMULATORS FOR, 46 1103  
BY CONDUCTION THROUGH THERMOCOUPLE, 46 1103  
CALCULATION OF, 45 1195  
COOLING OF RUBBER SLABS, 46 1103  
CURE CONTROL, 46 1103  
HEAT TRANSFER COEFFICIENTS, 45 1195  
ON-LINE MONITORING, 46 1103  
SIMULATOR, 46 1103  
THEORY, 46 1103  
THERMAL DIFFUSIVITIES, 45 1195  
TIRE SHOULDER, 45 1195  
VULCANIZATION, 45 1195
- HEAT GENERATION**  
ANALOG COMPUTER SIMULATION, 47 717  
AND LOSS COMPLIANCE OF TIRES, 47 363  
BLENDS OF RUBBERS, 47 48, 88  
EFFECT OF FILLERS, 47 697  
EFFECT OF PETROLEUM PITCH, 47 837
- EFFECT OF TIRE DESIGN, 47 118, 363  
EFFECTS OF EXTERNAL VARIABLES, 49 823  
IN PNEUMATIC TIRES, 49 823  
IN ROTARY FLEXOMETER, 49 258  
RELATIONSHIP TO CROSSLINKS, 47 697  
TEMPERATURE RISE IN TIRES AND, 47 118, 363, 717
- HEAT OF ADSORPTION**  
OF CARBON BLACKS, 44 307  
OF HYDROCARBONS BY CARBON BLACK, 45 117
- HEAT OF COMBUSTION**  
RELATION TO FLAMMABILITY, 49 158
- HEAT OF IMMERSSION OF CARBON BLACK IN VARIOUS HYDROCARBONS, 45 117**
- HEAT OF REACTION**  
NATURAL RUBBER WITH SULFUR, 43 1275
- HEAT OF VULCANIZATION, 48 26**
- HEAT RESISTANCE**  
COMPOUNDING NBR FOR, 49 407  
ETHYLENE-ACRYLIC ELASTOMER, 49 395  
OF BROMOBUTYL ELASTOMERS, 49 408  
OF CARBORANE ELASTOMERS, 48 14  
OF CPE ELASTOMERS, 49 407  
OF FLUOROELASTOMERS, 46 619
- HEAT RESISTANT COMPOUNDS**  
EPDM, 44 1441
- HEAT SCHEDULES, 45 955**  
THERMAL DIFFUSIVITY, 45 955
- HEAT SHRINKABLE RUBBER, 43 1518**
- HEAT TRANSFER**  
IN POLYMERS (REVIEW), 50 480  
THEORY, 50 480
- HEAT TRANSFER COEFFICIENTS**  
RUBBER-TO-STEEL-TO-WATER, 48 462
- HEAT TREATMENT**  
EFFECT ON VULCANIZATE PROPERTIES, 48 410  
OF CARBON-BLACK-RUBBER MIXTURES, 48 410  
OF SILICA-RUBBER MIXTURES, 48 410
- HEATS OF WETTING, 43 229**
- HEAVY SERVICE TREADS**  
OF BLENDS OF CIS-BR AND NATURAL RUBBER, 41 766
- HEELS**  
FRICTION OF, 44 1434
- HELMHOLTZ FREE ENERGY, 42 589**
- HEPTADIENE**  
BICYCLO, IN ETHYLENE-PROPYLENE RUBBER, 43 1521
- HEPTANE**  
AS COSOLVENT FOR ISOBUTYLENE COPOLYMERS, 49 960
- HERTZ EQUATION, 45 1388**
- HERTZ THEORY, 46 530**
- HETEROGENEITY**  
OF RUBBER BLENDS, 50 35
- HEXACHLORODISILANE**  
AS POLYFUNCTIONAL COUPLING AGENT, 49 1305
- HEXADECANE**  
SPECIFIC SOLVENT EFFECT ON POLY(DIMETHYLSILOXANE) VULCANIZATES, 47 1151
- HEXADIENE, 1,4-**  
EFFECT ON CROSSLINKING OF ETHYLENE PROPYLENE RUBBER, 43 411  
SYNTHESIS, 45 709  
TERMONOMER IN EPDM, 45 709
- HEXADIENE TERPOLYMER**  
VULCANIZATION OF, 41 316
- HEXAETHYLBENZENE**  
DIFFUSION COEFFICIENT IN RUBBERS, 45 278
- HEXAFLUOROPROPYLENE-VINYLDIENE FLUORIDE**



- COPOLYMER**, *see* FLUORORUBBER
- HEXAHYDROPYRENE**  
DIFFUSION COEFFICIENT IN RUBBERS, 45 278
- HEXAMETHOXYMETHYLMELAMINE**  
IN ADHESION OF NYLON TO SBR COMPOUNDS, 50 998
- HEXAMETHYLENEDIAMINE**  
CURING AGENT FOR FLUOROELASTOMERS, 46 619
- HEXAMETHYLENEDIAMINE CARBAMATE**  
CURING AGENT FOR FLUOROELASTOMERS, 46 619
- HEXAMETHYLENETETRAMINE**  
AN ALTERNATIVE FOR, 49 408  
HEALTH HAZARD OF, 44 512
- HEXAMETHYLENETETRAMINE ADDUCTS**  
OF PHENOL, AS ADHESION PROMOTERS FOR FABRIC, CORD, AND WIRE, 48 1103  
OF RESORCINOL, AS ADHESION PROMOTERS FOR WIRE CORD, 48 346
- HEXAMETHYLTETRACOSANE**  
OXIDATION OF, 45 437
- HEXANE**  
ACTIVITY COEFFICIENT, 45 1638
- HEXANE DIISOCYANATE**  
IN VULCANIZATION OF NATURAL RUBBER, 43 501
- HEXANEDIONE, 2,5-**  
OXIDATION PRODUCT OF POLYISOPRENE, 47 1094
- HEXANETHIOL**  
IN CROSSLINK CLEAVAGE, 43 210  
REACTION WITH POLYBUTADIENE VULCANIZATE, 45 173
- HEX-3-ENE**  
MODEL OF POLYBUTADIENE IN VULCANIZATION STUDIES, 45 182
- HEXEN-2-ONE, 5-**  
6-METHYL, OXIDATION PRODUCT OF POLYISOPRENE, 47 1094
- HIGH**  
IMPACT POLYSTYRENE, 42 641  
PRESSURE OSMOMETRY, 42 1397  
SPEED STRAIN, 42 1420
- HIGH SPEED TESTER**  
STRESS RELAXATION BEHAVIOR WITH, 47 307  
TENSILE STRESS-STRAIN BEHAVIOR, 47 307, 318
- HIGH-STRUCTURE BLACKS**, 41 1215
- HIGH-TEMPERATURE**  
AGING OF NBR, 46 483  
PERFORMANCE OF OIL-RESISTANT VULCANIZATES, 49 1348  
PERFORMANCE OF VARIOUS OIL RESISTANT ELASTOMERS, 48 356  
REINFORCEMENT OF NATURAL RUBBER, 44 690  
RUBBERS, 44 1350  
STRENGTH OF NATURAL RUBBER, 44 690
- HOMOGENEITY OF ELASTOMERS**  
BY RADIO THERMOLUMINESCENCE, 49 179
- HOOKE'S LAW**  
APPLICATION, 46 294
- HOSE**  
AUTOMATED PRODUCTION, 48 1096  
DESIGN FOR UNUSUAL APPLICATION, 48 1095  
DESIGN PRINCIPLES, 42 666  
DISPERSIONS IN MANUFACTURE OF, 48 1093  
ELASTOMERS FOR AUTOMOTIVE APPLICATIONS, 49 775  
EPDM RUBBER FOR MAKING, 42 980  
EQUIPMENT FOR MAKING, 42 983
- EUROPEAN AND AMERICAN TECHNOLOGY, 48 1094
- FIBERS IN, 42 982
- FUTURE OF, 42 982
- MANUFACTURE, COMPOUNDING TECHNIQUE, 48 1094
- MANUFACTURE IN EUROPE, 42 984
- PERFORMANCE, 42 983
- POLYMERS FOR, 42 982
- RELIABILITY OF, 41 753
- THERMOPLASTIC, FOR HIGH PRESSURE, 48 1095
- HUGGINS CONSTANTS**  
FOR POLYBUTADIENE-SOLVENT, 43 549, 1367
- HUMIDITY**  
AND TENSILE OF GLASS YARN IN RUBBER, 45 49  
EFFECT ON CREEP OF NR GUM VULCANIZATES, 48 154
- HYDRATED FILLERS**  
FOR REDUCING SMOKE GENERATION, 48 124, 132
- HYDRAZINES**  
AS PROOXIDANTS OF POLYISOPRENE, 41 289
- HYDROCARBONS**  
BIOMASS AS SOURCE OF, 50 421  
FROM PHOTOSYNTHESIS, 50 427  
FROM U. S. PLANT SPECIES, 50 431  
PARAFFINIC, AROMATIC, AND CHLORINATED, ENVIRONMENTAL CONTROL, 44 512
- HYDRODYNAMIC DIMENSIONS**  
AND CHAIN BRANCHING, 45 519  
AND VISCOELASTICITY, 45 638
- HYDRODYNAMIC PROPERTIES**  
OF RANDOM BRANCHED POLYMERS, 49 1276
- HYDRODYNAMIC VOLUME**, *see* ALSO GEL PERMEATION CHROMATOGRAPHY  
AND CHAIN BRANCHING, 45 519  
AND INTRINSIC VISCOSITY, 45 519  
IN GEL PERMEATION CHROMATOGRAPHY, 45 667
- HYDROFORMYLATED POLYISOPRENE**, 46 47
- HYDROGEN**  
ABSTRACTION IN PEROXIDE CROSSLINKING, 42 1245  
EVOLUTION DURING TENSILE BREAK OF RUBBER, 42 505  
REDUCTION OF SURFACE GROUPS OF CARBON BLACK BY, 43 449  
TRANSFER BETWEEN CARBON BLACK AND RUBBER, 42 1200
- HYDROGEN BONDING**  
IN POLYURETHANE BLOCK POLYMERS, 47 19
- HYDROGEN FLUORIDE**  
CATALYST FOR BUTADIENE POLYMERIZATION TO CIS-RUBBER, 45 268  
FROM FLUOROELASTOMERS DURING CURE, 49 367
- HYDROGEN SULFIDE**  
ADDITION TO ALLENE, 48 860  
ADDITION TO POLYOLEFIN, 48 860  
KINETICS OF EVOLUTION DURING VULCANIZATION, 44 721  
REACTION WITH TRIVINYLCYCLOHEXANE, 48 860
- HYDROGENATED POLYBUTADIENES**  
CARBON-13 NMR OF, 47 1136
- HYDROPEROXIDE**  
FORMATION IN OXIDATION OF POLYISOPRENE, 48 953
- HYDROPEROXIDES IN STYRENE-BUTADIENE RUBBER VULCANIZATES**, 45 450

- HYDROPLANING**, 43 1070  
RELATION TO TIRE FRICTION, 49 862
- HYDROQUINONE**  
CURING AGENTS FOR FLUOROCARBON RUBBERS, 42 1503
- HYDROQUINONE AND DERIVATIVES**  
HEALTH HAZARDS, 45 627
- HYDROQUINONE-DI-(BETA-HYDROXYETHYL) ETHER**  
IN URETHANE ELASTOMERS, 50 438
- HYDROXY-2-BUTANONE**, -4  
FROM OXIDATION OF IR, 50 373  
SYNTHESIS OF, 50 373
- 4-HYDROXY-3,5-DI-T-BUTYLBENZYL MERCAPTAN**  
AS BOUND ANTIOXIDANT, 50 650
- HYDROXYL FUNCTIONALITY**  
DISTRIBUTION IN POLYBUTADIENE, 49 1238, 1250
- HYDROXYL-TERMINATED PREPOLYMERS**  
CROSSLINKING OF, 50 1010  
PREPARATION BY OZONOLYSIS, 50 1010
- HYDROXY-6-METHYL-8-HEPTEN-2-ONE**, -5  
FROM OXIDATION OF IR, 50 373  
SYNTHESIS OF, 50 373
- HYDROXY-4-METHYL-5-HEXEN-2-ONE**, -4  
FROM OXIDATION OF IR, 50 373  
SYNTHESIS OF, 50 373
- HYSTERESIS**, see ALSO HEAT GENERATION  
AND CROSSLINK DENSITY, 47 803  
AND FATIGUE FAILURE, 45 1043  
AND FILLERS, 45 1043  
AND REINFORCEMENT, 48 410  
AND RUBBER FAILURE, 45 1043  
AND STRENGTH OF POLYMERS, 41 1157  
AND TEMPERATURE BUILDUP, 50 186  
AND TREADWEAR, 48 410  
AT PROPAGATING CRACK TIP OF VULCANIZATES, 47 1253  
BENDING, 47 376  
CARBON BLACK AND, 47 729, 803  
DYNAMIC, EQUIVALENCE PRINCIPLE FOR, 48 592  
EFFECT OF CARBON BLACK PROPERTIES ON, 48 410  
EFFECT OF CROSSLINK TYPE, 47 803  
EFFECT ON FAILURE, 48 902  
IN BONDED RUBBER BLOCKS, 50 186  
IN CORD-RUBBER COMPOSITES, 47 376  
IN PNEUMATIC TIRES, 49 823  
IN POLYESTER CORDS, 49 1145  
IN ROLLING TIRES, 47 118, 363  
IN TIRE FRICTION, 41 452  
INPUT AND BREAKING ENERGY, AND CARBON BLACK, 43 687  
MINIMIZING IN FILLED ELASTOMER BLENDS, 50 301  
MIXING EFFECT, 47 803  
OF BUTYL RUBBER, 47 803  
OF ROLLING TIRES, 45 425  
OF SILICA-RUBBER SYSTEMS, 48 410  
ORIENTATIONAL OF POLYURETHANES, 47 19  
REDUCED, OF NATURAL RUBBER, 44 690  
STRESS-STRAIN AND STRESS BIREFRINGENCE, 47 1234  
TIRE CORD, 47 1053
- IDENTIFICATION**, see ALSO ANALYSIS  
OF ACCELERATORS, 44 381  
OF ANTIOXIDANTS, 44 381  
OF CARBON BLACK IN VULCANIZATES, 49 1060  
OF CHEMICALS IN RUBBER COMPOUNDS, 44 381  
OF COMPOUNDING INGREDIENTS, 41 630  
OF POLYMERS, 44 381  
OF POLYMERS BY INFRARED SPECTROSCOPY, 45 546  
OF RUBBERS BY THERMAL ANALYSIS, 45 329
- IDENTIFICATION OF ELASTOMERS IN VULCANIZATES**  
BY C-13 NMR, 48 705  
BY DEGRADATION AND IR, 48 289  
BY TOTAL THERMAL ANALYSIS, 48 301, 631, 640, 653, 661
- IDENTIFICATION OF RUBBERS**  
BY PYRYLOZATES AND GAS CHROMATOGRAPHY, 46 1326  
BY REFRACTIVE INDEX DISPERSION, 46 653
- IMAGE ANALYSIS**  
OF ELECTRON MICROGRAPHS, 48 538  
OF SILICA, 48 558
- IMIDAZOLIDINETHIONES**  
AS NONDISCOLORING STABILIZERS, 41 255
- IMINOCARBODITHIOATES**  
FROM CYCLIC AMINES, AS ACCELERATORS AND CURING AGENTS, 41 736
- IMPACT**  
HIGH, POLYSTYRENE, 42 641  
HIGH VELOCITY TRANSVERSE, 42 565
- IMPACT MODIFIER**  
ETHYLENE-PROPYLENE RUBBER AS, 49 978  
POLYBUTADIENE AS, 49 978
- IMPACT RESISTANCE**  
OF STYRENE-BUTADIENE INTERPENETRATING POLYMER NETWORKS, 45 1582  
OF TIRES, 41 1051
- IMPACT STRENGTH**  
EFFECT OF RUBBER ON, 43 1129  
OF POLYSTYRENE, 43 1129
- INCINERATION OF TIRE SCRAP**, 47 597
- INCOMPATIBILITY NUMBER**  
EFFECT ON MODULUS, 45 1582  
OF STYRENE-BUTADIENE INTERPENETRATING POLYMER NETWORKS, 45 1582
- INCOMPATIBILITY OF POLYMERS**  
DETECTED BY GLASS TRANSITION TEMPERATURES, 46 1210  
DETECTED BY MICROSCOPY, 46 653  
DETECTED BY RADIOTHERMOLUMINESCENCE, 48 1210
- INDENTATION OF RUBBER**  
ELASTICITY THEORY, 41 1122
- INDEX OF REFRACTION**  
OF BLENDS, 41 495
- INFLATED RUBBER**  
STRUCTURES, 44 1380
- INFORMATION RETRIEVAL**, 42 1490  
IN RUBBER SCIENCE AND TECHNOLOGY, 41 86  
RUBBER COMPOUND FORMULATION IN LITERATURE, 44 1448
- INFRARED**  
ANALYSIS OF VULCANIZATES, 44 1278  
DETECTORS FOR THERMOMETRY BY, 44 397  
PRODUCTS OF RESIN VULCANIZATION, 41 621  
THERMOMETRY, 44 397  
WAVELENGTH SENSITIVITY FOR HEAT, 44 397
- INFRARED ABSORBANCE**  
ANALYSIS OF AIR FOR SBR, 47 150, 1275
- INFRARED ANALYSIS**  
OF ETHYLENE-PROPYLENE RUBBER, 43 445
- INFRARED DICHROISM**  
IN VISCOELASTICITY STUDIES, 47 19  
OF BLENDS, OF ETHYLENE PROPYLENE RUBBER WITH POLYPROPYLENE, 43 849

- POLYETHER-POLYESTER ELASTOMERS, 50 1
- INFRARED RADIATION**  
TIRE SURFACE TEMPERATURE BY, 46 821
- INFRARED REFLECTANCE SPECTROSCOPY**  
IN SOLVING PRODUCTION PROBLEMS, 50 438
- INFRARED SPECTRA**  
ABSORBANCE DATA FOR POLY(ALPHA-OLEFINS), 46 30  
ABSORPTIVITIES OF 1,2-CIS-1,4-, AND TRANS-1,4-POLYBUTADIENE BY, 43 1332  
DETERMINATION OF MICROSTRUCTURE IN VULCANIZED POLYBUTADIENE BY, 43 1332  
OF ACCELERATORS, 46 938  
OF ALFIN POLYBUTADIENE, 43 333  
OF BLENDS, 47 481  
OF CARBOXYLATED POLYISOPRENE, 46 47  
OF HYDROFORMYLATED POLYISOPRENE, 46 47  
OF NATURAL RUBBER, 46 47  
OF POLYALKENAMERS, 47 511  
OF REACTION PRODUCTS OF OZONE AND ISOPROPYL PHENYLENEDIAMINE, 43 13 40  
OF SBR AND OXIDIZED SBR, 47 1265  
OF TETRAMETHYLTHIURAM TETRASULFIDE, 46 938  
POLYCHLOROPRENE, 42 394
- INFRARED SPECTROSCOPY**  
APPLIED TO POLYISOPRENE OXIDATION, 50 704  
CHARACTERIZATION OF FLUORO RUBBERS, 49 1001  
DICHROISM, 49 458  
END GROUP DETERMINATION BY, 48 445  
FOURIER TRANSFORM, 48 348  
FOURIER TRANSFORM, 49 1010  
IN OXIDATION STUDY, 48 692  
IN RHEO-OPTICAL STUDIES (REVIEW), 49 458  
IN THE RUBBER INDUSTRY, 45 546  
OF ALTERNATING COPOLYMERS, 48 719  
OF CARBON BLACK SURFACE GROUPS, 45 106  
OF POLYMERS, 45 546  
OF RUBBER SURFACE, 48 41  
OF VULCANIZATE COMBUSTION PRODUCTS, 48 340  
OXIDATION MECHANISM OF POLYBUTADIENE AND BUTYL RUBBER, 49 1010  
POLYMER IDENTIFICATION BY DEGRADATION OF VULCANIZATES AND, 48 289  
STUDY OF BR VULCANIZATION, 48 348
- INHERENT VISCOSITY**  
OF EPDM, 50 99
- INHIBITOR**  
PREVULCANIZATION, 43 1168
- INJECTION MOLDING**, 41 1395, 1396, 1397, 1398, 1399
- INJECTION MOLDING**, 42 959, 961
- INJECTION MOLDING**, 47 1311  
APPLICATION OF SCIENCE TO, 50 1002  
COAXIAL SCREW/POT MACHINE, 49 29  
COMPOUNDING FOR, 48 263  
COMPOUNDS, 44 620  
EFFECT OF BARREL TEMPERATURE, 44 620  
EFFECT OF CURVATIVES, 44 620  
EFFECT OF INJECTION PRESSURE, 44 620  
EFFECT OF MOLD TEMPERATURE, 44 620  
EFFECT OF NOZZLE DIAMETER, 44 620  
EFFECT OF NOZZLE TEMPERATURE, 44 620  
EFFECT OF OIL AND BLACK ON, 42 1321, 1336  
EFFECT OF SCREW BACK PRESSURE, 44 620  
EFFECT OF SCREW SPEED, 44 620  
EFFECTS OF TEMPERATURE, VISCOSITY, ETC., 49 29
- EQUIPMENT, 44 620  
HIGH-TEMPERATURE VULCANIZATION FOR, 44 1316  
IN MULTISTATION MACHINES, 48 263  
LOW SULFUR-SULFENAMIDE CONCENTRATION RATIOS, 45 1043  
MACHINE, OPERATING VARIABLES, 48 1108  
OF BLACK-FILLED NBR, 48 615  
OF CIS-POLYISOPRENE, 45 1403  
OF FLUOROELASTOMERS, 49 1350  
OF LIQUID ELASTOMERS, 46 148  
OF MICROCELLULAR URETHANES, 45 1485  
OF NATURAL RUBBER, 44 620  
OF POLYURETHANES, 48 1103  
OF SILICONE RUBBER POWDER, 48 337  
POWDERED POLYMER TECHNOLOGY, 45 1111  
PROPERTIES OF VULCANIZATES FROM, 44 620  
SIMULATION BY CAPILLARY RHEOMETER, 48 355
- INNER TUBES**  
HEAT RESISTANCE OF TRUCK TIRE, 43 929  
SPlicing OF, 41 1395
- INSOLUBLE RUBBER**  
DETERMINATION OF, 49 1019
- INSULATION**  
ELECTRICAL, 44 1436
- INTEGRAL**  
FOR FLOW OF VISCOELASTIC MATERIALS, 42 257, 691  
FOR LATERAL TIRE FORCE, 42 1014  
FOR STRESS RELAXATION OF ELASTIC COMPONENT, 42 714  
TIRE CONTOUR FOR ARBITRARY CORD PATH, 42 1034
- INTERACTION PARAMETERS**  
OF SILICONE RUBBER AND SOLVENTS, 41 608
- INTERFACIAL ELASTOMER BONDING**  
DETECTION BY DIFFERENTIAL SOLVENT SWELLING, 46 251
- INTERFACIAL TENSION AND ADHESION**, 45 1604
- INTERFERENCE MICROSCOPY OF RUBBERS**, 46 653
- INTERNAL ENERGY**  
AND RUBBER ELASTICITY, 42 835  
CONTRIBUTION TO ELASTICITY, 47 625  
DEPENDENCE ON TEMPERATURE AND STRAIN, 47 625  
OF NATURAL RUBBER, 42 835  
OF NATURAL RUBBER, 43 270
- INTERNAL MIXERS**  
ANALYSIS OF, 48 462  
BANBURY MIXERS, 49 12  
BRABENDER PLASTICORDER, 49 12  
DIMENSIONS OF, 48 462  
EFFECT OF CARBON BLACK PROPERTIES, 49 12  
FLOW IN, 48 462  
POWER CONSUMPTION, 48 1099  
PROCESS VARIABLES, 48 462, 577  
PROCESSING CONDITIONS IN, 48 462  
PROCESSING IN, 49 12  
SCALE-UP CRITERIA, 48 462  
SCALE-UP CRITERIA, 49 1  
UNIT WORK CONCEPT, 49 1  
USE FOR SBR-BLACK COMPOUNDS, 49 1  
USE IN CARBON-BLACK-SBR, 48 548  
USE IN PROCESSING BLACK-FILLED SBR, 50 765
- INTERNAL PRESSURE**  
AT GLASS TRANSITION TEMPERATURE, 43 95
- INTERPENETRATING POLYMER NETWORK**  
OF STYRENE-BUTADIENE POLYMERS, 45 1582
- INTERPENETRATING RUBBER NETWORKS**, 44 607

- CROSSLINK DENSITY IN, 44 607
- INTRACHAIN ENERGY**  
OF NATURAL RUBBER, 43 270
- INTRINSIC VISCOSITY**, 42 463  
AND GEL PERMEATION CHROMATOGRAPHY, 45 667  
AND MOLECULAR WEIGHT OF EPDM, 45 709  
AND ROTATIONAL COEFFICIENT OF FRICTION IN SOLUTION, 45 519  
AND SEDIMENTATION FRICTIONAL COEFFICIENT, 45 667  
IN GOOD SOLVENTS, 46 470  
OF BRANCHED POLYMERS, 45 519  
UNPERTURBED DIMENSIONS OF POLYMERS FROM, 46 470
- INVERSE LANGEVIN FUNCTION**  
IN NON-GAUSSIAN STATISTICAL THEORY, 47 625
- IODINE**  
AS DIFUNCTIONAL COUPLING AGENT, 49 1305  
RADIOACTIVE, TIRE WEAR MEASUREMENT BY, 46 787
- IODINE NUMBER**  
FOR MEASURING SURFACE AREA, 44 1287
- IONIC ELASTOMERS**  
FLEXIBLE FOAMS FROM, 50 437
- IRIDIUM COMPOUNDS**  
EFFECT ON EMULSION POLYMERIZATION, 43 1451
- IRRADIATED ELASTOMERS**  
RADICAL RECOMBINATION ON, 41 653
- IRRADIATION**, *see* RADIATION
- ISOBUTANE**  
KINETICS OF, 45 437  
OXIDATION OF, 45 437  
PEROXIDE INITIATION, 45 437  
PRODUCTS FROM, 45 437
- ISOBUTYLENE**  
BULK POLYMERIZATION WITH ISOPRENE AND PIPERYLENE, 49 960  
COPOLYMER WITH ISOPRENE, 49 937  
COPOLYMERS AND NETWORKS, 49 391  
POLYMERIZATION BY MOLECULAR SIEVES, 43 1517
- ISOBUTYLENE-CYCLOPENTADIENE COPOLYMERS**  
SYNTHESIS, 48 1105  
VULCANIZATE PROPERTIES, 48 1105
- ISOBUTYLENE-DIENE COPOLYMERS**, *see* ALSO BUTYL RUBBER  
FOR CORD ADHESION, 49 967  
HIGH-UNSATURATION, SYNTHESIS, 48 1105  
IN SIDEWALL COMPOSITIONS, 49 967  
OLEFINIC LINKAGES IN, 49 992  
VULCANIZATE PROPERTIES, 48 1106
- ISOCYANATE**  
AMINE CATALYSTS FOR REACTION WITH DIFUNCTIONAL POLYISOBUTYLENES, 43 1154  
CHLOROPHENYL, 43 1154  
DETERMINATION OF UNREACTED GROUPS, 48 194  
IN TIRE CORD ADHESION, 42 159  
PREPOLYMERS, REACTION WITH O-CHLOROANILINE, 50 1011  
REACTIONS WITH DIFUNCTIONAL POLYISOBUTYLENE, 43 1154  
TOLYL, 43 1154  
TOLYLSULFONYL, 43 1154
- ISOMERISM**  
CIS-TRANS, DURING VULCANIZATION, 44 71, 904  
CIS-TRANS OF POLYBUTADIENE, 45 959  
CIS-TRANS OF POLYISOPRENE, 45 982  
CONFIGURATIONAL STATISTICS, 45 959, 982  
ROTATIONAL, 42 1383
- ISOMERS**  
CCONFORMATION MODELS OF POLYISOPRENE, 42 1383
- ISOPENTANE**  
OXIDATION OF, 45 437
- ISOPRENE**  
BULK POLYMERIZATION WITH ISOBUTYLENE, 49 960  
CONFIGURATION IN BUTYL RUBBER, 42 392  
COPOLYMER WITH ISOBUTYLENE, 49 937, 960  
POLYMERIZATION, 43 22  
REACTION WITH TERT-BUTYLLITHIUM, 48 1070  
ISOPRENE-STYRENE BLOCK POLYMERS, 41 161
- ISOPROPOXYDIPHENYLAMINE**  
ANTIOXIDANT ACTIVITY OF, 44 857  
OXYGEN ABSORPTION OF VULCANIZATES CONTAINING, 44 857
- ISOPROPYLIDENEBICYCLO (2,2,1)-5-HEPTENE**, 2-  
AS TERMONOMER IN EPDM, 45 709
- KAOLIN**  
EFFECT ON PEROXIDE CURE, 48 678
- KARRER PLASTICITY**  
OF GELS, 47 342  
OF POLYISOPRENE, 47 342
- KERNER'S EQUATION**, 43 1129
- KETONES**  
HEALTH HAZARD OF, 44 512
- KINETIC REACTIVITY PARAMETERS**, 46 30
- KINETIC STUDIES**  
APPLICATION OF COMPUTERS, 41 86  
OF MODIFIERS IN EMULSION POLYMERIZATION, 48 728
- KINETICS**  
ACCELERATED VULCANIZATION, 42 1366  
ACCELERATED VULCANIZATION, 43 588, 1294, 1311  
AUTOXIDATION OF EPDM, 45 1125  
COMPARISON OF NMR AND X-RAY METHODS, 46 22  
OF CROSSLINK SCISSION, 42 1136  
OF CRYSTALLIZATION, 42 530, 540  
OF CRYSTALLIZATION, 46 14, 22  
OF POLYMER DEGRADATION, 42 110  
OF REACTIONS OF CURE RETARDERS, 45 1513  
OF RUBBER VULCANIZATION, 44 1316  
OF THIOL-DISULFIDE INTERCHANGE, 43 210  
STRESS RELAXATION AND CROSSLINKS, 45 1064  
SULFUR-FREE THIURAM VULCANIZATION, 45 1945
- KNIT-LINE MORPHOLOGY**  
OF ELASTOMER BLENDS, 50 24
- LAMBORN ABRADER**, 44 1173
- LAMINAR SHEAR FLOW**  
OF ELASTOMERS, 50 163
- LARGE DEFORMATION**, 43 282  
SYMMETRICAL NETWORK OF CORDS IN, 43 282  
TENSILE PROPERTIES, 41 1231
- LASER BEAM**  
DIFFRACTION BY STYRENE-BUTADIENE BLOCK COPOLYMER, 45 1564  
IN RAMAN SPECTROSCOPY, 44 71  
RAMAN SPECTRA, 46 938, 957
- LATEX**  
ADHESIVES FROM, 43 1255  
AGING OF FILMS OF, 43 1255  
BASIC TESTS ON, 45 1202

- BROMINE HARDENING FOR MICROSCOPY, 43 1  
 DIPPING OF, 43 1255  
 EFFECT OF ADDITIVES, 45 1202  
 EFFECT OF HEAT, 45 1202  
 EFFECT OF PH, 45 1202  
 ELECTRON MICROGRAPHS OF, 43 1255  
 ELECTRON MICROSCOPY OF, 50 997  
 FILM VULCANIZATES FROM, 43 1255  
 FLOW FROM HEVEA BRASILIENSIS, 45 833  
 FOAM COMBUSTION OF, 48 124  
 FOAM FOR AUTOMOTIVE USE, 49 413  
 FOAM RUBBER TECHNOLOGY, 46 464  
 FOR CARPET BACKING, 49 414  
 FREEZE DRYING FOR MICROSCOPY, 43 1  
 HIGH SOLIDS, PREPARATION OF, 48 728  
 IN THE COATED-PAPER INDUSTRY, 49 414  
 INCREASING, 43 1451  
 INDUSTRY, 49 419  
 KOH NUMBER, 45 1202  
 LOW-AMMONIA NATURAL RUBBER, 49 410  
 MATURATION, 46 464  
 MECHANICAL STABILITY TEST, 45 1202  
 MICROSCOPY OF, 46 653  
 NATURAL, 43 1255  
 NATURAL RUBBER, ELECTRON MICROSCOPY, 50 835  
 NATURAL RUBBER, PROPERTIES, 49 410  
 OSMIUM TETROXIDE HARDENING FOR MICROSCOPY OF, 43 1  
 PARTICLE SIZE FROM EMULSION POLYMERIZATION, 43 74  
 PARTICLES COALESCENCE OF, 41 514  
 PARTICLE-SIZE DISTRIBUTION, 46 653  
 POLYVINYL CHLORIDE AS CORD DIP, 42 159  
 PRECURE OF, 46 464  
 PREPARATION OF ARTIFICIAL, 49 394  
 PROCESSING OF, 43 1255  
 PROPERTIES OF, 43 1255  
 PROPERTIES OF NATURAL RUBBER, 45 1202  
 RADICAL DISTRIBUTION IN, 43 74  
 RHEOLOGICAL BEHAVIOR, 49 411  
 SMOKE INHIBITION IN, 48 124  
 SOLUBILIZATION OF SULFUR IN VULCANIZATION, 50 141  
 STABILITY OF, 43 1255  
 SYNTHETIC POLYISOPRENE, 43 1255  
 TENSILE PROPERTIES OF FILMS OF, 43 1255  
 TREATMENT OF FABRICS BY CHEMICALLY ATTACHED ANTIOXIDANT PROTECTED, 46 106  
 VFA NUMBER, 45 1202  
 VISCOSITY OF, 43 1255  
 VULCANIZATION FACTORS, 49 411  
 VULCANIZATION OF, 49 413  
 ZINC OXIDE, EFFECT OF, 45 1202  
 ZINC OXIDE THICKENING TEST, 45 1202
- LATEX BLENDING**, 47 481
- LATEX FILMS**  
 MORPHOLOGY OF, 41 514  
 THERMAL-OXIDATIVE AGING, 50 446
- LATTICE**  
 MECHANO ANALOGY IN SLIDING RUBBER, 44 758
- LAURYL METHACRYLATE**  
 USE IN FOAM COMPOSITIONS, 50 678
- LAYERS**  
 THIN POLYMER, ON SURFACES, 49 1311
- LEAD AZIDE**  
 IN FLUOROELASTOMER VULCANIZATION, 46 619
- LEAD DIMETHYLDITHIOCARBAMATE**  
 HEALTH HAZARD OF, 44 512
- LEAD DITHIOCARBAMATE**  
 HEALTH HAZARD OF, 44 512
- LEAD OXIDE**  
 RED, IN COCURE OF NBR-EPDM BLENDS, 49 112
- LEAD PHOSPHITE**  
 IN FLUOROELASTOMER VULCANIZATION, 46 619
- LEGISLATION ON SCRAP TIRE DISPOSAL**, 47 597
- LEGISLATIVE IMPACTS**  
 ON ENERGY SOURCES AND PETROLEUM INDUSTRY, 50 415
- LEVULINALDEHYDE**, see **PENTANAL**, 2-KETO
- FROM OXIDATION OF IR, 50 373  
 FROM OXIDATION OF NATURAL RUBBER, 45 359
- LEWIS ACIDS**  
 COCATALYSTS FOR PREPARATION OF POLYALKENAMERS, 47 511  
 COCATALYSTS FOR PREPARATION OF POLYBUTADIENE, 47 1175
- LIGHT SCATTERING**  
 AND POLYMER-SOLVENT INTERACTION PARAMETER, 50 451  
 BY CARBON BLACK, 46 653  
 CHARACTERIZATION OF ELASTOMERS BY MOLECULAR WEIGHT BY, 43 1367  
 DISYMMETRY, OF CARBON BLACK, 48 538  
 LOW-ANGLE, IN LATEX TECHNOLOGY, 46 464  
 MOLECULAR WEIGHTS, 41 245  
 OF BRANCHED POLYMERS, 41 437  
 OF BUTYL RUBBER SOLUTION, 46 765  
 OF RANDOM BRANCHED POLYMERS, 49 1276, 1290  
 OF STYRENE-BUTADIENE-STYRENE BLOCK COPOLYMERS, 45 241
- LINEAR HOMOPOLYMERS IN DILUTE SOLUTION**  
 TWO-PARAMETER THEORY, 48 765
- LINEAR THERMAL EXPANSION COEFFICIENT FOR RUBBERS**, 44 127
- LINKAGE REINFORCEMENT OF RUBBER**, 44 1208, 1227, 1249
- LIQUID CRYSTALS**  
 MEASUREMENT OF TIRE SURFACE TEMPERATURE BY, 44 397
- LIQUID RUBBER**  
 AGING, 44 675  
 ANTIOXIDANTS IN, 44 675  
 CARBON BLACK DISPERSION, 44 750  
 CARBON BLACK TYPES IN, 44 750  
 CARBOXYL-TERMINATED POLYBUTADIENE, 46 139  
 CAST, PROPERTIES AND APPLICATIONS, 48 1111, 1112  
 CASTING, 48 1111  
 CIS-POLYBUTADIENE, 44 675  
 COMMERCIAL STATUS, 45 1686  
 COMPOUNDING, 44 750  
 CROSSLINKING OF, 46 161  
 CURING SYSTEMS, 44 754  
 GEL POINT, 44 675  
 MELAMINE-FORMALDEHYDE PIGMENTS FOR, 46 161  
 MICROSTRUCTURE, 44 675  
 MIXING CONDITIONS FOR, 44 754  
 OIL REQUIREMENTS FOR, 48 346  
 PEROXIDES IN VULCANIZATION, 44 675  
 POLYBUTADIENE, 44 675  
 POLYISOPRENE, 44 675  
 POLYSULFIDE ELASTOMERS, 41 114  
 PROCESSING EQUIPMENT FOR, 46 148  
 PROPERTIES OF, 46 148  
 REINFORCEMENT WITH FILLERS, 46 161  
 REINFORCEMENT WITH TEXTILE FIBERS, 46 148  
 RESIN CURING OF, 44 914  
 RHEOLOGY OF, 46 161  
 TECHNOLOGY, 44 750

- TECHNOLOGY, 46 589  
 TENSILE STRENGTH OF VULCANIZED, 44 675  
 TERMINALLY BROMINATED POLYBUTADIENE, 48 202  
 THIOLS IN VULCANIZATION, 44 675  
 VULCANIZATION, 44 675  
 VULCANIZATION OF, 46 139  
**LIQUID SCINTILLATION COUNTING**, 43 572  
**LITHIUM**  
 IN POLYMER CEMENTS, 42 1054  
 ORGANO AS INITIATOR, 42 520  
**LITHIUM ALKYL**, *see* BUTYLLITHIUM AND ORGANOLITHIUM  
**LITHIUM ALUMINUM HYDRIDE**  
 DEVULCANIZING REAGENT FOR POLYSULFIDE CROSSLINKS, 43 549, 588, 624  
 IN ANALYSIS OF BLACK-LOADED VULCANIZATES, 43 624  
 IN ANALYSIS OF DIPHENYLGUANIDINE ACCELERATED VULCANIZATES, 43 624  
 IN ANALYSIS OF SULFUR VULCANIZATES, 43 624  
 REACTION WITH POLYBUTADIENE VULCANIZATES, 45 173, 182  
 REDUCTION OF CROSSLINKS BY, 43 411, 424, 549, 588, 624  
 REDUCTION OF MODEL COMPOUNDS BY, 43 424, 549, 624  
 REDUCTION OF SURFACE SULFUR IN CARBON BLACK BY, 43 449  
**LITHIUM CHLORIDE**  
 IN PYROLYSIS OF SCRAP TIRES, 49 1120  
**LOAD DEFLECTION OF TIRES**, 41 977  
**LOOPS**  
 IN POLYSTYRENE NETWORKS, 48 194  
**LOSS FACTOR**  
 AND DIELECTRIC HEATING, 44 294  
 AS FUNCTION OF TEMPERATURE, 44 294  
 IN TRUCK TIRE COMPOUNDS, 45 1  
 OF VARIOUS RUBBERS, 44 294  
**LOSS MODULUS**, 42 1175  
 AND MOLECULAR THEORIES, 45 638  
 AND VISCOELASTIC BEHAVIOR, 45 1082  
 EFFECT OF TEMPERATURE, 44 598  
 OF POLYSTYRENE REINFORCED SBR, 44 598  
 REINFORCED NATURAL RUBBER, 45 1051  
**LOSS TANGENT**  
 AND DIELECTRIC CONSTANT, 43 95  
 AND VISCOELASTIC PROPERTIES, 45 1015  
 EFFECT OF CROSSLINKING ON TEMPERATURE DEPENDENCE OF, 44 166  
 EFFECT OF MOLECULAR WEIGHT ON MAXIMUM OF, 44 166  
 EFFECT OF TEMPERATURE ON, 44 166  
 FUNCTION OF MOLECULAR WEIGHT, EQUATION FOR, 44 166  
 OF BLOCK COPOLYMERS, 45 1005  
**LOW-TEMPERATURE FLEXIBILITY**, 47 32  
 OF RUBBER BLENDS, 47 57  
**LOW-TEMPERATURE PROPERTIES**  
 OF CARBORANE ELASTOMERS, 48 14  
**LUBRICANTS**  
 PREFORMULATED BAND PLY, 45 1168  
**LUBRICATED FRICTION OF RUBBER**, 41 753, 832, 843, 854, 870, 881, 890, 895  
**LUBRICATING OIL ADDITIVES**  
 CHEMICAL COMPOSITION OF, 45 1224  
 EFFECT ON ELASTOMERS, 45 1224  
**LUBRICATION**  
 BOUNDARY, 44 962  
 ELASTOHYDRODYNAMIC MODE, 44 962  
 HYDRODYNAMIC, 44 962  
**MACROMOLECULAR DIMENSIONS OF BRANCHED MACROMOLECULES**, 45 519  
 AND FRICTIONAL COEFFICIENTS IN SOLUTION, 45 519  
 AND RUBBERLIKE ELASTICITY, 45 638  
 AND VISCOELASTICITY, 45 638  
 EFFECT ON SOLUTION PROPERTIES, 45 519  
**MAGNESIUM HYDROXIDE**  
 FOR SMOKE INHIBITION, 48 124  
**MAGNESIUM OXIDE**  
 IN FLUOROELASTOMER VULCANIZATION, 46 619  
 MICROSCOPY OF, IN VULCANIZATES, 46 653  
**MALEIMIDE**  
 CROSSLINKING OF CHLOROSULFONATED POLYETHYLENE BY, 44 1410  
 CURE OF CHLOROSULFONATED POLYETHYLENE BY, 43 1515  
 CURE OF ETHYLENE-PROPYLENE RUBBER BY, 43 424  
 VULCANIZATE STABILITY, 44 1410  
**MARKETING**  
 CHEMICALS, 45 1163  
 ELEMENTS OF EFFECTIVE, 43 928  
 METHODS, 45 1163  
 NEW PRODUCTS, 49 1356  
 OF BLENDS, 50 433  
 OF EP ELASTOMERS FOR BLENDS, 50 434  
 PLANNING AND CONTROL, 43 928  
 TECHNOLOGY AS A RESOURCE, 43 928  
**MARK-HOUWINK**  
 CONSTANTS, 45 1270  
 EQUATION, 45 346  
**MARK-HOUWINK RELATION**, 42 462  
**MASS SPECTRA**  
 OF ACCELERATORS, 45 160  
 OF NITROSOANILINES, 47 289  
**MASS SPECTROMETRY**  
 FRAGMENTATION PATTERNS OF UNSYMMETRICAL DISULFIDES, 46 1299  
 OF ACCELERATORS OF SULFUR VULCANIZATION, 46 1035, 1299  
 SAMPLE CUP DESIGN, 46 1035  
**MASTER CURVE**  
 MODULUS-TIME CURVE, 47 318, 333  
 OF SHEAR VISCOSITY OF NITRILE RUBBER, 47 318  
 VISCOELASTIC, 46 69, 981  
 VISCOSITY OF SBR-1500, 50 791  
**MASTERBATCH**  
 BLACK DISPERSION AND, 42 957  
 IN MIXING, 48 482  
**MASTICATION**  
 CARBON BLACK ROLE IN, 46 653  
 EFFECT ON MOLECULAR WEIGHT, 41 1392  
 HYPOTHESIS OF, 46 653  
 INVESTIGATION BY MICROSCOPY, 46 653  
 OF CARBON-BLACK-SBR STOCKS, 48 548  
**MATHEMATICAL MODEL**  
 OF RUBBER INDUSTRY, 49 1368  
**MAXWELL MODEL**, 43 431  
**MBT**, *see* BENZOTHAZOLINETHIONE  
**MBTS**, *see* BENZOTHAZYL DISULFIDE  
**MCINTOSH MODEL**  
 FOR DIE SWELL OF POLYMER SOLUTIONS, 45 1586  
**MEAN SQUARE END-TO-END DISTANCE OF RUBBER MOLECULES**, 47 1151  
**MECHANICAL BLENDING**, 47 481



**MECHANICAL DEGRADATION**

- DURING REPEATED EXTRUSION, 50 723
- FORMATION OF RADIALS BY, 44 668
- HYSTERESIS AND RUBBER FAILURE, 45 1043
- MECHANICAL STRESS AND, 45 1074
- OF POLYESTER FIBERS, 45 1142

**MECHANICAL LOSS SPECTRA**

- OF BLENDS OF BR, NR, ClIR, 50 35

**MECHANICAL PROPERTIES**

- AND MECHANICAL STRESS, 45 1074
- APPARATUS FOR, 43 1491
- DYNAMIC, 45 1159
- DYNAMIC OF SILICA-MODIFIED RUBBERS, 45 1161

- INTERRELATIONS AMONG, 44 1396

- LOAD COMPENSATION IN TIRES, 45 1148

- OF RUBBER NETWORKS, 44 1256

- PIRELLI HYSTERESIMETER, 45 1161

- PROPERTIES OF ELASTOMERS FROM 4 TO 250 DEGREES K, 45 1033

- REINFORCED NATURAL RUBBER, 45 1051

- RESONANT BEAM TESTING, 45 1159

- VISCOELASTIC PROPERTIES, 45 1015, 1082

**MECHANICAL RUBBER GOODS INDUSTRY**

- SOLVING PRODUCTION PROBLEMS IN, 50 438

**MECHANICAL WORK**

- FROM THERMAL ENERGY, 41 576, 586

**MECHANICS**

- OF TIRE REINFORCEMENT BY STEEL RIBBON, 50 445

**MECHANISM**

- OF ACCELERATED SULFUR CROSSLINKING, 43 1311

- OF ALDEHYDE CROSSLINKING, 43 188

- C<sup>6</sup> CORD FATIGUE, 42 159

- OF FLATSPOTTING, 42 159

- OF KETONE CROSSLINKING, 43 177

- OF PEROXIDE AND MBT REACTIONS IN VULCANIZATION, 42 744

- OF PEROXIDE CROSSLINKING, 43 1294, 1311

- OF REACTION OF METHYL IODIDE WITH MONOSULFIDES, 42 1136

- OF REACTION OF PEROXIDE AND SULFUR IN VULCANIZATION, 42 744

- OF TETRAMETHYLTHIURAM DISULFIDE CROSSLINKING, 43 1294

- OF THIOL-DISULFIDE INTERCHANGE, 43 210

- OF VULCANIZATION, 42 1366

**MECHANOCHEMISTRY, 44 534****MEDICAL APPLICATION**

- OF SILICONE RUBBER, 44 363

**MEDICAL APPLICATIONS**

- OF TRANS-POLYBUTADIENE, 47 1309

**MELAMINE-FORMALDEHYDE PIGMENTS FOR LIQUID ELASTOMERS, 46 161****MELTING, see ALSO CRYSTALLIZATION**

- AND BIREFRINGENCE, 42 509

- IN BLOCK COPOLYMERS, 42 520

- OF CIS-POLYPENTENAMER, 42 1235

- OF POLYBUTADIENE, 42 530

- OF STARK RUBBER, 42 540

**MELTING POINT**

- FUNCTION OF ELONGATION, 47 1175

- FUNCTION OF MOLECULAR WEIGHT, 47 1175

- MASTER CURVE, 47 1175

- POLYBUTADIENE, 47 1175

**MELTING POINT OF POLYISOPRENE, 47 1175**

- ENTHALPY, 47 1175

- FUNCTION OF ELONGATION, 47 1175

**MELTING POINT OF POLYPENTENAMER, 47 511****MELTING TEMPERATURE**

- OF POLYOCTENAMER, 49 170

**MEMBRANE STRUCTURES**

- DEFORMATION OF, 49 400

**MEMBRANE THEORY, 45 1669, 1677**

- VARIABLE ANGLE CORDS IN, 45 1677

**MERCAPTANS**

- BLENDS OF, AS MODIFIERS IN EMULSION

- POLYMERIZATION, 48 728

- EFFECT ON MOLECULAR WEIGHT DISTRIBUTION, 43 1424

**MERCAPTOAMIDES**

- AS BOUND ANTIOXIDANTS, 50 650

**MERCAPTOBENZIMIDAZOLE**

- MASS SPECTRUM OF, 45 160

**MERCAPTOBENZIMIDAZOLE DERIVATIVES**

- AS SCORCH INHIBITORS, 50 570

**MERCAPTOBENZOTHAZOLE, see ALSO BEN-**

- ZOTHAZOLINETHIONE

- DERIVATIVES IN RADIATION CURING, 48 860

- REACTION WITH ACCELERATOR AND SCORCH INHIBITORS, 50 570

- REACTION WITH PHTHALIC ANHYDRIDE, 49 118

- REACTION WITH ZINC OXIDE, 49 118

- ZINC SALT IN SULFUR VULCANIZATION, 48 889

**MERCAPTOBENZOXAZOLE**

- MASS SPECTRUM OF, 45 160

**MERCAPTOIMIDAZOLINE**

- CURVATURE FOR ACRYLIC ELASTOMERS, 44 344

- HEALTH HAZARD OF, 44 512

**MERCAPTOIMIDAZOLINE, 2-**

- IN VULCANIZATION OF POLYCHLOROPRENE, 48 19

**MERCAPTOPHENOLS**

- AS BOUND ANTIOXIDANTS, 50 650

**MERCAPTOPROPYLSILANE**

- INTERFACIAL MODIFIER IN MINERAL-FILLED RUBBER, 46 584

**MERCAPTOPROPYLSILOXANES**

- AS MODIFIER OF RUBBERS, 48 585

**METAL IONS**

- CATALYSTS FOR OXIDATIONS OF SBR, 42 1468

**METAL OXIDES AND SALTS**

- FLUOROELASTOMER SHRINKAGE, 49 43

**METAL OXIDES IN VULCANIZATION OF**

- POLYCHLOROPRENE, 48 19

**METALATION OF 1,5-POLYENES, 48 1044**

- FOR STYRENE GRAFT, 46 1044

**METATHESIS REACTIONS, 47 511****METHACROLEIN**

- FROM OXIDATION OF IR, 50 373

- OXIDATION PRODUCT OF POLYISOPRENE, 47 1094

**METHACRYLATE**

- 4-ANILINOPHENYL, POLYMERIZABLE ANTIOXIDANT, 46 96

- 3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL,

- POLYMERIZABLE ANTIOXIDANT, 46 96

**METHACRYLIC ACID**

- ETHYL ESTER, OXIDATION PRODUCT OF POLYISOPRENE, 47 1094

- OXIDATION PRODUCT OF POLYISOPRENE, 47 1094

- 1-PROPENYL ESTER, OXIDATION PRODUCT OF POLYISOPRENE, 47 1094

**METHACRYLOXYPROPYLTRIMETHOXSILANE**

- AS COUPLING AGENT FOR EPM, 48 795

- SURFACE TREATMENT OF GLASS BY, 48 819

- METHACRYLYL ALCOHOL**  
OXIDATION PRODUCT OF POLYISOPRENE, 47 1094
- METHANOL**  
OXIDATION PRODUCT OF POLYISOPRENE, 47 1094
- METHYL BROMIDE**  
IN CROSSLINK SCISSION, 42 1136
- METHYL BUTENES**  
MODELS OF CONFIGURATION OF POLYISOPRENE, 42 1383
- METHYL CHLORIDE**  
AS SOLVENT FOR ISOBUTYLENE COPOLYMERS, 48 960  
COCATALYST WITH DIETHYL ALUMINUM CHLORIDE, 49 937
- METHYL IODIDE**  
EFFECT ON CROSSLINKED NBR, 46 483  
EFFECT ON SULFUR VULCANIZATES OF SBR, 47 261  
IN CROSSLINK SCISSION, 42 1136  
REACTION WITH MONOSULFIDIC CROSSLINKS, 43 624  
SULFUR CROSSLINK SCISSION BY, 43 1311
- METHYL METHACRYLATE**  
BLOCK COPOLYMERS WITH STYRENE, 42 447  
COPOLYMER WITH CHLOROPRENE, 49 394  
POLYMERIZATION OF, 43 74  
USE IN FOAM COMPOSITIONS, 50 678
- METHYL VINYL KETONE**, *see* 1-BUTENE-3-ONE  
FROM OXIDATION OF IR, 50 373
- METHYLCHLOROSILANES**  
MANUFACTURE OF, 49 909
- METHYLCYCLOHEXANE**  
AS SOLVENT FOR ISOBUTYLENE COPOLYMERS, 49 960
- METHYLENE BIS-CHLOROANILINE, 4,4'-**, 44 52
- METHYLENE BLUE**  
AS PHOTSENSITIZER OF OXIDATION, 41 296
- METHYLENE CHLORIDE**  
COCATALYST WITH DIETHYLALUMINUM CHLORIDE, 49 967
- METHYLENE DIANILINE, 44 52**
- METHYLENE IODIDE**  
AS BIFUNCTIONAL COUPLING AGENT, 49 1305
- METHYL-2-NITROPROPYL-4-NITROSO- ANILINE**  
AS PREVULCANIZATION CROSSLINKERS FOR GREEN STRENGTH OF POLYISOPRENE, 46 573, 574, 575
- METHYL-2-NITROPROPYL-4-NITROSO- ANILINE, 2-**  
MODIFIER OF CIS-POLYISOPRENE, 44 1432
- METHYLNITROSO-PARA-PHENYLENE DIAMINE**  
PENDENT GROUPS, 49 1019
- METHYL-2-OCTENE, 2-**  
ADSORPTION BY CARBON BLACK, 44 307
- METHYLPENTENES**  
MODELS OF CONFIGURATION OF POLYISOPRENE, 42 1383
- METHYLTRICHLOROSILANE**  
AS POLYFUNCTIONAL COUPLING AGENTS, 49 1305
- METHYL-4-VINYLBUTYROLACTONE, -4**  
FROM OXIDATION OF IR, 50 373  
SYNTHESIS OF, 50 373
- METRIC SYSTEMS**  
USAGE, 48 1
- MICROBLOCKS**  
IN CARBON BLACK-FILLED RUBBER, 45 62  
IN RUBBER FLOW, 45 71
- MICROCRACKS**  
GROWTH MECHANISMS IN STRAINED RUBBER, 48 445
- MICROEVALUATION OF RUBBER PROPERTIES, 44 479**
- MICROGEL**  
EFFECT OF REMOVAL OF, 41 626
- MICROHARDNESS, 44 479**  
OF CARCASS, 41 1371
- MICROINTERFEROMETRY**  
MEASUREMENT OF CURATIVE DIFFUSION BY, 42 1058
- MICROMETERING SYSTEM**  
ELASTOMERIC, 50 959
- MICROSCOPE**  
FOR DIFFUSION MEASUREMENT, 42 1058
- MICROSCOPICAL ANALYSIS OF BLENDS, 47 481**
- MICROSCOPY**  
OF FILLER AGGREGATES, 48 462  
OF FRACTURE SURFACES, 48 445  
USE TO SOLVE POLYMER PROBLEMS, 50 996
- MICROSCOPY OF RUBBERS**  
INTERFERENCE MEASUREMENT, 46 653  
REVIEW OF, 46 653  
TECHNIQUES, 46 653
- MICROSTRUCTURE**, *see* ALSO CARBON BLACK, INDIVIDUAL POLYMERS  
BRANCHED BUTADIENE-STYRENE BLOCK COPOLYMERS, 45 1005  
BUTADIENE-PROPYLENE COPOLYMER, 45 1532  
BY CARBON-13 NMR, 45 1283  
BY GAS CHROMATOGRAPHY, 46 1  
BY INFRARED SPECTROSCOPY, 45 546, 1270  
CHLORINATION OF STEREOSPECIFIC POLYBUTADIENES, 45 1136  
CONFIGURATIONAL STATISTICS, 45 959, 982  
EFFECT ON CRYSTALLIZATION, 45 1303, 1315  
EFFECT ON RHEOLOGICAL PROPERTIES OF EPDM, 42 944  
ESR STUDY OF POLYBUTADIENE, 45 933  
ESR STUDY OF POLYISOPRENE, 45 918  
IN EMULSION POLYMERIZATION OF DIENES, 43 1451  
IN TREAD RUBBERS, 42 1350  
OF BLOCK COPOLYMERS, 42 520  
OF CARBOXY-TERMINATED POLYBUTADIENES, 42 800  
OF CHICLE AND GUTTA-PERCHA, 49 1259  
OF COMMERCIAL POLYBUTADIENES, 43 1367  
OF DEPOLYMERIZED RUBBER, 48 50  
OF EPDM, 45 709, 1334  
OF ISOPRENE-PIPERYLENE COPOLYMER, 49 1269  
OF NITRILE RUBBER, 45 222, 1546  
OF POLYALKENAMERS, 47 511  
OF POLYBUTADIENE, 45 268, 1252  
OF POLYBUTADIENE, 46 350, 1055, 1156, 1264, 1274  
OF POLYBUTADIENE, 47 1175  
OF POLYCHLOROPRENE BY NMR, 50 49  
OF POLYISOPRENE, 45 1205, 1303, 1315  
OF POLYISOPRENE, 49 1259, 1269  
OF POLYPENTENAMER, 47 511  
OF RUBBER VULCANIZATES, 44 1278  
OF TELECHELIC POLYBUTADIENE, 42 71  
PROPERTIES OF ELASTOMERS FROM 4 TO 250 DEGREES K, 45 1033  
TAILOR-MADE SOLUTION SBR FOR TIRES, 45 1142
- MICROTOMING OF RUBBER SPECIMENS, 46 653**
- MICROWAVE**  
HEATING IN MANUFACTURE OF CONVEYOR

- BELTING, 48 1098  
 VULCANIZATION OF EXTRUDATES, 48 1100
- MICROWAVE CURING**, 47 473
- MICROWAVE HEATING**  
 EFFECT OF LOSS FACTOR ON, 44 294  
 IN CONTINUOUS VULCANIZATION, 44 294
- MICROWAVE VULCANIZATION**  
 CONTINUOUS SYSTEMS, 50 443
- MIGRATION**  
 OF CURING INGREDIENTS OF BLEND DURING CURE, 49 112  
 OF OIL IN TIRES, 47 127
- MILL BEHAVIOR**  
 OF ELASTOMERS, 50 163
- MILL PROCESSING**  
 OF POWDERED RUBBER, 48 254
- MILL SIZE**  
 EFFECT ON MIXING, 44 479  
 EFFECT ON SHEAR MODULUS, 44 479
- MILLING**  
 EFFECT ON CARBON BLACK STRUCTURE, 42 1493  
 OF RUBBER, 41 23  
 SCALEUP OF, ELASTOMERIC BEHAVIOR DURING, 42 1479
- MISCIBILITY**  
 OF ELASTOMERS, 43 370  
 OF POLYMER BLENDS, 50 423
- MIXERS**, see ALSO INTERNAL MIXERS  
 BATCH, PERFORMANCE OF, 49 403  
 CONTINUOUS, PERFORMANCE OF, 49 403
- MIXING**, 42 1397, 1492, 1493  
 AND DEGREE OF DISPERSION, 48 462  
 AND INTERRELATIONSHIP AMONG POLYMER, CARBON BLACK, SOFTENER, AND MIXING CONDITIONS, 45 1696  
 AND POWDERED POLYMER TECHNOLOGY, 45 1111, 1154  
 AND RHEOLOGY, 49 93  
 AND RUBBER BREAKDOWN, 47 729, 803, 858  
 BY PIN-TYPE EXTRUDER, 49 403  
 CHARACTERISTICS OF ELASTOMERS, 46 1166, 1188, 1193  
 COMPUTER MODELING OF, 48 462  
 CONTINUOUS AND BATCH BY TRANSFERMIX, 45 1695  
 CONTINUOUS WITH WERNER-PFLEDERER EQUIPMENT, 45 1695  
 CONTROL BY POWER INTEGRATOR, 48 1099  
 CONTROLLED, CONSERVATION THROUGH, 50 1007  
 CRITERIA, 49 1  
 EFFECT OF BOUND RUBBER ON, 48 548  
 EFFECT OF COMPOUND VARIABLES, 48 462  
 EFFECT OF OPERATING VARIABLES, 48 462  
 EFFECT ON CARBON BLACK PARTICLES, 47 1082  
 EFFECT ON CR V-BELT STOCK, 50 1010  
 EFFECT ON DISTRIBUTION OF CARBON BLACK IN RUBBER BLENDS, 47 48  
 EFFECT ON MOLECULAR WEIGHT DISTRIBUTION OF RUBBER, 47 856  
 ENERGY AND EQUIPMENT USAGE, 50 765  
 ENERGY IN PROCESSING BLACK/SBR STOCKS, 50 765  
 EQUIPMENT, REVIEW, 50 1001  
 HIGH-SHEAR, PRACTICAL PARAMETERS FOR, 48 577  
 IN INTERNAL MIXERS, 48 462  
 IN INTERNAL MIXERS, 49 1  
 MECHANISM OF, 48 462
- OF BLENDS OF ELASTOMERS, EFFECT OF ORDER OF MIXING, 46 178  
 OF PARTICULATE POLYMERS, 49 404, 1350  
 OF POLYMERS, THEORY, 41 1354  
 OF POWDERED RUBBER, 47 1312  
 OF RUBBER COMPOUNDS, SCALE-UP, 48 577  
 OF RUBBERS, THEORY OF (REVIEW), 41 23  
 OF SBR COMPOUNDS, 49 1, 399  
 PRACTICAL PARAMETERS FOR, IN BANBURY, 48 577  
 RECENT DEVELOPMENTS, 50 1002  
 SCALEUP CRITERIA, 49 1  
 SCORCH PREVENTION, 49 12  
 SHEAR EFFECTS, 49 12  
 TEMPERATURE FUNCTION OF, 46 1193  
 TEMPERATURE GENERATION, 49 12  
 THEORY OF, AND RHEOLOGY, 50 1001  
 TIME FUNCTION OF, 46 1193  
 TORQUE OF, 46 1188, 1193  
 'UNIT WORK' CONCEPT FOR, 49 1
- MIXING EFFICIENCY**  
 EFFECT OF FILL FACTOR, 49 12
- MIXING TIME**  
 EFFECT ON PARTICLE SIZE OF ELASTOMER BLENDS, 50 292  
 EFFECT ON RHEOLOGY OF BLENDS, 50 423
- MODIFIERS**  
 BLENDS OF MERCAPTANS AS, IN EMULSION POLYMERIZATION, 48 728
- MODULUS**  
 AND ELECTRICAL CONDUCTIVITY, 46 178  
 AND GEL POINT, 46 1287  
 AS FUNCTION OF TEMPERATURE, 46 1287  
 BULK, TESTER, 48 246  
 CHANGE WITH CROSSLINKING, 46 1287  
 COMPLEX, 47 778  
 COMPLEX SHEAR, AND VISCOELASTIC BEHAVIOR, 45 1082  
 COMPRESSION, AT VERY LOW STRAINS, 50 780  
 COMPRESSION, ENERGY COMPONENT OF, 46 1287  
 COMPRESSION, OF SWOLLEN VULCANIZATES, 45 1634  
 CROSSLINK EFFECT, 47 803  
 DYNAMIC, BLACK LOADED POLYBUTADIENE RUBBERS, 46 178  
 DYNAMIC, EFFECT ON TIRE HYSTERESIS, 47 118, 363  
 EFFECT OF CROSSLINKS, 47 803  
 EFFECT OF HEAT TREATING CARBON BLACK ON, 48 410  
 EFFECT OF HEAT TREATING MASTERBATCH ON, 48 410  
 EFFECT OF PROMOTERS ON, 48 410  
 EFFECT OF RUBBER-FILLER BONDS, 47 697  
 EFFECT OF TEMPERATURE, 47 803  
 EFFECT ON ADHESION OF RUBBER TO CORD, 47 161  
 ELASTIC AND CRITICAL STRESS-STRAIN, 47 895  
 ELASTIC, AND DOUBLE STRAIN AMPLITUDE, 46 178  
 ELASTIC, OF TRUCK TIRES, 45 1  
 ENTROPY COMPONENT OF, 46 1287  
 EQUILIBRIUM, OF BLOCK COPOLYMERS, 49 65  
 EQUILIBRIUM, OF POLYURETHANES, 49 65  
 EXPERIMENT COMPARED TO THEORY, 47 625  
 EXPERIMENT COMPARED WITH THEORY EQUATION FOR, 46 1287  
 LOSS, OF TRUCK TIRES, 45 1  
 LOW STRAIN, VARIATION WITH SPECIMEN

- GEOMETRY, 47 1213  
 MARCHING, 43 572, 651  
 MARCHING, EFFECT ON WET SKID, 43 1070  
 MARCHING, IN NATURAL RUBBER, 43 651  
 OF CROSSLINKED NR, 50 233  
 OF ELASTICITY, EFFECT OF DILUTION, 48 513  
 OF FIBER-REINFORCED ELASTOMERS, 47 396, 1074  
 OF NATURAL RUBBER VULCANIZATES, 47 251  
 OF NR BY EQUILIBRIUM SWELLING, 50 233  
 OF SBR AND EFFECT OF CARBON BLACKS, 47 425, 729, 756, 765, 803  
 OF SBR VULCANIZATES, 47 266  
 OF SILICA-RUBBER SYSTEMS, 48 410  
 OF SWOLLEN POLY(DIMETHYLSILOXANE) NETWORKS, 48 186  
 OF SWOLLEN POLYSTYRENE NETWORKS, 48 194  
 OF SWOLLEN VULCANIZATES, 47 1151  
 REDUCED, 47 1  
 RELAXATION, 47 1  
 RELAXATION OF ELASTOMERS, 50 163  
 SHEAR OF POLYURETHANE, 47 1160  
 SHEAR, OF SBR, 47 837  
 SILICONE RUBBER VULCANIZATES, 47 285  
 STORAGE, OF NITRILE RUBBER, 43 1491  
 STORAGE OF NITRILE RUBBER-POLYVINYL CHLORIDE BLEND, 43 1491  
 STORAGE OF POLYPENTADIENES, 43 771, 1491  
 STORAGE, TENSION AND COMPRESSION, 47 803  
 STRAIN, AND OXYGEN ABSORPTION, 45 359  
 TEMPERATURE DEPENDENCE OF, 45 71  
 TEMPERATURE REDUCTION FOR, 47 318  
 TENSILE, DEPENDENCE ON SPECIMEN GEOMETRY, 47 1213  
 TENSILE OF POLY(BUTADIENE CO STYRENE) VULCANIZATES, 47 411  
 TEST OF THEORY OF RUBBER ELASTICITY, 46 1287  
 THERMODYNAMICAL EQUATIONS FOR, 46 1287  
 TIME CURVE, 47 318  
 YOUNG'S, OF FIBER-RUBBER COMPOSITE, 47 396  
 YOUNG'S, OF FIBERS, 47 396
- MODULUS LOSS**  
 OF NITRILE RUBBER, 43 1491  
 OF NITRILE RUBBER-POLYVINYL CHLORIDE BLEND, 43 1491  
 OF POLYPENTADIENES, 43 771, 1491
- MOLD FLASH**  
 EFFECT ON PHYSICAL PROPERTIES, 49 375  
 REUSE OF, 49 375
- MOLD FOR COLLECTING VOLATILES**  
 IN CROSSLINKING REACTION, 49 1142
- MOLD FOULING**  
 CAUSES OF, 49 1129
- MOLDING**  
 DUAL MATERIAL, 44 839  
 HEAT SCHEDULES, 45 955  
 INJECTION, 45 1111  
 INJECTION, 47 1311  
 OF FLUOROELASTOMERS, 46 619  
 OF RUBBER, 41 23  
 ROTATIONAL, 47 1311  
 WITH MULTISTATION INJECTION MACHINES, 48 263
- MOLDS**  
 BY VARIOUS MEANS, 49 1129  
 CLEANING OF, BY RUBBER COMPOUNDS, 49 1129
- MOLECULAR CONFORMATION**  
 OF POLYPENTENAMER, 48 781
- MOLECULAR DIMENSIONS**  
 DIRECT MEASUREMENT, 48 513  
 OF POLYPENTENAMER, 48 781
- MOLECULAR MOBILITY**  
 IN CARBON BLACK LOADED RUBBER, 44 1297  
 OF THIN POLYMER LAYERS ON SURFACES, 49 1311
- MOLECULAR MOTION**  
 AND STRUCTURE, IN CHLORINATED POLYETHYLENE, 48 623  
 EFFECT OF SOLVENT, BY ESR, 48 1078  
 IN POLYMERS BY ESR, 48 1078
- MOLECULAR RELAXATION TIME FOR RUBBERS, 45 71**  
 STRESS DEPENDENCE OF, 45 71  
 TEMPERATURE DEPENDENCE OF, 45 71
- MOLECULAR SIEVES**  
 POLYMERIZATION OF POLYISOBUTYLENE BY, 43 1517
- MOLECULAR STRUCTURE**  
 AND FLOW BEHAVIOR, 42 823  
 USE TO STUDY OIL DIFFUSION, 44 1430
- MOLECULAR WEIGHT**  
 AND BULK VISCOSITY FOR EPM, 45 709  
 AND BULK VISCOSITY, UNIVERSAL RELATIONS, 45 709  
 AND INEFFECTIVE CROSSLINKS, 47 1116  
 AND INTRINSIC VISCOSITY, 46 470  
 AND INTRINSIC VISCOSITY FOR EPM, 45 709  
 AND RELAXATION, 47 1  
 BETWEEN CROSSLINKS, 47 342  
 BETWEEN ENTANGLEMENTS, 47 1  
 CRITICAL ENTANGLEMENT, 45 638  
 DETERMINATION BY ELECTRON MICROSCOPY, 46 653  
 DISTRIBUTION IN EMULSION POLYMERIZATION, 50 601  
 DISTRIBUTION, OF POLYISOPRENES, 41 700  
 EFFECT OF MIXING ON, 47 858  
 EFFECT OF RUBBER BREAKDOWN ON, 47 858  
 EFFECT ON ADSORPTION OF RUBBER ON CARBON BLACK, 41 1256  
 EFFECT ON GLASS TRANSITION, 43 95  
 EFFECT ON NETWORK CHAIN DENSITY IN ETHYLENE PROPYLENE RUBBER, 43 52 2  
 IN CARBON-RUBBER GEL, 47 858  
 IN CARBON-RUBBER SOL, 47 858  
 IN GEL PERMEATION CHROMATOGRAPHY, 45 638  
 LIMIT FOR POLYMER BREAKDOWN, 44 534  
 MEASURE BY ELECTRON MICROSCOPY, 43 1  
 NUMBER-AVERAGE, 46 115, 1166  
 OF COPOLYMERS, DETERMINATION OF (REVIEW), 41 245  
 OF DEPOLYMERIZED RUBBER, 46 50  
 OF PHOSPHONITRILIC FLUOROELASTOMERS, 47 32  
 OF POLYALKENAMERS, 47 511  
 OF POLYBUTADIENES, 47 1175  
 OF POLYPENTENAMER, 48 781  
 OF SOLUBLE RUBBER IN CARBON BLACK COMPOUNDS, 48 548  
 POLYURETHANES, 47 19  
 REDUCTION BY MIXING, 47 858  
 REGULATION IN EMULSION POLYMERIZATION, 48 728  
 REGULATION IN EPM COPOLYMERIZATION, 45 709  
 WEIGHT-AVERAGE, 46 1166
- MOLECULAR WEIGHT DISTRIBUTION, 42 636, 1136**  
 AND PROCESSING OF SBR, 49 291, 278

- AND RUBBER ELASTICITY THEORY, 48 495  
 AS FUNCTION OF SHEAR DEGRADATION, 50 723  
 BEASLEY EQUATION FOR, 45 519  
 BY GEL PERMEATION CHROMATOGRAPHY, 45 667  
 BY GEL PERMEATION CHROMATOGRAPHY, 46 115, 449  
 BY GEL PERMEATION CHROMATOGRAPHY, 49 278, 291, 303  
 BY MEMBRANE OSMOMETRY, 46 115  
 BY POLYMER FRACTIONATION, 45 667  
 BY ULTRACENTRIFUGE, 45 667  
 EFFECT OF BOUND RUBBER, 48 548, 810  
 EFFECT ON LONG-CHAIN BRANCHING DETERMINATION, 48 1035  
 IN COPOLYMERS, 46 449  
 OBTAINED IN ANIONIC POLYMERIZATION, 48 359  
 OF ALFIN POLYBUTADIENE, 43 333  
 OF BRANCHED POLYMERS, 45 519  
 OF COMMERCIAL POLYBUTADIENES, 43 1367  
 OF DIHYDROXYPOLYDIENES, 49 303  
 OF EMULSION POLYBUTADIENE, 43 1451  
 OF EPM RUBBERS, 45 709  
 OF NATURAL RUBBER, 45 346  
 OF POLYBUTADIENE AFTER VULCANIZATION, 43 549  
 OF POLYBUTADIENE FRACTIONS, 43 1439  
 OF POLYISOPRENE, 45 346  
 OF POLYMER BLENDS, 46 449  
 OF SBR BY THIN-LAYER CHROMATOGRAPHY, 48 310  
 OF STYRENE-BUTADIENE RUBBER, 43 1424  
 OF VARIOUS POLYMERS BY GPC, 48 310  
 POISSON DISTRIBUTION, 48 359
- MOLTEN SALTS**  
 PYROLYSIS OF SCRAP TIRES IN, 49 1120  
 PYROLYSIS OF TIRES, 50 1007
- MOLYBDENUM**  
 COMPOUNDS AS CATALYSTS FOR RING-OPENING POLYMERIZATION, 47 511
- MOLYBDENUM DISULFIDE**  
 EFFECT ON ELASTOMER FLEX LIFE, 49 140  
 IN NR, SBR, AND BR BLENDS, 49 140  
 IN POLYURETHANE, 49 140  
 PHYSICAL PROPERTY EFFECTS, 49 140  
 PROCESSING CHARACTERISTICS, 49 140
- MOONEY MOLECULAR THEORY**  
 VISCOELASTIC BEHAVIOR, MODIFIED, 46 127
- MOONEY RECOIL**  
 OF POLYBUTADIENE, 46 1166
- MOONEY RHEOMETER**  
 IN VISCOELASTICITY OF EPDM, 50 99  
 MINIATURE DIES AND ROTOR, 47 477  
 TORQUE-TIME CURVE OF SBR, 47 333  
 VARIABLE-SPEED, 48 69
- MOONEY STRESS**  
 CALCULATION OF, 45 60
- MOONEY VISCOSITY**, *see* ALSO VISCOSITY, MOONEY, 46 1166  
 LIMITATION OF, 47 318  
 OF BLACK STOCKS, AS FUNCTION OF MIXING ENERGY, 50 765  
 OF GELS AS FUNCTION OF SWELLING, 47 342  
 OF NBR, 47 307  
 OF POLYISOPRENE, 47 342  
 OF RUBBER BLENDS, 47 48
- MOONEY-RIVLIN CONSTANTS**, 44 1208, 1227  
 EFFECT OF CROSSLINK DENSITY ON, 44 1109  
 EFFECT OF EPDM-POLYISOPRENE BLENDS, 44 1109  
 EFFECT OF ETHYLENE CONTENT OF EPDM ON, 44 1109  
 EFFECT OF FILLERS ON, 44 1109  
 EFFECT OF STRAIN AMPLIFICATION FACTOR, 44 1109  
 EFFECT OF TEMPERATURE OF EPDM ON, 44 1109  
 FOR LIGHTLY CROSSLINKED POLYURETHANES, 50 934  
 FOR NETWORKS, EFFECT OF DILUENTS, 50 1000  
 FOR SYNDIOTACTIC TRANS-1,2-POLYPENTADIENE, 43 771  
 OF NATURAL RUBBER, 44 707  
 SIGNIFICANCE OF, 44 1109  
 VARIATION WITH STRAIN RATE, 42 1420
- MOONEY-RIVLIN EQUATION**, 41 1231
- MOONEY-RIVLIN EQUATION**, 44 127, 1109, 1326, 1391
- MOONEY-RIVLIN EQUATION**, 45 60, 638, 1634, 1656
- MOONEY-RIVLIN EQUATION**, 46 388, 483, 593  
 AT VERY LOW STRAINS, 50 780  
 CONSTANTS, 47 1151  
 CONSTANTS, AND CHAIN CROSS SECTION, 50 798  
 CONSTANTS, CRITICAL REVIEW OF, 50 798  
 CONSTANTS, EFFECT OF MW ON, 50 798  
 CONSTANTS FOR POLY(DIMETHYLSILOXANE) NETWORKS, 48 176  
 CONSTANTS (REVIEW), 48 495  
 EFFECT OF EPDM COMPOSITION ON RESULTS FROM, 44 1109  
 EFFECT OF EPDM-POLYISOPRENE BLEND, 44 1109  
 EPDM, 44 1109  
 FOR ENTANGLEMENT NETWORKS, 48 1004  
 IN ELASTIC THEORY, 45 638  
 IN THERMOELASTIC MEASUREMENTS, 46 593  
 PLOTS, 47 127  
 PLOTS OF, 45 1634  
 THIRD TERM IN, 45 60  
 VARIABLE SPEED, 47 333
- MOORE-WATSON CALIBRATION CURVE**  
 AND NATURAL RUBBER VULCANIZATES, 43 624  
 AND POLYBUTADIENE VULCANIZATES, 43 549
- MORPHOLINE**  
 2,6-DIMETHYL, IDENTIFICATION BY THIN LAYER CHROMATOGRAPHY, 47 1206  
 IDENTIFICATION BY THIN LAYER CHROMATOGRAPHY, 47 1206
- MORPHOLINETHIO PHTHALIMIDE**  
 SYNTHESIS AND REACTIONS, 49 333
- MORPHOLINO-2-BENZOTHAZOLE SULFENAMIDE**, 45 1513  
 KINETICS OF, 45 1513  
 MASS SPECTRUM OF, 45 160  
 REACTION WITH BENZOTHAZOLINETHIONE, 45 1513
- MORPHOLINODITHIO BENZOTHAZOLE, -2**  
 IN SITU GENERATION OF, 50 90  
 VULCANIZATION EFFICIENCY WITH, 50 90
- MORPHOLINO-N-(MORPHOLINOTHIO)-DITHIOCARBANILATE**  
 MASS SPECTRUM OF, 45 160
- MORPHOLINOSULFENYL CHLORIDE**, 44 881, 898
- MORPHOLINOTHIO BENZOTHAZOLE, -2**  
 IN VULCANIZATION OF BLENDS, 50 35
- MORPHOLINOTHIOIMIDES, -N**

- AS SCORCH INHIBITORS, 50 570
- MORPHOLOGY**  
 SOLUBILITY PARAMETERS AND, 45 241  
 ANALYSIS OF IN BLACK-FILLED ELASTOMER BLENDS, 50 301  
 CRYSTAL, OF VARIOUS POLYMERS, 50 863  
 EFFECT ON EPM, 45 437  
 EFFECT ON RHEOLOGY, 50 423  
 IN ELASTOMER BLENDS, 50 292  
 LATEX FILMS, 41 514  
 OF BLENDS, 47 481  
 OF BLENDS OF EPDM AND POLYPROPYLENE, 50 24  
 OF CARBON BLACK, 42 1209  
 OF CARBON BLACK, 46 204  
 OF CARBON BLACK AGGREGATES, 42 1496  
 OF CARBON BLACK AND EFFECT ON WIRE ADHESION, 45 26  
 OF HETEROGENEOUS POLYMER BLENDS, 49 93  
 OF KNIT-LINE, 50 24  
 OF NATURAL RUBBER, 45 1315  
 OF PIVALOLACTONE GRAFTS WITH EPDM, 50 109  
 OF POLYALKENAMERS, 47 511  
 OF POLYBUTADIENES, 47 357  
 OF POLYETHER-POLYESTER ELASTOMERS, 50 1  
 OF POLYETHYLENE AND CHLORINATED POLYETHERS, 42 769  
 OF POLYURETHANES, 47 19  
 OF POWDERED RUBBER, EFFECT ON PROCESSING, 46 254  
 OF RICE-HULL ASH, 48 271  
 OF STYRENE-BUTADIENE-STYRENE BLOCK COPOLYMERS, 45 241  
 OF STYRENE-BUTADIENE-STYRENE COPOLYMERS, 42 1257  
 PLASTIC DOMAINS IN BLOCK COPOLYMERS, 49 65  
 RELATION TO RHEOLOGY, 49 93  
 RELATION TO RHEOLOGY, 50 423  
 SKIN-CORE, 50 24
- MOSSBAUER EFFECT**, 42 24
- MOUNTINGS**  
 ELASTOMERS FOR AUTOMOTIVE APPLICATIONS, 49 775
- MULLINS EFFECT**, 42 339  
**MULLINS EFFECT**, 44 1206, 1227, 1249  
**MULLINS EFFECT**, 45 1171  
**MULTIPLY PERTURBED TOTAL INTERNAL REFLECTION POLARIZATION SPECTROSCOPY**  
 OF STRETCHED VULCANIZATES, 47 357  
**MULTISPEED RHEOLOGY**, 42 903
- N-(2-AMINOETHYL)PIPERAZINE**  
 IN VULCANIZATION OF CHLORO-BR/BR, 50 364
- NAPHTHYLAMINE**  
 MODIFICATION OF POLYBUTADIENE, 43 1225  
 REACTION WITH POLYBUTADIENE EPOXIDE, 43 1225
- NAPHTHYLAMINE DERIVATIVES**  
 HEALTH HAZARDS, 45 627
- NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION**  
 GOVERNMENT REGULATIONS, 50 426
- NATURAL RUBBER**, *see* ALSO POLYISOPRENE  
 ABRASION AND CRACK GROWTH, 48 902  
 ABRASION OF, 41 209  
 ABRASION OF, 43 1503  
 ABRASION RESISTANCE, 42 1087  
 ACCELERATION OF VULCANIZATION OF, 47 251, 1304
- ACCELERATOR PENDENT GROUP ON VULCANIZATES OF, 44 771  
 ACTION OF ANTIOXIDANTS IN VULCANIZATES OF, 44 857  
 ADHESION TO ARAMID CORDS, 50 445  
 ADHESION TO METAL, 47 171, 188  
 ADHESION TO STEEL CORDS, 50 219  
 ADHESION TO STEEL WIRE, 42 613  
 AGING AND RUBBER-BOUND ANTIOXIDANTS, 45 204  
 AGING OF, 45 467  
 AGING OF, 46 504, 517, 927  
 4-AMINO-3,5,6-TRICHLOROPICOLINIC ACID, 45 883  
 ANALYSIS OF, IN BLENDS, 44 1429  
 AND ANTIOXIDANTS, 45 1143  
 AND CARBON BLACK STRUCTURE, 42 858  
 AND CHEMICAL STRUCTURE, 45 1051  
 AND THEORY OF RUBBER ELASTICITY, 48 495, 513  
 AND WIRE-RUBBER ADHESION, 45 26  
 ANISOTROPY OF, 43 836  
 ANTIOXIDANT EFFECT ON ABRASION OF, 43 1503  
 ANTIOXIDANT EFFECT ON SHEAR MODULUS, 43 304  
 ANTIOXIDANTS, RUBBER BOUND, 45 204  
 AUTOMOTIVE APPLICATIONS, 49 775  
 BANBURY MIXING TIME, 48 410  
 BIREFRINGENCE, 46 353  
 BLEND WITH HALOGENATED EPDM, 44 1025  
 BLEND WITH POLYBUTADIENE AND ADHESION, 47 171  
 BLENDS, 46 653  
 BLENDS, CARBON BLACK DISTRIBUTION IN, 46 653  
 BLENDS WITH VARIOUS ELASTOMERS, 44 814  
 BOUND RUBBER ON CARBON BLACK, 46 795  
 BRIDGE BEARINGS, 50 145  
 BULK THERMAL EXPANSION COEFFICIENT, 43 270  
 CALCULATED STRESS-STRAIN CURVE OF BLACK-FILLED, 45 60  
 CAPILLARY FLOW AS A FUNCTION OF FORCE AND RATE, 44 1  
 CARBON BLACK EFFECTS ON BULK AND YOUNG'S MODULUS, 48 246  
 CARBON BLACK MORPHOLOGY IN, 50 842  
 CARBON-BLACK MIX. HEAT TREATMENT, 48 410  
 CARBONYL GROUPS IN, 46 47  
 CHAIN CROSS SECTION AND MOONEY-RIVLIN CONSTANTS, 50 798  
 CHAIN ENTANGLEMENT, 46 477  
 CHAIN SCISSION, 46 477  
 CHAIN SCISSION OF, 45 381, 481  
 CHEMICAL STRESS RELAXATION, 46 477  
 CHEMORHEOLOGY, 46 388  
 CHEMORHEOLOGY, 48 141, 154  
 2-CHLOROETHANEPHOSPHONIC ACID, 45 883  
 CLONAL VARIATION OF MOLECULAR WEIGHT, 45 346  
 COCURING WITH EPDM GRAFTED WITH ACCELERATORS, 47 88  
 COHESION, EFFECT OF GEL, 46 1234  
 COMPARISON WITH CIS-POLYISOPRENE, 44 1432  
 COMPARISON WITH SYNTHETIC POLYISOPRENE, 46 47, 555  
 COMPATIBILITY, 46 1188  
 COMPATIBILITY AND PHASE INTERACTION, 50 35  
 COMPATIBILITY IN BLENDS, 50 35  
 COMPLEX SHEAR COMPLIANCE, 42 1277  
 COMPLIANCE, 45 1386



- COMPLIANCE OF, 43 1482  
 COMPOSITIONAL AND STRUCTURAL ANALYSIS BY INFRARED, 45 546  
 COMPOUNDS CONTAINING RICE-HULL ASH, 50 1009  
 COMPOUNDS WITH S-TYPE BLACKS, 50 211  
 COMPRESSION MODULUS, 45 1634  
 COMPRESSION MODULUS OF GUM VULCANIZATES, 46 286, 1287  
 COMPRESSION SET, 42 589  
 COMPRESSION STRESS STRAIN, 42 580  
 CONDUCTIVITY AND THERMAL DIFFUSION, 50 253  
 CRACKS IN, 42 1186  
 CREEP OF VULCANIZATES OF, 43 1482  
 CREEP UNDER REPEATED STRESSING, 50 397  
 CRITICAL SURFACE TENSION OF SPREADING, 42 30  
 CROSSLINK DENSITY, 46 447, 1287  
 CROSSLINK DENSITY AND ENTANGLEMENTS, 40 913  
 CROSSLINK DENSITY OF VULCANIZATES, 45 182  
 CROSSLINK DISTRIBUTION IN VULCANIZATES, 44 707  
 CROSSLINK FORMATION IN, 45 467  
 CROSSLINK STRUCTURES OF VULCANIZATES, 45 182  
 CROSSLINKING SYSTEM, 49 1361  
 CROSSLINKING WITH DITHIOL-S-TRIAZINES, 50 660  
 CROSSLINKING WITH SULFENAMIDE MIXTURES, 50 671  
 CROSSLINKS IN, 40 141  
 CRYSTALLINITY BY MICROSCOPY, 46 653  
 CRYSTALLIZATION, 46 22, 556, 559  
 CRYSTALLIZATION, 47 1175, 1234  
 CRYSTALLIZATION OF, 44 1, 12, 29  
 CRYSTALLIZATION OF, 45 1303, 1315  
 CRYSTALLIZATION OF, 50 863  
 CURE EFFECT OF ACID CONCENTRATION OF CARBON BLACK SURFACE, 45 129  
 CYCLIC CRACK GROWTH, 45 309  
 DAMPING BY, 44 1043  
 DEGRADATION AND IR IDENTIFICATION, 48 289  
 DEPROTEINIZED, 46 47  
 DESIGN AND ENGINEERING WITH, 49 1362  
 DESIGN AND ENGINEERING WITH, 50 145  
 DICUMYL PEROXIDE CURE, 46 1287  
 DICUMYL PEROXIDE VULCANIZATION, 45 1388  
 DIELECTRIC LOSS FACTOR OF, 44 294  
 DIFFUSION OF CURATIVES IN, 42 1058  
 DIFFUSION OF HYDROCARBONS IN, 45 278  
 DIFFUSION OF LIQUIDS IN, 42 495  
 DIFFUSION OF OIL IN, 42 1473  
 DUAL VULCANIZATION OF, 43 572  
 DYNAMIC HYSTERESIS OF, 48 592  
 DYNAMIC PROPERTIES, 45 1051  
 DYNAMIC PROPERTIES, 46 561, 897, 1330  
 EFFECT OF AGING ON STRESS-STRAIN, 47 803  
 EFFECT OF AGING ON TEAR OF, 44 1043  
 EFFECT OF CARBON BLACK IN ELASTOMER BLENDS, 50 301  
 EFFECT OF CARBON BLACK LOADING ON TENSILE STRESS RELAXATION, 44 185  
 EFFECT OF CARBON BLACK ON DOUBLE STRAIN AMPLITUDE AND DYNAMIC MODULUS, 44 440  
 EFFECT OF CROSSLINK STRUCTURE ON OXYGEN ABSORPTION AND TENSILE STRENGTH OF, 42 1412  
 EFFECT OF CROSSLINK STRUCTURE ON VULCANIZATES OF, 43 654  
 EFFECT OF DICUMYL PEROXIDE ON, 43 1294, 1311  
 EFFECT OF FLEXING ON PHYSICAL PROPERTIES, 45 450  
 EFFECT OF GEL ON, 46 1234  
 EFFECT OF MILL SIZE ON MIXING, 44 479  
 EFFECT OF NETWORK BREAKDOWN ON SWELLING IN COMPRESSION, 42 589  
 EFFECT OF OIL ON ADHESION, 47 161  
 EFFECT OF OZONE ON FATIGUE LIFE, 43 1230  
 EFFECT OF PENDENT ACCELERATOR GROUPS, 45 467  
 EFFECT OF PROTEIN CONTENT UPON DISSOLUTION, 46 47  
 EFFECT OF REINFORCEMENT PROMOTERS, 48 410  
 EFFECT OF SOL, 46 1234  
 EFFECT OF THIOSEMICARBAZIDES ON PROPERTIES, 46 517  
 EFFECT ON POLYBUTADIENE CRYSTALLINITY, 46 178  
 EFFECTS OF NATURALLY OCCURRING NON-RUBBER CONSTITUENTS IN, 46 47, 5 56  
 EFFICIENT VULCANIZATION OF, 42 404, 418  
 ELASTIC MODULUS, 47 803  
 ELASTOMERIC SPRINGS FROM, 47 1039  
 ELECTRON MICROGRAPHS OF CRYSTALS OF, 44 1  
 ELECTRON MICROSCOPY, 46 653, 1193  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 ENERGETIC STRESS, 43 270  
 ENERGY ABSORBERS, 50 145  
 ENTANGLEMENTS IN, 41 1  
 ENTHALPY CHANGE DURING REACTION WITH SULFUR, 43 1275  
 EQUATION-OF-STATE PARAMETERS FOR, 46 331  
 EVOLUTION OF UV SPECTRUM AT 336 NM, 45 481  
 EXPANSION JOINT SEALS, 50 145  
 EXTENDER OIL MIGRATION IN, 43 1349  
 FATIGUE PROPERTIES, 42 418  
 FATIGUE PROPERTIES OF BLENDS, 50 429  
 FATIGUE STRENGTH OF, 43 1194  
 FILLER EFFECT, 46 927  
 FLAMMABILITY, 46 1114  
 FLAMMABILITY, 49 158  
 FLOW, 46 1188  
 FLOW IN A CAPILLARY, 44 1, 12, 29  
 FOR AUTOMOTIVE MOUNTS, 50 145  
 FOR IMPACT ABSORBERS, 46 862  
 FORCE-TEMPERATURE COEFFICIENT, 44 127  
 FRACTIONATION OF, 41 626  
 FRACTIONATION OF, 45 346  
 FRACTURE, ESR STUDY, 48 445  
 FRICTION OF, 42 1122  
 FRICTION OF, 44 1147  
 FRICTION ON ICE, 48 527  
 FROM GUAYULE, COMPOUNDING, 50 981  
 FUNCTION OF TEMPERATURE, 46 1287  
 GEL COMPOSITION, 46 47  
 GEL PERMEATION CHROMATOGRAPHY OF, 46 1193  
 GEL POINT OF, 46 1287  
 GLASS TRANSITION, 45 1388  
 GRAFT, POLYSTYRENE, 46 1044  
 GROOVE CRACKING RESISTANCE, 44 1186  
 GUM VULCANIZATES, 46 560, 1287  
 HARMFUL SOLAR RADIATIONS FOR, 45 481  
 HEAT GENERATION OF FILLED AND GUM VUL-

- CANIZATES, 47 697  
 HEAT GENERATION OF VULCANIZATES OF, 43 1194  
 HEAT OF REACTION WITH SULFUR, 43 1275  
 HEAT RESISTANCE OF TRUCK TIRE INNER TUBES, 43 929  
 HEAT RESISTANT, 47 100  
 HERTZ EQUATION, 45 1386  
 HIGH-TEMPERATURE REINFORCEMENT, 44 690  
 HIGH-TEMPERATURE STRENGTH, 44 69  
 HYDROGEN EVOLUTION AT TENSILE BREAK, 42 505  
 HYSTERESIS AND ELASTIC MODULUS, 47 803  
 HYSTERESIS AND RUBBER FAILURE, 45 1043  
 HYSTERESIS IN NR BLACKS, 50 186  
 IDENTIFICATION, 41 638  
 IDENTIFICATION BY C-14 DATING, 50 819  
 IDENTIFICATION IN SIDEWALL COMPOUNDS, 48 631, 653  
 IDENTIFICATION OF VULCANIZATES BY THERMAL ANALYSIS, 50 71  
 IMPURITIES IN, 46 47, 653  
 IN A TRIBLEND, 43 400  
 IN FIBER-RUBBER COMPOSITE, 47 396  
 IN POLYMER BLENDS, 47 64  
 IN ROTARY FLEXOMETER, 49 258  
 IN RUBBER BLENDS, 47 64, 1317  
 IN SIDEWALL COMPOUNDS, 50 430  
 IN TIRE SIDEWALL BLENDS, 43 482  
 INDENTATION MEASUREMENTS, 45 1388  
 INFRARED SPECTRA OF, 46 47  
 INJECTION MOLDING OF, 44 620  
 INTERCHAIN AND INTRACHAIN ENERGIES, 43 270  
 INTERNAL ENERGY, 43 270  
 INTERNAL ENERGY OF, 42 835  
 INTERNAL ENERGY OF, 44 127  
 ISOMERIZED, 47 1234  
 ISOMERIZED, ABRASION, 48 902  
 KINETICS OF ANTIOZONANT LAYER DEVELOPMENT, 43 1230  
 KINETICS OF CRYSTALLIZATION, 42 540  
 KINETICS OF VULCANIZATION BY ZINC DIMETHYLDITHIOCARBAMATE OF, 43 (1) 1294  
 LATEX, 45 1202  
 LATEX, MICROSCOPY OF, 46 653  
 LEVULINALDEHYDE FORMATION BY OXIDATION, 45 359  
 LEVULINALDEHYDE IN OXIDIZED, 45 381  
 LEVULINIC ACID IN OXIDIZED, 45 381  
 LINEAR THERMAL EXPANSION COEFFICIENT, 44 127  
 LINEAR VISCOELASTIC BEHAVIOR ABOVE AND BELOW TG, 45 1623  
 LOAD DEPENDENCE OF ABRASION OF, 43 701  
 LOAD-DEFLECTION FUNCTION FOR, 44 440  
 LONG-TIME CREEP OF VULCANIZATES, 48 154  
 LOW TEMPERATURE FLEXIBILITY OF, 44 1043  
 MEASUREMENT OF ALDEHYDIC CONTENT, 45 381  
 MEASUREMENT OF CARBONYL CONTENT, 45 381  
 MECHANICAL PROPERTIES OF VULCANIZATES, 44 1256  
 MECHANICAL STRESS, 45 1074  
 MECHANISM OF ANTIOZONANT ACTION, 43 1230  
 MECHANISM OF CROSSLINKING BY SULFUR, 45 467  
 MECHANISM OF CURE RETARDATION, 46 999  
 MECHANISM OF VULCANIZATION BY TETRAMETHYLTHIURAM DISULFIDE OF, 43 1 294  
 MECHANISM OF VULCANIZATION, WITH PARANITROSOPHENOLS AND DIISOCYANATES, 47 100  
 MELTING POINT AS FUNCTION OF CRYSTALLIZING TEMPERATURE, 44 1  
 MELTING POINT VARIATION, 44 1, 12, 29  
 MICROSCOPY, 46 653  
 MISCIBILITY OF ELASTOMERS WITH, 43 370  
 MIXING, 46 1193  
 MODULUS, 45 1388  
 MODULUS, 46 1287  
 MODULUS OF, THEORY, 50 233  
 MOLECULAR WEIGHT BETWEEN ENTANGLEMENTS, 47 1  
 MOLECULAR WEIGHT BY ELECTRON MICROSCOPY, 46 653  
 MOLECULAR WEIGHT DISTRIBUTION OF, 45 346  
 MOONEY STRESS OF BLACK-FILLED, 45 60  
 MOONEY VISCOSITY OF, 45 346  
 MOONEY-RIVLIN CONSTANTS FOR, 45 1634  
 MOONEY-RIVLIN CONSTANTS OF VULCANIZATES, 44 707  
 MOONEY-RIVLIN PLOTS, 44 127  
 MOONEY-RIVLIN PLOTS, 45 1634  
 MORPHOLOGY OF BLENDS WITH, 43 370  
 MORPHOLOGY OF EPM BLENDS, 50 292  
 NON-STAINING ANTIOZONANTS FOR, 46 517  
 NUCLEAR MAGNETIC RESONANCE STUDIES OF, 44 1273  
 OIL DIFFUSION COEFFICIENT--CONCENTRATION FUNCTION, 44 87  
 OIL MIGRATION IN, 45 278  
 OIL MIGRATION IN BLEND CONTAINING, 44 87  
 OIL-EXTENDED, 42 1277  
 OIL-EXTENDED, IN TIRE TREADS, 49 1362  
 OIL-EXTENDED, IN WINTER TIRES, 50 434  
 OXIDATION OF VULCANIZATES, 45 381  
 OXIDATION (REVIEW), 41 182  
 OXIDATIVE REACTIONS AT ROOM TEMPERATURE, 43 1036  
 OXYGEN ABSORPTION OF, 43 664  
 OXYGEN ABSORPTION OF, 45 359  
 OXYGEN EFFECT ON PHYSICAL PROPERTIES OF VULCANIZATES, 45 381  
 OXYGEN INDEX, 49 158  
 OZONE CRACK INITIATION, 42 1186  
 OZONE CRACKING, 45 293  
 OZONE RESISTANCE, 45 709  
 OZONE RESISTANCE, 46 517  
 PARTICLE SIZE DISTRIBUTION, 46 653  
 PENDENT ACCELERATOR GROUPS IN VULCANIZATES OF, 43 572  
 PENDENT ACCELERATOR GROUPS ON, 45 467  
 PEROXIDE CURE, 46 477, 1287  
 PEROXIDE-CURED, STRESS RELAXATION, 48 141  
 PHENOLIC ANTIOXIDANTS IN, 42 1466  
 PHOTODEGRADATION SPECTRA OF, 45 481  
 PHOTOXIDATION SPECTRUM OF SULFUR VULCANIZATES, 45 481  
 PHYSICAL CONSTANTS OF, 49 189  
 PHYSICAL PROPERTIES OF VULCANIZATES, 47 251  
 PLASTICITY, 42 381  
 PLASTICIZATION RATE, 46 47  
 POISSON RATIO, 42 547  
 POLYMER-SOLVENT INTERACTION PARAMETERS, 50 451  
 PREVULCANIZATION INHIBITION, 46 504  
 PRODUCTION PROCESSING, 46 581  
 PROPERTIES AND BEHAVIOR, 50 145

- PROTEIN CONTENT, 46 47  
 PURIFICATION OF, 45 346, 381  
 PYROLYSIS GAS CHROMATOGRAPHY, 41 411  
 PYROLYSIS OF, 42 1350  
 QUALITY FOR INJECTION MOLDING, 44 620  
 QUANTUM YIELD OF CHAIN SCISSION OF  
 PEROXIDE VULCANIZATES, 45 481  
 QUANTUM YIELD OF OXIDATION OF SULFUR  
 VULCANIZED, 45 481  
 RADIATION CROSSLINKED, 43 262  
 RADIATION, CURING OF, 48 860  
 RADIATION-CURED, STRESS RELAXATION, 48 141  
 RAILWAY ISOLATORS, 50 145  
 RAMAN SPECTRA OF VULCANIZATES, 44 71  
 REACTION OF TISSUE TO, 44 363  
 REDUCED MODULUS, 47 1  
 REFRACTIVE INDEX DISPERSION, 46 653  
 REINFORCEMENT BY SILICA, 42 1499  
 REINFORCEMENT BY SILICA, 48 410  
 RELAXATION AND CREEP ABOVE AND BELOW  
 TG, 45 1623  
 RELAXATION SPECTRUM, 47 1  
 RELAXATION-TIME DISTRIBUTION, 48 981  
 RESILIENCE CHANGE UPON AGING OF, 42 381  
 RESIN VULCANIZATION OF, 41 621  
 REVIEW OF RECENT DEVELOPMENTS, 46 581  
 RHEOLOGY OF, 46 1188, 1193  
 RIGID LATTICE HYDROGEN ATOMS IN, 46 22  
 RUBBER-BOUND ANTIOXIDANTS, 45 204  
 SCORCH INHIBITION, 50 570  
 SCORCH RETARDERS IN, 47 79  
 SHEAR MODULUS, 43 304  
 SHEAR MODULUS, 45 1368  
 SHEAR MODULUS, 46 1287  
 SHEAR MODULUS-TEMPERATURE FUNCTION OF  
 VULCANIZATES OF, 43 1482  
 SHEAR THINNING OF, 44 1, 12, 29  
 SHIP FENDERS, 50 145  
 SOLUTION VISCOSITY, 45 346  
 SPECIFIC HEAT OF, 41 564  
 SPECIFIC HEAT OF, 43 1275  
 SPRING RATE OF, 44 1043  
 SPRINGS FROM, 47 1039  
 STAINING WITH AGNO3 FOR ELECTRON MIC-  
 ROSCOPY, 50 835  
 STANDARDIZATION, 46 583  
 STARK RUBBER, 46 22  
 STATIC FRICTION OF VULCANIZATES, 50 266  
 STIFFNESS OF MOLECULAR CHAINS OF, 43 836  
 STIMULATION OF LATEX FLOW, 45 883  
 STORAGE COMPLIANCE, 42 1277  
 STRAIN WAVE PROPAGATION, 42 565  
 STRAINED SAMPLE, X-RAY DIFFRACTION, 48 445  
 STRAINWORK OF, 44 440  
 STRESS PHOTORELAXATION OF SULFUR VUL-  
 CANIZATES, 45 481  
 STRESS RELAXATION, 46 477, 1316  
 STRESS RELAXATION, 48 141, 913  
 STRESS RELAXATION AND CROSSLINKS, 45 1064  
 STRESS RELAXATION AT ROOM TEMPERATURE,  
 43 1036  
 STRESS RELAXATION AT VARIOUS  
 WAVELENGTHS OF LIGHT, 45 481  
 STRESS RELAXATION BY IRRADIATION, 43 262  
 STRESS RELAXATION IN OXYGEN, 43 304  
 STRESS RELAXATION MECHANISMS, 48 141  
 STRESS RELAXATION OF UNVULCANIZED AT  
 CURING TEMPERATURE, 45 1630  
 STRESS SOFTENING, 42 339  
 STRESS-BIREFRINGENCE, 47 1234  
 STRESS-INDUCED CRYSTALLIZATION, 42 1420  
 STRESS-OPTICAL COEFFICIENT, 46 653  
 STRESS-OPTICAL COEFFICIENT, 47 1234  
 STRESS-STRAIN, 47 251, 803, 1234  
 STRESS-STRAIN AND SPECIMEN GEOMETRY, 47  
 1213  
 STRESS-STRAIN CURVE, 47 342  
 STRESS-STRAIN IN COMPRESSION, 50 915  
 STRESS-STRAIN ISOTHERMS, 45 1634  
 STRESS-TEMPERATURE COEFFICIENT, 43 270  
 STRESS-TEMPERATURE COEFFICIENT, 48 1018  
 SULFUR-FREE THIURAM VULCANIZATION, 45 945  
 SULFUR-FREE THIURAM VULCANIZATION, 46 504  
 SUPERCOILING, 45 1634  
 SWELLING IN COMPRESSION, 42 589  
 SWELLING IN CYCLOHEXANE, 48 860  
 TACK MEASUREMENT OF, 42 1040  
 TEARING, MICROSCOPY OF, 50 875  
 TEMPERATURE COEFFICIENT OF SHEAR MOD-  
 ULUS, 46 1287  
 TEMPERATURE COEFFICIENT, OF UNPERTURBED  
 DIMENSIONS, 46 593  
 TEMPERATURE DISTRIBUTION IN THICK BLOCKS,  
 50 186  
 TENSILE OF GUM VULCANIZATES, 46 580  
 TENSILE RUPTURE, 43 222  
 TENSILE STRENGTH RETENTION OF INNER  
 TUBES OF, 44 397  
 THERMAL CHAIN CLEAVAGE, 48 913  
 THERMAL CONDUCTIVITY, 50 480  
 THERMAL DIFFUSIVITY, 47 849  
 THERMAL DIFFUSIVITY, 50 480  
 THERMAL STABILITY OF VULCANIZATES, 48 141,  
 154  
 THERMODYNAMICS, 44 127  
 THERMODYNAMICS OF, 46 1287  
 THERMOELASTIC INVERSION POINT, 43 270  
 THERMOELASTICITY, 48 513, 1018  
 TORQUE-BLEND FUNCTION, 46 1193  
 TRANSMISSIBILITY, 44 440  
 ULTRAVIOLET IRRADIATION OF, 45 481  
 USE IN DRUG SOLUTION RESERVOIR, 50 969  
 VACUUM STRESS PHOTORELAXATION SPEC-  
 TRUM, 45 481  
 VAPOR PHASE CHROMATOGRAPHY, 41 418  
 VISCOELASTIC AND DIELECTRIC PROPERTIES  
 OF, 41 1249  
 VISCOELASTICITY OF, 47 1  
 VOLUME CHANGE DURING REACTION WITH SUL-  
 FUR, 43 1275  
 VOLUME CHANGE ON EXTENSION OF VULCANI-  
 ZATES OF, 44 1391  
 VULCANIZATE OXIDATION, 45 381  
 VULCANIZATE STRUCTURE, 45 1366  
 VULCANIZATES, COMPARISON WITH GUAYULE  
 RUBBER, 50 981  
 VULCANIZATES, STRUCTURE, 41 659  
 VULCANIZATES WITH 2-(MORPHOLINODITHIO)-  
 BENZOTHAZOLE, 43 90  
 VULCANIZATES WITH  
 2-(MORPHOLINODITHIO)BENZOTHAZOLE, 50 90  
 VULCANIZATION, 47 100, 251  
 VULCANIZATION BY IRRADIATION, 45 193  
 VULCANIZATION, HEAT OF, 48 26  
 VULCANIZED IN THE SWOLLEN STATE, 45 1634  
 WEAR OF, 46 787, 821  
 WET SKID RESISTANCE OF, 41 780  
 WITH CYCLOALKYLTHIOAMINE ACCELERATION,  
 46 67  
 X-RAY PATTERNS OF, 44 1

- ZINC COMPLEXES IN VULCANIZATION, 46 504
- NATURAL RUBBER VULCANIZATION**, 44 1316
- ACCELERATOR FRAGMENTS IN, 44 771
- AMINOMERCAPTOTRIAZINES AS ACCELERATORS OF, 43 1194
- BY BIS-AZIDODIFORMATES, 43 605
- CONTINUOUS, 44 294
- CROSSLINK DISTRIBUTION DURING, 44 771
- CROSSLINK VARIATION DURING, 44 771
- CURATIVES FOR, 44 881, 889, 896
- EFFECT OF CYCLOHEXYLTHIOPHTHALIMIDE ON, 43 1188, 1522
- EFFECT OF DICUMYL PEROXIDE ON SULFENAMIDE ACCELERATION OF, 43 1311
- EFFECT OF DICUMYL PEROXIDE ON TMTD, 43 1294
- IN SWOLLEN STATE, 44 744
- INJECTING MOLDING AND, 44 620
- ISOMERISM DURING, 44 71, 904
- KINETICS OF DECOMPOSITION OF DICUMYL PEROXIDE DURING, 43 1294
- KINETICS OF REACTION OF SULFUR IN, 43 586
- PENDENT ACCELERATOR GROUP FORMATION DURING, 44 771
- PREVULCANIZATION INHIBITOR FOR, 43 1188, 1522
- THIAZOLYL MORPHOLINO DISULFIDES IN, 44 896
- THIOCARBAMYL AMINE SULFIDES IN, 44 881
- THIOCARBAMYLAMINE DISULFIDES IN, 44 881
- WITH NITROSOANILINES, 43 501
- WITH PEROXIDE, 43 1275, 1311
- WITH SULFENAMIDE, 43 1311
- WITH TETRAMETHYLTHIURAM DISULFIDE, 43 1294
- N-CYCLOHEXYL-2-BENZOTHAZOLYL-SULFENAMIDE**
- IN RUBBER BLENDS, 50 35
- N-(CYCLOHEXYLTHIO)PHTHALIMIDE**
- AS SCORCH INHIBITOR, 50 570
- SYNTHESIS, 50 570
- NEO-HOOKEAN THEORY**, 43 282
- NEOPRENE**, *see* POLYCHLOROPRENE
- NETWORK POLYMERS**
- INTERPENETRATION IN ISOBUTYLENE COPOLYMERS, 49 391
- MATHEMATICS OF, 49 1219
- POST-GEL PROPERTIES, 49 1219
- NETWORK STRUCTURE**
- CHANGES DURING AGING, 46 483
- CHARACTERIZATION BY OSMOTIC PRESSURE, 41 432
- CONCEPTS OF, 44 1208, 1227
- DEFINITION, 47 625
- DETERMINATION OF UNVULCANIZED POLYMER IN VULCANIZATES, 45 1164
- EFFECT OF PRECURE SWELLING ON, 44 1326
- EFFECT ON ELASTICITY, 49 1350
- EFFECT ON EQUATION OF ELASTICITY, 49 1232
- ENTROPY OF NETWORK, 47 625
- ENTROPY OF SINGLE CHAIN, 47 625
- EQUIVALENT RANDOM LINK, 47 625
- IMPERFECTIONS, 47 625
- LIMITED EXTENSIBILITY OF CHAINS, 47 625
- MECHANICAL STRESS, 45 1074
- OF POLYISOPRENE, 49 303
- OF POLYURETHANE, 49 1206
- REINFORCED NATURAL RUBBER, 45 1051
- SECONDARY CROSSLINKING, 45 1141
- STRESS RELAXATION AND CROSSLINKS, 45 1064
- STRESS-STRAIN RELATIONS IN SHEAR AND SIMPLE EXTENSION, 47 625
- NETWORKS**, *see* ALSO POLYMER NETWORKS
- CARBON BLACK-RUBBER, 47 729
- CHAIN DISTRIBUTION, 42 659, 1285
- CHANGE OF STATE AND ENTROPY, 49 210
- CLOSED-LOOP DEFECTS, 48 194
- CRYSTALLIZABLE, STRESS-STRAIN, 50 1000
- CRYSTALLIZATION BY ELONGATION, 49 210
- DEFECTS, 47 625, 1116
- EFFECT OF DILUENT, 50 1000
- EFFECT ON VISCOELASTICITY, 47 729
- ELASTICALLY EFFECTIVE STRAND DENSITY OF, 42 1285
- ENTANGLEMENT, 48 164
- ENTANGLEMENTS IN, 44 1256
- FROM TERMINALLY BROMINATED BR, 48 203
- INTERPENETRATING, 43 883
- INTERPENETRATING, 44 607
- MODEL POLYSTYRENE, 48 194
- NON-GAUSSIAN BEHAVIOR, 50 780
- OF EPDM VULCANIZATES, 44 1334
- OF MOLECULAR ENTANGLEMENTS, 48 1004
- OF POLYISOPRENE, 49 303
- OF RANDOM COILS, THEORY, 48 1008
- POLY(DIMETHYLSILOXANE), IN COMPRESSION, 48 176
- RUBBERY, BEHAVIOR AT LOW STRAINS, 50 780
- STRUCTURE OF, 44 1208, 1227, 1249
- THEORY, 48 164
- THEORY OF, 47 626, 1116, 1151
- UNIFORM, POLYISOPRENE, 48 1104
- VISCOELASTICITY OF, 48 981
- NEUTRON ACTIVATION ANALYSIS**, 45 1560
- NEUTRON SCATTERING**, 47 1127
- INELASTIC, 47 1127
- LOW-ENERGY MOTIONS OF RUBBERS AND, 47 1127
- NEW PRODUCTS**
- MARKETING, 49 1356
- NEWTONIAN FLOW**
- FOR MEASURING ENTANGLEMENTS, 41 1
- NICKEL DIBUTYLDITHIOCARBAMATE**
- HEALTH HAZARD, 45 627
- STABILIZER FOR CHLOROSULFONATED POLYETHYLENE, 44 1410
- NICKEL OCTANOATE**
- IN CATALYST FOR CIS-POLYMERIZING BUTADIENE, 45 266
- NIObIUM**
- COMPOUNDS FOR RING-OPENING POLYMERIZATION, 47 511
- NITRENE**
- IN INSERTION REACTIONS FOR VULCANIZATION, 43 605
- IN THREE-CENTER TRANSITION STATE, 43 605
- SINGLET STATE IN, 43 605
- TRIPLET STATE IN, 43 605
- NITRILE RUBBER**, 48 73
- ACCELERATORS FOR BLENDS WITH, 44 1065
- ACTIVATION ENERGY OF GLASS TRANSITION, 46 1264
- ADHESION, 42 30
- ADHESION TO TIRE CORD OF VARIOUS COMPOSITIONS, 42 159
- AGING OF VARIOUS VULCANIZATES, 46 483, 927
- ALTERNATING COPOLYMER, 48 719
- ALTERNATING COPOLYMER, PROPERTIES, 46 1068
- ALTERNATION IN, 46 1264
- ANISOTROPY OF, 43 836
- ANISOTROPY OF MOLDED VULCANIZATES, 48 236

- ANTIOXIDANTS FOR, 46 483  
 AROMATIC CONTENT OF UNLEADED GASOLINES, 45 1690  
 AUTOMOTIVE APPLICATIONS, 49 775  
 BLEND WITH POLYURETHANE SCRAP, 48 972  
 BLEND WITH POLYVINYL CHLORIDE, 43 1491  
 BLENDS WITH EPDM, 44 1065  
 BLENDS WITH EPDM, 50 430  
 BLENDS WITH NATURAL RUBBER AND SBR, COMPATIBILITY, 46 653  
 BLENDS WITH PVC, 49 978  
 BLENDS WITH THERMOPLASTICS, 49 978  
 BLENDS WITH VARIOUS RUBBERS, 44 814  
 BOUND ANTIOXIDANTS IN, 47 1306  
 BRAKING FORCE COEFFICIENT, 47 467  
 CAPILLARY RHEOMETRY, 48 615  
 CARBON BLACK COMPOUNDS, EFFECT OF HEAT TREATMENT, 48 410  
 CARBON TETRACHLORIDE-SOLUBLE PORTION, 46 1087  
 CARBON-BLACK-FILLED VULCANIZATES, DYNAMIC MECHANICAL PROPERTIES, 48 79  
 CARBOXYLATED, 46 78, 1114  
 CARBOXYL-TERMINATED, 48 1111  
 CHAIN BRANCHING, 46 483  
 CHAIN SCISSION, 46 483  
 COMPATIBILITY, 46 1188, 1210  
 COMPLEX MODULUS, 46 1087  
 COMPOSITION AND STRUCTURE BY INFRARED, 45 546  
 COMPOUNDING FOR HEAT RESISTANCE, 49 407  
 COMPRESSION SET OF, 46 305  
 CONTACT AREA AND FRICTION, 45 1094  
 CONTAINING COPOLYMERIZED ANTIOXIDANTS, 48 337  
 COPOLYMERIZATION WITH POLYMERIZABLE ANTIOXIDANTS, 46 106  
 COPOLYMERIZATION PARAMETERS, 46 1087  
 CRITICAL SHEAR RATE, 43 1109  
 CRITICAL STRESS AS A FUNCTION OF TEMPERATURE, 45 71  
 CRITICAL SURFACE TENSION OF SPREADING, 42 30  
 CROSSLINK EFFICIENCY OF, 46 483  
 CROSSLINKED WITH DITHIOL-S-TRIAZINES, 50 660  
 CROSSLINKING AND CRACK GROWTH, 49 1324  
 CRYSTALLINITY BY X-RAY DIFFRACTION, 46 1264  
 CYCLIZED, SEM STUDY OF SURFACE, 50 327  
 DAMPING, 46 1087  
 DEGRADATIVE EFFECTS OF HIGH TEMPERATURES, 45 1690  
 DEPENDENCE OF MULTIPLE GLASS TRANSITIONS ON COMPOSITION, 43 1465  
 DIELECTRIC LOSS FACTOR OF, 44 294  
 DIFFUSION OF SULFUR IN, 44 1307  
 DTA THERMOGRAM, 46 1087  
 DYNAMIC PROPERTIES, 47 778  
 DYNAMIC PROPERTIES OF, 43 1491  
 EFFECT OF AROMATIC FUELS ON VOLUME SWELLING, 45 1690  
 EFFECT OF CARBOXYL GROUP ON MELT FLOW, 43 1109  
 EFFECT OF CONVERSION ON COMPOSITION, 46 1087  
 EFFECT OF HYDROXYL GROUP ON MELT FLOW, 43 1109  
 EFFECT OF MILL SIZE OF MIXING OF, 44 479  
 EFFECT OF MONOMER RATIO ON COMPOSITION, 46 1087  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 EPDM BLENDS, COCURE, 49 112  
 EPM AS ANTIOXONANTS FOR, 42 975  
 FILLER EFFECT, 48 927  
 FLAME RETARDATION, 50 523  
 FLAMMABILITY, 46 1114  
 FLOW OF, 46 1188  
 FRACTURE, ESR STUDY, 48 445  
 FRICTION ON ICE, 48 527  
 FUNCTIONALLY TERMINATED, 42 71  
 GEHMAN FREEZE POINTS OF, 43 1465  
 GELS, 46 1087  
 GLASS TRANSITION, 45 222  
 GLASS TRANSITION, 45 1210  
 HEALTH HAZARD IN MANUFACTURE OF, 44 512  
 HEAT RESISTANT, 46 483  
 HETEROGENEOUS, 45 222  
 HYDROXY-TERMINATED, RESIN CURING OF, 44 914  
 HYSTERESIS AND RUBBER FAILURE, 45 1043  
 IMPROVEMENT BY FUEL IMMERSION, 45 1690  
 IN FIBER-RUBBER COMPOSITION, 47 408  
 IN HOSE MANUFACTURE, 42 982  
 IN OIL-RESISTANT VULCANIZATES, 49 1348  
 IN ROTARY FLEXOMETER, 49 258  
 INJECTION MOLDED EXTRUDATES, 47 1311  
 INTERPENETRATING NETWORK FROM, 44 609  
 INTERPENETRATING NETWORK WITH POLYURETHANE, 43 883  
 KINETICAL EQUATIONS FOR RADICAL POLYMERIZATION OF, 45 1546  
 KINETICS OF VULCANIZATION BY SULFUR, 43 588  
 LOAD DEPENDENCE OF ABRASION, 43 701  
 MASTICATION OF POWDERED, 45 1689  
 MECHANICAL PROPERTIES OF, 46 1264  
 MECHANICAL STRESS, 45 1074  
 MELT FLOW, 43 1109  
 MICROWAVE CURING, 47 473  
 MODULUS-TIME CURVE, 47 323  
 MONOMER REACTIVITY RATIO, 46 1264  
 MOONEY VISCOSITY, 47 308  
 MULTIPLE GLASS TRANSITION, 46 1087  
 MULTIPLE GLASS TRANSITIONS IN, 43 1465  
 NETWORK STRUCTURE AS FUNCTION OF CURE TIME, 46 483  
 OIL BREAKDOWN AND, 45 1690  
 OIL RESISTANCE, 46 1068  
 OZONE STRESS CRACKING, 48 445  
 PEROXIDE CURE WITH 1,2-POLYBUTADIENE AS CO-AGENT, 46 275  
 PEROXIDE CURED, 46 483  
 PHASE STABILITY IN, 45 222  
 PHYSICAL PROPERTIES OF, 46 78  
 POLYMERIZATION OF, 45 1546  
 POWDERED, 42 1478  
 POWDERED, 46 599  
 POWDERED, 47 1312  
 POWDERED, PROCESSING, 48 254, 1098  
 POWDERED PVC-NITRILE RUBBER POLYBLENDS, 45 1111  
 PROCESSING OF POWDERED, 42 1478  
 PYROLYSIS, 50 523  
 RADIOTHERMOLUMINESCENCE, 49 179  
 RANDOM COPOLYMER, PROPERTIES, 46 1068  
 REACTION WITH NITRENE, 43 605  
 RESIN CURING OF HYDROXY TERMINATED, 44 914  
 RHEOLOGICAL STUDIES, 48 69  
 RHEOLOGY OF, 42 790, 1487

- RHEOLOGY OF, 43 1523  
 RHEOLOGY OF, 46 1188  
 RHEOLOGY OF, 49 52  
 RUBBER-BOUND ANTIOXIDANTS IN, 45 204  
 SCORCH CONTROL OF, 46 78  
 SOLUBILITY PARAMETERS OF, 45 222  
 SOLVENT CRACK GROWTH, 49 1324  
 SPECIFIC HEAT OF, 41 564  
 STARCH MASTERBATCHES, 43 934  
 STATIC FRICTION OF VULCANIZATES, 50 266  
 STIFFNESS OF MOLECULAR CHAINS OF, 43 836  
 STRESS AND STRAIN BEHAVIOR OF SWOLLEN NETWORKS, 42 572  
 STRESS BIREFRINGENCE, 46 1264  
 STRESS RELAXATION, 47 307  
 STRESS RELAXATION IN COMPRESSION, 50 906, 915  
 STRESS-OPTICAL COEFFICIENT, 46 653  
 STRESS-STRAIN AND SPECIMEN GEOMETRY, 47 1213  
 STRESS-STRAIN BEHAVIOR, 47 307  
 STRESS-STRAIN IN COMPRESSION, 50 915  
 STRESS-STRAIN MASTER CURVE, 47 778  
 TACK IMPROVEMENT, 42 966  
 TEARING, MICROSCOPY OF, 50 875  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
 THERMAL ANALYSIS OF, 45 329  
 THERMAL DEGRADATION OF, 48 678  
 THERMAL DIFFUSIVITY, 47 849  
 THERMODYNAMICS OF, 45 222  
 THERMOGRAVIMETRY OF, 47 1193  
 TORSION PENDULUM MEASUREMENTS, 45 222  
 USE IN HOSE MANUFACTURE, 48 1094  
 VISCOELASTIC BEHAVIOR OF, 46 417  
 VISCOELASTICITY, 47 778  
 VISCOSITY-SHEAR RATE CURVE, 47 325  
 VULCANIZATES, DEGRADATION AND IR IDENTIFICATION, 48 289  
 VULCANIZATION BY ALDEHYDES, 43 188  
 VULCANIZATION BY IRRADIATION, 45 193  
 VULCANIZATION OF, 42 1468  
 VULCANIZATION WITH 2-(MORPHOLINODITHIO)-BENZOTHAZOLE, 50 90  
 WITH BOUND ANTIOXIDANT, 50 641  
 WITH POLYMERIZABLE ANTIOXIDANT, 46 106  
 X-RAY DIFFRACTION UNDER STRAIN, 48 445
- NITROGEN ADSORPTION**  
 ISOTHERMS FOR CARBON BLACK, 43 960  
 LAYERS ON CARBON BLACK, 43 960  
 SURFACE AREA MEASUREMENT BY, 44 307, 1287
- NITROGEN DIOXIDE**  
 EFFECT ON TIRE CORD ADHESION, 47 1066
- NITROGEN INFLATION OF TIRES**  
 EFFECT ON DURABILITY, 41 1065
- NITROSO RUBBERS**  
 FLAMMABILITY, 50 523
- NITROSOANILINE**  
 IN VULCANIZATION OF NATURAL RUBBER, 43 501  
 RUBBER-BOUND ANTIOXIDANTS AND, 45 204  
 SUBSTITUENT VARIATION AND ANTIOXIDANT ACTION, 45 204
- NITROSODIMETHYLANILINE**  
 HEALTH HAZARD OF, 44 512
- NITROSODIPHENYLAMINE**  
 GREEN STRENGTH IMPROVER, 46 575  
 RUBBER-BOUND ANTIOXIDANT FORMATION, 45 204
- NITROSOPHENOL**  
 IN VULCANIZATION OF NATURAL RUBBER, 43 501
- NITROXIDE RADICALS**  
 IN OZONE-ANTIOXONANT REACTION PRODUCTS, 43 1340
- NITROXIDES**  
 AS ESR SPIN LABELS, 48 1078  
 CHEMICAL ATTACHMENT TO POLYMERS, 48 1078  
 DIFFUSION IN RUBBER, 48 1078
- NOMENCLATURE**  
 LINEAR BLOCK POLYMERS, 41 161
- NONANE**  
 9-THIABICYCLO (4.2.1), 43 549
- NONDISCOLORING STABILIZERS**  
 FOR DIENE RUBBERS, 41 255
- NONENE**  
 9-THIABICYCLO (4.2.1), 43 549  
 6-(2-THIOBENZOTHAZOLYL)-9- THIABICYCLO-2-, 43 549
- NON-LINEAR BEHAVIOR**  
 OF NBR, 47 307  
 REDUCTION SCHEME, 47 318
- NON-NEWTONIAN FLOW**  
 FOR MEASURING ENTANGLEMENTS, 41 1
- NORBORNENE**  
 5, 5-DIMETHYL-6-METHYLENE-2-, IN ETHYLENE-PROPYLENE RUBBER, 43 522  
 ACCELERATION OF RADIATION CROSSLINKING BY, 44 587  
 AND AUTOXIDATION OF EPDM, 45 1125  
 5-(2-BUTEN-2-YL)-2-, IN ETHYLENE PROPYLENE RUBBER, 43 522  
 5-CROTYL-2-, IN ETHYLENE PROPYLENE RUBBER, 43 522  
 EFFECT ON COMPRESSION SET, 43 1040  
 EFFECT ON CROSSLINKING, 43 411, 522, 1040, 1521  
 ETHYLIDENE, ANALYSIS IN ETHYLENE-PROPYLENE RUBBER, 43 445  
 ETHYLIDENE, EFFECT ON AGING OF ETHYLENE-PROPYLENE RUBBER, 43 1040  
 ETHYLIDENE, EFFECT ON CROSSLINK STRUCTURE, 43 411, 522, 1040  
 5-ISOPROPENYL-2-, IN ETHYLENE-PROPYLENE RUBBER, 43 522, 1521  
 ISOPROPYLIDENE, IN ETHYLENE-PROPYLENE RUBBER, 43 1521  
 5-METHALLYL, IN ETHYLENE-PROPYLENE RUBBER, 43 522  
 5-METHYLENE-2-, EFFECT OF AGING, 43 1040  
 5-METHYL-6-METHYLENE-2-, EFFECT ON VULCANIZATION, 43 522  
 5-METHYL-5-VINYL-2-, IN ETHYLENE-PROPYLENE RUBBER, 43 522  
 5-PROPENYL-2-, IN ETHYLENE-PROPYLENE RUBBER, 43 522, 1521  
 5-VINYL-2-, IN ETHYLENE-PROPYLENE RUBBER, 43 522
- NORMAL STRESS**  
 EFFECT OF MIXING, 48 462  
 IN INTERNAL MIXER, 48 462
- NUCLEAR MAGNETIC RESONANCE**, 47 289, 481, 1127, 1136  
 ANALYSIS OF RUBBER BY, 44 1273, 1278  
 AND KINETICS OF CRYSTALLIZATION, 46 22  
 APPLICATION TO ELASTOMERS IN SOLUTION (REVIEW), 41 47  
 APPLIED TO POLYISOPRENE OXIDATION, 50 704  
 BUTADIENE-PROPYLENE COPOLYMER, 45 1532  
 BUTENE-BUTADIENE COPOLYMER, 45 1532  
 C-13, FOR CHARACTERIZING ELASTOMER STRUCTURE, 48 705



- C-13 SPECTRA OF POLYPENTENAMER, 48 329  
 C-13 SPECTRA OF SBR, 48 1044, 1055  
 CARBON-13, 48 871  
 CARBON-13, 48 350  
 CARBON-13, 47 1136  
 CARBON BLACK-RUBBER INTERACTION, 44 843  
 CHARACTERIZATION OF CHLOROBUTADIENES, 50 272  
 CHLORINATION OF STEREOSPECIFIC POLYBUTADIENE, 45 1136  
 COMPUTERIZED, 43 1525  
 DATA FOR UNSYMMETRICAL DISULFIDES, 46 1299  
 DETERMINATION OF ETHYLIDENENORBORNENE IN EPDM, 46 1019  
 DETERMINATION OF UNVULCANIZED POLYMER VULCANIZATES, 45 1168  
 FOR CHARACTERIZING BLOCK POLYMERS, 41 426  
 FOR ELASTOMER STRUCTURE DETERMINATION, 48 1109  
 FOR MEASURING ENTANGLEMENTS, 41 1  
 FOR POLYCHLOROPRENE MICROSTRUCTURE, 50 49  
 HIGH RESOLUTION, 41 47  
 IDENTIFICATION OF ANTIOXIDANTS IN VULCANIZATES, 45 1147  
 IN SOLVING PRODUCTION PROBLEMS, 50 438  
 IN THE RUBBER INDUSTRY (REVIEW), 49 417  
 ISOPRENE STRUCTURE IN BUTYL BY, 42 392  
 MONOMER SEQUENCE DISTRIBUTION, 43 1525  
 MONOMER SEQUENCE OF SBR, 48 1055  
 OF BLENDS OF RUBBERS, 47 481  
 OF CARBON BLACK-REINFORCED RUBBER, 44 1273  
 OF 4-CHLORO-4-OCTENES, 50 49  
 OF EPDM, 44 781  
 OF HYDROGENATED POLYISOPRENE, 49 1269  
 OF ISOPRENE-PIPERYLENE COPOLYMER, 49 1269  
 OF NATURAL RUBBER, 44 1273  
 OF OXIDATION OF POLYISOPRENE, 48 953  
 OF POLYISOPRENE, 46 953  
 OF POLYISOPRENE, 49 1259, 1269  
 OF POLYISOPRENE-CARBON BLACK MIXTURES, 49 1182  
 OF POLYISOPRENES, 48 359, 1127  
 OF RUBBERS FROM CYCLOOLEFINS, 44 1341  
 OF STYRENE BUTADIENE RUBBER, 43 1138, 1525  
 RELAXATION OF, 47 1127  
 RELAXATION STUDIES, 48 1109  
 SPECTRA OF POLYALKENYL LITHIUM COMPOUNDS, 48 359  
 SPECTRA OF POLYBUTADIENE, 46 350, 1156  
 SPIN-LATTICE RELAXATION FOR POLYSTYRENE-POLY(VINYL METHYL ETHER), 48 218  
 STUDY OF CARBON BLACK AND SBR INTERACTION BY, 42 1155  
 STUDY OF CARBON-BLACK-FILLED RUBBER, 48 1109  
 STUDY OF HIGH-CIS POLYISOPRENE, 48 1110  
 STUDY OF RUBBER-CARBON BLACK INTERACTION, 50 747  
**NUCLEATION OF BUBBLES IN RUBBERS**  
 HOMOGENEOUS, 44 1363  
**NYLON**  
 ADHESION TO, 42 159  
 ADHESION TO SBR COMPOUND, 50 998  
 CHAIN SCISSION BY FRACTURE, 48 445  
 CORD IN RADIAL TIRES, 48 1094  
 CRACK GROWTH MECHANISM, 48 445  
 CRITICAL SURFACE TENSION OF SPREADING, 42 30  
 FABRICS, RUBBER COATED, 50 1004  
 FLOW, 42 682  
 HEAT AGING RESISTANCE OF, 42 159  
 IN TIRE CORDS, 47 1053  
 MANUFACTURE OF YARN, 42 159  
 MECHANISM OF CORD FATIGUE, 42 159  
 MECHANISM OF FLATSPOTTING, 42 159  
 REDUCED FLATSPOTTING, 42 159  
 REINFORCEMENT FOR HOSE, 48 1095  
 RUBBER REINFORCEMENT BY SHORT FIBERS, 49 379  
 SHEAR, COMPRESSION, ELONGATION, AND FLEX OF, 42 1000  
 SHEAR STRESS AND SHEAR RATE OF, 42 675  
 SHORT FIBERS FOR REINFORCEMENT OF ELASTOMERS, 50 945  
 STRENGTH LOSS IN TIRE CURING, 42 159  
 TIRE-CORD ADHESION, 47 161, 171, 213 in tire cords.  
**NYLON CORD TIRES**  
 HYSTERETIC LOSSES IN, 47 118  
**NYLON TIRE CORD**  
 ADHESION TO RUBBER, 46 981  
 BONDING AGENT FOR, 46 981  
 EFFECT OF ACCELERATORS, 46 981  
 EFFECT OF SULFUR CONCENTRATION, 46 981  
**OCCLUDED RUBBER, 48 410**  
 ELECTRON MICROSCOPE DETERMINATION, 50 842  
 IN CARBON BLACK AGGREGATES, 47 411, 729, 858, 1082  
**OCCUPATIONAL SAFETY AND HEALTH**  
 ENVIRONMENTAL CONSIDERATIONS, 49 413  
**OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION**  
 GOVERNMENT REGULATIONS, 50 426  
**OCTACHLORO-3-CYCLOHEXEN-1-ONE**  
 VULCANIZATION OF EPM BY, 43 171  
**OCTADECANE**  
 DIFFUSION COEFFICIENT IN RUBBERS, 45 278  
**OCTADIENAL, 2,6-**  
 2,6-DIMETHYL, OXIDATION PRODUCT OF POLYISOPRENE, 47 1094  
**OCTADIENE, 2,6-, 2,6-DIMETHYL-**  
 HEAT OF IMMERSION OF CARBON BLACK IN, 45 117  
**OCTATRIENE, 2,4,6-**  
 2,6-DIMETHYL, REFERENCE STANDARD FOR CONJUGATED POLYENES IN POLYISOPRENE, 47 1094  
 REACTION WITH FERRIC FERRICYANIDE, 47 1094  
**OCTYL-2-BENZOTHAZOLE SULFENAMIDE**  
 MASS SPECTRUM OF, 45 160  
**OCTYLPHENOL-FORMALDEHYDE RESIN**  
 AS TACKIFIER, 49 1365  
**OIL**  
 AND PROCESSIBILITY, 42 714  
 CARBON-14 LABELED, 47 127  
 CARBON-14 LABELLED, 43 1349  
 CARBON-14 LABELLED, 44 87  
 COMPOUNDING FOR LOW-TEMPERATURE PERFORMANCE, 45 1163  
 DETERMINATION BY GAS CHROMATOGRAPHY AND THERMOGRAVIMETRY, 47 1193  
 DIFFUSION COEFFICIENT, EQUATION, 44 87  
 EFFECT OF CARBON BLACK LOADING ON DIFFUSIVITY, 45 278

- EFFECT OF DIFFUSION ON TEAR RATE, 47 127  
 EFFECT OF, ON FRICTION OF RUBBER ON ICE, 48 527  
 EFFECT OF TYPE ON RUBBER-CORD ADHESION, 47 161  
 EFFECT ON ADHESION OF CHLOROBUTYL RUBBER, 42 971  
 EFFECT ON ADHESION OF RUBBER, 47 161  
 EFFECT ON DTA AND TGA, 42 110  
 EFFECT ON ENTANGLEMENT IN NATURAL RUBBER, 42 1277  
 EFFECT ON HYSTERESIS, 47 127  
 EFFECT ON INJECTION MOLDING, 42 1321, 1336  
 EFFECT ON LOW-FREQUENCY LOSSES IN RUBBER, 42 1277  
 EFFECT ON POLYISOPRENE COMPOUNDS, 43 1522  
 EFFECT ON PROPERTIES OF INJECTION MOLDED RUBBER, 42 1336  
 EFFECT ON RHEOLOGY OF ELASTOMERS, 42 257  
 EFFECT ON SHEAR RATE OF RUBBER, 42 1321, 1336  
 EFFECT ON STRENGTH, 47 127  
 EFFECT ON TEAR ENERGY, 47 127  
 EFFECT ON TENSILE PROPERTIES, 47 127  
 EFFECT ON VULCANIZATE PROPERTIES OF AROMATIC CONTENT OF, 43 1522  
 EFFECT ON VULCANIZATE PROPERTIES OF MOLECULAR WEIGHT OF, 43 1522  
 EFFECTS ON BLOCK POLYMERS, 41 161  
 EXTENDER, EFFECT OF COMBINED SULFUR IN, 48 1092  
 EXTENDER, EFFECT ON MIXING OF SBR, 49 1  
 EXTENDER, MIGRATION OF, 42 474, 1277, 1473  
 EXTENSION OF EPDM BY, 45 709  
 EXTRACT OF DEPOLYMERIZED SCRAP RUBBER, 48 50  
 FROM TIRE PYROLYSIS, 47 547  
 IN LIQUID RUBBERS, 48 346  
 MIGRATION DURING DYNAMIC AGING, 44 87  
 MIGRATION IN RUBBERS, 43 1349  
 MIGRATION IN RUBBERS, 44 87  
 MIGRATION IN RUBBERS, 45 278  
 MIGRATION, INTO CARCASS OF TIRES AND EFFECT ON PROPERTIES, 47 127  
 RADIOISOTOPE ANALYSIS, 42 1  
 REPROCESSED, 47 1309  
 REQUIREMENTS FOR EPDM RUBBERS, 42 1474
- OIL EXTENSION**  
 EFFECT ON WET SKID RESISTANCE, 41 477
- OIL RESISTANCE**  
 OF ELASTOMERS AND SERVICE TEMPERATURE, 48 356
- OIL SHALE**  
 LIQUID FUELS FROM, 50 416
- OIL-EXTENDED RUBBER**  
 ABRASION STUDIES OF, 44 1173  
 NETWORK STRUCTURE OF, 44 1326
- OIL-EXTENDED SBR**  
 MEASURE OF OIL CONTENT BY GEL PERMEATION CHROMATOGRAPHY, 46 449  
 MOLECULAR WEIGHT DISTRIBUTION OF, 46 449  
 WET SKID RESISTANCE OF, 41 780
- OIL-RESISTANT VULCANIZATES**  
 ETHYLENE-ACRYLIC ELASTOMER, 49 395  
 HIGH-TEMPERATURE PERFORMANCE, 49 1348
- OLEFIN POLYMERIZATION BY ZIEGLER CATALYSTS**, 45 709
- OLEFIN TERPOLYMERS**  
 SEQUENCE LENGTH DISTRIBUTION, 46 30
- OLEFINIC LINKAGES**  
 DISTRIBUTION IN ELASTOMERS, 49 992  
 IN ETHYLIDENE-NORBORNENE POLYMER, 49 992  
 IN ISOBUTYLENE-ISOPRENE COPOLYMER, 49 992
- OLEFINIC MONOMERS**  
 BLOCK AND GRAFT COPOLYMERS FROM, 49 1351
- OLIGODIENE URETHANES**  
 STRUCTURE AND PROPERTIES, 50 437
- OLIGOMERS**, 45 1597  
 POLYBUTADIENE, 45 1597  
 POLY(BUTADIENE CO ISOPRENE), 45 1597  
 POLYISOPRENE, 45 1597  
 VULCANIZATE PROPERTIES, 45 1597
- OPTICAL ANISOTROPY**  
 AS FUNCTION OF EXTENSION, 47 625  
 OF CHAIN MOLECULE, 48 513  
 TEMPERATURE COEFFICIENT, 47 625
- OPTICAL EFFECTS AND CRYSTALLINITY**, 42 509  
 EFFECTS AND CURATIVE DIFFUSION, 42 1058
- OPTICAL PROPERTIES OF BLENDS**, 47 481
- ORGANIC FILLERS**  
 STIFFENING OF ELASTOMERS, 41 772
- ORGANOLITHIUM COMPOUNDS**, *see* ALSO BUTYL-LITHIUM  
 ANALYSIS, 48 359  
 AS POLYMERIZATION INITIATORS, 48 359, 1070  
 ASSOCIATION STATES, 48 359  
 IN ANIONIC POLYMERIZATION (REVIEW), 48 359  
 IN POLYMERIZATION, 41 161  
 PREPARATION AND PURIFICATION, 48 359
- ORIENTATION**  
 AND RUBBER ELASTICITY THEORY, 48 495  
 MOLECULAR, AND FRACTURE MECHANICS, 48 445  
 OF SHORT FIBERS IN ELASTOMERS, 49 1160, 1167
- ORIENTATION FUNCTION**  
 ELONGATION DEPENDENCE, 47 19  
 POLYURETHANES, 47 19  
 TIME DEPENDENCE, 47 19
- ORTHO-RINGS**  
 BULGE, MATHEMATICS OF, 46 530  
 EPDM, 44 1436  
 EQUATIONS FOR COMPRESSION OF, 46 530  
 HIGH-PERFORMANCE, 48 14  
 LOAD DEFLECTION OF, 46 530  
 SILICONE RUBBER, 46 530
- OSCILLATING DISK RHEOMETER**  
 IN QUALITY CONTROL, 41 759
- OSCILLATION DAMPERS**  
 ELASTOMERS FOR AUTOMOTIVE APPLICATIONS, 49 775
- OSCILLATORY SHEAR**  
 IN STEEL TIRE CORD ADHESION TEST, 49 414
- OSMIUM TETROXIDE**  
 DEGRADATION OF VULCANIZATES BY, 43 572  
 IN LATEX HARDENING, 43 1  
 IN VULCANIZATE DEGRADATION, 45 467  
 STAINING, 43 400  
 STAINING FOR ELECTRON MICROGRAPHS, 45 1564
- OSMOMETRY**  
 CHARACTERIZATION OF COMMERCIAL POLYBUTADIENES BY, 43 1367  
 MEMBRANE, 46 15
- OSMOTIC MOLECULAR WEIGHT**, 41 245, 432
- OSMOTIC PRESSURE**  
 AND POLYMER-SOLVENT INTERACTION PARAMETER, 50 451

**OXADIAZOLES**

FORMATION FROM REACTION OF NITRENES  
WITH NITRILE RUBBER, 43 605

**OXETANES**

FLUORINATED, ELASTOMERS FROM, 46 619

**OXIDATION**

ACCELERATED, 41 271, 289, 296, 300

AND STRESS RELAXATION, 48 913

APPARATUS FOR COLLECTION OF PRODUCTS  
FROM POLYISOPRENE, 47 1094

BY SINGLET OXYGEN, 45 423

CALORIMETRY OF, 47 1300

DEGRADATIVE, OF NR VULCANIZATES, 48 141,  
154

EFFECT OF CONJUGATION IN POLYISOPRENE, 47  
1094

EFFECT OF CURE TIME ON NATURAL RUBBER,  
45 467

EFFECT OF ORGANIC SULFIDES ON, 45 381

EFFECT OF PENDENT ACCELERATOR GROUPS  
ON NATURAL RUBBER, 45 467

MEASUREMENT BY DIFFERENTIAL SCANNING  
CALORIMETRY, 47 1300

MECHANISM BY FOURIER-TRANSFORM IN-  
FRARED, 49 1010

MECHANISM FOR POLYISOPRENE, 48 953

MECHANISM OF POLYBUTADIENE, 49 405

OF EPDM, 45 437, 709

OF HYDROCARBONS, 45 359, 437

OF ISOBUTANE AND N-BUTANE, 45 437

OF NATURAL RUBBER (REVIEW), 41 182

OF PHOTOEXCITED RUBBERS, 45 481

OF POLYBUTADIENE, 45 423

OF POLYISOPRENE, 41 289, 296, 300

OF POLYISOPRENE, 47 1094

OF POLYISOPRENE, 50 704

OF POLYISOPRENE, NMR STUDY, 48 953

OF POLYOLEFINS, 45 437

OF RUBBER, 45 359, 481

OF RUBBERS IN SOLUTION, 41 271, 289

OF SATURATED HYDROCARBONS, 45 437

OF SBR, 42 1468

OF STYRENE-BUTADIENE RUBBER, 45 450

OF VULCANIZED NATURAL RUBBER, 45 381

PHOTO OF NATURAL RUBBER VULCANIZATES, 45  
481

PHOTOSENSITIZED, 41 296

PHOTOSENSITIZED, 45 423, 481

PHOTOSENSITIZED, OF POLYISOPRENE, 50 704

QUANTUM YIELD OF NATURAL RUBBER, 45 481

STABILITY OF RADIATION, AND PEROXIDE-CURED  
RUBBERS, 48 878

SURFACE, 45 423

THERMAL, OF BR, 48 692

UNINHIBITED OF RUBBER, 45 359

**OXIDATION RESISTANCE**

OF RUBBERS WITH BOUND ANTIOXIDANTS, 50  
641, 650, 660

**OXIDATIVE AGING**

RESISTANCE TO THERMAL, 42 418

**OXIDATIVE CROSSLINKING**

EFFECT OF ACCELERATOR RESIDUES ON, 43 651

EFFECT OF CYCLIC SULFIDES ON, 43 651

**OXIDATIVE DEGRADATION**

MECHANISM, 43 431

OF IR, MECHANISM, 50 373

OF LATEX FILMS, 50 446

OF POLYISOPRENE, CHAIN SCISSION, 50 373

OF VULCANIZED RUBBERS, 50 43

RATE OF CHAIN SCISSION, 50 43

**OXIDATIVE SCISSION REACTION**

IN NATURAL RUBBER, 41 182

**OXYDIETHYLENE-2-BENZOTHIADIAZOLE SULFENAMIDE**

HEALTH HAZARD OF, 44 512

**OXYGEN**

ABSORPTION BY ETHYLENE-PROPYLENE RUB-  
BERS, 43 431

ABSORPTION BY POLYISOPRENE, 47 1094

ABSORPTION BY VULCANIZATES CONTAINING  
AMINE ANTIOXIDANTS, 44 857

ABSORPTION BY VULCANIZATES OF NATURAL  
RUBBER, 43 501, 664

AND CHEMO-STRESS RELAXATION, 43 778

AUTOXIDATION OF EPDM, 45 1125

DEGRADATION OF NATURAL RUBBER, INHIBITION  
OF, 43 304

EFFECT ON CREEP IN GUM VULCANIZATES, 48  
154

EFFECT ON PEROXIDE CROSSLINKING, 42 1245

EFFECT ON VULCANIZED NATURAL RUBBER, 42  
933

IN OXIDATION OF SBR, 42 1468

IN POLYBUTADIENE FAILURE, 42 1095

INFLUENCE OF CROSSLINK STRUCTURE ON AB-  
SORPTION OF, 42 1412

OXIDATION OF EPM BY, 45 437

SCISSION OF ETHYLENE-PROPYLENE RUBBER  
VULCANIZATES, 43 431

SINGLET, OXIDATIONS, 44 642

**OXYGEN ABSORPTION, 41 296**

BY POLYISOPRENE VULCANIZATES, 45 467

BY POLYMERIZABLE ANTIOXIDANTS, 46 106

BY POLYOLEFINS, 45 437

BY RUBBERS, 45 359

EFFECT OF WAVELENGTH OF LIGHT ON  
NATURAL RUBBER, 45 481

EFFECT ON PHYSICAL PROPERTIES OF NATURAL  
RUBBER, 45 381

NATURAL RUBBER, 41 182

VARIATION OF STRAIN MODULUS DURING, 45  
359

**OXYGEN DIFFUSION**

EFFECT IN DEGRADATION OF VULCANIZATES, 50  
43

**OXYGEN INDEX**

OF POLYMERS, 49 158

RELATION TO FLAMMABILITY, 49 158

**OXYGEN (SINGLET STATE),**

GENERATION OF, 45 423

HYDROPEROXIDE FORMATION BY, 45 423

PHOTOCHEMICAL GENERATION OF, 47 991

POLYDIENE OXIDATION BY, 45 423

THERMAL GENERATION OF, 47 991

**OZONE**

ATTACK OF RUBBER, ELECTRON MICROSCOPI-  
CAL STUDY, 43 1

ATTACK ON NATURAL RUBBER VULCANIZATES,  
48 41

CRACK INITIATION, 42 1186

CRACKING OF BUTYL RUBBER, 41 1294

CRACKING OF RUBBER BY, BOND RUPTURE, 46  
540

DEGENERATION TO SINGLET OXYGEN, 47 991

DEGRADATION AND STRUCTURE OF ELASTOM-  
ERS, 41 643

DEGRADATION OF ETHYLENE PROPYLENE RUB-  
BERS AS FUNCTION OF TERMONOMER

DIFFUSION CONTROL OF, 43 1230

EFFECT OF DEFORMATION ON, 43 1230

EFFECT OF OZONE CONCENTRATION, 41 1294

- EFFECT OF TEMPERATURE ON, 41 1294  
 EFFECT OF TORSIONAL AND AXIAL STRESS ON REACTION OF, 46 540  
 EFFECT ON MOLECULAR WEIGHT, 43 1340  
 EFFECT ON RUBBER FATIGUE, 45 309  
 EFFECT ON TIRE CORD ADHESION, 47 1066  
 IN POLYBUTADIENE FAILURE, 42 1095  
 KINETICS OF REACTION WITH THIOSEMICARBAZIDES, 46 517  
 MECHANISM, 41 643  
 MECHANISM OF PROTECTION, 43 1340  
 RESISTANCE IN EPDM BLENDS, 50 443  
 RESISTANCE OF RUBBER, TESTS FOR, 46 517
- OZONE CRACKING,**  
 AIR VELOCITY AND, 43 1230  
 AND ANTIOZONANTS, 45 293  
 AND MELTING POINT OF WAXES, 45 293  
 BOUNDARY LAYER THEORY OF, 43 1230  
 CRITICAL ENERGY FOR, 43 1230  
 DENSITY OF, 43 1230  
 IN STRAINED SURFACE, 43 1230  
 OF ISOBUTYLENE-DIENE COPOLYMERS, 49 967  
 OUTDOOR TESTING OF VULCANIZATES FOR, 45 29  
 PROTECTION FROM, 43 1230  
 SINGLE CRACK GROWTH, 43 1230
- OZONE RESISTANCE**  
 OF BLENDS CONTAINING EPDM, 45 709  
 OF EPDM, 45 709  
 USE OF EPDM FOR, 44 1436
- OZONE RESISTANCE OF VULCANIZATES, 47 895**  
 CRITICAL STRESS AND, 47 895  
 OF BLEND OF NATURAL RUBBER WITH EPDM, 47 895  
 STATIC AND DYNAMIC, 47 895  
 STORED ENERGY DENSITY AND, 47 895
- OZONIDES OF HEXENE AND POLYBUTADIENE, 43 1340**
- PALLADIUM COMPOUNDS**  
 EFFECT ON EMULSION POLYMERIZATION, 43 1451
- PAPER PULP**  
 INCORPORATION OF LATEXES, 49 414
- PARTICLE SIZE**  
 CARBON BLACK, EFFECT ON GLASS TRANSITION TEMPERATURE OF BLACK-LOADED RUBBER, 44 1297  
 IN ELASTOMER BLENDS, EFFECT OF MIXING, 50 292  
 OF CARBON BLACKS, 46 204, 653, 877, 897, 1239  
 OF GROUND RICE-HULL ASH, 48 271  
 OF LIGHT-COLORED FILLERS, 46 653  
 OF POWDERED RUBBER, EFFECT ON PROCESSING, 48 254  
 OF PROTEIN IN NATURAL RUBBER, 46 47  
 OF RECLAIM RUBBER, 46 653  
 OF RUBBER IN BLENDS, 46 1193  
 SILICA-MODIFIED RUBBER COMPOSITIONS, 45 1161
- PARTICULATE POLYMERS, see ALSO POWDERED RUBBER**  
 MIXING WITH PREDISPERSED PIGMENTS, 49 404  
 PROCESSING BEHAVIOR, 49 1350
- PAVEMENT**  
 TIRE FRICTION WITH, 50 997
- PEEL STRENGTH**  
 OF ADHESIVE JOINTS, 49 1200  
 OF RUBBERS, 49 1200
- PENDENT ACCELERATOR GROUPS, 44 771**
- EFFECT ON AGING, 43 572  
 FROM TETRAMETHYLTHIURAM DISULFIDE, 43 572, 624  
 IN NATURAL RUBBER VULCANIZATES, 43 572  
 IN POLYBUTADIENE VULCANIZATES, 43 549  
 IN STYRENE-BUTADIENE VULCANIZATES, 43 572
- PENDULUM**  
 TORSION RESILIENCE, 43 1005
- PENTACHLOROTHIOPHENOL**  
 IN DEPOLYMERIZATION OF RUBBER, 48 50
- PENTADIENE, 1,3-**  
 COPOLYMER WITH BUTADIENE, 46 1274  
 MICROSTRUCTURE IN, 46 1274  
 SELECTIVE POLYMERIZATION OF TRANS-ISOMER, 46 1274
- PENTADIENE, 1,4-, 2-METHYL-**  
 TERMONOMER IN EPDM, 45 709
- PENTAMETHYLENE SULFIDE**  
 RAMAN SPECTRUM OF, 44 71
- PENTANAL**  
 2-KETO, OXIDATION PRODUCT OF POLYISOPRENE, 47 1094
- PENTANE**  
 AS SOLVENT FOR ISOBUTYLENE COPOLYMERS, 49 960
- PENTENE, 2-, 2-METHYL-**  
 IN RUBBER DEGRADATION, 45 359  
 IN RUBBER OXIDATION, 45 359  
 MECHANISM OF VULCANIZATION OF POLYBUTADIENE, 45 1157  
 METHYL ETHYL KETONE PEROXIDE, 45 1033  
 MODEL OF NATURAL RUBBER, 45 182  
 REACTIONS IN EPM, 45 709  
 RELATIVE REACTIVITY OF SECONDARY AND TERTIARY HYDROGEN ATOMS WITH, 45(3) 709  
 VULCANIZATION BY, 45 359  
 VULCANIZATION OF EPM, 45 709
- PERCHLOROETHYLENE**  
 HEALTH HAZARD OF, 44 512
- PERFLUOROALKYLENETRIAZINE ELASTOMER**  
 PREPARATION, 46 619  
 PROPERTIES, 46 619
- PERFLUORO(METHYL VINYL ETHER)**  
 COPOLYMERS OF, 46 619
- PERFLUOROTHIOACETONE**  
 ELASTOMERS FROM, 46 619
- PEROXIDE**  
 AS QUANTITATIVE CROSSLINKING AGENT, 43 624  
 ATTACK ON HYDROCARBONS, 45 709  
 CHEMO-STRESS RELAXATION OF NATURAL RUBBER VULCANIZED BY, 43 778  
 COCURING WITH POLYACRYLATES, 44 923  
 CREEP OF GUM NATURAL RUBBER VULCANIZED BY, 43 1482  
 CROSSLINKING MECHANISM, 44 923  
 CROSSLINKING OF UNSATURATED POLYOLEFINS, 42 1245  
 CURE OF CARBORANE ELASTOMERS, 48 14  
 CURE OF NATURAL RUBBER, 48 141  
 CURE OF NBR, 48 236  
 CURE, PROMOTED BY S-TRIAZINE DERIVATIVES, 48 878  
 CURE, PROMOTED BY TRIALLYLCYANURATE, 48 878  
 CURED EPR, STABILITY OF, 41 304  
 CURING AGENTS, FOR FLUOROELASTOMERS, 46 619  
 DECOMPOSITION, FILLER-RUBBER BONDING AND, 47 697

- DEGRADATION OF POLYSTYRENE, 48 913  
 DICUMYL, COCURING AGENT WITH SULFUR, 44 923  
 EFFECT OF CARBON BLACK AND SILICA ON VULCANIZATION OF RUBBER BY, 42 1499  
 EFFECT ON MAIN-CHAIN SCISSION, 42 927  
 EFFECT ON SULFENAMIDE-ACCELERATED VULCANIZATION, 43 1311  
 EFFECT ON VULCANIZATION BY TETRAMETHYLTHIURAM DISULFIDE, 43 1294  
 EFFICIENCY OF CROSSLINKING, 46 1007  
 FOR EPM, 46 1007  
 FOR POLYETHYLENE, 46 1007  
 FOR PREPARATION OF SULFOXIDES, 42 927  
 FORMATION DURING OXIDATION OF POLYISOPRENE, 46 953  
 IN CURING BUTYL RUBBER, 42 1147  
 IN CURING EPDM, 42 1167  
 IN MECHANISM OF CROSSLINK SCISSION, 42 927  
 IN RUBBER DEGRADATION, 45 359  
 IN RUBBER OXIDATION, 45 359  
 MECHANISM OF DECOMPOSITION IN NATURAL RUBBER, 43 1294, 1311  
 MECHANISM OF VULCANIZATION OF POLYBUTADIENE, 45 1157  
 METHYL ETHYL KETONE PEROXIDE, 45 1033  
 REACTIONS IN EPM, 45 709  
 RELATIVE REACTIVITY OF SECONDARY AND TERTIARY HYDROGEN ATOMS WITH, 45 709  
 VULCANIZATES, AGING OF, 41 182  
 VULCANIZATION AS FUNCTION OF TERMONOMER STRUCTURE IN ETHYLENE-PROPYL ENE RUBBER, 43 522  
 VULCANIZATION BY, 45 359  
 VULCANIZATION COAGENT WITH ACRYLATE ESTERS, 43 613  
 VULCANIZATION OF EPM, 45 709  
 VULCANIZATION OF ETHYLENE PROPYLENE RUBBER BY, 43 171, 424, 522  
 VULCANIZATION OF FLUOROELASTOMERS, 50 417  
 VULCANIZATION OF NATURAL RUBBER, 46 1287  
 VULCANIZATION OF NATURAL RUBBER BY, 43 270, 304, 1294, 1311  
 VULCANIZATION OF PHOSPHONITRILIC FLUOROELASTOMERS, 47 32  
 VULCANIZATION OF POLYPROPYLENE ETHER GLYCOL RUBBERS, 44 923  
 VULCANIZATION OF RUBBER IN PRESENCE OF SULFUR, 42 744  
 VULCANIZATION OF SYNTHETIC POLYISOPRENE BY, 43 282  
 VULCANIZATION 1,2-POLYBUTADIENE AS COAGENT FOR, 46 275  
**PETROLEUM INDUSTRY**  
 EFFECT OF LEGISLATION ON, 50 415  
**PETROLEUM OILS**  
 AS EXTENDERS FOR POLYCHLOROPRENE, 50 448  
**PETROLEUM PITCH**, 47 837  
**PHASE ANGLE**  
 APPARATUS FOR MEASURE OF, 44 249  
 COMPRESSION EFFECT, 47 803  
 EFFECT OF BLACK LOADING ON, 44 258  
 EFFECT OF CROSSLINK TYPE ON, 44 258  
 EFFECT OF CROSSLINK TYPE ON, 44 258  
 EFFECT OF RUBBER ON, 44 258  
 EFFECT OF SHEAR STRAIN ON, 44 258  
 EFFECT OF TEMPERATURE ON, 44 258  
 OF SBR, 47 729  
 RESONANT BEAM, RUBBER TESTING MACHINE, 45 1159  
 TANGENT OF, CARBON BLACK EFFECT, 47 729  
 TEMPERATURE FUNCTION, 47 729, 803  
 TENSION EFFECT, 47 80  
**PHASE HETEROGENEITY**  
 OF BLENDS OF BR, NR, CIIR, 50 35  
**PHASE INTERACTION**  
 IN COMPATIBILITY OF BR, NR, AND CIIR, 50 35  
**PHASE MICROSCOPY**, 43 400  
**PHASE MICROSCOPY**, 46 653  
 OF BLENDS OF EPDM, 50 24  
 OF BLENDS OF RUBBERS, 41 344  
 VULCANIZATION OF NATURAL RUBBER, 41 659  
**PHASE SEPARATION**  
 IN POLYSTYRENE-POLY(VINYL METHYL ETHER) SYSTEMS, 46 218  
**PHENOL**  
 ALKYL DERIVATIVES, HEALTH HAZARD, 45 627  
 AMINO, HEALTH HAZARD, 45 627  
 ANTIOXIDANTS, HEALTH HAZARDS, 45 627  
 CONCENTRATION IN CARBON BLACK, 45 106  
 2,6-DI-TERT-BUTYL-PARA-NITROSO WITH DIISOCYANATES IN VULCANIZATION OF NATURAL RUBBER, 47 100  
**PHENOL, 2,6-DI-TERT-BUTYL-4-METHYL-**  
 AND OXIDATION OF POLYISOPRENE, 45 359  
**PHENOL, 2,4,6-TRI-TERT-BUTYL-**  
 ANTIOXIDANT ACTIVITY OF, 45 402  
**PHENOLIC**  
 ANTIOXIDANTS, RESIN, 44 1421, 914  
**PHENOLIC ANTIOXIDANTS**, 45 1146  
 HEALTH HAZARDS, 45 627  
 STABILIZERS, 45 1147  
**PHENOMENOLOGICAL THEORIES OF RUBBER ELASTICITY**  
 ALTERNATE FORM OF REPRESENTATION, 47 625  
**PHENOXYL RADICALS**  
 DIMERIZATION OF, 45 402  
 STABILITY AND ANTIOXIDANT ACTION, 45 402  
 TEMPERATURE EFFECT, 45 402  
**PHENYL-BETA-NAPHTHYLAMINE**  
 AS ORGANIC FILLER IN RUBBER, 41 772  
 AS RUBBER FILLER, 41 1203  
 IN POLYISOPRENE, 41 289  
**PHENYLDODECANE**  
 DIFFUSION COEFFICIENT IN RUBBERS, 45 278  
**PHENYLENE MALEIMIDE**  
 CURE ACTIVATOR FOR POLYACRYLATE RUBBERS, 44 344  
**PHENYLENEDIAMINE**  
 DIOCTYL, ANTIOZONANT ACTION OF, 43 1230  
 PHENYLISOPROPYL, FOR OZONE PROTECTION, 43 1340  
**PHENYLENEDIAMINE DERIVATIVES**  
 HEALTH HAZARDS, 45 627  
**PHENYLENEDIAMINE, PARA-, (1-ETHYL-2-METHYLPROP-2-ENYL)-N'-PHENYL**  
 IN RUBBER-BOUND ANTIOXIDANT FORMATION, 45 204  
**PHENYLENEDIAMINES**  
 AS ANTIOZONANTS, 42 1471  
**PHENYLLITHIUM**  
 CHEMICAL PROBE FOR POLYSULFIDE AND DISULFIDE CROSSLINKS, 42 1136  
 DEVULCANIZING REAGENT FOR POLYSULFIDE CROSSLINKS, 43 549  
**PHENYL-2-NAPHTHYLAMINE**  
 AND OXIDATION OF POLYISOPRENE, 45 359  
 ANTIOXIDANT ACTIVITY OF, 44 857  
 OXYGEN ABSORPTION OF VULCANIZATES CONTAINING, 44 857

- PHENYL-N'-POLYBUTENYL-PARA-PHENYLENEDIAMINE**  
IN RUBBER-BOUND ANTIOXIDANT FORMATION, 45 204
- PHOSPHATE ESTERS**  
AS FLAME RETARDANTS, 50 523
- PHOSPHAZENE ELASTOMER**  
ARCTIC FUEL SERVICE, 49 396
- PHOSPHITE ANTIOXIDANTS**  
HEALTH HAZARDS, 45 627
- PHOSPHITE STABILIZERS**  
FOR DIENE RUBBERS, 41 255
- PHOSPHONITROLIC FLUOROELASTOMERS**, 47 32  
MOLECULAR WEIGHT OF, 47 32  
RHEOLOGY OF, 47 32
- PHOSPHORUS TRICHLORIDE**  
AS POLYFUNCTIONAL COUPLING AGENT, 49 1305
- PHOTODEGRADATION SPECTRA**  
OF NATURAL RUBBER, 45 481  
OF POLYBUTADIENE, 45 481  
OF STYRENE-BUTADIENE RUBBER, 45 481
- PHOTOELASTICITY**  
EXPERIMENTAL DEPENDENCE OF BIREFRINGENCE ON STRESS, 47 625  
NETWORK THEORY, 47 625  
NON-GAUSSIAN THEORY, 47 625
- PHOTOOXIDATION**  
ABS POLYBLEND, 44 642  
AUTOXIDATION OF EPDM, 45 1125  
OF NATURAL RUBBER VULCANIZATES, 45 481  
OF POLYBUTADIENE, MECHANISM OF, 48 692  
OF RUBBERS, 45 481  
POLYBUTADIENES, 44 642
- PHOTOSENSITIZATION**  
OF OXIDATION OF POLYISOPRENE, 50 704
- PHOTOSENSITIZED OXIDATION**, 41 296
- PHOTOSYNTHESIS**  
FOR HYDROCARBON PRODUCTION, 50 427
- PHTHALIC ACID**  
CYCLOHEXYLTHIOIMIDE, AS SCORCH RETARDER, 47 79  
N-(N,4-DINITROSOANILINOMETHYL) IMIDE, SYNTHESIS, 47 290
- PHTHALIC ANHYDRIDE**  
CURE RETARDATION BY, 49 118  
REACTION WITH MBT, 49 118  
REACTION WITH ZINC OXIDE, 49 118
- PHTHALIMIDE**  
DERIVATIVES AS SCORCH INHIBITORS, 50 570
- PHTHALIMIDES**  
(N-SUBSTITUTED THIO), AS SCORCH INHIBITORS, 48 790
- PHYSICAL PROPERTIES**  
OF THERMOPLASTIC ELASTOMERS, 49 1355  
OF VARIOUS RUBBERS, 49 189
- PHYSICAL TESTING OF RUBBER**  
INTERRELATION BETWEEN TESTS, 44 1396
- PHYSICS OF SLIPPING WHEEL**, 42 1014
- PICO ABRADER**  
ABRASION STUDIES, 44 1173
- PICO TEST**  
EFFECT OF TEMPERATURE, 42 1087
- PIPERIDINIUM PENTAMETHYLENEDITHIOCARBAMATE**  
HEALTH HAZARD OF, 44 512
- PIPERIDINO-2-BENZOTHAZOLE SULFENAMIDE**  
MASS SPECTRUM OF, 45 160
- PIPERIDINOSULFENYL CHLORIDE**, 44 881
- PIPERYLENE**, *see* ALSO 1,3-PENTADIENE  
COPOLYMER WITH ISOBUTYLENE, 49 960
- PIVALOLACTONE**  
GRAFT COPOLYMERS OF, 50 109  
MORPHOLOGY OF EPDM GRAFTS, 50 109
- PLANT SPECIES**  
U.S., PRODUCTION OF HYDROCARBONS AND RUBBER IN, 50 431
- PLASTIC DOMAINS**  
IN POLYURETHANE ELASTOMERS, 49 65
- PLASTIC FILLERS**  
IN VULCANIZATES, 49 65
- PLASTIC MODIFICATION**  
BY EPDM, 44 1130
- PLASTICITY RETENTION INDEX (PRI)**, 42 381
- PLASTICIZATION RATE OF NATURAL RUBBER AND POLYISOPRENE**, 46 47
- PLASTICIZED IONIC RUBBERS**, 45 908  
YOUNG'S MODULUS, 45 908
- PLASTICIZERS**  
FOR FLUOROELASTOMERS, 46 619  
IDENTIFICATION BY INFRARED, 45 546  
IDENTIFICATION OF, 41 630
- POISSON RATIO**  
AND ELASTICITY EQUATIONS, 50 224  
AND RUBBER-CORD COMPOSITES, 50 224  
EFFECT OF CARBON BLACK ON, 48 246  
EFFECT ON SLIDING RUBBER, 44 758  
INFLUENCE ON COMPRESSION MODULUS, 46 286  
OF ELASTOMERS, 48 246  
OF NATURAL RUBBER, 42 547
- POLLUTION**  
BY TIRE RUBBER DUST, 46 232
- POLLUTION CONTROL**  
EFFECT ON ORGANIC CHEMICAL MANUFACTURE, 49 1354  
REVIEW OF REGULATIONS, 49 1356
- POLYACRYLATE**  
ADHESION TO GLASS, 48 819, 830, 845  
DEGRADATION AND IR IDENTIFICATION, 48 289  
PHYSICAL PROPERTIES OF REINFORCED, 48 830  
REINFORCED WITH GLASS BEADS, 48 819, 830, 845  
REINFORCEMENT OF, 48 819, 930, 845  
SWELLING OF REINFORCED, 48 845
- POLYACRYLATE ELASTOMERS**  
STRESS RELAXATION, 41 692
- POLY(ACRYLATE ESTER CO ISOBUTYLENE)**  
ALTERNATING, 46 1068  
AMINE CURE, 46 1068  
DECOMPOSITION TEMPERATURE, 46 1068  
FLAMMABILITY, 46 1114  
OIL RESISTANCE, 46 1068  
RANDOM, 46 1068  
SOLUBILITY PARAMETER, 46 1068  
SULFUR-CURABLE, 46 1068  
TENSILE STRENGTH, 46 1068  
WATER RESISTANCE, 46 1068
- POLYACRYLATE RUBBER**  
ABRASION OF, 43 1503  
AMMONIUM ADIPATE CURE OF, 44 344  
AUTOMOTIVE APPLICATIONS (REVIEW), 49 775  
BLOCK AND GRAFT COPOLYMERS WITH PIVALOLACTONE, 50 127  
COMPOSITIONS OF, 44 344  
COMPOUNDING OF, 44 344  
CROSSLINKING SITES OF, 44 344  
EFFECT OF ANTIOXIDANTS, 46 1328  
EPOXIDE CONTAINING, 44 344  
HIGH-TEMPERATURE AGING, 48 1328  
MERCAPTOIMIDAZOLINE, CURATIVE FOR, 44 344  
PHENYLENE MALEIMIDE, CURE ACTIVATOR FOR, 44 344



- SELF-CURING, 44 344  
 STRESS RELAXATION OF, 46 1328  
 STRESS RELAXATION OF VULCANIZATES OF, 44 344  
 SULFUR-SOAP CURE OF, 44 344  
 TETRAMETHYLTHIURAM DISULFIDE AS CURATIVE FOR, 44 344  
 THERMAL STABILITY OF VULCANIZATES, 44 344  
 VULCANIZATES OF, 44 344  
 ZINC DIETHYLDITHIOCARBAMATE AS CURATIVE FOR, 44 344
- POLY(ACRYLATE-G-PIVALOLACTONE)**  
 PREPARATION, 50 127  
 PROPERTIES, 50 127
- POLYACRYLONITRILE**  
 BLENDS WITH POLYBUTADIENE, 49 978  
 GLASS TRANSITION TEMPERATURE, 46 1087  
 NARROW MW DISTRIBUTION, 48 359  
 POLYMER-SOLVENT INTERACTION PARAMETER FOR DMF, 50 451  
 SOLUBILITY PARAMETER, 46 1087
- POLY(ACRYLONITRILE CO BUTADIENE CO STYRENE)**  
 MEASURE OF UNGRAFTED RUBBER IN, 46 1327
- POLY(ACRYLONITRILE CO VINYL CHLORIDE)**  
 FLAMMABILITY, 46 1114
- POLY(ALKYLENE OXIDE) ELASTOMERS, 45 900**  
 GEHMAN FREEZE POINT, 45 900  
 PHYSICAL PROPERTIES OF, 45 900  
 VULCANIZATION OF, 45 900
- POLYALKENAMERS, 47 511**  
 POLYOCTENAMER, 47 511  
 POLYPENTENAMER, 47 511  
 PREPARATION, 47 511  
 PROPERTIES, 47 511  
 STRUCTURE, 47 511  
 SYNTHESIS, 47 511
- POLY(ALKYLIMINOALANES)**  
 AS STEREOSPECIFIC CATALYSTS FOR ISOPRENE, 48 736
- POLY(ALPHA-METHYLSTYRENE)**  
 BLOCK COPOLYMER WITH POLY(DIMETHYLSILOXANE), 47 456  
 NARROW MW DISTRIBUTION, 48 359
- POLYBUTADIENE**  
 ABRASION OF, 41 209  
 ABRASION RESISTANCE, 47 1175  
 ABRASION STUDIES OF, 44 1173  
 ABSENCE OF VINYL GROUPS IN, 47 511  
 ALFIN, 43 333  
 ANALYSIS BY GAS CHROMATOGRAPHY, 46 1326  
 ANALYSIS OF VULCANIZATES OF, 44 1278  
 AND BOUND RUBBER, 42 858  
 AND RUBBER ELASTICITY THEORY, 48 495  
 ANISOTROPY, 43 836  
 BAKER-WILLIAMS FRACTIONATION, 43 1439  
 BENZENE INTERACTION CONSTANT WITH, 43 549  
 BETA-NAPHTHYLAMINE ADDITION TO, 43 1225  
 BIMODAL MOLECULAR WEIGHT, 44 166  
 BLEND, TIRE PROPERTIES OF, 47 1302  
 BLEND WITH POLY(PROPYLENE OXIDE), 50 714  
 BLEND WITH SBR, RADIO-LUMINESCENCE OF, 50 714  
 BLENDS, WITH CHLOROBUTYL RUBBER, 46 251  
 BLENDS WITH EPDM, 49 93  
 BLENDS WITH NATURAL RUBBER, 41 669  
 BLENDS WITH NATURAL RUBBER, 46 653  
 BLENDS WITH POLYACRYLONITRILE, 49 978  
 BLENDS WITH POLYISOPRENE, 46 571  
 BLENDS WITH SBR, 41 669, 1109
- BLENDS WITH SBR, 46 653  
 BLENDS WITH SBR, ABRASION RESISTANCE, 48 356  
 BLENDS WITH SBR, SHIFT FACTOR FOR CARBON BLACK EQUIVALENCE IN, 44 1 99  
 BLENDS WITH VARIOUS RUBBERS, 44 814  
 BLOCK, 47 1310  
 BOUND RUBBER AND, 45 94  
 BROMINE-TERMINATED, 48 203, 410  
 BY ANIONIC POLYMERIZATION, 48 359  
 CARBON BLACK MORPHOLOGY IN, 50 842  
 CARBON-13 NMR OF, 46 350  
 CARBON-13 NUCLEAR MAGNETIC SPECTRA, 47 1136  
 CARBON-BLACK-FILLED VULCANIZATES, BULK AND YOUNG'S MODULUS, 48 246  
 CARBON-BLACK-FILLED VULCANIZATES, DYNAMIC MECHANICAL PROPERTIES, 48 79  
 CARBOXYL TERMINATED, 48 139, 161  
 CATALYST FOR POLYMERIZATION TO CIS-CONFIGURATION, 45 268  
 CATALYSTS, EFFECT OF COUNTER-ION ON MICROSTRUCTURE, 46 1055  
 CATALYZED BY N-BUTYL LITHIUM, 48 1156  
 CHAIN BRANCHING OF, 45 519  
 CHAIN CROSS SECTION AND MOONEY-RIVLIN CONSTANTS, 50 798  
 CHAIN STIFFNESS, 43 836  
 CHAIN-EXTENDABLE, 46 161  
 CHARACTERIZATION BY C-13 NMR, 48 705  
 CHLORINATION OF, 45 1136  
 CIS-1,4, 46 593, 1044, 1055, 1087  
 CIS-TRANS ISOMERIZATION DURING VULCANIZATION, 43 860  
 CIS-TRANS ISOMERIZATION OF, 46 1156  
 CIS-TRANS LINKAGES IN, 47 1136  
 CIS-TRANS RATIO IN, 46 1156  
 COMPATIBILITY, 46 1210  
 COMPATIBILITY IN BLENDS, 50 35  
 COMPOSITIONAL AND STRUCTURAL ANALYSIS BY INFRARED, 45 546  
 COMPOUNDS, THERMAL ANALYSIS OF, 48 661  
 1,2 CONFIGURATION, HIGH-VINYL, 45 1270  
 CONFIGURATIONAL STATISTICS, 45 959  
 CONJUGATION AND ULTRAVIOLET SPECTRA, 45 481  
 COPOLYMERIZATION WITH STYRENE, BLOCK, 47 1310  
 COPOLYMERIZED ANTIOXIDANTS IN, 47 1306  
 COVULCANIZATION WITH CHLOROBUTYL RUBBER, 46 251  
 CREEP OF CROSSLINKED, 50 884  
 CRITICAL CONCENTRATION OF ANTIOXIDANTS, 47 1300  
 CRITICAL SOLUTION TEMPERATURES, 41 1285  
 CRITICAL SURFACE TENSION OF SPREADING, 42 30  
 CROSSLINK COLONIZATION IN SULFUR VULCANIZATES OF, 43 549  
 CROSSLINK STRUCTURES IN, 45 182  
 CROSSLINKER WITH ALKYL PHENOL-FORMALDEHYDE OLIGOMERS, 47 303  
 CROSSLINKING WITH DITHIOL-S-TRIAZINES, 50 660  
 CRYSTALLIZATION, 42 530  
 CRYSTALLIZATION, 46 178  
 CRYSTALLIZATION, 47 511, 1175  
 CURE CHARACTERISTICS, 47 477  
 CYCLOHEXANE INTERACTION CONSTANT WITH, 43 1367

- CYCLOOCTADIENE AS CHEMICAL MODEL FOR, 43 549
- DEFORMATION INDEX, 46 1166
- DEGRADATION AND IR IDENTIFICATION, 48 289
- DETERMINATION IN STYRENE-BUTADIENE RUBBER, 43 1327
- DETERMINATION OF UNVULCANIZED POLYMER IN VULCANIZATES, 45 168
- DIAMETER DISTRIBUTION OF AGGREGATES OF, 45 1564
- DIFFUSION OF CURATIVES, 42 1058
- DIFFUSION OF HYDROCARBONS IN, 45 278
- DIFFUSION OF OIL IN, 44 1430
- DIFFUSIVITY OF EXTENDER OILS IN, 43 1349
- DIFUNCTIONAL, FUNCTIONALITY DISTRIBUTION, 50 63
- DISPERSION IN BLENDS, 50 278
- DISTRIBUTION OF 1,2-UNITS IN, 46 1156
- DOMAINS IN SBS COPOLYMERS, 45 241
- DYNAMIC PROPERTIES OF, 46 561, 1330
- DYNAMIC PROPERTIES OF CARBON BLACK-LOADED, 45 268
- DYNAMIC SHEAR MODULI OF VULCANIZATES OF, 44 258
- EFFECT OF CARBON BLACK CONTENT ON CRYSTALLIZATION, 46 178
- EFFECT OF CARBON BLACK IN BLENDS, 50 301
- EFFECT OF CARBON BLACK LOADING ON TENSILE STRESS RELAXATION OF, 44 185
- EFFECT OF CARBON BLACK ON CURATIVE DISTRIBUTION IN VULCANIZATES, 45 94
- EFFECT OF CARBON BLACK ON VULCANIZATION OF, 45 94
- EFFECT OF CARBON-BLACK SURFACE PROPERTIES, 48 359
- EFFECT OF CARBOXYL ON MELT FLOW OF, 43 1109
- EFFECT OF HEAT HISTORY WITH VARIOUS ACCELERATORS, 43 799
- EFFECT OF HYDROXYL ON MELT FLOW OF, 43 1109
- EFFECT OF MIXING METHOD ON, 46 178
- EFFECT OF OZONE ON MOLECULAR WEIGHT OF, 43 1340
- EFFECT OF POLYMERIZATION CONDITIONS ON MICROSTRUCTURE, 48 359
- EFFECT OF TEMPERATURE ON DYNAMIC MODULUS, 44 166
- EFFECT OF TEMPERATURE ON DYNAMIC SHEAR MODULUS, 44 258
- EFFECT OF VARIOUS RUBBERS ON CRYSTALLIZATION OF, 46 178
- EFFECT OF VINYL CONTENT ON NMR SPECTRA OF, 46 1156
- EFFECT OF VULCANIZATION DEGREE ON VOLUME SWELLING OF, 45 94
- EFFECT OF VULCANIZATION ON MOLECULAR WEIGHT DISTRIBUTION OF, 43 333, 549
- EFFECT ON COEFFICIENT OF WET FRICTION OF SBR BLENDS, 44 1443
- EFFECT ON LOSS TANGENT MAXIMUM OF MOLECULAR WEIGHT OF, 44 166
- EFFECT ON TEMPERATURE OF LOSS TANGENT BY CROSSLINKING OF, 44 166
- EFFECT ON TREAD WEAR OF SBR IN VARIOUS TIRE CONSTRUCTIONS, 45 10
- ELASTIC MODULUS AND DOUBLE STRAIN AMPLITUDE, 46 178
- ELASTICALLY EFFECTIVE CROSSLINKS, IN, 43 549
- ELECTRON MICROSCOPY, 46 178
- ELUTION AND GEL PERMEATION CHROMATOGRAPHY OF, 43 1439
- EMULSION POLYMERIZATION, 49 610
- ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593
- ENTHALPY OF MELTING, 47 1175
- EPOXIDATION OF, 43 1225
- EQUILIBRIUM PHASE DIAGRAM, 47 1310
- ESR OF, 50 747
- ESR STUDY OF, 45 933
- FAILURE BEHAVIOR, 42 1095
- FAILURE CHARACTERISTICS, 46 1166
- FATIGUE PROPERTIES OF BLENDS, 50 429
- FLAME RETARDATION, 50 523
- FLAMMABILITY, 46 1114
- FLORY-REHNER EQUATION AND, 43 549
- FLOW OF, 46 1188
- FORMATION WITH ZIEGLER CATALYSTS, 45 1532
- FRACTIONATION, 45 667
- FRACTIONATION, 47 1175
- FRACTURE, EPR STUDY, 48 445
- FREE VOLUME OF, 45 278
- FRICTION ON ICE, 46 527
- FROM RING-OPENING POLYMERIZATION, 47 511
- FUNCTIONALITY OF HYDROXYL TERMINATED PREPOLYMERS OF, 43 941
- FUNCTIONALLY TERMINATED, 42 71, 800
- GLASS TRANSITION TEMPERATURE, 46 1087, 1166, 1210
- GRAFTING TO CARBON BLACK, 48 359
- GROOVE CRACKING RESISTANCE, 44 1186
- HARMFUL SOLAR RADIATIONS FOR, 45 481
- HEALTH HAZARD CONTROL IN MANUFACTURE OF, 44 512
- HEAT GENERATION OF VULCANIZATES, 47 1175
- HEAT OF IMMERSION OF CARBON BLACKS IN, 45 117
- HIGH-TEMPERATURE RELAXATION TRANSITIONS, 44 166
- HUGGINS CONSTANTS OF, 43 1367
- HYDROGENATED, 46 470
- HYDROGENATED, CHEMICAL SHIFTS OF C-13 NMR, 47 1136
- HYDROPEROXIDES OF, 44 642
- HYDROXY OR CARBOXY TERMINAL GROUPS, 50 63
- HYDROXYL-TERMINATED, 46 161
- HYDROXYL-TERMINATED, DISTRIBUTION OF FUNCTIONALITY, 49 1238, 1250
- HYDROXYTERMINATED, RESIN CURING OF, 44 914
- IDENTIFICATION OF IN BLENDS, 48 301, 640, 653
- IMPROVEMENT OF BELTING WITH, 47 1302
- IN BLENDS, 47 481
- IN ELASTOMER BLENDS, 47 64, 171
- IN IMPACT POLYSTYRENE, 43 1129
- IN PEEL TESTS, 49 1200
- INFRARED ABSORPTIVITIES OF MICROSTRUCTURE OF, 43 1332
- INFRARED STUDY OF OXIDATION, 49 405
- INTERACTION WITH CARBON BLACK, 50 747
- INTERFACIAL BONDING OF, 46 251
- ISOTHERMAL FRACTIONATION OF, 43 1439
- LIQUID, 46 139, 148
- LIQUID, DISPERSION OF FILLERS IN, 48 148
- LIQUID, HYDROXYL TERMINATED, 46 590
- LIQUID RUBBER, 45 1153, 1162
- LIQUID RUBBER, 48 410
- LITHIUM ALUMINUM HYDRIDE AS DEVULCANIZ-

- ING AGENT, 43 549  
 LOAD DEPENDENCE OF ABRASION, 43 701  
 LOSS TANGENT AND TEMPERATURE, 44 166  
 LOW MOLECULAR WEIGHT, 46 275, 1055  
 LOW MOLECULAR WEIGHT, 48 359  
 MAXIMUM RELAXATION TIME, 46 1166  
 MECHANICAL BREAKDOWN OF, 46 570  
 MECHANICAL LOSS AND TEMPERATURE, 44 166  
 MELT FLOW, 43 1109  
 MELTING POINT OF, 47 511, 1175  
 METALATION OF, 46 1044  
 MICROSTRUCTURE, 46 350  
 MICROSTRUCTURE, 47 1175  
 MIGRATION OF EXTENDER OIL IN, 42 1473  
 MILLING VARIATION WITH DEFORMABILITY, 46 1166  
 MISCIBILITY OF ELASTOMERS WITH, 43 370  
 MIXING CHARACTER OF, 46 1166  
 MIXING PARAMETERS FOR, 48 577  
 MOLECULAR STRUCTURE AND MOLECULAR WEIGHT DISTRIBUTION OF, 43 1367  
 MOLECULAR WEIGHT AND CATALYST COMPOSITIONS, 46 1055  
 MOLECULAR WEIGHT AND MICROSTRUCTURE, 46 1055  
 MOLECULAR WEIGHT DISTRIBUTION, 46 115, 449, 1166  
 MOLECULAR WEIGHT DISTRIBUTION, 47 1175  
 MOONEY RECOIL, 46 1166  
 MOONEY VISCOSITY, 46 1166  
 MOORE-WATSON CALIBRATION CURVE AND, 43 549  
 MORPHOLOGY OF BLENDS WITH, 43 370  
 MW AND MW DISTRIBUTION, 48 359  
 NETWORK STRUCTURE OF, 45 1597  
 NETWORKS, SWOLLEN, STRESS-STRAIN OF, 50 1000  
 NMR OF BLACK-FILLED, 50 747  
 NMR OF OLIGOMER, 46 359  
 NMR SPECTRA OF, 46 1156  
 OIL DIFFUSION COEFFICIENT-CONCENTRATION FUNCTION, 44 87  
 OIL MIGRATION IN BLENDS CONTAINING, 44 87  
 OIL-ADDITION CONDITIONS, 47 1302  
 OIL-EXTENDED, PROCESSING OF, 48 577  
 OLEFINIC LINKAGES IN, 49 992  
 OLIGOMERS OF, 45 1597  
 OSMIUM TETROXIDE STAINING OF, 45 1564  
 OXIDATION, 47 1300  
 OXIDATION, 48 692  
 OXIDATION BY GAS-PHASE SINGLET OXYGEN, 45 423  
 OXIDATION BY SINGLET OXYGEN, 44 642  
 OXIDATION MECHANISM, 49 1010  
 OXIDATIVE AGING, 42 1095  
 OXYGEN ABSORPTION OF VULCANIZATES, 45 481  
 OZONIDE OF, 43 1340  
 PEROXIDE CROSSLINKING, 50 680  
 PEROXIDE VULCANIZATION, 42 1245  
 PEROXIDE VULCANIZATION, 45 1157  
 PHASE ANGLE TANGENT OF VULCANIZATES OF, 44 256  
 PHASES IN STYRENE-BUTADIENE BLOCK COPOLYMERS, 45 1564  
 PHENYL LITHIUM AS DEVULCANIZING AGENT FOR, 43 549  
 PHOTODEGRADATION SPECTRA OF, 45 481  
 PHOTOXIDATION OF, 48 692  
 PHOTOXIDATION SPECTRA OF PEROXIDE VULCANIZATES, 45 481  
 POLYMERIZATION KINETICS, 47 1175  
 POLYMER-SOLVENT INTERACTION PARAMETER OF VULCANIZATES, 47 303  
 POLYURETHANE CHAIN EXTENSION OF, 44 152  
 PREPARATIVE FRACTIONATION OF, 43 1439  
 PROCESSABILITY, 46 1166  
 PROCESSABILITY, 47 1175  
 PROCESSING, 42 714  
 PROPERTIES FROM 4 TO 250 DEGREES K, 45 1033  
 PROTECTION AGAINST OZONE, 43 1340  
 PYROLYSIS, 42 1350  
 PYROLYSIS, 50 523  
 PYROLYSIS OF AIRBORNE DUSTS, OF, 46 232  
 RADIATION CURING, 48 860  
 RADIOLUMINESCENCE, 50 714  
 RAMAN SPECTRA OF, 43 322  
 RAMAN SPECTRA OF VULCANIZATES, 44 71, 904  
 RAMAN SPECTROSCOPIC STUDY OF VULCANIZATION OF, 44 904  
 RAMAN SPECTROSCOPY OF VULCANIZATES OF, 45 173  
 RAMAN SPECTRUM OF, 44 904  
 RAMAN SPECTRUM OF, 45 173  
 REACTIONS OF VULCANIZATES, WITH N-HEXANETHIOL, 45 173  
 REACTIONS WITH LITHIUM ALUMINUM HYDRIDE, 45 173  
 REACTIONS WITH SODIUM DI-N-BUTYL PHOSPHITE, 45 173  
 REACTIONS WITH TRIPHENYLPHOSPHINE, 45 173  
 RELAXATION-TIME DISTRIBUTION, 48 981  
 RESIN CURING OF, 44 914  
 RHEOLOGY OF, 42 257, 682, 1294  
 RHEOLOGY OF, 46 1166, 1188, 1193  
 RHEOLOGY OF, 49 93  
 ROD-SHAPED AGGREGATION IN POLYSTYRENE MATRIX, 45 1564  
 RUBBER-BOUND ANTIOXIDANTS IN, 45 204  
 SECOND VIRIAL COEFFICIENT OF, 43 1367  
 SEQUENCE DISTRIBUTION OF CIS-TRANS UNITS, 47 1136  
 SHEAR MODULUS OF, 49 93  
 SOLUBILITY PARAMETER, 46 1087  
 SOLUTION OF, 45 1133  
 SOLUTION PROPERTIES OF, 41 1285  
 SPECIFIC HEAT OF, 41 564  
 STEREOREGULAR SYNTHESIS, 47 1175  
 STRESS STRAIN OF VULCANIZATES, 47 1175  
 STRESS-OPTICAL COEFFICIENT, 46 653  
 STRUCTURE OF VULCANIZATES, 43 549  
 STUDY OF CROSSLINKING BY ATTENUATED TOTAL REFLECTANCE, 43 860  
 SULFUR CROSSLINKS IN, 42 1136  
 SULFURLESS CROSSLINKING, 50 660  
 TEAR STRENGTH, 47 1175  
 TEARING, MICROSCOPY OF, 50 875  
 TELECHELIC, 42 71  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
 TENSILE STRENGTH OF FILLED VULCANIZATES, 45 193  
 TERPOLYMERS WITH STYRENE-ACRYLONITRILE, METHYL STYRENE-ACRYLONITRILE, THEORY OF RUBBER ELASTICITY AND, 43 549  
 THERMAL ANALYSIS OF, 45 329  
 THERMAL DIFFUSIVITY, 47  
 THERMAL EXPANSION OF, 45 278  
 THERMOGRAPHS OF, 43 1327  
 THIACYCLOALKANES IN SULFUR VULCANIZATES

- OF, 43 549  
 THIACYCLOALKENES IN SULFUR VULCANIZATES OF, 43 549  
 THIN-LAYER CHROMATOGRAPHY, 50 63  
 TIRE CORD ADHESION, 42 159  
 TIRE TREADS, ABRASION RESISTANCE, 41 685  
 TOLUENE DIISOCYANATE END-CAPPED, 47 456  
 TRANS-1,4 FIBERS, 41 576, 586  
 TRANS, MEDICAL APPLICATION, 47 1309  
 TRANS, STRUCTURE OF, 48 719  
 TRANS-1,4 TRANSITIONS, 41 576, 586  
 TREAD WEAR, 41 1271  
 ULTRAVIOLET SPECTRUM OF VULCANIZATES, 45 481  
 UNFILLED VULCANIZATES, 47 357  
 VINYL, 47 1302  
 VISCOELASTIC PROPERTIES, 45 1015, 1082  
 VISCOSITY AND MOLECULAR WEIGHT, 42 462  
 VISCOSITY OF CARBOXY-TERMINATED, 42 800  
 VULCANIZATION BY ALDEHYDES, 43 186  
 VULCANIZATION BY BIS-AZIDODIFORMATES, 43 605  
 VULCANIZATION BY IRRADIATION, 45 193  
 VULCANIZATION, IR STUDY, 48 348  
 VULCANIZATION MECHANISM, 47 906  
 WEAR OF, 46 787  
 WETTING INDEX FOR FILLERS, 46 1166  
 WITH BOUND ANTIOXIDANT, 50 641, 650, 660  
 YIELD AND CATALYST COMPOSITIONS, 46 1055
- POLYBUTADIENE, 1,2**, 46 275, 1044  
 CROSSLINKED UNDER STRAIN, 48 164, 1004  
 CROSSLINKING, 48 164  
 ENTANGLEMENT NETWORKS IN, 48 164, 1004  
 FUNCTIONALITY DISTRIBUTION IN, 50 63  
 INTRINSIC VISCOSITY-MW RELATION, 48 164  
 STATIC FRICTION OF VULCANIZATES, 50 266  
 STRESS-STRAIN OF VULCANIZATES, 48 164  
 THIN-LAYER CHROMATOGRAPHY, 50 63
- POLY(BUTADIENE CO ACRYLONITRILE CO ANTI-OXIDANT)**, 47 1306
- POLY(BUTADIENE CO 1,3-PENTADIENE)**  
 CURE RATE OF, 46 1274  
 GLASS TRANSITION TEMPERATURE, 46 1274  
 MELTING TEMPERATURE, 46 1274  
 MICROSTRUCTURE, 46 1274  
 OIL EXTENSION OF VULCANIZATES, 46 1274  
 PHYSICAL PROPERTIES OF VULCANIZATES, 46 1274  
 PROCESSING OF, 46 1274  
 STRESS CRYSTALLIZATION, 46 1274  
 SYNTHESIS OF, 46 1274  
 TACK OF, 46 1274  
 TREAD STOCKS, 46 1274
- POLY(BUTADIENE CO STYRENE CO ANTIOXIDANT)**, 47 1306
- POLY(BUTADIENE CO STYRENE CO METHACRYLIC ACID)**  
 DEVULCANIZATION OF, 45 1630  
 STRESS RELAXATION, 45 1630  
 VULCANIZATES OF, 45 1630
- POLY(BUTADIENE CO VINYLPIRIDINE)**, 46 1285  
 VULCANIZATION BY 1,10-DIBROMODECANE, 46 1285
- POLYBUTADIENE EPOXIDE**, 43 1225
- POLYBUTENAMER**  
 CIS, FIRST-ORDER TRANSITION TEMPERATURE OF, 43 1116  
 SECOND-ORDER TRANSITION TEMPERATURE OF, 43 1116  
 SOLUTION VISCOSITY OF, 43 1116
- TRANS, FIRST AND SECOND ORDER TRANSITION TEMPERATURES OF, 43 1116
- POLYBUTENE-1**  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593
- POLYBUTENE CO PROPYLENE INFRARED ABSORBANCE DATA**, 46 30
- POLY(BUTYL ISOCYANATE)**  
 NARROW MW DISTRIBUTION, 48 359
- POLYCARBONATE**  
 STRESS RELAXATION AND CREEP IN THE GLASS REGION, 45 1623
- POLYCHLOROALICYCLIC KETONES**  
 CROSSLINKING AGENTS FOR SATURATED RUBBERS, 43 171  
 VULCANIZATION BY, 43 171
- POLY(CHLOROBUTADIENE CO ACRYLONITRILE)**  
 FLAMMABILITY, 46 1114
- POLYCHLOROPRENE**  
 ALLYLIC CHLORINE IN, 42 1028  
 ANALYSIS BY NEUTRON ACTIVATION, 45 1560  
 ANISOTROPY AND CHAIN STIFFNESS, 43 836  
 AS COATING FOR NYLON FABRIC, 50 1004  
 AS HEAT SHRINKABLE RUBBER, 43 1518  
 AUTOMOTIVE APPLICATIONS, 49 775  
 BLEND WITH SCRAP POLYURETHANE, 48 972  
 BLENDS WITH NATURAL RUBBER AND SBR, 46 653  
 BLENDS WITH VARIOUS RUBBERS, 44 814  
 BY EMULSION POLYMERIZATION, 49 610  
 CARBON BLACK EFFECT ON BULK AND YOUNG'S MODULUS, 48 246  
 CARBON-BLACK-FILLED VULCANIZATES, DYNAMIC MECHANICAL PROPERTIES, 48 79  
 CARBOXYLATED LATEX, 49 412  
 COAGULATION AND FILM DEPOSITION FROM LATEXES, 47 455  
 COMPOSITION AND STRUCTURE BY INFRARED ANALYSIS, 45 546  
 COMPOUNDS CONTAINING RICE-HULL ASH, 50 1009  
 COMPOUNDS WITH S-TYPE BLACKS, 50 211  
 CREEP MEASUREMENT, 47 455  
 CRITICAL SURFACE TENSION OF SPREADING, 42 30  
 DEGRADATION AND IR IDENTIFICATION, 48 289  
 DIELECTRIC LOSS FACTOR OF, 44 294  
 DIFFERENTIAL THERMAL ANALYSIS, 42 110  
 DIFFUSION OF SULFUR IN, 44 1307  
 EFFECT OF MILL SIZE ON MIXING, 44 479  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 FILLER EFFECT, 46 927  
 FLAME RESISTANCE, 48 132, 340  
 FLAME RETARDATION, 50 523  
 FLAMMABILITY, 50 523  
 FLAMMABILITY OF, 49 158  
 FUNCTIONALLY TERMINATED, 42 71  
 HEALTH HAZARD IN MANUFACTURE, 44 512  
 HEAT OF COMBUSTION, 49 158  
 HISTORY OF (REVIEW), 49 650  
 IDENTIFICATION IN BLENDS, 48 640  
 IN A TRIBLEND, 43 400  
 IN BLENDS, 47 48  
 IN BLENDS, WITH NATURAL RUBBER, 41 344  
 IN FIBER-RUBBER COMPOSITES, 47 408  
 IN REINFORCEMENT OF ASPHALT AND TAR, 42 1476

- INCREASED PROCESSING SAFETY OF, 44 1449  
 INFRARED SPECTRUM, 42 394  
 INJECTION MOLDING OF, 42 959  
 INTERPENETRATING NETWORK FROM, 44 609  
 LATEX FOAMS, ISOCYANATE-MODIFIED, 41 1381  
 LATEXES, 49 650  
 MISCIBILITY OF ELASTOMERS WITH, 43 370  
 MOLECULAR WEIGHT DISTRIBUTION, 45 667  
 MORPHOLOGY OF BLENDS WITH, 43 370  
 NMR CHARACTERIZATION OF MICROSTRUCTURE, 50 49  
 OXYGEN INDEX, 49 158  
 OZONE CRACKING OF, 41 643  
 PETROLEUM OILS AS EXTENDERS FOR, 50 448  
 PHYSICAL CONSTANTS OF, 49 189  
 POLYISOCYANATE CURING OF, 42 394  
 POWDERED, PROCESSING OF, 48 1098  
 PROPERTIES AND APPLICATION, 49 650  
 REFRACTIVE INDEX DISPERSION, 46 653  
 REVIEW, 49 650  
 RHEOLOGY OF, 42 790  
 RHEOLOGY OF, 43 1523  
 RUBBER-BOUND ANTIOXIDANTS IN, 45 204  
 SMOKE AND HEAT GENERATION, 48 132  
 STRESS-OPTICAL COEFFICIENT, 46 653  
 STRESS-STRAIN IN COMPRESSION, 50 915  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
 THERMAL ANALYSIS OF, 45 329  
 THERMAL DIFFUSIVITY, 47 849  
 TIRE CORD BONDING, 42 159  
 TRANSMISSIBILITY OF, 44 440  
 V-BELT STOCK, EFFECT OF MIXING, 50 1010  
 VISCOSITY AND MOLECULAR WEIGHT, 42 462  
 VULCANIZATION, 48 19  
 VULCANIZATION BY ALDEHYDE, 43 188  
 VULCANIZATION BY ALKYLDIOLTHIAZENES, 49 1031  
 VULCANIZATION BY BIS-AZIDODIFORMATES, 43 605  
 VULCANIZATION WITH TETRAMETHYLENE THIOUREA, 44 1449  
**POLYCHLOROPRENE RUBBER**  
 EXPANDABLE, 41 765  
**POLY(CHLOROSTYRENE)**  
 POLYMER-SOLVENT INTERACTION PARAMETERS, 50 451  
**POLY(CHLOROTRIFLUOROETHYLENE CO VINYLIDENE FLUORIDE)**  
 PREPARATION, 46 619  
**POLYDECENAMER**, 47 511  
**POLY(DICHLOROPHOSPHAZENE)**, 47 32  
**POLYDIENE RUBBERS**  
 RADIATION CURING OF, 48 860  
**POLY(2,3-DIMETHYL-1,3-BUTADIENE)**  
 ANALYSIS BY INFRARED, 45 546  
**POLY-2,3-DIMETHYLBUTADIENE**  
 TERPOLYMERS WITH STYRENE-ACRYLONITRILE, METHYL STYRENE-ACRYLONITRILE, AND STYRENE-ACENAPHTHALENE, 44 62  
**POLY(2,3-DIMETHYLBUTADIENE)**, 48 73  
 CHAIN-END STRUCTURE, 48 359  
 NMR OF OLIGOMER, 48 359  
**POLY(DIMETHYLSILOXANE)**, *see* ALSO SILICONE  
 ACTIVATION ENERGY OF SEGMENTAL MOTION, 47 1127  
 AND THEORY OF RUBBER ELASTICITY, 48 495  
 BIREFRINGENCE, 42 509  
 BLOCK COPOLYMER WITH POLY(ALPHAMETHYL-STYRENE), 47 456  
 CHAIN CROSS SECTION AND MOONEY-RIVLIN CONSTANTS, 50 796  
 CONCENTRATED SOLUTION BEHAVIOR, 48 513  
 DEGRADATION AND IR IDENTIFICATION, 48 289  
 DIFFUSION COEFFICIENT, 47 1127  
 EFFECT OF SILICA FILLER, 48 795  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 EQUATION-OF-STATE PARAMETERS FOR, 46 331  
 FRACTURE, ESR STUDY, 48 445  
 HIGH MOLECULAR WEIGHT, 46 831  
 IN BLENDS, 47 57  
 MACROCYCLIZATION EQUILIBRIUM, 48 513  
 MOONEY CONSTANTS, 47 1151  
 NARROW MW DISTRIBUTION, 48 380  
 ORTHO-RINGS, 46 530  
 PHENYL-METHYL SUBSTITUTION, 47 287  
 PLASTICIZER FOR FLUOROSILICONE RUBBER, 48 619  
 POLYMER-SOLVENT INTERACTION PARAMETERS, 50 451  
 PRESSURE-SENSITIVE ADHESIVE, 47 463  
 P-V-T DATA, 49 200  
 RADIATION CROSSLINKING, 47 285, 1151  
 RELAXATION-MECHANICAL, DIELECTRIC, AND NMR, 47 1127  
 SOLUTIONS, 46 338  
 SPECIFIC SOLVENT EFFECTS, 47 1151  
 STRESS-STRAIN ISOTHERM, 48 176  
 STRESS-STRAIN ISOTHERMS, 41 1140  
 STRESS-TEMPERATURE COEFFICIENT, 48 176, 513  
 SWOLLEN NETWORKS, STRESS-STRAIN OF, 50 1000  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
 THERMODYNAMICS OF, 46 338  
 THERMOELASTICITY OF, 41 1148  
 THIN LAYERS ON SURFACES, 49 1311  
 TRIFLUOROPROPYL, 47 287  
 VINYL CONTENT, 47 287  
 X-RAY DIFFRACTION UNDER STRAIN, 48 445  
**POLYDISPERSITY BY POLYMER FRACTIONATION**, 45 667  
**POLYDISPERSITY IN COPOLYMERS**, 41 245  
**POLYDISPERSITY OF SBR**  
 RELATION TO BLACK INCORPORATION TIME, 49 291  
 RELATION TO DIE SWELL, 49 291  
**POLYDODECENAMER**, 47 511  
**POLYENES**  
 CONJUGATED, 47 1094  
 DURING AGING OF POLYISOPRENE, 47 1094  
**POLYEPICHLOROHYDRIN**,  
 AUTOMOTIVE APPLICATIONS, 49 775  
 BONDING TO METAL, 47 457  
**POLY(EPICHLOROHYDRIN CO ETHYLENE OXIDE)**  
 COMPOUNDING, 46 587  
**POLYESTER**  
 CHAIN EXTENSION OF, 45 1554  
 CORD IN RADIAL TIRES, 48 1094  
 DIANHYDRIDES FOR CHAIN EXTENSION, 45 1554  
 FABRIC AS REINFORCEMENT FOR CONVEYOR BELT, 48 1092  
 HYDROXYL-TERMINATED, 48 73  
 NMR, 41 47  
**POLYESTER CORDS**  
 ADHESION TO RUBBER, 46 981  
 ADHESION TO RUBBER, 47 161, 171  
 ADHESIVE SYSTEMS, 41 1103

- CRYSTALLIZATION OF, 49 1145  
EFFECT OF OIL ON, 47 161  
EFFECT OF RUBBER CHEMICALS ON, 49 1040  
HEAT GENERATION IN, 49 1145  
IN DYNAMIC ADHESION TEST, 49 1349  
RUBBER COMPOUNDING FOR, 46 442
- POLYESTER FIBERS**  
FOR RUBBER REINFORCEMENT, 49 379  
IN V-BELT COMPOUNDS, 49 1364
- POLYESTER RUBBERS**  
INJECTION MOLDING OF POWDERS, 45 1693  
MELT PROPERTIES AND PROCESSING, 45 1693  
RESISTANCE TO SOLVENTS, 45 1693
- POLYETHER, 46 73**  
CHLORINATED, 42 769  
HYDROLYTIC RESISTANCE OF, 44 52  
URETHANE BASED ON, 44 52
- POLYETHER TEREPHTHALATE COPOLYMERS**  
PROPERTIES, 50 688  
SYNTHESIS, 50 688
- POLYETHER URETHANE**  
BLOCK POLYMERS, 47 19
- POLYETHERESTER BLOCK COPOLYMERS**  
PROPERTIES, 50 688  
SYNTHESIS, 50 688
- POLYETHER-POLYESTER ELASTOMERS**  
MORPHOLOGY, 50 1  
PROPERTIES OF, 50 1
- POLY(ETHYL ACRYLATE), see ALSO POLYACRYLATE**  
CROSSLINKED WITH ETHYLENE GLYCOL DIMETHACRYLATE, 48 819, 830, 845  
CHAIN CROSS SECTION AND MOONEY-RIVLIN CONSTANTS, 50 796  
COPOLYMER WITH PIVALOLACTONE, 50 127  
ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
IN BLENDS, 47 57  
RECOVERY SHEAR MODULUS AND DIE SWELL, 45 1688  
REINFORCEMENT BY GLASS SPHERES, 48 819, 830, 845  
SWELLING IN CHLOROBENZENE, 48 845  
TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593
- POLYETHYLENE**  
ADHESION, 42 30  
ADHESION, 46 549  
AMORPHOUS, 41 1182  
AND TITANIUM COUPLING AGENTS, 49 1351  
ANISOTROPY, 43 836  
ARRHENIUS PLOTS FOR CROSSLINKING, 46 1007  
BLENDS WITH BUTYL RUBBER, 49 978  
BLENDS WITH EPDM AND POLYPROPYLENE, 50 24  
BLENDS WITH EPM, 45 709  
CARBON-13 NMR OF, 47 1136  
CHAIN CROSS SECTION AND MOONEY-RIVLIN CONSTANTS, 50 796  
CHEMICAL STRESS RELAXATION OF, 44 579  
COAGENT VULCANIZATION, 43 613  
COCURING WITH DIENE RUBBERS, 47 88  
CONTACT ANGLES OF, 46 549  
CONTINUOUS EMULSION POLYMERIZATION, 50 601  
CRITICAL SURFACE TENSION OF SPREADING, 42 30  
CROSSLINKED, 41 1182  
CROSSLINKED BY PEROXIDE AND BIS-ACRYLATE ESTERS, 43 613  
CRYSTAL MORPHOLOGY, 50 863
- CRYSTALLINITY IN, 46 7  
CRYSTALLIZATION, 42 769  
CURE RATE WITH DICUMYL PEROXIDE, 46 1007  
DIFFERENTIAL THERMAL ANALYSIS, 42 110  
ELECTRON MICROSCOPY, 50 24  
ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
ENERGETIC CONTRIBUTION TO ELASTICITY, 45 638  
ENTANGLEMENTS IN, 41 1  
EQUATION-OF-STATE PARAMETERS FOR, 46 331  
EXTRUSION, 42 780  
FLAME RETARDATION, 50 523  
FLOW AND EXTRUSION, 42 675, 682, 823  
FRACTIONATION, 45 667  
FUNCTIONALLY TERMINATED, 42 71  
GAS CHROMATOGRAPHY ON STATIONARY PHASE OF, 46 7  
GRAFT POLYMERS, 46 1044  
INTERACTION PARAMETERS WITH N-ALKANES, 45 1638  
INTRINSIC VISCOSITY-MOLECULAR WEIGHT RELATION, 45 709  
MOLECULAR WEIGHT DISTRIBUTION, 45 667  
MORPHOLOGY OF, 42 769  
ORIENTATION BIREFRINGENCE, 42 509  
PAINTING AND PIGMENTING OF, 47 454  
POLYMER-SOLVENT INTERACTION PARAMETERS, 50 451  
PROCESSING AID IN FLUOROELASTOMERS, 46 619  
PROMOTION OF PEROXIDE CURE, 48 878  
PROMOTION OF RADIATION CURE, 48 878  
P-V-T DATA, 49 200  
PYROLYSIS, 50 523  
RADIATION CURED, 44 579  
RATES OF CRYSTALLIZATION IN, 46 14  
RECOVERY SHEAR MODULUS AND DIE SWELL, 45 1688  
SEQUENCE MINIMUM LENGTH FOR CRYSTALLINITY IN COPOLYMERS WITH ALPHA-OLEFINS, 46 30  
STIFFNESS OF MOLECULAR CHAINS OF, 43 836  
STRESS OPTICAL COEFFICIENT, 47 625  
STRESS-TEMPERATURE COEFFICIENT, 48 513  
TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
THERMAL ANALYSIS OF, 45 369  
THERMAL CONDUCTIVITY, 50 480  
THERMAL DIFFUSIVITY, 50 480  
THERMOELASTICITY, EFFECT OF DILUTION, 48 513  
VISCOELASTICITY OF, 45 638  
VISCOSITY AND MOLECULAR WEIGHT, 42 462
- POLY(ETHYLENE CO PROPYLENE CO BUTENE)**  
CROSSLINKING BY IONIZING RADIATION, 46 30  
CRYSTALLINITY OF, 46 30  
MECHANICAL PROPERTIES, 46 30  
POLYMERIZATION OF, 46 30
- POLY(ETHYLENE CO VINYL ACETATE)**  
IN FIBER-RUBBER COMPOSITE, 47 408  
VULCANIZABLE, 47 477
- POLY(ETHYLENE CO-1-BUTENE)**  
INFRARED ABSORBANCE, 46 30
- POLY(ETHYLENE OXIDE)**  
ACTIVATION ENERGY OF SEGMENTAL MOTION, 47 1127  
DIFFUSION COEFFICIENT OF, 47 1127  
NEUTRON SCATTER OF, 47 1127  
POLYMER-SOLVENT INTERACTION PARAMETERS



- FOR BENZENE, 50 451  
TEMPERATURE DEPENDENCE, 47 1127
- POLY(ETHYLENE OXIDE) GLYCOL**  
IN POLYETHERESTER COPOLYMERS, 50 688
- POLY(ETHYLENE TEREPHTHALATE),**  
ADHESION, 42 30  
ADHESION TO RUBBER, 42 159  
CRYSTALLIZATION OF, 50 863  
IN TIRE CORDS, 47 1053  
MANUFACTURE, 42 159  
PEROXY RADICALS IN, 48 445  
PHYSICAL PROPERTIES, 42 159, 1000  
TIRE CORD, 42 159  
TIRE CORD, 44 849
- POLYFLUOROTRIAZINES, 42 963**
- POLY(2,4-HEXADIENE)**  
CHAIN-END STRUCTURE, 48 359
- POLY(1-HYDROPENTAFLUOROPROPYLENE CO VINYLIDENE FLUORIDE)**  
PREPARATION, 46 619
- POLY(2-HYDROXYPROPYL ACRYLATE)**  
ENERGETIC CONTRIBUTION TO ELASTIC FORCES, 46 593  
TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593
- POLY(ISOBUTYL ACRYLATE)**  
ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593
- POLY(ISOBUTYL METHACRYLATE)**  
ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593
- POLYISOBUTYLENE, see ALSO BUTYL RUBBER**  
ACTIVATION ENERGY OF SEGMENTAL MOTION, 47 1127  
ADHESION, 42 30  
AND BOUND RUBBER, 42 858  
AND THEORY OF RUBBER ELASTICITY, 48 513  
ANISOTROPY AND CHAIN STIFFNESS, 43 836  
BACKBONE STIFFNESS, 42 1075  
BLENDS WITH NATURAL RUBBER AND SBR, 46 653  
CONCENTRATED SOLUTION BEHAVIOR, 48 513  
DENSITY CHANGE WITH TEMPERATURE, EQUATION FOR, 42 1409  
DIFFUSION COEFFICIENT OF, 47 1127  
ELASTICITY OF UNCROSSLINKED, 48 995  
ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
ENTANGLEMENTS IN, 41 1  
EQUATION OF STATE, 42 1409  
FLAME RETARDATION, 50 523  
FUNCTIONALLY TERMINATED, 42 71  
GAS-LIQUID CHROMATOGRAPHY, 48 108, 119  
INTERACTION WITH CARBON BLACK, 48 410  
INTERACTION WITH HYDROCARBONS, 48 108, 119  
NETWORKS, STRESS-STRAIN, ISOTHERM, 49 85  
NEUTRON SCATTER OF, 47 1127  
POLYMER-SOLVENT INTERACTION PARAMETERS, 50 451  
P-V-T DATA, 49 200  
PYROLYSIS, 50 523  
RELAXATION OF, 44 1057  
RELAXATION--MECHANICAL, DIELECTRIC, AND NMR, 47 1127  
SHEAR DEGRADATION OF, 50 723
- SOLUTIONS, FREEZING OF, 41 1286  
SPECIFIC HEAT OF, 41 564  
STRAIN-INDUCED CRYSTALLIZATION, 49 85  
STRESS RELAXATION OF UNCROSSLINKED, 48 995  
STRESS-TEMPERATURE COEFFICIENT, 48 513  
TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
THERMAL ANALYSIS, 48 661  
THERMAL EXPANSION COEFFICIENT, 42 1409  
THERMAL PRESSURE COEFFICIENT, 42 1409  
THERMODYNAMICS OF MIXING, 42 1397  
UNSATURATION IN, 41 400  
WITH DIENE FUNCTIONALITY, 49 390
- POLYISOBUTYLENE DIFUNCTIONAL, 43 1154**  
CARBOXY TERMINATED, 43 1154  
CATALYSTS FOR, 43 1154  
MOLECULAR WEIGHT-REFRACTIVE INDEX RELATIONSHIP, 43 1516  
POLYMERIZATION BY MOLECULAR SIEVES, 43 1517  
PROPERTIES OF VULCANIZATES FROM BIS-AZIDODIFORMATES, 43 605  
REACTION ORDER WITH ISOCYANATES, 43 1154  
REACTION SELECTIVITY, 43 1154  
REACTION WITH PROPYLENE OXIDE, 43 1154  
REACTIONS OF ISOCYANATES, 43 1154  
SHEAR BREAKDOWN OF CARBON BLACK IN, 43 947  
VACUUM BULK, 43 1154  
VULCANIZATE, EFFECT OF MOLECULAR WEIGHT, 43 1154  
VULCANIZATE, PHYSICAL PROPERTIES, 43 1154
- POLYISOCYANATE**  
CURE OF POLYCHLOROPRENE WITH, 42 394
- POLYISOPRENE, see ALSO NATURAL RUBBER**  
ABSTRACTS OF INTERNATIONAL SYMPOSIUM ON, 46 555  
ACCELERATED OXIDATION OF, 41 271, 289, 296, 300  
ADHESION OF, 47 161, 171, 511  
AGGREGATE STRUCTURE IN GEL OF, 46 1256  
AGING, 47 1094  
ALFIN, 43 333  
ANALYSIS BY GAS CHROMATOGRAPHY, 42 1350  
ANALYSIS BY GAS CHROMATOGRAPHY, 46 1326  
ANALYSIS OF VULCANIZATES OF, 44 1278  
BACKBONE STIFFNESS, 42 1075  
BIREFRINGENCE, 47 1234  
BLACK-FILLED, BOUND RUBBER, 49 1182  
BLACK-FILLED, NMR STUDY, 49 1182  
BONDING OF VULCANIZATES OF, 46 580  
BREAKDOWN OF, 46 47, 1234  
CARBON-13 NMR OF, 46 359, 1126  
CARBON-BLACK-FILLED, BULK AND YOUNG'S MODULUS, 48 246  
CARBON-BLACK-FILLED, DYNAMIC MECHANICAL PROPERTIES, 48 79  
CHAIN REVERSAL OF STRUCTURES, 45 1295  
CHAIN SCISSION DURING OXIDATION, 50 373  
CHAIN SCISSION, RATE, 50 43  
CHAIN-END STRUCTURE, 48 359  
CHARACTERIZATION BY C-13 NMR, 48 705  
CHEMICAL MODIFICATION OF TO IMPROVE GREEN STRENGTH, 46 578  
CHICLE AND GUTTA-PERCHA, 49 1259  
CIS AND TRANS, OXIDATION OF, 50 704  
CIS-1,4 CONTENT, 47 342  
CIS-1,4 CONTENT, 48 359

- CIS-TRANS ISOMERIZATION BY UV, 40 1259  
 COHENSION OF, 46 1234  
 COLLECTION AND ANALYSIS OF VOLATILES DURING CROSSLINKING, 49 1142  
 COMPARISON WITH NATURAL RUBBER, 44 1432  
 COMPARISON WITH NATURAL RUBBER, 46 47, 555, 556, 557, 578, 579  
 COMPATIBILITY, 46 1210  
 COMPOSITIONAL AND STRUCTURAL ANALYSIS BY INFRARED, 45 546  
 CONFIGURATIONAL STATISTICS, 45 1082  
 CONJUGATED POLYENES IN, 47 1094  
 CONJUGATION AND ULTRAVIOLET SPECTRA, 45 481  
 CRITICAL SURFACE TENSION OF SPREADING, 42 30  
 CROSSLINK DENSITY VARIATION WITH CURVATIVE DISPERSION, 46 511  
 CROSSLINKED WITH DITHIOL-S-TRIAZINES, 50 660  
 CRYSTALLIZATION, 44 1, 12, 29  
 CRYSTALLIZATION, 45 1303  
 CRYSTALLIZATION, 46 22, 559  
 CRYSTALLIZATION, 47 511, 1234  
 CRYSTALLIZATION ON BIAxIAL EXTENSION, 48 1093  
 CURE CHARACTERISTICS, 47 475  
 DEGRADATION OF VULCANIZATES, 50 43  
 DETERMINATION IN VULCANIZATES, 48 97  
 DETERMINATION OF UNVULCANIZED POLYMER IN VULCANIZATES, 45 1164  
 DIFFUSION OF SULFUR IN, 44 1307  
 DISPERSIONS OF, 46 566, 580  
 DYNAMIC ADHESION, 47 161, 171  
 DYNAMIC PROPERTIES, 46 561, 1330  
 ECONOMIC PROSPECTS OF, 46 583  
 EFFECT OF CARBON BLACK ON GREEN STRENGTH, 46 1234  
 EFFECT OF CATALYST RESIDUES IN CRYSTALLIZATION OF, 46 559  
 EFFECT OF CROSSLINKS ON RATE OF CRYSTALLIZATION, 46 1331  
 EFFECT OF CURVATIVE DISPERSION ON PROPERTIES, 46 511  
 EFFECT OF GEL ON GREEN STRENGTH, 46 1234  
 EFFECT OF MOLECULAR STRUCTURE ON CRYSTALLIZATION, 44 12  
 EFFECT OF OIL ON COMPOUNDS OF, 43 1522  
 EFFECT OF POLAR GROUPS ON GREEN STRENGTH, 46 1234  
 EFFECT OF TEMPERATURE ON CRYSTALLIZATION, 44 12  
 EFFECTS OF OIL ON ADHESION, 47 161  
 ELASTICITY OF UNCROSSLINKED, 48 995  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 ENTANGLEMENT OF MOLECULES OF, 47 1  
 ESR STUDY OF, 45 918  
 FILLED WITH GLASS BEADS, SILICA, NaCl, 48 445  
 FILMS OF, 46 566  
 FLAME RETARDATION, 50 523  
 FLAMMABILITY, 46 1114  
 FLOW OF, 46 1188  
 FRICTION OF, 44 1147  
 FUNCTIONALLY TERMINATED, 42 71  
 GEL CONTENT OF, 46 1256  
 GEL PARTICLES, 47 342  
 GLASS TRANSITION TEMPERATURE, 46 1210  
 GLASS TRANSITION TEMPERATURE, 50 922  
 GRAFT WITH POLYSTYRENE, 46 1044, 1087  
 GRAFTED TO CARBON BLACK, 48 410  
 GREEN STRENGTH OF, 46 571, 574, 1234  
 HARMFUL SOLAR RADIATIONS FOR, 45 481  
 HAZARD CONTROL IN MANUFACTURE, 44 512  
 HEAD-HEAD AND TAIL-TAIL STRUCTURES, 45 1295  
 HEAT OF IMMERSION OF CARBON BLACKS IN, 45 117  
 HIGH GREEN STRENGTH COMPOUND, 46 557  
 HIGH PURITY, 46 557  
 HIGH-CIS, SYNTHESIS OF, 48 736  
 HIGH-TEMPERATURE VULCANIZATION, 46 566  
 HYDROFORMYLATION OF, 46 47  
 HYDROGENATED, AS MODEL OF EPDM, 44 1093  
 HYDROXY-TERMINATED, 48 1104  
 IDENTIFICATION, 41 638  
 IDENTIFICATION BY C-14 DATING, 50 819  
 IDENTIFICATION OF BY THERMAL ANALYSIS, 50 71  
 IN BLENDS, 47 481  
 IN BLENDS WITH EPDM, 49 341  
 IN DIPPED GOODS, 46 580  
 IN FOAM RUBBER, 46 580  
 IN OIL-EXTENDED CARBON-BLACK MASTER-BATCHES, 46 574  
 IN RUBBER PRODUCTS, 46 583  
 IN RUBBER THREAD, 46 580  
 IN TIRES, 46 577, 578  
 INFRARED SPECTRA OF, 46 47  
 INJECTION MOLDING OF, 42 961  
 INJECTION MOLDING OF, 46 578  
 INTRINSIC VISCOSITY OF SOL FRACTION, 47 1, 342  
 INTRINSIC VISCOSITY-MOLECULAR WEIGHT FUNCTION, 46 1256  
 KARRER PLASTICITY, 47 342  
 KINETICS OF SULFUR VULCANIZATION IN, 43 588  
 MECHANICAL BREAKDOWN OF, 46 570  
 MECHANICAL DEGRADATION, 47 342  
 MECHANICAL DEGRADATION, EFFECT ON RHEOLOGY OF, 42 1294  
 MECHANISM OF OXIDATION, 50 373  
 METALATION OF, 46 1044  
 MICROSTRUCTURE, 46 359, 556  
 MICROSTRUCTURE, 47 1234  
 MICROSTRUCTURE, 49 1269, 303  
 MODIFIED IN TIRE COMPOUNDS, 46 573  
 MODULUS-TIME CURVES, 47 1  
 MOLECULAR ENTANGLEMENT, 47 1  
 MOLECULAR WEIGHT BETWEEN CROSSLINKS, 47 1, 342  
 MOLECULAR WEIGHT BETWEEN ENTANGLEMENTS, 47 1  
 MOLECULAR WEIGHT DISTRIBUTION, 41 700  
 MOLECULAR WEIGHT DISTRIBUTION, 45 346  
 MOLECULAR WEIGHT DISTRIBUTION, 47 342  
 MOLECULAR WEIGHT OF SOL AND GEL FRACTION, 47 342  
 MOONEY VISCOSITY, AS FUNCTION OF GEL CONTENT, 47 342, 511  
 NARROW MW DISTRIBUTION, 48 359  
 NETWORK THEORY, 47 1116  
 NMR OF, 48 953, 1110  
 NMR OF OLIGOMER, 48 359  
 NUCLEAR MAGNETIC RESONANCE, 46 359, 1126  
 OLIGOMERS OF, 45 1597  
 OVEN AGING OF MIXTURE WITH PHENOLIC ANTIOXIDANTS, 45 402  
 OXIDATION OF, 47 1094  
 OXIDATION OF, 46 953

- OXIDATION OF, ANTIOXIDANTS IN, 45 359  
 OXIDATION, PHOTSENSITIZED, 50 704  
 OXIDATION PRODUCTS OF, 50 373  
 OXYGEN ADSORPTION OF VULCANIZATES, 45 467  
 OZONOLYSIS MEASURE OF STRUCTURE, 45 1295  
 PHYSICAL CONSTANTS OF, 49 189  
 PLASTICATION RATE OF, 46 47  
 POLYMER NETWORKS, 49 303  
 POLYMERIZATION CATALYSTS, 46 555  
 POLYMER-SOLVENT INTERACTION PARAMETERS, 50 451  
 PROCESSABILITY, 47 342  
 PROCESSING, 42 714  
 PROXYGEN EFFECT, 47 1094  
 PROPERTIES, DEPENDENCE ON MICROSTRUCTURE, 46 581  
 PROPERTIES FROM 4 TO 250 DEGREES K, 45 1033  
 PYROLYSIS, 50 523  
 PYROLYSIS GAS CHROMATOGRAPHY, 41 411  
 PYROLYSIS OF AIRBORNE DUSTS, 46 232  
 RADIO THERMOLUMINESCENCE, 46 1210  
 RAMAN SPECTRA OF, 43 313  
 REACTION WITH SINGLET OXYGEN, 47 991  
 RELAXATION OF, 47 1  
 REPLACEMENT OF NATURAL RUBBER IN TRUCK TIRES BY, 46 577  
 RHEOLOGY OF, 42 257, 1294  
 RIGID-LATTICE HYDROGEN ATOMS IN, 46 22  
 SEDIMENTATION DIAGRAMS, 47 342  
 SEQUENCE STRUCTURE, 49 1259, 1269  
 SHEAR MODULUS, 47 1  
 SOVIET DEVELOPMENT IN PRODUCTION OF, 46 555  
 STABILIZATION OF, 46 569  
 STEREOSPECIFIC, SYNTHESIS OF, 48 736  
 STOCKMAYER-FIXMAN EQUATIONS FOR, 46 1256  
 STRESS BIREFRINGENCE, 47 1234  
 STRESS RELAXATION DURING CURING, 45 1630  
 STRESS RELAXATION OF UNCROSSLINKED, 48 995  
 STRESS-BIREFRINGENCE OF SWOLLEN NETWORKS, 43 829  
 STRESS-OPTICAL COEFFICIENT, 46 653  
 STRESS-OPTICAL COEFFICIENT, 47 625, 1234  
 STRESS-STRAIN, 47 342, 1234  
 STRUCTURE OF, 46 555  
 SULFUR CROSSLINKING OF, 46 1331  
 SUPERMOLECULAR STRUCTURE, 47 1, 342  
 SWELLING INDEX OF GEL, 46 1256  
 SWELLING INDEX OF GEL FRACTION, 47 342  
 TACK OF, 47 511  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
 TENSILE PROPERTIES, 46 511, 558  
 TERPOLYMER WITH STYRENE-ACRYLONITRILE, METHYL STYRENE-ACRYLONITRILE, TEST FOR DYNAMIC ADHESION, 47 171  
 THERMAL ANALYSIS OF, 45 329  
 THERMAL ANALYSIS OF, 48 661  
 THERMAL DEGRADATIONAL MEASURE OF STRUCTURE, 45 1295  
 THERMOELASTICITY OF, 41 1148  
 TRANS, RATE OF CRYSTALLIZATION, 46 1331  
 UNIFORM NETWORKS, SYNTHESIS AND PROPERTIES, 48 1104  
 USE IN DRUG SOLUTION RESERVOIR, 50 969  
 VAPOR PHASE CHROMATOGRAPHY, 41 418  
 VIA BUTYL LITHIUM INITIATION, 48 1070  
 VIBRATIONAL AND ROTATIONAL ISOMERISM, 42 1383  
 VISCOSITY AND MOLECULAR WEIGHT, VOLATILE OXIDATION PRODUCTS, 47 1094  
 VULCANIZATION BY BIS-AZIDODIFORMATES, 43 605  
 VULCANIZATION OF FILMS OF, 46 566  
 WITH BOUND ANTIOXIDANT, 50 641, 650  
**POLY(ISOPRENE CO ACRYLONITRILE)**  
 GLASS TRANSITION TEMPERATURE, 46 1087  
**POLY(ISOPROPYL ACRYLATE)**  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
**POLYMER INTERFACES**  
 CRYSTALLIZATION BY ELONGATION, 49 210  
 IN BLOCK COPOLYMERS, 49 237  
 OF POLYISOPRENE, 49 303  
**POLYMER LAYERS**  
 THIN, STRUCTURE AND RELAXATION, 49 1311  
**POLYMER SOLUTIONS**  
 AND POLYMER-SOLVENT INTERACTION PARAMETER, 50 451  
 BUECHE THEORY FOR DILUTE, 45 638  
 EFFECT OF BRANCHING, 45 519  
 MOLECULAR THEORY OF DILUTE, 45 638  
 ROUSE-ZIMM THEORY FOR DILUTE, 45 638  
 THEORY, 50 451  
 THERMODYNAMICS, 50 451  
**POLYMER-FILLER INTERACTION**  
 FOR POLYACRYLATE-GLASS, 48 819, 830, 845  
 IN SILICA-FILLED VULCANIZATES, 48 795  
**POLYMERIC FILLERS**  
 AS MODELS FOR REINFORCEMENT OF ELASTOMERS, 41 773  
**POLYMERIZABLE ANTIOXIDANTS**  
 IN EMULSION RUBBERS, 46 108  
 PREPARATION AND ACTIVITY OF, 46 96  
**POLYMERIZATION**  
 ALKYL LITHIUM, 43 22  
 AND CATALYST AND BUTADIENE POLYMERIZATION RATE, 45 268  
 AND CATALYST RATIO AND POLYBUTADIENE, VISCOSITY, 45 268  
 ANIONIC, 45 1140  
 ANIONIC, OF BLOCK POLYMERS, 41 161  
 CATALYST FOR PRODUCING CIS-POLYBUTADIENE, 45 268  
 CONTROLLED BY COMPUTER, 43 1523  
 EFFECT OF MIXING ON MOLECULAR AND COPOLYMER COMPOSITIONAL DISTRIBUTIONS DURING, 43 906  
 EFFECT OF SOLVENTS ON BUTADIENE, 45 268  
 EFFECT OF TEMPERATURE ON BUTADIENE, 45 268  
 EFFECT OF TEMPERATURE ON COPOLYMER COMPOSITIONAL DISTRIBUTION, 43 9 21  
 EMULSION, 43 74, 1451  
 MOLECULAR WEIGHT MODIFICATION OF, 43 1116  
 MULTICOMPONENT, CONVERSION WITH TIME, 43 897  
 OF BUTYL METHACRYLATE, 43 74  
 OF CYCLOOLEFINS, 44 1341  
 OF CYCLOPENTENE, 43 1116  
 OF ISOBUTYLENE BY MOLECULAR SIEVES, 43 1517  
 OF PENTADIENES, 43 771  
 OF POLYSTYRENE IN PRESENCE OF CARBON BLACK, 41 382  
 OF UNSATURATED DICYCLIC COMPOUNDS, 41 759

- POLYSULFIDE ELASTOMERS, 41 114  
 REACTION MECHANISM, 45 268  
 RING OPENING, 43 1116  
 RING OPENING, 44 1341  
 RING-OPENING, 47 511  
 SOLUTION SBR, 45 1142, 1252  
 STUDIES, APPLICATION OF COMPUTERS, 41 86  
 STUDIES OF, BY ATTENUATED TOTAL REFLECTION, 43 860  
**POLYMERIZATION, ANIONIC**, *see* ALSO ANIONIC POLYMERIZATION  
**POLYMERIZATION CATALYSTS**  
 ALANES AS, 48 736  
 STEREOSPECIFIC, 48 736  
**POLYMERS**  
 AMORPHOUS, DENSITY OF, 49 207  
 FROM TETRAMETHYLENE OXIDE AND TEREPHTHALATE, 49 1357  
 GEL PERMEATION CHROMATOGRAPHY, 49 1290  
 HEATS OF COMBUSTION, 49 158  
 HETEROGENEOUS BLENDS, 49 392  
 HOMOGENEITY OF, 49 179  
 PARTICULATE, PROCESSING OF, 49 1350  
 RADIO THERMOLUMINESCENCE, 49 179  
 RANDOM BRANCHING IN, 49 1276  
 REACTION WITH DINITROSOMETHYLANILINE, 49 1019  
 THIN LAYERS ON SURFACES, 49 1311  
**POLYMER-SOLVENT INTERACTION PARAMETER**  
 DERIVATION FROM MEASURED PROPERTIES, 50 451  
 HARD CORE VALUES OF, 45 1655, 1665  
 LISTING, 50 451  
 OF EPM, 45 709  
 OF NATURAL RUBBER, 45 1665  
 OF POLYBUTADIENES, 47 303  
 OF POLY(DIMETHYLSILOXANE), 45 1655  
 OF POLYETHYLENE, 45 1638  
 REVIEW, 50 451  
 THEORY, 50 451  
 VARIATION WITH TEMPERATURE, 45 1655  
**POLYMER-SOLVENT INTERACTIONS**  
 IN CONCENTRATED SOLUTION, 48 106, 119  
**POLY(METHYL ACRYLATE)**  
 EMULSION POLYMERIZED, PARTICLE SIZE DISTRIBUTION, 50 601  
**POLY(METHYL METHACRYLATE)**  
 AND RUBBER ELASTICITY THEORY, 48 495  
 AUTOMOTIVE APPLICATIONS, 49 775  
 BIREFRINGENCE, 41 533  
 COMPATIBILITY, 42 447  
 CONTINUOUS EMULSION POLYMERIZATION, 50 601  
 DENSITY AT HIGH PRESSURE, 49 207  
 DEUTERATED, NEUTRON SCATTERING, 48 513  
 EMULSION POLYMERIZED, PARTICLE SIZE DISTRIBUTION, 50 601  
 FLOW AND RHEOLOGY, 42 682  
 GAS CHROMATOGRAPHIC STUDIES AS STATIONARY PHASE, 46 1  
 GLASS TRANSITION TEMPERATURE OF, 48 1  
 HIGH-RESOLUTION NMR, 41 47  
 MOLECULAR MOTION BY ESR, 48 1078  
 NARROW MW DISTRIBUTION, 48 359  
 POLYMER-SOLVENT INTERACTION PARAMETERS, 50 451  
 THERMAL CONDUCTIVITY, 50 480  
 THIN LAYERS ON SURFACES, 49 1311  
**POLY-2-METHYLBUTENAMER**  
 CIS, 43 1116  
 FIRST AND SECOND ORDER TRANSITION TEMPERATURES, 43 1116  
 TRANS, 43 1116  
**POLY(METHYLPENTADIENE)**  
 CHARACTERIZATION BY INFRARED AND NMR SPECTROSCOPY, 45 546  
**POLY(METHYLPHENYLSILOXANE)**  
 ACTIVATION ENERGY OF SEGMENTAL MOTION, 47 1127  
 DIFFUSION COEFFICIENT, 47 1127  
 NEUTRON SCATTER OF, 47 1127  
**POLY(METHYL VINYLPHENYLSILOXANE)**  
 FLAMMABILITY, 48 1114  
**POLY(METHYL VINYL SILOXANE)**  
 FLAMMABILITY, 46 114  
**POLY(N-BUTYL ACRYLATE)**  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
**POLY(N-BUTYL ACRYLATE CO N-BUTYL METHACRYLATE)**  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
**POLY(N-PENETENE-1)**  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
**POLYOCTENAMER**  
 AGING, 47 511  
 CHAIN CONFORMATION, 47 511  
 CIS-CONTENT, 49 170  
 CRYSTALLIZATION, 47 511  
 CRYSTALLIZATION KINETICS, 49 170  
 FUSION ENTHALPY, 49 170  
 GLASS-TRANSITION TEMPERATURE, 47 511  
 INFRARED MOLAR ABSORPTIVITIES, 47 511  
 MELTING TEMPERATURE, 49 170  
 POLYMERIZATION, RING-OPENING, 47 511  
 PROCESSING, 47 511  
 THERMODYNAMIC PARAMETERS, 49 170  
 VULCANIZATION, 47 511  
**POLYOLEFINS**  
 CROSSLINKABLE, 44 1440  
**POLY(ORTHO-METHYLSTYRENE)**  
 DENSITY AT HIGH PRESSURE, 49 207  
**POLYOXYETHYLENE**  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 EQUATION-OF-STATE PARAMETERS FOR, 46 331  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
**POLY(PARA-TERT-BUTYLSTYRENE)**  
 NARROW MW DISTRIBUTION, 48 359  
**POLY-P-DINITROBENZENE**  
 HEALTH HAZARD OF, 44 512  
**POLYPENTADIENE**  
 CHAIN-END STRUCTURE, 48 359  
 PHYSICAL PROPERTIES OF VULCANIZATES, 43 771  
**POLY(1,3-PENTADIENE)**  
 STRUCTURE BY INFRARED AND NMR SPECTROSCOPY, 45 546  
**POLYPENTADIENE**  
 SYNTHESIS OF, 43 771  
 TRANS-1,4-, DYNAMIC PROPERTIES, 43 1491

- TRANS-1, 2-, DYNAMIC PROPERTIES, 43 771  
VULCANIZATION OF, 43 771
- POLYPENTENAMER**, 42 1235  
ADHESION TO FABRIC, 47 511  
AGING, 47 511  
C-13 NMR ANALYSIS OF, 46 705  
CHAIN CONFORMATION, 47 511  
CHAIN CROSS SECTION AND MOONEY-RIVLIN CONSTANTS, 50 798  
CIS-TRANS ISOMERIZATION OF, 43 1116  
COMPOUNDING, 47 511  
COPOLYMERS OF, 47 511  
CRYSTALLIZATION, 47 511  
DEGRADATION AND IR IDENTIFICATION, 46 289  
DIFFERENTIAL THERMAL ANALYSIS AS FUNCTION OF TRANS CONTENT, 43 1116  
DILUTE SOLUTION PROPERTIES OF, 46 781  
DYNAMIC PROPERTIES, 47 511  
ELECTRON MICROSCOPY, 46 1193  
FIRST AND SECOND ORDER TRANSITION TEMPERATURES, 43 1116  
FLEX CRACKING, 47 511  
GLASS TRANSITION TEMPERATURE, 47 511  
GREEN STRENGTH OF, 43 1116  
IN BLENDS, 47 64  
INFRARED SPECTRUM, 47 511  
ISOMER DETERMINATION BY NMR, 46 329  
MELTING POINT OF, 43 1116  
MICROSTRUCTURE AND POLYMERIZATION, 46 1239, 1324  
MIXING OF, 46 1193  
MOLECULAR WEIGHT DISTRIBUTION, 46 449  
MOLECULAR WEIGHT DISTRIBUTION, 47 511  
MOONEY VISCOSITY AND TEMPERATURE DEPENDENCE, 47 511  
MOONEY VISCOSITY AS FUNCTION OF TEMPERATURE, 43 1116  
OIL-EXTENDED VULCANIZATES, 47 511  
POLYMERIZATION, RING-OPENING, 47 511  
PROCESSING, 47 511  
PROPERTIES OF TREAD VULCANIZATE, 43 1116  
REVERSION OF VULCANIZATION, 47 511  
SOLUTION VISCOSITY OF, 43 1116  
TACK, 47 511  
TRANS, 43 1116  
TRANS CONTENT AS FUNCTION OF POLYMERIZATION CATALYST, 43 1116  
TREAD VULCANIZATES OF, 43 1116  
VULCANIZATE PROPERTIES, 47 511  
VULCANIZATION, 47 511
- POLY(PERFLUORO(METHYL VINYL ETHER) CO TETRAFLUOROETHYLENE)**  
PREPARATION, 46 619  
PROPERTIES, 46 619  
VULCANIZATION, 46 619
- POLY(PERFLUORONITROSOMETHANE CO TETRAFLUOROETHYLENE)**  
PREPARATION, 46 619  
PROPERTIES, 46 619  
VULCANIZATION, 46 619
- POLY(PERFLUOROPROPYLENE CO TETRAFLUOROETHYLENE CO VINYLIDENE FLUORIDE)**  
AS PLASTICIZER FOR FLUOROELASTOMERS, 46 619  
CURING AGENTS FOR, 46 619  
PREPARATION, 46 619
- POLY(PERFLUOROPROPYLENE CO VINYLIDENE FLUORIDE)**  
APPLICATIONS, 46 619  
CARBOXYL-TERMINATED, 46 619
- CURING AGENTS FOR, 46 619  
ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
PREPARATION, 46 619  
PROCESSING, 46 619  
PROPERTIES, 46 619  
REVIEW, 46 619  
TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
VULCANIZATE PROPERTIES, 46 619
- POLYPHOSPHAZINES**  
COMBUSTION BEHAVIOR, 50 523
- POLYPROPYLENE**  
BLENDS WITH ELASTOMERS, 49 978  
BLENDS WITH EPDM, 50 24  
CRYSTALLINITY IN, 46 7  
FLAME RETARDATION, 50 523  
GAS CHROMATOGRAPHY, AS STATIONARY PHASE, 46 7  
MECHANICAL PROPERTIES, 42 769  
MICROSCOPY, 50 24  
POLYMER-SOLVENT INTERACTION PARAMETER, 50 451  
PYROLYSIS, 50 523  
THERMAL CONDUCTIVITY, 50 480  
THERMAL DIFFUSIVITY, 50 480
- POLYPROPYLENE BLENDS WITH EPM**, 45 709  
ENERGETIC CONTRIBUTION TO ELASTICITY, 45 638  
FRACTIONATION, 45 667  
INTRINSIC VISCOSITY-MOLECULAR WEIGHT RELATION, 45 709  
MOLECULAR WEIGHT DISTRIBUTION BY GEL PERMEATION CHROMATOGRAPHY, 45 667  
THERMAL ANALYSIS OF, 45 369
- POLYPROPYLENE ETHER GLYCOL RUBBERS**, 44 923
- POLY(PROPYLENE OXIDE)**  
ACTIVATION ENERGY OF SEGMENTAL MOTION, 47 1127  
BLENDS WITH BR, 50 714  
CHAIN EXTENSION OF, 45 1554  
DEUTERATED, 47 1127  
DIANHYDRIDES FOR CHAIN EXTENSION, 45 1554  
DIFFUSION COEFFICIENT, 47 1127  
FLAMMABILITY, 46 1114  
IN POLYURETHANES, FLAMMABILITY, 50 523  
NEUTRON SCATTERING, 47 1127  
PYROLYSIS, 50 523  
RELAXATION-MECHANICAL, DIELECTRIC, NMR, 47 1127
- POLY(PROPYLENE OXIDE) GLYCOL**  
IN POLYETHERESTER COPOLYMERS, 50 688
- POLY(PROPYLENE SULFIDE)**  
ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
NARROW MW DISTRIBUTION, 46 359  
TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593
- POLY(S-BUTYL ACRYLATE)**  
ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593
- POLYSILOXANES**  
CHAIN BRANCHING IN, 45 519  
THERMODYNAMICS OF, 45 1655
- POLYSTYRENE**, 46 73  
ANISOTROPY, 43 836  
BIREFRINGENCE OF, 41 533

- BLENDS WITH ELASTOMERS, 49 978  
 BLENDS WITH NITRILE RUBBER, 49 978  
 BLENDS WITH POLYBUTADIENE, 49 978  
 BLENDS WITH POLY(VINYL METHYL ETHER), 48 218  
 BOUND, DETERMINATION OF, 43 1332  
 BRANCHED, 45 519  
 BULK POLYMERIZATION, 47 1310  
 BY BUTYLITHIUM INITIATION, 48 1070  
 CARBOXYL TERMINATED, AG SALT, 48 513  
 CHLOROMETHYL-SUBSTITUTED, 48 194  
 CLOUD POINT AND COEXISTENCE CURVES, 45 667  
 COMPATIBILITY, 42 447  
 COMPATIBILITY WITH POLY(VINYL METHYL ETHER), 48 218  
 CONTINUOUS EMULSION POLYMERIZATION, 50 601  
 CRACK VELOCITY IN, 45 1582  
 CRITICAL SURFACE TENSION OF SPREADING, 42 30  
 DEGRADATION BY PEROXIDE, 48 913  
 DENSITY AT HIGH PRESSURE, 49 207  
 DEUTERATED, NEUTRON SCATTERING, 48 513  
 DOMAINS IN SBS COPOLYMERS, 45 241  
 DYNAMIC MODULI, 48 981  
 EFFECT OF CROSSLINKED RUBBER ON IMPACT STRENGTH, 43 1129  
 EFFECT OF MOLECULAR WEIGHT ON IMPACT STRENGTH, 43 1129  
 EFFECT OF RUBBER CONTENT ON IMPACT STRENGTH, 43 1129  
 EFFECT ON GLASS TRANSITION TEMPERATURE OF SBR, 44 598  
 EFFECT ON LOSS AND STORAGE MODULI OF SBR, 44 598  
 ELASTOMER SOLUTIONS, 45 1138  
 EMULSION POLYMERIZED, PARTICLE SIZE, 50 601  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 ENTANGLEMENTS IN, 41 1  
 EQUATION-OF-STATE PARAMETERS FOR, 46 331  
 EQUILIBRIUM PHASE DIAGRAM, 47 1310  
 FLOW AND RHEOLOGY, 42 675  
 FRACTIONATION, 45 667  
 GAS CHROMATOGRAPHIC STUDIES, AS STATIO-NARY PHASE, 46 1  
 GEL PERMEATION CHROMATOGRAPHY, 42 636  
 GLASS TRANSITION, 42 520  
 GLASS TRANSITION TEMPERATURE, 46 1  
 GLASS TRANSITION TEMPERATURE, 49 224  
 GLASS TRANSITION TEMPERATURE, 50 922  
 GRAFTED TO CARBON BLACK, 48 410  
 HIGHEST MW, 48 359  
 HIGH-IMPACT AND ELECTRON MICROSCOPY, 42 641  
 IMPACT RESISTANCE, 43 1129  
 ISOCYANATE-SUBSTITUTED, 48 194  
 MODEL NETWORKS, 48 194  
 MOLECULAR MOTION BY ESR, 48 1078  
 MOLECULAR WEIGHT BY ELECTRON MICROSCOPY, 46 653  
 MOLECULAR WEIGHT DISTRIBUTION, 46 115, 449  
 MW DISTRIBUTION OF ANIONIC, 48 1070  
 NARROW MW DISTRIBUTION, 48 359  
 NATURAL RUBBER BLEND, 47 481  
 PHASES IN STYRENE-BUTADIENE BLOCK COPOLYMER, 45 1564  
 POLYBUTADIENE IN, 43 1129  
 POLYMER-SOLVENT INTERACTION PARAMETERS, 50 451  
 PROTON MAGNETIC RESONANCE OF ATACTIC, 43 1138  
 REINFORCEMENT BY POLYBUTADIENE, 45 1582  
 REINFORCEMENT OF SBR, 44 598  
 RUBBER PHASE VOLUME IN, 43 1129  
 STRESS RELAXATION AND DEGRADATION, 48 913  
 STRESS-TEMPERATURE COEFFICIENT, 48 513  
 STUDY OF POLYMERIZATION BY ATTENUATED TOTAL REFLECTANCE, 43 860  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 48 593  
 THERMAL ANALYSIS OF, 45 329  
 THERMAL CONDUCTIVITY, 50 480  
 THIN LAYERS ON SURFACES, 49 1311  
 ULTRACENTRIFUGE MEASUREMENTS, 45 667  
 VISCOELASTIC PROPERTIES, 45 1015  
 VISCOSITY AND MOLECULAR WEIGHT, 42 462  
 WITH BOUND ANTIOXIDANT, 50 641  
**POLYSULFIDE CROSSLINKS**  
 AGING AND DYNAMIC, 45 1051  
 AND BREAKING STRENGTH OF VULCANIZATES, 42 1412  
 AND CROSSLINK DENSITY, 45 1064  
 AND METHYL HALIDE CLEAVAGE, 42 1136  
 AND OXIDATIVE AGING, 42 924  
 EFFECT OF CARBON BLACK SURFACE ACIDITY ON, 45 129  
 IN EPDM, 48 889  
 ISOTOPE EXCHANGE WITH SULFUR, 42 1  
 PHENYLITHIUM CLEAVAGE OF, 42 1136  
**POLYSULFIDE ELASTOMERS**  
 CHEMISTRY AND TECHNOLOGY (REVIEW), 41 114  
 COMPOUNDING, 41 114  
 PROPERTIES, 41 114  
**POLYSULFIDES**  
 AS SCORCH INHIBITORS, 50 570  
**POLY(TERT-BUTYL ACRYLATE)**  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
**POLY(TERT-BUTYL CROTONATE)**  
 NARROW MW DISTRIBUTION, 48 359  
**POLY(TETRAFLUOROETHYLENE)**  
 AS REINFORCING FILLER FOR FLUOROELAS-TOMERS, 41 527  
 THERMAL ANALYSIS OF, 45 329  
**POLY(TETRAMETHYLENE ETHER) GLYCOL**  
 IN POLYETHERESTER COPOLYMERS, 50 688  
 IN POLYETHER-ESTER POLYMERS, 50 1  
**POLY(TETRAMETHYLENE OXIDE)**  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
**POLY(TETRAMETHYLENE OXIDE), 47 19**  
 SPIN-LABELED, 47 1180  
**POLY(THIO-BIS-BENZOTHAZOLE), 43 1188**  
**POLY(3,3,3-TRIFLUOROPROPYLENE)**  
 ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
**POLY(TRIFLUOROPROPYLENEMETHYL-SILOXANE)**  
 PREPARATION, 46 619  
 PROPERTIES, 46 619



- SOLVENT RESISTANCE, 46 619
- POLY(TRIFLUOROPROPYL)METHYL SILOXANE**, 44 1350
- POLY(TRIFLUOROPROPYL)METHYL- SILOXANE)**, *see* FLUOROSILICONE RUBBER
- POLYURETHANE**
- ABRASION OF, 43 1503
  - ALIPHATIC, 44 52
  - APPLICATIONS, 45 1467
  - AUTOMOTIVE APPLICATIONS, 49 775
  - BLENDS, 47 481
  - BLENDS WITH POLYBUTADIENE AND NITRILE RUBBERS, 45 1694
  - BLENDS WITH POWDERED SCRAP, 48 972
  - BLOCK POLYMERS, 47 19
  - CASTABLE, A MARKET SURVEY, 45 1694
  - CHAIN END AND PLASTICIZER DEVIATION FROM ELASTIC THEORY, 44 152
  - CHARACTERIZATION BY INFRARED SPECTROSCOPY, 45 546
  - CHEMISTRY, 48 70, 73
  - COPOLYMERS OF, 45 1442
  - CROSSLINK DENSITY IN, 41 432
  - CROSSLINK FUNCTIONALITY OF, 45 1597
  - CROSSLINKING OF, 50 934
  - CURE WITH COMPLEXES OF METHYLENE DIANILINE, 48 1102
  - CURING SYSTEMS FOR, 44 923
  - DECOMPOSITION PRODUCTS, IRRITATION BY, 48 343
  - DEGRADATION IN HUMAN BODY OF, 44 363
  - DEGRADED, 48 972
  - DENSITY, 45 1467
  - DEPENDENCE OF RETRACTIVE FORCE ON CHAIN ENDS, 44 152
  - DIFFERENTIAL THERMAL ANALYSIS, 47 1160
  - DIFFERENTIAL THERMAL ANALYSIS OF, 41 421
  - DYNAMIC MECHANICAL PROPERTIES OF FREE-RISE FOAMS, 45 1467
  - EFFECT OF CROSSLINK REGULARITY ON PROPERTIES OF, 45 1597
  - EFFECT OF FILLERS, 50 333
  - EFFECT OF TEMPERATURE ON PROPERTIES, 44 52
  - ELASTOMERIC, IN INDUSTRIAL PRODUCTS, 47 454, 472
  - ELECTRICAL PROPERTIES, 44 52
  - ELONGATION AT LOW TEMPERATURE, 49 1111
  - ENERGY ABSORBERS, 45 843
  - ENERGY PER STRAIN LOOP, 47 1213
  - FLAME RETARDATION, 50 523
  - FLEX REQUIREMENTS AND TESTING, 48 1101
  - FLEXIBLE AND RIGID, 45 1694
  - FLEXIBLE FOAM, PYROLYSIS, 48 343
  - FOAM, 48 73
  - FOAMS, 46 843
  - FOAMS, COMBUSTION, 50 523
  - FOAMS, FLAMMABILITY, AND SMOKE PROPERTIES, 45 1692
  - FOR AUTOMOBILE BUMPERS, 46 843
  - FOR COMPOSITE TIRE, 48 1093
  - FORCE-TEMPERATURE COEFFICIENT, 44 127
  - FROM PROPYLENE ETHER GLYCOLS, 44 923
  - GLASS TEMPERATURE OF, 49 65
  - HEALTH HAZARD IN MANUFACTURE OF, 44 512
  - HETEROCYCLIC RINGS AND, 45 1442
  - HYDROLYTIC STABILITY OF, 44 52
  - HYSTERESIS EFFECTS OF STRESS STRAIN, 47 1213
  - IMAGINARY SHEAR MODULUS, 45 1467
  - IMPROVED LOW-TEMPERATURE AND WATER RESISTANCES, 42 1502
  - IN FIBER-RUBBER COMPOSITES, 47 408
  - IN SHEAR AT GLASS TRANSITION TEMPERATURES, 42 557
  - INJECTION MOLDING OF, 48 1103
  - INTERPENETRATING NETWORK FROM, 44 609
  - INTERPENETRATING NETWORK WITH NITRILE RUBBER, 43 883
  - INTERPENETRATING POLYMER NETWORKS, 45 1442
  - LIGHTLY CROSSLINKED, MECHANICAL PROPERTIES, 50 934
  - LINEAR THERMAL EXPANSION COEFFICIENT, 44 127
  - LIQUID CASTING, 44 52
  - LOOSE CHAIN ENDS IN, 44 152
  - MECHANICAL LOSS, 45 1467
  - MICROCELLULAR, 45 1467, 1485
  - MOISTURE RESISTANCE IMPROVEMENT, 48 348
  - MOONEY-RIVLIN PLOTS, 44 127
  - NETWORK THEORY, 44 152
  - NETWORKS, 49 1206
  - OIL-EXTENDED, 48 346
  - PLASTICIZER-CHAIN END EQUIVALENCE, 44 152
  - POLYBUTADIENE BACKBONE IN, 44 152
  - POLYBUTADIENE PREPOLYMER FOR, 47 456
  - POLYELECTROLYTES, 45 1442
  - POLYESTER, FLAMMABILITY, 48 1114
  - POLYETHER BLOCK COPOLYMERS, 44 1447
  - POLYETHER, FLAMMABILITY, 48 1114
  - POLYETHER POLYGLYCOLS AND PRODUCTION OF, 45 1694
  - PRESSURE-SENSITIVE ADHESIVE, 47 463
  - PROCESSING, 44 52
  - PYROLYSIS AND FLAMMABILITY, 50 523
  - REACTION WITH NITROSODIPHENYLAMINES IN RUBBER-BOUND ANTIOXIDANTS, 45 204
  - REAL SHEAR MODULUS, 45 1476
  - REDUCTION OF STRESS DECAY BY CHAIN ENDS, 44 152
  - REINFORCEMENT, 50 333
  - ROOM TEMPERATURE CURE, 47 472
  - ROTATIONAL MOLDING, 47 1311
  - SCRAP, UTILIZATION OF, 48 972
  - SHEAR MODULUS, 47 1160
  - SMOKE FORMATION IN COMBUSTION, 50 523
  - SOLID PLASTICS, 45 1442
  - SPIN-LABELED, 47 1160
  - STRAIN AND INTERNAL ROTATION, 44 127
  - STRESS DECAY AND CROSSLINK DENSITY, 44 152
  - STRESS-STRAIN AND SPECIMEN GEOMETRY, 47 1213
  - TEAR STRENGTH OF, 49 65
  - TECHNOLOGICAL NEED, 45 1162
  - TENSILE AND TEAR STRENGTH, 44 52
  - TENSILE STRENGTH OF, 49 65
  - THERMAL PROPERTIES OF, 41 421
  - THERMAL STABILITY OF, 42 648
  - THERMODYNAMICS, 44 127
  - THERMOGRAVIMETRIC ANALYSIS OF, 41 421
  - THERMOPLASTIC, IN BUBBLE NUCLEATION STUDIES, 44 1363
  - THERMOPLASTIC, UV STABILIZATION, 48 1101
  - THERMOSETTING, UTILIZATION OF SCRAP, 48 972
  - THIN LAYERS ON SURFACES, 49 1311
  - TRIFUNCTIONAL CROSSLINKS IN, 44 152
  - VISCOSITY AND MOLECULAR WEIGHT, 42 462

**POLYURETHANE CURATIVES**

FROM 4,4'-DIAMINODIPHENYLMETHANE, 49 320

**POLY(VINYL ACETATE)**

BRANCHED, 45 519

CONTINUOUS EMULSION POLYMERIZATION, 50 601

EMULSION POLYMERIZED, PARTICLE SIZE DISTRIBUTION, 50 601

POLYMER-SOLVENT INTERACTION PARAMETERS, 50 451

P-V-T DATA, 49 200

SOLUTION CHARACTERISTICS OF, 45 519

**POLY(VINYL ALCOHOL)**

POLYMER-SOLVENT INTERACTION PARAMETERS, 50 451

**POLY(VINYL ALCOHOL) FIBERS**

FOR RUBBER REINFORCEMENT, 49 379

**POLY(VINYL CHLORIDE), 48 73**

AND TITANIUM COUPLING AGENTS, 49 1351

AUTOMOTIVE APPLICATIONS, 49 775

BLENDS WITH NITRILE RUBBER, 49 978

CRITICAL SURFACE TENSION OF SPREADING, 42 30

DENSITY AT HIGH PRESSURE, 49 207

EMULSION POLYMERIZED, PARTICLE SIZE DISTRIBUTION, 50 601

ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593

FLOW AND RHEOLOGY, 42 682

FOAMS, FLAMMABILITY, AND SMOKE PROPERTIES, 45 1692

GAS CHROMATOGRAPHIC STUDIES, AS STATIONARY PHASE, 46 1

GLASS TRANSITION, 43 95

IMPACT RESISTANT, 49 978

LATEX AS CORD DIP, 42 159

MOLECULAR WEIGHT DISTRIBUTION, 46 115

NATURAL RUBBER BLENDS, 47 481

NITRILE RUBBER MODIFIED, 41 769

POLYMER-SOLVENT INTERACTION PARAMETERS, 50 451

STRESS RELAXATION, 42 373

TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593

THERMAL ANALYSIS OF, 45 369

THERMAL CONDUCTIVITY, 50 480

VISCOELASTIC RESPONSE TO LARGE DEFORMATION, 42 373

**POLY(VINYL METHYL ETHER)**

COMPATIBILITY WITH POLYSTYRENE, 48 218

**POLY(VINYLCYCLOHEXANE)**

GRAFT ON POLYETHYLENE, 46 1044

**POLY(VINYLDIENE CHLORIDE)**

THERMAL ANALYSIS OF, 45 369

**POLY(VINYLDIENE FLUORIDE CO HEXAFLUOROPROPYLENE)**

THERMAL ANALYSIS OF, 45 329

**PORE SIZE OF CARBON BLACK SURFACE, 43 464****POROSITY**

OF CARBON BLACK, 44 1287

**POSTCURE INFLATION, 42 812****POTASSIUM CHLORIDE**

IN PYROLYSIS OF SCRAP TIRES, 49 1120

**POWDERED RUBBER**

BLENDING, 47 481

CONTINUOUS PROCESSING OF, 48 1098

ECONOMIC ANALYSIS OF USE OF, 46 1334

EFFECT OF MORPHOLOGY AND PARTICLE SIZE IN MILLING, 48 254

ENERGY ANALYSIS OF PROCESSING, 47 1312

EXTRUSION OF, 49 126

FROM SOLUTION SBR, 49 126

IN INTERNAL MIXERS, 48 462

INJECTION MOLDING OF, 45 1693

MANUFACTURE AND USE OF, 48 1099

MASTICATION EFFECT ON PHYSICAL PROPERTIES OF CARBON BLACK FILLED, 45 1689

NITRILE RUBBER, 46 589

PARTICLE SIZE OF, 49 126

POLYURETHANE SCRAP, USE OF, 40 972

PROCESSING EFFECTS, 49 126

PROCESSING OF, 50 441

SILICONE RUBBER, 48 337

STARX XANTHATE-ENCASED, 46 590

STARX-ENCASED, 47 1311

TECHNOLOGY, 46 589, 591

USE OF STARX XANTHIDE IN, 48 338

**POWDERING**

OF POLYURETHANE SCRAP, 48 972

**PRECURE SWELLING**

EFFECT ON NETWORK STRUCTURE, 44 1326

**PREDICTION OF HYSTERETIC STRESSES IN FRICTION, 44 758****PREDISPERSED PIGMENTS**

MIXING WITH PARTICULATE RUBBERS, 49 404

**PRESSURE**

EFFECT ON SHEAR RATE OF RUBBER, 42 1321, 1336

OF CONTACT IN TACK, 42 1040

THERMAL COEFFICIENT OF, FOR POLYISOBUTYLENE, 42 1409

**PRESSURE, VOLUME, TEMPERATURE (P-V-T) DATA,**

APPARATUS AND TEST METHOD, 49 200

OF VARIOUS POLYMERS, 49 200

**PREVULCANIZATION INHIBITORS, see ALSO SCORCH INHIBITORS AND RETARDERS, 46 79**

ACCELERATORS, 46 504

EFFECT OF ZINC COMPLEX, 46 504

MECHANISM OF, 46 504

REVIEW, 50 570

**PROBABILITY DENSITY FUNCTION, 47 1116****PROCESS CONTROL, 41 86**

IMPORTANCE OF PROCESSABILITY, 50 442

**PROCESS OILS**

AS EXTENDERS FOR NEOPRENE, 50 448

**PROCESSABILITY, 42 714****PROCESSABILITY, 46 1188, 1193, 1218**

AND COLD FLOW, 50 163

AND EXTRUSION, 50 163

AND GELLED PARTICLES, 41 1132

AND LAMINAR SHEAR FLOW, 50 163

AND MILL FLOW, 50 163

AND MOLECULAR WEIGHT DISTRIBUTION, 49 278

AND RELAXATION MODULUS, 50 163

AND RHEOLOGICAL BEHAVIOR, 43 163

AND RUPTURE ENERGY DEFORMATION, 49 52

AND ULTIMATE PROPERTIES, 49 52

BY DIE SWELL, 49 291

BY DYNAMIC STRESS RELAXOMETER, 49 247

BY MOONEY VISCOMETER, 49 291

EFFECT OF ELASTIC MEMORY, 43 1082

EFFECT OF GLASS TRANSITION TEMPERATURE, 43 1082

EFFECT OF VISCOELASTICITY, 43 1082

EFFECT OF VISCOSITY, AND MOLECULAR WEIGHT, 43 1082

IN PROCESS CONTROL, 50 442

MEASUREMENT OF, 50 163

OF BLENDS, 47 481

- OF CARBON-BLACK-FILLED RUBBER, EFFECT OF BOUND RUBBER ON, **48** 548
- OF ELASTOMERS, **49** 52
- OF FLUOROELASTOMERS, **46** 619
- OF LATEX, **43** 1255
- OF POLYBUTADIENE, **47** 1175
- OF POLYISOPRENE, **47** 350
- OF POLYOCTENAMER, **47** 511
- OF POLYPENTENAMER, **47** 511
- OF SBR, **49** 278
- TESTING OF ELASTOMERS, **50** 1003
- PROCESSING**, *see* ALSO MIXING
- APPLICATION OF SCIENCE TO, **50** 1002
- CONTINUOUS, OF POWDERED RUBBERS, **48** 1098
- EFFECT OF MATERIAL PROPERTIES ON, **50** 765
- EQUIPMENT, REVIEW, **50** 1001
- EQUIPMENT, USE OF, **50** 765
- OF ELASTOMERS, ENERGY REQUIRED, **50** 431
- OF FILLED RUBBER, **50** 765
- OF RUBBERS, REVIEW, **50** 1001
- PROFILES FOR NR AND SBR COMPOUNDS, **50** 1007
- RHEOLOGY OF (REVIEW), **41** 23
- THEORY, **41** 1354
- PRODUCTION PROBLEMS**
- MECHANICAL GOODS INDUSTRY, **50** 438
- PROMOTERS**, *see* ALSO COUPLING AGENTS
- EFFECT ON BOUND RUBBER, **48** 410
- FOR CARBON-BLACK-RUBBER INTERACTION, **48** 410
- FOR PEROXIDE CURING, **48** 878
- FOR RADIATION CURING, **48** 860, 878
- FOR SILICA-RUBBER INTERACTION, **48** 410
- IN REINFORCEMENT OF BUTYL RUBBER, **48** 410
- PROOXIDANTS**, **44** 1421
- PROOXIDATION REACTION OF RUBBER**, **45** 359
- PROPANAL**
- OXIDATION PRODUCT OF POLYISOPRENE, **47** 1094
- PROPANE**
- 2-AMINO-2-METHYL, IDENTIFICATION BY THIN LAYER CHROMATOGRAPHY, **47** 1206
- 1,1,1-TRIMETHYLOL, CROSSLINKING AGENT FOR POLYURETHANES, **47** 1160
- PROPANEDITHIOL**, 1,3-
- IN RADIATION CURING, **48** 860
- ZINC MERCAPTE OF, **48** 860
- PROPANESULFENIC ACID**
- 2-METHYL, INFRARED ABSORPTION BANDS, **47** 949
- PROPANE-2-THIOL**
- IN CROSSLINK CLEAVAGE, **43** 210
- REACTION OF POLYBUTADIENE AND NATURAL RUBBER VULCANIZATES WITH, **45** 182
- PROPANETRITHIOL**, 1,2,3-
- IN RADIATION CURE OF CIIR, **48** 860
- PROPIONALDEHYDE**, *see* PROPANAL
- PROPYLENE**
- COPOLYMER WITH TETRAFLUOROETHYLENE, **50** 403
- PROPYLENE BUTADIENE COPOLYMER**
- CHARACTERIZATION BY C-13 NMR, **48** 705
- PROPYLENE INVERSION**
- IN EPDM SEQUENCE DISTRIBUTION, **44** 771
- PROPYLENE OXIDE**
- REACTION WITH CARBOXY-TERMINATED POLYISOBUTYLENE, **43** 1154
- PROPYLENE-BUTADIENE RUBBER**
- ALTERNATING COPOLYMER, **45** 1532
- CATALYST FOR, **45** 1532
- MECHANISM OF ALTERNATING POLYMERIZATION, **45** 1532
- NMR SPECTRUM OF, **45** 1532
- VULCANIZATE AGING, **45** 1532
- VULCANIZATION RATE OF, **45** 1532
- PROTEIN**
- IN NATURAL RUBBER, **46** 47
- IN NATURAL RUBBER, STAINING WITH AGNO<sub>3</sub>, **50** 835
- PRUSSIAN BLUE**
- IN DETERMINATION OF CONJUGATED POLYENES, **47** 1094
- PYRENE**
- DIFFUSION COEFFICIENT IN RUBBER, **45** 278
- PYROLYSIS**
- AND GAS CHROMATOGRAPHY, FOR DETERMINATION OF BLEND CONSTITUENTS, **48** 97
- IN ANALYSIS OF TREAD RUBBERS, **42** 1350
- OF NATURAL RUBBER, POLYBUTADIENE, AND SBR, **42** 1350
- OF POLYCHLOROPRENE, **48** 132
- OF POLYISOPRENE, **41** 411
- OF POLYMERS, **50** 523
- OF POLYMERS AND IDENTIFICATION BY INFRARED SPECTROSCOPY, **45** 546
- OF SBR, **42** 1200
- OF SCRAP TIRES, **47** 597
- OF SCRAP TIRES, **50** 1006, 1007
- OF SCRAP TIRES IN MOLTEN SALTS, **49** 1120
- OF VULCANIZATES, **49** 1060
- OF VULCANIZATES FOR IR IDENTIFICATION, **48** 289
- PRODUCTS FROM POLYCHLOROPRENE, **50** 449
- PRODUCTS FROM POLYURETHANES, **50** 449
- RELATION TO COMBUSTION, **50** 523
- PYROLYSIS CHROMATOGRAMS**
- OF AIRBORNE DUSTS, **46** 232
- PYROLYSIS GAS CHROMATOGRAPHY**, **41** 411
- PYROMETERS**
- TIRE SURFACE TEMPERATURE MEASUREMENT BY, **44** 397
- PYRROLINE**, 3-
- IMIDAZOLINE DERIVATIVE, **47** 1160
- 2,2,5,5-TETRAMETHYL-1-OXYL, ESR SPECTRUM OF, **47** 1160
- QUALITY CONTROL**
- IN COMPOUNDING, BY THERMAL ANALYSIS, **48** 661
- QUANTIMET**
- FOR CARBON BLACK PARTICLE MEASURE, **44** 230
- QUANTUM TUNNELLING**, **43** 95
- QUANTUM YIELD OF CHAIN SCISSION**
- EFFECT OF LIGHT WAVELENGTH, **45** 481
- OF PEROXIDE-VULCANIZED NATURAL RUBBER, **45** 481
- QUINOID CURING**
- ETHYLENE-PROPYLENE RUBBERS AS FUNCTION OF TERMONOMER STRUCTURE, **43** 522
- QUINOLINE**
- ANTIOXICANTS, HEALTH HAZARD, **45** 627
- QUINONE-IMINE-N-OXIDES**
- IN RUBBER-BOUND ANTIOXIDANT FORMATION, **45** 204
- RADAR**
- USE OF IN SPEED TESTS, **50** 439
- RADIAL BLOCK COPOLYMERS**
- ADHESIVES APPLICATIONS, **49** 1352

- SYNTHESIS OF, 49 1305  
**RADIAL TIRES**, 41 1092  
 CORD COMPRESSION EFFECTS AND STRESS ANALYSIS, 49 1095  
 EFFECT OF CORD MODULUS ON TREAD WEAR, 49 400  
 HISTORY, 41 952  
 HYSTERETIC LOSS IN, 47 118, 383  
 LOAD DEFLECTION OF, 41 977  
**RADIATION**  
 CHAIN SCISSION OF FLUOROELASTOMERS, 47 282  
 CROSSLINK DENSITY AND DOSAGE, 47 282  
 CURING BY, 47 924  
 CURING OF PHOSPHONITRILIC FLUOROELASTOMERS BY, 47 32  
 CURING OF SILICONE RUBBER, 47 282  
**RADIATION CROSSLINKING**, 45 193, 1141, 1646  
 AT CYCLOHEXENE SITES, 44 587  
 EFFECT OF DOSE ON CROSSLINK DENSITY, 48 141  
 IN STATE OF STRAIN, 48 164  
 NORBORNENYL DERIVATIVES IN, 44 587  
 OF CHLOROBUTYL RUBBER, 48 860  
 OF FLUOROELASTOMERS, 46 619  
 OF NATURAL RUBBER, 48 141  
 OF 1,2-POLYBUTADIENE, 48 164  
 OF POLYDIENE RUBBERS, 48 860  
 OF POLY(DIMETHYLSILOXANE), 48 176, 186  
 OF POLYETHYLENE, 44 579  
 OF SWOLLEN RUBBER, 45 1646  
 PROMOTION BY POLYTHIOLS, 48 860  
 PROMOTION BY S-TRIAZINE DERIVATIVES, 48 878  
 PROMOTION BY TRIALLYLCYANURATE, 48 878  
 TECHNOLOGY AND ECONOMICS, 48 1100  
 VESSEL FOR, 48 164  
**RADICAL AND POLAR MECHANISMS**  
 IN VULCANIZATION, 42 744, 1366  
**RADICAL COMBINATION**  
 IN IRRADIATED ELASTOMERS, 41 653  
**RADICAL POLYMERIZATION OF BLOCK POLYMERS**, 41 161  
**RADICAL-IONS IN POLYMERIZATION**, 43 22  
**RADIO FREQUENCY HEATING**, 41 1219  
**RADIOACTIVE COBALT**, 45 1141, 1646  
**RADIOACTIVE SULFUR**  
 IN DIFFUSION MEASUREMENTS, 44 1307  
**RADIOACTIVE TAGGING**  
 OF ETHYLENE-PROPYLENE COPOLYMERS, 50 988  
**RADIOACTIVITY**  
 ANALYSIS BY, 46 1019  
 DETERMINATION OF ETHYLIDENENORBORNENE BY, 46 1019  
 OF IODINE, 46 787  
**RADIOCHLORINE**  
 IN DETERMINATION OF UNSATURATION, 41 400  
**RADIO-FREQUENCY-ACTIVATED GAS TO IMPROVE ADHESION**, 46 549  
**RADIOISOTOPE ANALYSIS**, 42 1  
**RADIOISOTOPE LABELING**  
 OF ACCELERATORS, 43 572  
 OF CARBON BLACKS, 43 1529  
 STUDY OF OIL MIGRATION IN RUBBER BY, 43 1349  
**RADIOLUMINESCENCE**  
 FOR MISCIBILITY OF POLYMER BLENDS, 50 714  
**RADIOLYSIS OF RUBBER**  
 DECAY OF RADICALS, 41 678  
**RADIOTHERMOLUMINESCENCE**  
 GLASS TRANSITION TEMPERATURE BY, 49 179  
 HOMOGENEITY OF ELASTOMERS BY, 49 179  
 METHOD OF MEASURING GLASS TRANSITION TEMPERATURE, 46 1188  
**RADIOTRACER STUDIES**  
 OF CARBON BLACK, 41 382  
**RADIOTRACERS IN DIFFUSION STUDIES**, 44 1430  
**RADIUS OF GYRATION OF BRANCHED AND LINEAR MACROMOLECULES**, 45 519  
**RAMAN POLARIZATION**  
 IN RHEO-OPTICAL STUDIES (REVIEW), 49 458  
**RAMAN SPECTRA**  
 DIMETHYL DIMETHYLTHTIOCARBAMYL SULFENAMIDE, 46 936  
 OF POLYBUTADIENE, 43 322  
 OF POLYISOPRENE, 43 313  
 OF SULFUR, 46 938  
 OF TETRAMETHYLTHTIOUREA, 46 938  
 TETRAMETHYLTHTIURAM MONO-, DI, AND TETRASULFIDES, 46 938  
 ZINC DIMETHYLDITHIOCARBAMATE, 46 938  
**RAMAN SPECTROSCOPY**  
 OF DERIVATIVES OF 2-BENZOTHAIOLETHIONE, 47 911  
 OF POLYBUTADIENE VULCANIZATES, 45 173  
 OF RUBBER, 44 854  
 OF VULCANIZED RUBBERS, 44 71, 904  
 OF ZINC OXIDE, 45 173  
 VULCANIZATION OF POLYBUTADIENE AND, 44 71, 904  
**RATE OF INITIATION OF POLYMERIZATION**  
 EFFECT OF ALIPHATIC, AROMATIC, AND POLAR SOLVENTS, 43 22  
**RATE OF PROPAGATION OF POLYMERIZATION**, 43 22  
**RAYON CORD**  
 ADHESION TO RUBBER, 46 981  
 ADHESION TO RUBBER AND EFFECT OF OIL, 47 161  
 HYSTERETIC LOSSES IN, 47 118  
**RAYON FIBERS**  
 REINFORCEMENT OF RUBBER, 49 379  
**REACTIVITY RATIOS**  
 DETERMINATION OF, 46 30  
 FOR ALPHA-OLEFIN TERPOLYMERS, 46 30  
 FOR BUTADIENE-ACRYLONITRILE, 46 1087  
 IN ACRYLONITRILE-BUTADIENE COPOLYMERIZATION, 45 1546  
 IN EPM COPOLYMERIZATION, 45 709  
 ISOPRENE-ACRYLONITRILE, 46 1987  
**REBOUND**, see ALSO RESILIENCE  
 TESTER, PORTABLE, 41 854, 862, 890  
**RECLAIM FROM SCRAP-TIRE MATERIAL**, 47 597  
**RECLAIMED RUBBER**  
 STABILIZING ACTIVITY, 46 62  
**RECLAIMED RUBBER IN VULCANIZATES**  
 DETECTION, 46 653  
 MICROSCOPY, 46 653  
**RECLAIMING OF RUBBER**  
 FOR CONSERVATION, 50 1006  
**RECOVERY**  
 OF UNCROSSLINKED RUBBERS, 48 995  
**RECYCLING**  
 OF SCRAP TIRES, TO MAKE TACKIFYING RESIN REPLACEMENTS, 48 338  
**REDISPERSIBLE RUBBER**  
 PASTES AND POWDERS, 50 449  
**REDUCED MODULUS**, 47 1  
**REFERENCE CHAIN DIMENSIONS**, 46 127  
**REFLECTANCE OF CARBON BLACKS**

SURFACE AREA BY, 44 1287

## REFRACTION

IN RHEO-OPTICAL STUDIES (REVIEW), 49 458

## REFRACTIVE INDEX

AND CRYSTALLINITY, 42 509

BY INTERFERENCE MICROSCOPY, 46 653

CARBON-14 POLY(ETHYLENE CO PROPYLENE CO ETHYLIDENENORBORNENE), 46 1019

DISPERSION OF RUBBERS, 46 653

MOLECULAR WEIGHT RELATIONSHIP OF ELAS-

TOMERS TO, 43 1516

OF RUBBERS, 42 1058

OF RUBBERS, 46 653

OF VARIOUS RUBBERS, 44 814

## REINFORCEMENT, see ALSO CARBON BLACK

AND BOUND RUBBER, 48 410, 810

AND SILANE COUPLING AGENTS, 45 1166

AND TEAR STRENGTH, 48 410

AND TREAD WEAR, 48 410

BRAID FOR HOSE, 42 666

BY CARBON BLACK, 49 12

BY CARBON BLACK, EFFECT ON POISSON RATIO, 48 246

BY CELLULOSE AND GLASS FIBERS, 49 1360

BY GLASS SPHERES, 48 819, 830, 845

BY NYLON 66 FIBER, 48 1094

BY POLYESTER FABRIC, 48 1092

BY POWDERED SILICONE RUBBER, 48 337

BY RICE-HULL ASH IN SBR, 48 271

BY SHORT CELLULOSE FIBERS, 48 1108

BY SHORT FIBERS, 49 379

BY SHORT FIBERS OF ELASTOMERS, 47 1074

BY SILICA, 48 795

BY SILICAS AND SILICATES (REVIEW), 49 703

BY SURFACE INTERACTION, 48 410

CHAIN BREAKAGE MECHANISM, 48 410

DEFINITION, 48 410

EFFECT OF CARBON BLACK STRUCTURE, 48 538

EFFECT OF FILLER PROPERTIES ON, 48 795, 819

EFFECT OF FILLER SURFACE ON, 48 795, 819, 830, 845

EFFECT OF FILLERS ON HYSTERESIS, 45 1043

HISTORICAL BACKGROUND, 48 410

HYDRODYNAMIC THEORY, 48 410

IN MODEL SYSTEM, 44 598

IN TERMINALLY BROMINATED BR, 48 203

LOOM FOR HOSE, 42 666

MECHANISM BY CARBON BLACK, 43 687, 1529

MECHANISM OF, 44 1208, 1227, 1249

MECHANISM OF CARBON BLACK, 42 1200

MECHANISMS, 48 410

OF ASPHALT AND TAR, 42 1476

OF CARBON BLACK BY SILICA IN TREAD COMPOUNDS, 50 443

OF ELASTOMERS BY SHORT FIBERS, 50 945

OF ELASTOMERS BY SILICA, 50 342

OF EPM RUBBERS BY FILLERS, 45 709

OF FLUOROELASTOMERS, WITH HALOPOLYMERS, 41 527

OF NATURAL RUBBER, 45 1051

OF NBR, ADSORPTION EFFECTS, 50 333

OF POLYACRYLATE RUBBER, 48 819, 830, 845

OF POLY(ALKYLENE OXIDE) ELASTOMERS, 45 1094

OF POLYMERS, 41 601

OF RUBBER BY CARBON BLACK, 42 557, 598, 604, 700, 850, 858, 874,

OF RUBBERS, 41 1244

OF RUBBERS BY CARBON BLACK, 43 449, 464, 687, 701, 873, 929, 943, 960, 969, 973, 1015, 1359, 1529

PLY FOR HOSE, 42 666

PROMOTION BY COUPLING AGENTS, 48 410

SIGNIFICANCE OF HYDROGEN ON CARBON

BLACK FOR, 43 1529

THEORY OF, 48 819, 830, 845

VULCANIZATION OF, 44 598

## RELATIVE ENERGY CONTRIBUTION TO ELASTIC STRESS, 43 270

## RELAXATION

AT HIGH TEMPERATURE IN A MOLD, 45 1630

DIELECTRIC, 47 1127

DIFFUSION CONTROLLED, 46 1316

IN RUBBER, FREE VOLUME CONCEPT, 41 535

MECHANICAL OF VARIOUS RUBBERS, 47 1, 1127

MECHANICAL STRESS, 45 1074

MECHANISMS, 44 1256

MODULUS, 44 1057

MODULUS, RELATION TO STORAGE AND LOSS MODULI, 50 906

NUCLEAR MAGNETIC RESONANCE, 47 1127

OF BIREFRINGENCE, 41 533

OF COMPRESSION, 46 1316

OF POLYISOPRENE, 47 1

OF POLYMERS, NMR STUDIES, 48 1109

OF POLYURETHANE, 47 19

OF THIN POLYMER LAYERS ON SOLIDS, 49 1311

PARAMETERS, 47 1

SPECTRUM OF BUTYL RUBBER, 50 895

SPECTRUM OF EPDM, 50 895

SPECTRUM OF POLYSTYRENE, 48 913

SPECTRUM OF RUBBER NETWORKS, 48 981

STRESS, INSTRUMENT, 49 247

STRESS RELAXATION AND CROSSLINKS, 45 1084

TIME DISTRIBUTION OF VULCANIZATES, 48 981

TIMES, IN POLYSTYRENE-POLY(VINYL METHYL ETHER), 48 218

## RELAXATION RATE

STYRENE-BUTADIENE-STYRENE

BLOCK

COPOLYMERS, 42 1257

## RELAXATION TIME

EFFECT OF CARBON BLACK, 48 1218

MAXIMUM, 46 1166

NMR, OF BLACK-FILLED BR, 50 747

NUCLEAR SPIN LATTICE, 42 1155

OF POLYMERS, 42 1175

THEORY, 45 638

## RELIABILITY OF RUBBER PRODUCTS, 41 753, 754, 755

## REO-OPTICAL STUDIES

ON POLYMERS (REVIEW), 49 458

## RESERVOIR

ELASTOMERIC, FOR DRUG ADMINISTRATION, 50 969

TUBULAR ELASTOMERIC, MECHANICAL BEHAVIOR OF, 50 969

## RESILIENCE

APPARATUS FOR MEASURING, 43 1005

AS A FUNCTION OF AGGREGATE SIZE OF CARBON BLACK, 42 1209

AS A FUNCTION OF TEMPERATURE, 42 381

CHANGE WITH AGING OF NATURAL RUBBER, 42 381

EFFECT ON TIRE SQUEAL, 41 953

EFFECT ON WET FRICTION OF RUBBER, 41 870, 881

OF NATURAL RUBBER VULCANIZATES, 47 261

OF POLYALKENAMERS, 47 511

OF POLY(ALKYLENE OXIDE) POLYMERS, 45 900

OF REINFORCED NATURAL RUBBER, 45 1051

OF SBR, 47 279

- OF TIRES, 45 1143  
 REBOUND, 43 1005  
 REBOUND, OF SILICA-RUBBER SYSTEMS, 48 410
- RESIN**  
 TACKIFYING FROM SCRAP RUBBER, 48 338
- RESIN CURING**  
 ADHESIVE QUALITY, 44 914  
 EFFECT OF TERMONOMER VARIATION IN  
 ETHYLENE PROPYLENE RUBBER ON, 43 522  
 INFRARED SPECTRA OF PRODUCTS, 41 621  
 LIQUID RUBBERS, 44 914  
 OF EPDM, 45 709  
 OF NATURAL RUBBER, 41 621  
 ZINC OXIDE CATALYSIS, 44 914
- RESISTIVITY**  
 EFFECT OF DISPERSION OF BLACK, 50 194  
 OF BLACK-FILLED COMPOUNDS, 50 194  
 OF FILLED RUBBER, 48 410
- RESORCINOL**  
 AN ALTERNATIVE FOR, 49 407  
 HEXAMETHYLENETETRAMINE REACTION PRO-  
 DUCT, 48 346  
 IN ADHESION OF NYLON TO SBR COMPOUNDS,  
 50 998
- RESORCINOL-FORMALDEHYDE DIPS**, 47 1066  
 LATEX, 47 436, 448, 458
- RESOTROPIN**, *see* HEXAMETHYLENETETRAMINE  
 ADDUCTS
- RETARDATION**  
 OF SCORCH (REVIEW), 50 570
- RETARDATION OF VULCANIZATION**, 48 1108  
 BY N-SUBSTITUTED THIOPTHALIMIDES, 48 790
- RETARDERS**, 47 79  
 EFFECT ON RUBBER-CORD ADHESION, 46 981  
 N-CHLOROTHIOAMIDE ADDUCTS, 49 341  
 N-CHLOROTHIOPTHALIMIDE, 49 341  
 OF CURE, REACTION SCHEME, 46 999
- RETARDERS**, 46 981, 999
- REVERSIBLE DEFORMATION**  
 DURING MOLDING, 45 1630
- REVERSION OF VULCANIZATION**  
 BUTYL RUBBER, 47 511  
 IN HIGH-TEMPERATURE VULCANIZATION, 44 1316  
 NATURAL RUBBER, 47 511  
 POLYPENTENAMER, 47 511
- RHENIUM**  
 COMPOUNDS AS CATALYSTS FOR RING-OPENING  
 POLYMERIZATION, 47 511
- RHEOLOGICAL INDEX**, 41 1348
- RHEOLOGICAL PROPERTIES**, 41 1354  
 OF ELASTOMERS, 49 52  
 OF LINEAR GEL POLYMER SYSTEM, 41 771  
 OF NBR, 49 52  
 OF SBR, 49 52
- RHEOLOGY**, *see* ALSO VISCOELASTICITY, 47 32,  
 333, 1310  
 AND EXTRUSION, 42 257  
 AND INTERNAL MIXER, 42 257  
 AND RUBBER MILL, 42 257  
 APPLICATION TO RUBBER PROCESSING (RE-  
 VIEW), 41 23  
 CONTINUUM THEORY OF, 42 257  
 EFFECT OF COMPOUNDING MATERIALS ON, 43  
 1523  
 EFFECT OF STRAIN RATE, 46 1188  
 IN TIRE TREAD PREPARATION, 49 1361  
 LOW MOLECULAR WEIGHT BUTYL RUBBER, 43  
 935  
 OF ADHESION, 45 1604  
 OF AMORPHOUS ELASTOMERS, 48 69  
 OF BLENDS, 46 1193  
 OF CARBON-BLACK-FILLED RUBBER, 48 615  
 OF ELASTOMERS, 42 257  
 OF ELASTOMERS, 49 52  
 OF EPICHLOROHYDRIN RUBBER, 42 790, 1487  
 OF FIBERS, 44 846  
 OF HETEROGENEOUS POLYMER BLENDS, 49 93  
 OF LATEX, 49 411  
 OF LIQUID ELASTOMERS, 46 161  
 OF MIXING ELASTOMERS, 50 423  
 OF MIXING EPDM AND BR, 49 93  
 OF POLYMERS AND PROCESSABILITY, 50 1003  
 OF POLYMERS AND THEORY OF MIXING, 50 1001  
 OF RUBBER COMPOUNDS, 48 263  
 OF RUBBER, EFFECT OF MECHANICAL DEGRA-  
 DATION ON, 42 1294  
 OF RUBBER NETWORKS, 48 981  
 OF VARIOUS ELASTOMERS, 43 1523  
 POLYMER BLENDS, 41 1348  
 PROCESSABILITY OF RUBBERS, 50 163  
 RELATION TO MORPHOLOGY, 49 93  
 RELATION TO MORPHOLOGY AND PROPERTIES,  
 50 423  
 RELAXATION MODULUS OF ELASTOMERS, 50 163  
 STUDY WITH RHEOVIBRON, 48 69  
 WITH CAPILLARY RHEOMETER TO SIMULATE IN-  
 JECTION MOLDING, 48 355
- RHEOMETER**, 41 23  
 CAPILLARY, CRYSTALLIZATION OF RUBBER IN,  
 44 1, 12, 29  
 CAPILLARY, DETERMINATION OF MELT VIS-  
 COSITIES, 45 1005  
 IN VULCANIZATION STUDIES, 44 1316  
 OSCILLATING DISK, APPLICATION OF ON-LINE  
 PROCESSORS, 45 1151  
 RELAXATION CURVES, 45 1064  
 SULFUR-FREE THIURAM VULCANIZATION, 45 945
- RHEO-OPTICS**  
 OF POLYPROPYLENE AND ETHYLENE PROP-  
 YLENE RUBBER BLENDS, 43 849  
 OF SWOLLEN POLYISOPRENE NETWORKS, 43  
 829  
 OF SYNTHETIC ELASTOMERS, 43 836
- RHODIUM**  
 COMPOUNDS OF, IN EMULSION POLYMERIZA-  
 TION, 43 1451
- RICE-HULL GROUND ASH**  
 AS FILLER, 50 1009  
 AS RUBBER FILLER, 48 271
- RING SPECIMENS**  
 IN TENSILE TESTING, 46 586
- RING-OPENING POLYMERIZATION**  
 MECHANISM OF, 44 1341
- ROAD MATERIAL FROM TIRE SCRAP**, 47 597
- ROAD SURFACE**  
 EFFECT OF TEXTURE ON TIRE WEAR, 46 801,  
 821  
 EFFECT OF WEATHER ON, 46 801, 821  
 EFFECT ON TIRE FRICTION, 41 477  
 EFFECT ON TIRE SURFACE TEMPERATURE, OF  
 TEMPERATURE OF, 46 821  
 EFFECT ON TIRE WEAR AND TRACTION, 44 1439  
 EFFECT ON WET FRICTION OF TIRES, 41 862  
 EFFECTS ON SKIDDING, 41 753, 780
- ROAD WEAR**, *see* TREAD WEAR
- ROLLING RESISTANCE OF TIRES**  
 EFFECT OF DESIGN, 47 118, 363
- ROSIN GUM**  
 FOR BUILDING TACK, 42 966
- ROTARY FLEXOMETER**



- FATIGUE TESTING, 49 258  
 FORCE PATTERNS IN, 49 258  
 HEAT GENERATION IN, 49 258
- ROTATION**  
 INTRAMOLECULAR IN ELASTIC THEORY, 45 638  
**ROTATIONAL ENTROPY**, 47 511  
**ROTATIONAL ISOMERIC STATE**, 47 1116  
**ROTOFLEX TESTER**  
 FOR DYNAMIC RUBBER-TO-METAL ADHESION TESTING, 47 188
- RUBBER**  
 BOUND, 42 1494  
 FRICTION, 42 1122, 1433  
 FROM GOLDENROD, 50 448  
 FROM U.S. PLANT SPECIES, 50 431  
 IN ASPHALT, 41 766  
 PHYSICAL TESTING, 42 1485  
 POWDERED, 42 1478  
 PREDICTION OF PROPERTIES, 42 1469, 1498  
 REDISPERSIBLE PASTES AND POWDERS, 50 449  
 TO RUBBER ADHESION, 42 1480  
 VISCOELASTIC BEHAVIOR ON AGING, 42 1501
- RUBBER CHEMICALS**  
 EFFECT ON POLYESTER YARNS, 49 1040
- RUBBER COMPOUNDING TECHNOLOGY**  
 APPLICATION TO EVA COPOLYMERS, 49 1359
- RUBBER ELASTICITY**, *see* ALSO ELASTICITY  
 AND CHEMICAL STRESS RELAXATION, 48 913  
 AND COMPRESSION MODULUS, 46 1287  
 AND CREEP, 43 1482  
 AND DIPOLE ORIENTATION FUNCTION, 43 878  
 AND ENTANGLEMENTS, 48 164, 1004  
 AND RELAXATION, 43 1036  
 AND STRESS RELAXATION FOR CYLINDER, 43 735  
 AT VERY LOW STRAINS, 50 780  
 ENERGETIC CONTRIBUTION TO, 48 1018  
 INFLATION MECHANICS OF CYLINDER AND, 43 745  
 INTERNAL ENERGY CONTRIBUTION TO, 43 270  
 LARGE DEFORMATIONS, 43 282, 745  
 MECHANICS OF INFLATED CYLINDER, 43 745  
 MOLECULAR INTERPRETATION OF, 46 593  
 MOLECULAR INTERPRETATION OF, 41 941  
 MOLECULAR THEORY, 41 1140  
 OF NETWORKS FORMED IN THE SWOLLEN STATE, 48 186  
 STATISTICAL MECHANICS, 48 1008  
 STATISTICAL THEORY OF, 46 593, 1287  
 THEORY, 41 1148  
 THEORY, 48 1008, 1018  
 THEORY COMPARED TO EXPERIMENT, 46 1287  
 THERMODYNAMICS OF, 46 593  
 THERMODYNAMICS OF, 46 1018  
 VOLUME DEPENDENCE, 43 887, 1473
- RUBBER INDUSTRY**  
 FEEDSTOCKS FOR, 46 1353  
 MATHEMATICAL MODEL OF, 49 1368  
 OUTLOOK FOR 1980-1995, 49 1356
- RUBBER PROPERTIES**  
 EFFECT ON ADHESION TO TIRE CORD, 47 213
- RUBBER SCRAP**  
 GRINDING FOR REUSE, 49 375
- RUBBER-CARBON BLACK INTERACTION**  
 NUCLEAR MAGNETIC RESONANCE STUDY OF, 44 843
- RUBBER-CORD COMPOSITES**  
 ELASTICITY EQUATIONS, 50 224  
 POISSON RATIO OF, 50 224
- PROPERTIES OF, 50 224
- RUBBER-FILLER BONDING**  
 AND STRAIN AMPLITUDE, 47 697  
 HEAT GENERATION AND, 47 697  
 MERCAPTOPROPYLTRIMETHOXYSIANE AND, 47 697
- RUBBER-RUBBER ADHESION**, 41 1300
- RUBBER-SULFUR COMPOSITION**  
 DIELECTRIC PROPERTIES OF, 41 1249
- RUBBER-TO-METAL ADHESION**, 47 171, 188  
 FRACTURE MECHANICS OF, 47 202
- RUPTURE ENERGY**  
 IN RUBBERS, 41 544  
 OF TIRES, 41 1051
- RUTHENIUM COMPOUNDS**  
 EFFECT ON EMULSION POLYMERIZATION, 43 1451
- SBR**, *see* STYRENE-BUTADIENE RUBBER
- SCANNING ELECTRON MICROSCOPE**, 43 1  
 APPLIED TO CRACK TIP, 50 875  
 APPLIED TO RUBBER TEAR, 50 875  
 EXAMINATION OF ABRADED SURFACES BY, 44 1451  
 EXAMINATION OF FRACTURE SURFACES, 48 445  
 FOR SILICA DISPERSION STUDY, 50 342  
 IN MORPHOLOGY OF BLENDS, 50 24  
 IN STUDY OF CYCLIZED RUBBER SURFACES, 50 327
- SCHIFF BASES**  
 IN VULCANIZATION OF FKM COPOLYMERS, 50 83
- SCINTILLATION COUNTING**, 44 87  
 ANALYSIS OF RADIOACTIVE VULCANIZATES BY, 45 467
- SCISSION**, *see* ALSO CLEAVAGE  
 CHAIN IN POLYBUTADIENE, 42 1095  
 CROSSLINK IN POLYBUTADIENE, 42 1136  
 RATE OF, 42 1136
- SCORCH**  
 INHIBITION BY N-(SUBSTITUTED THIO)-  
 PHTHALIMIDES, 48 790  
 INHIBITION, MECHANISM OF, 50 570  
 INHIBITORS, 48 790, 1108  
 INHIBITORS (REVIEW), 50 570  
 OF FLUOROELASTOMERS, 46 619
- SCORCH CONTROL**  
 OF CARBOXYLIC ELASTOMERS, 46 78
- SCORCH DELAY**, 43 1188, 1522
- SCORCH INHIBITORS**, *see* ALSO PREVULCANIZATION INHIBITORS AND RETARDERS, 46 79  
 MECHANISM OF, 46 47  
 MECHANISM OF, 49 333  
 N-(AMINOTHIO)IMIDES, 49 333  
 OF SULFUR-FREE THIURAM VULCANIZATION, 46 504  
 VARIOUS COMPOUNDS FOR, 46 47, 78
- SCORCH TIME**  
 MEASUREMENT OF CURE RETARDATION, 49 118
- SCRAP**  
 OF THERMOSETTING POLYURETHANE, 48 972  
 RUBBER, DEPOLYMERIZED, 48 62  
 RUBBER, TACKIFIERS FROM, 48 338  
 TIRES, DISPOSAL, 48 50
- SCRAP RUBBER**  
 AS SOURCE OF CARBON BLACK, 50 432  
 CRYOGENIC GRINDING OF, 50 441  
 GRINDING OF, 49 375  
 REUSE OF, 49 375
- SCRAP TIRES**

- PYROLYSIS IN MOLTEN SALTS AND PRODUCTS, 49 1120  
**SEALANTS**  
 FLUOROSILICONE, 44 1350  
 TEMPERATURE DURABILITY OF FLUOROCARBON ELASTOMERS AS, 43 937  
 VAPOR RESISTANCE OF, 43 939  
**SEALS**  
 CYLINDER LINER SEALS FOR DIESEL ENGINES, 45 1151  
 RUBBER, 46 1333  
**SECOND POWER PEAK**  
 IN INTERNAL MIXER OPERATION, 49 1  
**SECOND VIRIAL COEFFICIENT**, 45 1638, 1655, 1665  
**SEDIMENTATION**  
 AND TRANSLATIONAL COEFFICIENT OF FRICTION IN SOLUTION, 45 519  
 CONSTANT OF EPDM, 45 709  
 DEPENDENCE ON CONCENTRATION, 45 667  
 EFFECT OF INTRINSIC VISCOSITY ON, 45 519  
 FRICTIONAL COEFFICIENT AND INTRINSIC VISCOSITY, 45 667  
 OF BRANCHED MOLECULES, 45 519  
 RATE AND EQUILIBRIUM OF POLYMER SOLUTIONS, 45 667  
**SEDIMENTATION EQUILIBRIUM**  
 AND POLYMER-SOLVENT INTERACTION PARAMETER, 50 451  
**SEGMENTAL MOTION**  
 EFFECT ON STRESS RELAXATION, 45 82  
 IN RUBBERS, 45 71, 82  
 OF RUBBER NEAR CARBON BLACK PARTICLES, 44 1297  
**SEGMENTS**  
 BETWEEN ENTANGLEMENTS OF RUBBER MOLECULES, 47 1, 1116  
 CRYSTALLINITY OF POLYURETHANE, 47 19  
 HARD AND SOFT, 47 19  
**SELENIUM DIETHYL (OR DIMETHYL) DITHIOCARBAMATE**  
 HEALTH HAZARD OF, 44 512  
**SEQUENCE DISTRIBUTION**  
 BY NMR, 49 1259, 1269  
 IN CHICLE AND GUTTA-PERCHA, 49 1259, 1269  
 IN ISOPRENE-PIPERYLENE COPOLYMER, 49 1269  
 IN POLYISOPRENE, 49 1259, 1269  
 OF EPDM BY INFRARED AND NMR, 45 546, 709  
**SERVICE TEMPERATURES**  
 OF VARIOUS OIL RESISTANT ELASTOMERS, 48 356  
**SET**  
 EFFECT OF SWELLING ON, 48 902  
 TENSILE, OF UNCROSSLINKED RUBBERS, 48 995  
 TENSILE, OF VULCANIZED RUBBERS, 48 902  
**SHAPE FACTOR**  
 IN FILLER REINFORCEMENT, 44 1249  
**SHEAR**  
 COMPLEX DYNAMIC VISCOSITY, 45 1082  
 COMPLEX MODULUS, APPARATUS FOR MEASURING, 44 249  
 COMPLIANCE, COMPLEX FOR NATURAL RUBBER, 42 1277  
 CRITICAL RATE, 42 1294  
 DEGRADATION OF RUBBERS BY, 42 1294  
 DEGRADATION OF RUBBERS BY, 50 723  
 DURING MILLING, 42 985  
 DYNAMIC MODULUS, EFFECT OF CHEMICAL PROMOTERS, 44 440  
 EFFECT OF BLACK LOADING ON, 44 258  
 EFFECT OF BLACK LOADING ON, 44 258  
 EFFECT OF CROSSLINKING, 44 258  
 EFFECT OF CROSSLINKING, 44 258  
 EFFECT OF MILL SIZE ON, 44 479  
 EFFECT OF MIXING ON, 44 479  
 EFFECT OF PLASTICIZER, 44 258  
 EFFECT OF PLASTICIZER ON, 44 258  
 EFFECT OF PLASTICIZER ON, 44 258  
 EFFECT OF RUBBER, 44 258  
 EFFECT OF RUBBER, 44 258  
 EFFECT OF RUBBER ON, 44 258  
 EFFECT OF SHEAR STRAIN ON, 44 258  
 EFFECT OF SHEAR STRAIN ON, 44 258  
 EFFECT OF STRAIN ON, 44 258  
 EFFECT OF STYRENE CONTENT ON SBR ON, 44 258  
 EFFECT OF SURFACE AREA OF CARBON BLACK ON, 44 440  
 EFFECT OF TEMPERATURE ON, 44 258  
 EFFECT OF TEMPERATURE ON, 44 258  
 EFFECT ON STRAIN WORK, 44 440  
 FORCE, IN GLASSY STATE, 42 557  
 LOSS MODULUS, APPARATUS FOR MEASURING, 44 249  
 MODULUS OF POLYURETHANES, 42 557  
 OF FLUOROSILICONE RUBBER, 44 479  
 OF SBR VULCANIZATES, 44 258  
 OF SBR VULCANIZATES, 44 258  
 OF SILICONE RUBBER, 44 479  
 OUT-OF-PHASE AND IN-PHASE, 44 440  
 RATE AND INJECTION MOLDING, 42 1321, 1336  
 RATE OF, 42 1294, 1321, 1336  
 STORAGE MODULUS, APPARATUS FOR MEASURING, 44 249  
 STRESS AND FLOW BEHAVIOR, 42 823  
 VISCOELASTIC BEHAVIOR, 45 1082  
**SHEAR DEGRADATION**  
 BY REPEATED EXTRUSION, 50 723  
 EFFECT OF TEMPERATURE ON, 50 723  
 OF POLYISOBUTYLENE, 50 723  
**SHEAR FLOW**  
 OF SHORT FIBERS IN ELASTOMERS, 49 1160, 1167  
**SHEAR MODULUS**, 45 60, 1171  
 AND DOUBLE STRAIN AMPLITUDE OF BUTYL RUBBER, 44 440  
 COMPLEX, 45 1082  
 CURED BY PEROXIDE, 43 1482  
 DIE SWELL AND RECOVERY FROM, 45 1688  
 EFFECT OF CARBON BLACK SURFACE AREA ON, 44 440  
 EFFECT OF PRESSURE, 46 1287  
 EFFECT OF PRESSURE ON, 43 270  
 EFFECT OF SWELLING ON, 43 270  
 EFFECT OF TEMPERATURE ON, 43 270  
 EFFECT OF VOLUME, 46 1287  
 LOSS, 45 1082  
 OF NATURAL RUBBER VULCANIZATES, 43 270, 1482  
 STORAGE, 45 1082  
 VISCOELASTIC BEHAVIOR, 45 1082  
**SHEAR STRAIN**  
 EFFECT OF RUBBER ON, 44 258  
 IN INTERNAL MIXER, 48 462  
 PARAMETER, FOR MIXING RUBBER COMPOUNDS, 48 577  
 RATE, IN INTERNAL MIXER, 48 462  
**SHEAR STRESS**, 46 1166  
 ACTIVATION ENERGY, 44 175  
 AND TIME, 46 1193  
 AS FUNCTION OF STRAIN, 44 175

- AS FUNCTION OF TEMPERATURE, 44 175  
EFFECT ON IMPROVING DISPERSION, 48 462  
IN INTERNAL MIXER, 48 462  
MELT VISCOSITY, 46 1193  
RELAXATION, 44 175
- SHEAR THINNING**, 44 12, 29
- SHELL**  
FLEXURE, MODEL FOR BELTED TIRE, 48 294  
THEORY, 46 294
- SHELL THEORY**  
FOR TIRE SIDEWALL, 43 1055
- SHIP FENDERS**  
OF NATURAL RUBBER, 50 145
- SHOCK ABSORBERS**  
RUBBER TUBES AS, 44 1380
- SHOE PRODUCTS**  
USE OF SILICA AND SILICATES, 49 703
- SHOE SOLES**  
FRICTION OF VARIOUS SURFACES, 44 1434  
SBS BLOCK COPOLYMER IN, 50 413
- SHRINKAGE**  
ON MOLDING, IN NBR, 48 236
- SHRINKAGE OF FLUOROELASTOMERS**  
COMPARISON WITH NBR AND EPDM, 49 35  
CONTROL OF, 49 43  
EFFECTS OF FILLERS, 49 35, 43  
FIBER ORIENTATION EFFECTS, 49 43  
MEASUREMENT OF, 49 35, 43
- SI UNITS**  
USAGE, 48 1
- SIDEWALL**  
TIRE, COMPONENT IDENTIFICATION BY THERMAL ANALYSIS, 48 301
- SIDEWALL COMPOSITIONS**  
WITH ISOBUTYLENE DIENE COPOLYMERS, 49 967
- SIDEWALL COMPOUNDS**  
NR, EPDM, AND HALOBUTYL RUBBER IN, 50 430
- SILANE**  
AS COUPLING AGENTS FOR REINFORCEMENT, 49 703  
BETA-MERCAPTOETHYLTRIETHOXY, 47 1308  
BONDING WITH, 47 697  
COUPLING AGENT, 47 1308  
COUPLING AGENTS FOR EPM, 48 795  
COUPLING AGENTS IN SULFUR-CURED EPDM, 45 1166  
EFFECT OF ORGANOFUNCTIONALITY ON VULCANIZATE PROPERTIES OF EPDM, 44 1080  
EFFECT ON PROPERTIES OF PEROXIDE CURED EPDM, 44 1080  
EFFECT ON PROPERTIES OF SULFUR CURED EPDM, 44 1080  
FOR FILLER-RUBBER BONDING, 47 697  
GAMMA-MERCAPTOPROPYLTRIMETHOXY, 47 697  
MODIFIERS FOR FILLERS, 49 397  
SILICAS TREATED WITH, 48 558  
SURFACE TREATMENT OF GLASS BY, 48 819
- SILANE-TREATED FILLERS**, 44 1437
- SILICA**  
AGGREGATE, 47 416  
AGGREGATES IN, 48 558  
AS FILLER FOR TERMINALLY BROMINATED BR, 48 202  
AS REINFORCING AGENT, 48 410  
AS REPLACEMENT FOR CARBON BLACK, 50 356  
BONDING WITH ELASTOMERS, 49 703  
BOUND RUBBER ON, 48 810  
BYPRODUCT, 47 1308  
COUPLING AGENTS FOR, 47 1308  
DEACTIVATED FUMED, 47 429
- DIELECTRIC LOSS FACTOR, 44 294  
DISPERSION OF IN ELASTOMERS, 50 342  
EFFECT ON ELASTIC MODULUS, 47 765  
EFFECT ON RUBBER ADHESION, 41 1300  
EFFECT ON RUBBER TO WIRE ADHESION, 45 26  
EFFECT ON SCORCH AND CURE, 49 703  
EFFECT ON VISCOSITY, 49 703  
EFFECT ON VULCANIZATE PROPERTIES, 50 342  
FILLER FOR FLUOROELASTOMERS, 48 619  
FUMED, AS REINFORCING FILLER FOR SILICONE, 48 558
- HEALTH HAZARD OF, 44 512  
IN EPDM ADHESION, 47 458  
IN RUBBER BLENDS, 47 57  
IN RUBBER REINFORCEMENT (REVIEW), 49 703  
IN RUBBER-NYLON BONDING SYSTEMS, 50 998  
IN SHOE PRODUCTS, 49 703  
IN TIRE COMPONENTS, 50 356  
IN TIRES, 49 703  
MICROSCOPY OF, IN VULCANIZATES, 46 653  
MODIFIED RUBBER COMPOSITIONS, 45 1161  
PARTIAL REPLACEMENT FOR CARBON BLACK, 47 468
- PERFORMANCE RELATIVE TO CARBON BLACK  
AS REINFORCING MATERIAL, 42 971, 1499  
POLYSILOXANE STRUCTURE, 48 410  
REINFORCEMENT BY, 48 795  
REINFORCEMENT IN TREAD COMPOUNDS, 50 443  
REINFORCEMENT OF ELASTOMERS, 50 342  
REINFORCEMENT OF LIQUID ELASTOMERS, 46 161
- SILANE TREATED, 47 32  
SILICONE RUBBER, 45 1165  
STRUCTURE AND PARTICLE SIZE, 41 1388  
STRUCTURE, EFFECT OF, 48 795  
SURFACE AREA, 48 795  
SURFACE CHEMISTRY, 48 410  
SURFACE MODIFICATION, 48 410, 558  
SURFACE PROPERTIES, 49 703  
SURFACE TREATMENT, 48 795  
TYPES AND PROPERTIES OF, 49 703  
VULCANIZATE PROPERTIES, 49 703
- SILICA-RUBBER SYSTEMS**  
ABRASION RESISTANCE, 48 410  
CHEMICAL PROMOTION, 48 410  
HEAT TREATMENT, 48 410
- SILICATES**, 49 703  
EFFECT ON RUBBER ADHESION, 41 1300
- SILICON CARBIDE**  
ABRASIVE FOR LABORATORY ABRADER, 43 1503
- SILICON TETRACHLORIDE**  
AS CHAIN BRANCHING REAGENTS, 45 519  
AS POLYFUNCTIONAL COUPLING AGENT, 49 1305
- SILICONE RUBBER**, see ALSO POLY(DIMETHYL-SILOXANE)  
APPLICATION TO SURGERY, 44 363  
AS INSULATION FOR ELECTRIC CABLES, 48 355  
AUTOMOTIVE APPLICATIONS, 49 775  
CHARLES GOODYEAR MEDALIST ADDRESS, 49 909  
CHEMICAL STRESS RELAXATION OF, 44 579  
DEGRADATION AND IR IDENTIFICATION, 48 289  
DISCOVERY, PROPERTIES AND USES, 49 909  
EFFECT OF MIXING ON, 44 479  
EFFECT OF SILICA FILLER, 48 795  
ENTANGLEMENTS IN, 41 1  
FLUOROSILICON, 45 1166  
FLUOROSILICONE, 44 1350  
GREEN STRENGTH OF, 50 421  
HYDROXY-TERMINATED, 48 558

- IMPLANTATION IN HUMAN BODY OF, 44 263  
 INTERACTION PARAMETERS WITH SOLVENTS, 41  
   1506  
 INTERPENETRATING NETWORK FROM, 44 609  
 MEDICAL GRADE, 44 263, 363  
 MOONEY-RIVLIN CONSTANT, 45 1646  
 NETWORKS PREPARED IN SOLUTION, 45 1646  
 POWDERED, 46 337  
 PYROLYSIS AND FLAME RETARDANCE, 50 523  
 RADIATION CURING, 45 1646  
 REINFORCEMENT BY SHORT FIBERS GENER-  
   ATED IN SITU, 49 402, 1364  
 REINFORCEMENT BY SILICA, 48 558  
 SEALANT, 43 229  
 SHEAR MODULUS OF, 44 479  
 SILICA-BOUND POLYMER, 48 810  
 SOLVENT-POLYMER INTERACTION CONSTANT, 45  
   1655  
 STRESS-STRAIN ISOTHERMS OF SWOLLEN NET-  
   WORKS, 45 1646  
 STRESS-STRAIN STUDIES, 41 1231  
 THERMAL ANALYSIS OF, 45 369  
**SILICONE-CARBORANE COPOLYMER**  
 STRESS RELAXATION OF, 44 579  
**SILOXANE**  
 AS SURFACE TREATMENT OF GLASS, 48 819  
 AS SURFACE TREATMENT OF SILICA, 48 795  
 STRUCTURE OF SILICA, 48 410  
**SILVER NITRATE**  
 COMPLEX WITH NATURAL RUBBER AND  
 POLYISOPRENE, 45 1303  
 FOR STAINING NR FOR ELECTRON MICROS-  
   COPY, 50 835  
**SINGLET OXYGEN OXIDATIONS**, 44 642  
 IN SOLUTION, 44 642  
 MECHANISM OF, 44 642  
**SKID RESISTANCE**, see ALSO FRICTION  
 ALFIN RUBBERS AND, 43 333  
 AND TREAD COMPOSITION, 43 1070  
 BLENDS OF NATURAL RUBBER AND  
   POLYBUTADIENE, 44 1450  
 COMPOUNDING FOR MAXIMUM, 49 1365  
 EFFECT OF CARBON BLACK ON, 48 1091  
 EFFECT OF ROAD SURFACE ON, 44 1439  
 OF NATURAL RUBBER, 41 480  
 OF RUBBER ON WET SURFACES, 41 477, 753  
 OF RUBBERS ON ICE, 48 527  
 OF TIRES, 41 908  
 OF TIRES AND ACCIDENTS, 41 832, 895  
 OF TIRES ON WET SURFACES, 41 780  
 PHYSICS OF THE SLIPPING WHEEL, 45 1149  
 TIRE PROPERTIES AND CORNERING STABILITY,  
   45 1148  
 WET, EFFECT OF TEST CONDITIONS, 41 477  
 WET, OF NATURAL RUBBER, 41 480  
 WET, OF OIL-EXTENDED TREAD COMPOUNDS, 41  
   477  
**SKID TESTER**  
 PORTABLE, 41 843, 854, 862, 895  
**SKID TESTS**  
 USE OF RADAR FOR SPEED MEASUREMENT, 50  
   439  
**SKID TRAILERS**  
 FOR MEASURING SKID RESISTANCE OF TIRES,  
   41 895  
**SKIM COMPOUND**  
 FINE-PARTICLE SILICA IN, 50 356  
**SKIN-CORE MORPHOLOGY**  
 OF ELASTOMER BLENDS, 50 24  
 SLIDING OF RUBBER, 44 758, 1147  
**SLIP**  
 PHYSICS OF, 42 1014  
**SLIPPING WHEEL**, 43 981  
**SMALL ANGLE LIGHT SCATTERING**  
 THERMOPLASTIC ELASTOMERS, 50 1  
**SMITH-EWART MODEL**, 43 74  
**SMOKE**  
 DEVELOPMENT, THEORY, 48 340  
 GENERATION DURING COMBUSTION OF RUB-  
   BERS, 48 124  
 INHIBITION BY HYDRATED FILLERS, 48 124  
 INHIBITION IN COMBUSTION OF POLYCHLOROP-  
   RENE, 48 132  
 PHYSIOLOGICAL RESPONSE TO, 48 341  
**SMOKE FORMATION**  
 IN COMBUSTION OF RUBBERS, 50 523  
 TOXICITY OF PRODUCTS, 50 523  
**SNOW TIRES**  
 WITH OIL-EXTENDED NR, 49 1362  
**SOAP STAINING**  
 FOR LATEX DISTRIBUTION, 43 1  
**SOAPSTONE**  
 ENVIRONMENTAL CONTROL, 44 512  
**SODIUM BOROHYDRIDE**  
 REDUCTION OF QUINONES ON CARBON BLACK  
   SURFACE BY, 45 106  
**SODIUM BUTYL PHOSPHITE**, 43 210  
**SODIUM CHLORIDE**  
 AS FILLER FOR POLYURETHANE, 42 557  
**SODIUM DI-N-BUTYL PHOSPHITE**  
 REACTION WITH VULCANIZATES OF  
   POLYBUTADIENE, 45 173  
**SOFTENING OF NATURAL RUBBER BY DEFORMA-  
   TION**, 42 339  
**SOLAR RADIATION**  
 HARMFUL EFFECT ON RUBBER, 45 481  
**SOLUBILITY**  
 OF ACCELERATORS, DETERMINATION, 49 105  
 OF CURING INGREDIENTS IN SOLVENTS, 49 112  
**SOLUBILITY OF BLENDS**, 47 481  
**SOLUBILITY PARAMETER**  
 AND POLYBUTADIENE CRYSTALLINITY, 46 178  
 OF NITRILE RUBBER AND SOLVENTS, 45 222  
 OF SBS BLOCK COPOLYMERS AND SOLVENTS,  
   45 241, 252  
**SOLUTION MASTERBATCH**  
 OF SBR AND CARBON BLACK, 48 548  
**SOLUTION POLYMERIZATION**  
 AND STRUCTURE, 45 1252  
 BLOCK COPOLYMERS, 45 1252  
 BRAKING TRACTION AND WEAR INDEX, 45 1252  
 COPOLYMERIZATION, 45 1252  
 HEAT AGING, 45 1252  
 LITHIUM INITIATION, 45 1252  
 OF ISOPRENE, 45 1252  
 RHEOLOGY, 45 1252  
 VINYL CONTENT AND TRACTION, 45 1252  
 ZIMM-KILB RELATIONSHIP, 45 1252  
**SOLUTION PROPERTIES**  
 OF BUTYL RUBBER, 48 765  
**SOLUTION RUBBERS**  
 WITH SUPERIOR BREAKDOWN PROPERTIES, 41  
   1375  
**SOLUTION STYRENE-BUTADIENE RUBBER**  
 IN TIRES, 41 1376  
**SOLUTIONS**  
 CRITICAL TEMPERATURES OF, 41 1285  
 ENTANGLEMENTS OF POLYMERS, 41 1  
 FREEZING, 41 1288  
 OF RUBBER, NHR, 41 47

- THERMODYNAMIC PROPERTIES OF POLY(DI-METHYLSILOXANE), 46 338
- SOLVENT RESISTANCE**
- OF CARBORANE ELASTOMERS, 48 14
- OF FLUOROELASTOMERS, 46 619
- OF FLUOROELASTOMERS, 47 32
- OF RUBBER BLENDS, 47 57
- POLYSULFIDE ELASTOMERS, 41 114
- SOLVENT SWELLING**
- AND POLYMER-SOLVENT INTERACTION PARAMETER, 50 451
- FOR MODULUS OF NR COMPOUNDS, 50 233
- IN ADHESION OF ELASTOMERS AND SILICA, 50 342
- OF PIVALOLACTONE EPDM GRAFTS, 50 109
- SOLVENTS FOR RUBBER**
- EQUATION-OF-STATE FOR, 46 338
- SORPTION**
- OF BENZENE IN POLYSTYRENE-POLY(VINYL METHYL ETHER), 48 218
- OF VAPOR IN POLYMER, 50 451
- SOUND VELOCITY**
- IN CHLORINATED POLYETHYLENE, 48 623
- SOUTH AMERICAN LEAF BLIGHT**
- CONTROL OF, 49 1360
- SPECIFIC HEAT, 47 849**
- EPDM RUBBERS, 44 1093
- OF ELASTOMERS, 41 564
- OF RUBBER MIX, 48 452
- SPECTROSCOPY**
- ATTENUATED TOTAL REFLECTANCE AT HIGH TEMPERATURES, STUDIES OF CROSSLINKING AND POLYMERIZATION BY, 43 860
- IN THE RUBBER INDUSTRY (REVIEW), 49 417
- SPHERULITIC SCATTERING**
- POLYETHER-POLYESTER ELASTOMERS, 50 1
- SPLICE INNER TUBE PROCESS, 42 973**
- SPONGE PRODUCTION**
- ETHYLENE-PROPYLENE RUBBER IN, 43 1518
- POLYISOPRENE AND NATURAL RUBBER IN, 43 1255
- SPRING**
- ELASTOMERIC, 47 1039
- SPRING RATE**
- DYNAMIC, 45 1159
- EFFECT OF BLACK LOADING ON, 44 1043
- EFFECT OF BLACK LOADING ON, 44 258
- EFFECT OF BLACK TYPE ON, 44 1043
- EFFECT OF CROSSLINKING ON, 44 258
- EFFECT OF EPDM GRADE ON, 44 1043
- EFFECT OF PROCESSING OIL ON, 44 1043
- OF SBR, 44 258
- RESONANT BEAM TESTING MACHINE, 45 1159
- SPRING RELAXOMETER, 43 1036**
- SPRINGS**
- RUBBER TUBES AS, 44 1380
- SQUALANE, see HEXAMETHYLTETRACOSANE**
- SQUALENE**
- EPOXIDE DERIVATIVE, 48 953
- NMR SPECTRUM, 48 953
- OXIDATION, 48 953
- OXIDATION BY SINGLET OXYGEN, 45 423
- OXIDATION, PHOTOSENSITIZED, 50 704
- PHOTOSENSITIZED OXIDATION OF, 45 423
- REACTION WITH DINITROSOMETHYLANILINE, 49 1019
- STABILITY**
- OF PEROXIDE-CURED EPM, 41 304
- STABILIZATION OF POLYMERS**
- MECHANISM OF, 44 1421
- STABILIZATION OF RUBBERS**
- MECHANISM, 45 359
- STABILIZERS**
- FOR CHLOROSULFONATED POLYETHYLENE, 44 1410
- NONDISCOLORING, 41 255
- PHENOLIC, 45 1148, 1147
- STABILIZING ACTIVITY OF DEPOLYMERIZED SCRAP RUBBER, 48 62**
- STANNOUS OCTOATE**
- CATALYST FOR CURE OF POLYURETHANES, 44 52
- STARCH**
- AS RUBBER FILLER, 41 784
- ELASTOMER REINFORCEMENT, 43 934
- IN RUBBER, 41 1380
- IN RUBBER, 44 842
- IN RUBBER, 47 64
- POWDERED RUBBER FROM, 47 1311
- XANTHIDE REINFORCEMENT OF RUBBER, 47 1313
- STARCH MASTERBATCHES**
- WITH SBR, 48 589
- STARCH XANTHIDE**
- FILLED ELASTOMERS, VULCANIZATES, 48 589
- FOR ENCASING POWDERED RUBBER, 46 590
- IN ELASTOMER MASTERBATCHES, 48 1092
- PREPARATION OF, 48 1092
- PROCESS FOR POWDERED RUBBERS, 48 338
- STARK RUBBER, 42 540**
- CRYSTALLINITY IN, 48 22
- STATIC FRICTION**
- OF VULCANIZATES, 50 266
- STATISTICAL ANALYSIS, 41 86**
- STATISTICAL MECHANICS OF RANDOM COIL NETWORKS, 48 1008**
- STATISTICAL THEORY OF RUBBER ELASTICITY, 44 127, 1380**
- STEADY-SHEAR MEASUREMENTS OF AMORPHOUS ELASTOMERS, 48 69**
- STEAM RESISTANCE**
- OF FLUOROELASTOMERS, 50 418
- STEARIC ACID**
- EFFECT ON CROSSLINK DENSITY, 47 266
- EFFECT ON RUBBER CRYSTALLIZATION, 44 29
- IN VULCANIZATION OF EPDM, 45 709
- STEEL**
- ADHESION TO RUBBER, 47 161, 171
- STEEL BELT SKIM**
- FINE PARTICLE SILICA IN, 50 356
- STEEL CORD**
- ADHESION, H-TEST, 45 1497
- ADHESION TO NATURAL RUBBER, 50 217
- ADHESION TO RUBBER, 46 981
- EFFECT OF ACCELERATORS, 46 981
- EFFECT OF BONDING AGENT, 46 981
- EFFECT OF SULFUR CONCENTRATION, 46 981
- IN DYNAMIC ADHESION TEST, 49 414, 1349
- MAXIMUM ADHESION, 45 1499
- STEEL WIRE**
- ADHESION TO RUBBER, 41 1374
- STEREOBLOCK POLYMERS, 41 161**
- STEREOPOLYMER**
- SEMIWORKS FACILITY, 49 1353
- STEREOSPECIFIC POLYMERIZATION**
- WITH ALANES AND AMINOALANES, 48 736
- STIFFNESS**
- BREAKER BELTS FOR TIRES, 41 988
- DYNAMIC, 44 258, 440
- STATIC, 44 258, 440

- TIRES AND CORNERING STABILITY, 45 1148
- STORAGE MODULUS**, 45 1015, 1082
- AND VISCOELASTIC BEHAVIOR, 45 1082
- REDUCED, 45 1015
- TEMPERATURE DEPENDENCE, 45 1015
- THEORETICAL PREDICTION, 45 638
- STORED ENERGY FUNCTION**, 47 729
- STRAIN**
- AMPLIFICATION BY FILLER, 48 410, 592
- AMPLIFICATION FACTOR, 42 352
- BEHAVIOR IN SWOLLEN NETWORK, 42 572
- BIAXIAL INSTABILITIES, 47 788
- CRITICAL, 43 1025
- CRITICAL, IN OZONE RESISTANCE TESTING, 47 895
- DEPENDENCE OF TG, 48 623
- DEPENDENCE OF VOLUME ON, 43 887, 1025, 1473
- DEPENDENT DYNAMIC PROPERTIES, 48 79, 89
- EFFECT ON BREAKDOWN OF CARBON BLACK STRUCTURE, 43 1015, 1359
- EFFECT ON CAVITIES IN BLACK-FILLED RUBBER, 43 873, 1015
- EFFECT ON DYNAMIC PROPERTIES, 44 440
- EFFECT ON GLASS TRANSITION, 43 95
- HARDENING, 46 1166
- HARDENING, 48 410
- HARDENING, OF RUBBER VULCANIZATES, 44 1208, 1227, 1249
- MEASUREMENTS, IN BIAS, BIAS BELTED, AND RADIAL TIRES, 44 1453
- RATE MEASUREMENT, 42 1420
- SIMPLE AND BIAXIAL, 47 788
- VELOCITY, 42 565
- WAVE IN NATURAL RUBBER, 42 565
- STRAIN AMPLIFICATION FACTOR**
- EFFECT ON MOONEY-RIVLIN CONSTANTS FOR EPDM, 44 1109
- FILLED EPDM AND, 44 1109
- STRAIN AMPLITUDE**, 46 877, 897
- AND RUBBER-FILLER BONDING, 47 697
- DISTRIBUTION IN CARBON BLACK-RUBBER MIXTURE, 47 729
- EFFECT ON DYNAMIC PROPERTIES, 47 729
- EFFECT ON ELASTIC MODULUS, 46 877, 897
- STRAIN ANALYSIS**, 45 1104
- STRAIN ENERGY DENSITY**
- OF TIRE CORD, 46 294
- STRAIN ENERGY DENSITY FUNCTION**, 45 60, 309, 1677
- AND MECHANICAL FATIGUE OF RUBBER, 45 309
- CYLINDRICAL MEMBRANE, 45 1677
- STRAIN ENERGY FUNCTION**
- LINEAR COMBINATION OF STRAIN INVARIANTS, 46 398
- STRAIN WORK**
- EFFECT OF CROSSLINK DENSITY ON, 44 440
- EFFECT OF SHEAR MODULUS, 44 440
- OF NATURAL RUBBER, 44 440
- STRENGTH OF POLYMERS**
- EFFECT OF HYSTERESIS, 41 1157
- STRENGTH OF RUBBERS**
- THEORY, 48 902
- STRENGTH OF VULCANIZATES**
- EFFECT OF NETWORK CHAINS, 42 659
- STRESS**
- AXIAL, 46 540
- TORSIONAL, 46 540
- BEHAVIOR IN SWOLLEN NETWORKS, 42 572
- BIREFRINGENCE OF SWOLLEN POLYISOPRENE NETWORKS, 43 829
- CRITICAL IN OZONE RESISTANCE TESTING, 47 895
- DISTRIBUTION IN TIRE SIDEWALLS, 43 1055
- OZONE ATTACK AND, 46 540
- VARIATION WITH TEMPERATURE, 46 593
- WHITENING, 43 1
- STRESS ANALYSIS**
- OF BELTED TIRES, 46 294
- OF RADIAL TIRES, 49 1906
- PASSENGER TIRE SIDEWALL, 44 1452
- STRESS BIREFRINGENCE**, 41 533
- STRESS BIREFRINGENCE**, 47 626, 1234
- HYSTERESIS IN, 47 1234
- STRESS CRYSTALLIZATION OF EPM**, 45 709
- OF NATURAL RUBBER, 45 1315
- STRESS PHOTORELAXATION SPECTRA**
- OF PEROXIDE-CURED NATURAL RUBBER, 45 481
- OF SULFUR-CURED NATURAL RUBBER, 45 481
- STRESS RELAXATION**
- ACTIVATION ENERGY, 47 1241
- AGING AND, 47 1265
- AND AGING, 42 1501
- AND CROSSLINKS, 45 1064
- AND MOLECULAR ENTANGLEMENT, 47 1
- AND MOLECULAR MOBILITY, 45 71
- AND MOLECULAR WEIGHT, 47 1
- AND OXIDATIVE REACTIONS, 43 1036
- AND TEMPERATURE, 47 1
- APPARATUS FOR, 43 262
- AT CONSTANT STRAIN, 45 82
- AT CURING CONDITIONS, 45 1630
- AT LARGE DEFORMATION, 46 388
- AUTOCATALYTIC, 43 304
- BELOW GLASS TRANSITION TEMPERATURES, 45 71
- CHARACTERIZATION OF FLUORO-RUBBERS, 49 1001
- CHEMICAL, 46 388, 477
- CHEMICAL, 48 141, 913
- CHEMICAL, OF EPDM VULCANIZATES, 48 913
- CHEMICAL, OF PEROXIDE-CURED NR, 48 913
- CHEMICAL, OF RUBBERS, 50 895
- CHEMICAL, OF SBR, 47 1265
- CHEMICAL REACTION DURING, 45 82
- COMPARISON WITH ESR RESULTS, 48 445
- COMPLEX, OF RUBBER CYLINDER, 43 735
- CONSTANTS IN EQUATIONS FOR, 45 71, 82
- CONTINUOUS, 43 262, 304, 431
- CONTINUOUS, 44 1410
- CONTINUOUS, 46 483
- CONTINUOUS, TEMPERATURE EFFECT, 47 1265
- CROSSLINKING DURING, 47 1265
- DISCONTINUOUS, 43 262, 304, 431
- DURING IRRADIATION OF VULCANIZATES, 43 262
- DYNAMIC, INSTRUMENT FOR, 49 247
- EFFECT OF ANTIOXIDANT ON, 43 304
- EFFECT OF ATMOSPHERE ON, 48 141
- EFFECT OF COMPOSITION OF EPDM ON, 44 1057
- EFFECT OF CROSSLINK DENSITY ON, 44 579
- EFFECT OF CROSSLINKING ON, 45 1630
- EFFECT OF INITIAL STRESS ON, 45 82
- EFFECT OF TEMPERATURE, 47 1265
- EFFECT OF WAVELENGTH OF LIGHT ON, 45 481
- EQUILIBRIUM IN VACUO, 43 1036
- FROM DYNAMIC MECHANICAL MEASUREMENTS, 50 908
- IN AIR, 43 1036
- IN CARBON-FILLED RUBBERS, 45 82
- IN COMPRESSION, 50 915



- IN COMPRESSION, OF NBR, 50 906  
 IN DEGRADATION OF VULCANIZATES, 50 43  
 IN NITROGEN AND AIR, 47 1265  
 IN THE GLASSY REGION, 45 1623  
 IN VACUO, 43 1036  
 IN VACUO, 45 481  
 INTERMITTENT, 41 692  
 INTERMITTENT, 44 1410  
 INTERMITTENT, 46 388, 483  
 INTERMITTENT, 47 1265  
 MASTER CURVE, 47 1  
 MECHANICAL DESTRUCTION, 45 1074  
 MOTION OF RUBBER SEGMENTS AND, 45 82  
 OF CARBON-BLACK-FILLED UNVULCANIZED RUBBERS, 48 995  
 OF CHLOROSULFONATED POLYETHYLENE VULCANIZATES, 44 1410  
 OF EPDM VULCANIZATES, 44 1334  
 OF ETHYLENE-PROPYLENE RUBBER, 43 431  
 OF ETHYLENE-PROPYLENE RUBBERS, 42 944  
 OF FIBER-RUBBER COMPOSITE, 47 404  
 OF FLUOROSILICONE RUBBER, 48 944  
 OF GUTTA-PERCHA, 46 913  
 OF LIGHTLY CROSSLINKED POLYURETHANES, 50 934  
 OF NATURAL RUBBER, 41 162  
 OF NATURAL RUBBER, 44 707  
 OF NATURAL RUBBER IN OXYGEN, 43 304  
 OF NATURAL RUBBER VULCANIZATES, 45 481, 1630  
 OF NATURAL RUBBER VULCANIZATES AT HIGH TEMPERATURE, 46 388  
 OF NITRILE RUBBER, 47 307  
 OF PEROXIDE-CURED EPR, 41 304  
 OF POLYACRYLATE ELASTOMERS, 41 692  
 OF POLYBUTADIENE, 47 357  
 OF POLY(BUTADIENE CO STYRENE CO METHACRYLIC ACID) DURING CURING, 45 1630  
 OF POLYISOPRENE DURING CURING, 45 1630  
 OF POLYMER NETWORKS, 44 1256  
 OF POLYSULFIDE ELASTOMERS, 41 114  
 OF RADIATION-CURED NATURAL RUBBER, 48 141  
 OF SBR, 46 417, 488  
 OF SBR, 47 1241  
 OF UNCROSSLINKED RUBBERS, 48 913, 995  
 OF VULCANIZATES CONTAINING HYDROGENATED CARBON BLACK, 48 410  
 PHYSICAL, OF RUBBERS, 50 895  
 PHYSICAL RELAXATION DURING, 45 82  
 REPEATED, 48 913  
 SILICA EFFECT, 47 765  
 SOFT AND HARD DOMAINS IN, 45 82  
 TIME-TEMPERATURE SUPERPOSITION, 47 313  
 UNDER MOLD RESTRAINT, 45 1630  
 WITHOUT CHEMICAL SCISSION, 43 431
- STRESS RELAXATION FUNCTIONS, 45 1669**
- STRESS SOFTENING, 47 765**  
 AND PROCESSING, 42 714  
 AND RHEOLOGY, 42 257  
 IN POLYURETHANE BLOCK POLYMERS, 47 19  
 OF BLOCK POLYMERS, 42 956  
 OF FILLED VULCANIZATES, 48 410  
 OF NATURAL RUBBER, 42 339  
 OF NATURAL RUBBER, 42 339  
 OF POLYBUTADIENE, 42 1095  
 OF POLYURETHANES, 42 648  
 OF POLY(VINYL CHLORIDE), 42 373
- STRESS-CRACK RESISTANCE**  
 OF POLYOLEFINS, 49 978  
 OF THERMOSET RESINS, 49 978
- STRESS-OPTICAL COEFFICIENT,**  
 AND CHAIN CROSS SECTIONS, 50 798  
 DEPENDENCE ON CROSSLINKING, 47 625, 1234  
 DETERMINATION OF, 46 653  
 EFFECT OF SWELLING, 47 625  
 IN RHEOLOGICAL STUDIES (REVIEW), 49 458  
 OF NATURAL RUBBER, 46 653  
 OF NITRILE RUBBER, 46 1264  
 OF POLYISOPRENE, 47 1234  
 TEMPERATURE COEFFICIENT, 47 625
- STRESS-STRAIN**  
 AND RELAXATION FOR RUBBER CYLINDER, 43 735  
 AT TEMPERATURE BELOW GLASS TRANSITION TEMPERATURE OF MATERIAL, 47 1213  
 BEHAVIOR OF SWOLLEN NATURAL RUBBER, 44 744  
 BEHAVIOR OF UNCURED BLACK STOCK, 47 353  
 CURVE OF CIS-POLYISOPRENE, 47 351  
 CURVE OF NATURAL RUBBER, 47 351  
 CURVE OF NATURAL RUBBER-FIBER COMPOSITE, 47 400  
 DEFINITION OF TERMS, 47 1213  
 DISTRIBUTION IN TIRE, 47 364  
 DYNAMIC, OF SBR-1500, 50 791  
 EFFECT OF CARBON BLACK AGGREGATES, 47 424  
 EFFECT OF CARBON BLACK GRAPHITIZATION, 47 429  
 EFFECT OF CARBON BLACK STRUCTURE, 47 429  
 EFFECT OF FILLER LOADING, 47 429  
 EFFECT OF PRE-CURE SWELLING ON, 44 1326  
 EFFECT OF TEMPERATURE, 47 353  
 ENERGY DISSIPATED DURING LOADING-UNLOADING CYCLE, 47 1213  
 EXPERIMENT AND THEORY, 47 625  
 FLEXIBLE FOAMS, 43 758  
 FOR INFLATED CYLINDER, 43 745  
 FOR LATEX FILMS, 43 1255  
 FUNCTION FOR RUBBER ELASTICITY AND DIPOLE ORIENTATION, 43 878  
 GEOMETRY OF SPECIMENS FOR, 47 1213  
 HIGH SPEED, 46 417  
 HIGH-SPEED, 47 307, 318  
 HYSTERESIS EFFECTS, 47 1213, 1234  
 IN BENDING, 47 377  
 IN IDEAL RUBBER, 47 625  
 IN SHEAR, 47 335  
 IN SWOLLEN RUBBER, 47 625  
 IN THE GLASSY REGION, 45 1623  
 ISOTHERMAL, 46 398  
 ISOTHERMS, 47 1151  
 MASTER CURVE FOR, 47 318, 335, 778  
 MEASUREMENT AT VERY LOW STRAIN, 50 780  
 OF NATURAL RUBBER, 45 1623  
 OF NITRILE RUBBER, 46 417  
 OF NITRILE RUBBER, 47 307, 318  
 OF NITRILE RUBBER AT -75 DEGREES C, 45 1074  
 OF POLYBUTADIENE VULCANIZATES, EFFECT OF CURE, 47 429  
 OF POLYCARBONATES, 45 1623  
 OF POLYISOBUTYLENE, 45 1623  
 OF POLYPENTENAMER VULCANIZATES, 47 511  
 OF RUBBER VULCANIZATES, 44 1391  
 OVAL GEOMETRY, 47 1213  
 PROPERTIES OF RUBBER, 44 1396  
 RING GEOMETRY, 47 1213  
 UNIAXIAL, 47 1213  
 VISCOELASTIC REPRESENTATION FOR STYRENE-BUTADIENE RUBBER, 43 714

**STRESS-STRAIN CURVES OF RUBBER**

- ACCURATE EQUATIONS FOR, 45 60
- IN THE GLASSY REGION, 45 1623
- NATURAL RUBBER, 45 1623
- POLYCARBONATES, 45 1623
- POLYISOBUTYLENE, 45 1623

**STRESS-STRAIN ISOTHERMS**

- FOR POLYBUTADIENE, 50 884
- FROM CREEP MEASUREMENTS, 50 884
- IN COMPRESSION, 48 495
- IN TENSION, 48 495
- ISOCRONOUS, IN COMPRESSION, 50 915
- OF AMORPHOUS RUBBERS, 48 69
- OF CRYSTALLIZABLE NETWORKS, 50 1000
- OF FIBER-RUBBER COMPOSITES, 50 945
- OF 1,2-POLYBUTADIENE, 48 164
- OF POLY(DIMETHYLSILOXANE), 48 176
- OF POLYISOBUTYLENE NETWORKS, 49 85
- OF TUBULAR RESERVOIRS, 50 969
- STRAIN-INDUCED CRYSTALLIZATION, 49 85
- TEMPERATURE EFFECT, 49 85

**STRESS-STRAIN PROPERTIES**

- RATE DEPENDENCE, 41 1231
- TEMPERATURE DEPENDENCE, 41 1231

**STRESS-TEMPERATURE**

- BEHAVIOR OF ETHYLENE-PROPYLENE RUBBER, 43 778
- COEFFICIENT OF NATURAL RUBBER, 43 270
- COEFFICIENTS OF POLY(DIMETHYLSILOXANE), 48 176
- EFFECT OF SWELLING ON, 43 270

**STRESS-WHITENING, 47 1213****STRUCTURAL CHARACTERIZATION OF VULCANIZATES, 44 707, 771**

- NETWORK-BOUND ACCELERATOR GROUPS, 44 771

**STRUCTURE**

- OF CARBON BLACK, 41 356
- OF ELASTOMERS, AND MECHANISM OF OZONE DEGRADATION, 41 643
- OF NATURAL RUBBER VULCANIZATES, 41 659
- OF VULCANIZATES, 41 182

**STRUCTURE OF FILLERS IN REINFORCEMENT, 44 1208, 1249****STYRENE**

- COPOLYMER WITH 1,4-DIVINYLBENZENE, 2,3,5,6-TETRACHLORO, 49 1276
- REACTION WITH TERT-BUTYL LITHIUM, 48 1070

**STYRENE COPOLYMERS**

- NMR, 41 47

**STYRENE POLYMERIZATION, 43 22****STYRENE-ACRYLONITRILE COPOLYMERS**

- IMPACT RESISTANT, 49 978

**STYRENE-BUTADIENE BLOCK COPOLYMERS**

- ELECTRON MICROSCOPY OF, 43 1
- FRACTURE STUDY BY ESR, 48 445
- IN MECHANICAL GOODS AND ADHESIVES, 50 413
- IN SHOE SOLES, 50 413

**STYRENE-BUTADIENE LATEX**

- END USE APPLICATIONS, 49 411

**STYRENE-BUTADIENE RUBBER**

- ABRASION AND CRACK GROWTH, 48 902
- ABRASION OF, 41 209
- ABRASION OF, 43 1503
- ABRASION RESISTANCE AS A FUNCTION OF CARBON BLACK PARAMETERS, 42 700, 1495
- ABRASION RESISTANCE OF PRE-STRESSED, 44 214
- ABRASION STUDIES OF, 44 1173
- ACCELERATOR SOLUBILITY IN, 49 105

**ACCELERATORS OF SULFUR VULCANIZATION OF, 47 266, 906, 1304****ADHESION, 42 30****ADHESION OF CHLOROBUTYL, 42 971****ADHESION OF TIRE CORDS, 42 159****ADHESION TO NYLON, 50 998****AGING, 45 1372****AGING AND DYNAMIC PROPERTIES, 47 803****AGING AND STRESS-STRAIN OF, 47 803****AGING EFFECT ON CARBON BLACK-RUBBER GEL, 47 858****AGING OF, 43 572****ALFIN, 46 587, 1332****AMINOMERCAPTOTRIAZINES AS ACCELERATORS FOR, 43 1194****ANALYSIS OF, 46 1326****ANALYSIS OF BUTADIENE IN, 43 1327****ANALYSIS OF VULCANIZATES, 44 1278****AND BLACK MASTERBATCH, 42 957****AND BLENDS, 44 614, 996****AND BOUND RUBBER, 42 858****AND CARBON BLACK SURFACE PROPERTIES, 48 410****ANISOTROPY OF, 43 836****ANNEALED SAMPLES OF, 45 1564****ANTIOZONANTS IN, 42 1471****AUTOHESION, 42 1480****AUTOMOTIVE APPLICATIONS, 49 775****BANBURY MIXING TIME, 48 410****BLACK INCORPORATION TIME, 49 278****BLACK-FILLED, ELECTRICAL CONDUCTIVITY, 50 735****BLACK-FILLED, PROCESSING, 50 765****BLEND WITH BR, RADIOLUMINESCENCE OF, 50 714****BLENDS OF CARBOXY AND VINYL PYRIDINE, 42 759****BLENDS WITH BR IN TIRE TREADS, EFFECT OF CURING TEMPERATURE, 48 356****BLENDS WITH CIIR, 48 860****BLENDS WITH EPDM, 44 1065****BLENDS WITH EPDM, 45 709****BLENDS WITH EPDM FOR OZONE RESISTANCE, 49 393****BLENDS WITH OTHER ELASTOMERS, 46 653****BLENDS WITH POLYBUTADIENE, 41 1109****BLOCK, 42 1257****BLOCK, 47 1311****BLOCK COPOLYMERS, 45 1005, 1564****BLOCK COPOLYMERS, THERMAL ANALYSIS OF, 45 329****BONDING TO CARBON BLACK, 44 175****BOUND RUBBER, 47 425, 467****BUILDING TACK OF, 42 966****C-13 NMR PEAK ASSIGNMENTS, 48 1044****CALCULATED STRESS-STRAIN CURVE OF GUM, 45 60****CARBON BLACK AND VISCOELASTICITY, 47 697, 729, 765, 803, 825****CARBON BLACK MORPHOLOGY IN, 50 842****CARBON BLACK-FILLED, 47 48, 127, 213, 231, 411, 697, 729, 765, 803, 825, 837, 858, 1082, 1253, 1265****CARBON-BLACK-FILLED, DYNAMIC MECHANICAL PROPERTIES, 48 79, 592****CARBON-BOUND RUBBER, 48 548, 810****CARBONYL GROUP AND HYDROXYL GROUP FORMATION OXIDATIVE AGING, 47 1 265****CARBOXY-TERMINATED, 42 759, 71****CHAIN CROSS SECTION AND MOONEY-RIVLIN**

- CONSTANTS, 50 796  
CHAIN STIFFNESS, 43 836  
CHEMICAL STRESS RELAXATION OF VULCANIZATES OF, 47 1265  
CLOSE PACKING OF AGGREGATES IN BLOCK, 45 1564  
COAGULATION OF BLACK MASTERBATCH, 42 957  
COMPOSITION AND STRUCTURE BY INFRARED, 45 546  
COMPOSITIONAL DISTRIBUTION, 48 310  
COMPOSITIONAL VARIATION OF, 45 1582  
COMPOUNDING FOR TREAD WEAR AND SKID RESISTANCE, 49 1365  
COMPOUNDING WITH BITUMINOUS COAL FINES, 45 1145  
COMPOUNDS CONTAINING RICE-HULL ASH, 50 1009  
COMPUTERS FOR NMR OF, 43 1525  
COPOLYMERIZABLE ANTIOXIDANTS FOR, 46 96, 106  
COPOLYMERIZATION KINETICS, 46 1322  
COPOLYMERIZED ANTIOXIDANTS IN, 47 1306  
COVULCANIZATION WITH CHLOROBUTYL RUBBER, 46 251  
CRACK GROWTH OF VULCANIZATES OF, 47 1253  
CRACKS IN, 42 1186  
CREEP COMPLIANCE OF VULCANIZATE, 46 1077  
CRITICAL CONCENTRATIONS OF ANTIOXIDANTS, 47 1300  
CRITICAL SURFACE TENSION OF SPREADING, 42 30  
CROSSLINK DENSITY OF, 47 266, 803, 1265  
CROSSLINKING BY PEROXIDE, 42 1245  
CROSSLINKING WITH DITHIOL-S-TRIAZINES, 50 660  
CRYSTAL LATTICE ORDER IN BLOCK, 45 1564  
CURATIVE DIFFUSION IN, 42 1058  
CURE CHARACTERISTICS, 47 475  
CYCLIC CRACK GROWTH OF, 45 309  
DAMPING COEFFICIENTS OF VULCANIZATES OF, 44 1258  
DEBRIS FROM TIRE WEAR, 47 150, 1005, 1011, 1275  
DEFORMATION DIAGRAM, 46 1166  
DEGRADATION AND IR IDENTIFICATION, 48 289  
DEPENDENCE OF SEDIMENTATION CONSTANT ON INTRINSIC VISCOSITY, 45 519  
DEPOLYMERIZED SCRAP RUBBER AS STABILIZER FOR, 48 62  
DETERMINATION OF IN BLENDS, 44 1429  
DETERMINATION OF, IN VULCANIZATES, 48 97  
DETERMINATION OF MICROSTRUCTURE IN VULCANIZED, 43 1332  
DETERMINATION OF UNVULCANIZED POLYMER IN VULCANIZATES, 45 1168  
DIADS BY NMR, 48 1055  
DIE SWELL AS MIXING CRITERION, 49 1  
DIE SWELL OF, 46 1136  
DIE SWELL OF BLACK FILLED, 42 957, 1496  
DIELECTRIC LOSS FACTOR, 44 294  
DIFFERENTIAL THERMAL ANALYSIS, 42 110  
DIFFUSION OF ANTIOXIDANTS AND ACCELERATORS, 42 892, 1058  
DIFFUSION OF HYDROCARBONS IN, 45 278  
DIFFUSION OF OIL IN, 42 1473  
DIFFUSION OF OIL IN, 44 1430  
DIFFUSION OF SULFUR IN, 44 1307  
DISPERSION OF IN ELASTOMER BLENDS, 50 278  
DISTRIBUTION OF MONOMER UNITS AS FUNCTION OF MOLECULAR WEIGHT, 46 449  
DOUBLE STRAIN AMPLITUDE AND DYNAMIC MODULUS, 44 440  
DYNAMIC MECHANICAL PROPERTIES OF, 48 1330  
DYNAMIC PROPERTIES, 42 520  
DYNAMIC PROPERTIES, 47 697, 729, 765, 803, 825  
DYNAMIC PROPERTIES OF, 50 791  
DYNAMIC SHEAR MODULI OF VULCANIZATES, 44 258  
DYNAMIC SPRING RATE OF VULCANIZATES, 44 258  
EFFECT OF BLACK LOADING ON STRESS RELAXATION OF, 44 185  
EFFECT OF BLENDS OF MERCAPTANS IN PREPARATION OF, 48 728  
EFFECT OF CARBON BLACK IN ELASTOMER BLENDS, 50 301  
EFFECT OF CARBON BLACK ON DIE SWELL, 48 1218  
EFFECT OF CARBON BLACK ON ELECTRICAL CONDUCTANCE OF, 42 874  
EFFECT OF CARBON BLACK STRUCTURE ON CURE OF, 45 129  
EFFECT OF CARBON BLACK SURFACE ACID CONCENTRATION ON CURE OF, 45 129  
EFFECT OF CARBON-BLACK MORPHOLOGY ON BREAKDOWN OF, 47 858  
EFFECT OF CRYSTALLINITY OF POLYBUTADIENE, 46 178  
EFFECT OF FLEXING ON VULCANIZATES, 45 450  
EFFECT OF MILL-BREAKDOWN OF CARBON BLACK ON PROPERTIES OF, 47 1082  
EFFECT OF MILLING BLACK IN, 42 1493  
EFFECT OF MIXING WITH BLACK ON MOLECULAR WEIGHT DISTRIBUTION, 47 858  
EFFECT OF MOLECULAR WEIGHT REGULARITY OF BLOCK ON LONG RANGE ORDER OF, 47 825  
EFFECT OF MW ON MIXING BEHAVIOR, 49 1  
EFFECT OF PETROLEUM PITCH, 47 825  
EFFECT OF POLYSULFIDE CROSSLINKS ON HARDENING, 45 450  
EFFECT OF SILICA FILLER, 48 795  
EFFECT OF STYRENE CONTENT IN BLENDS WITH BR, 41 1109  
EFFECT OF STYRENE CONTENT ON GLASS TRANSITION TEMPERATURE, 44 598  
EFFECT OF STYRENE CONTENT ON WET FRICTION, 44 1443  
EFFECT OF VARIOUS CROSSLINKS ON AGING OF, 43 572  
EFFECT OF VARIOUS FILLERS, 47 803, 825  
EFFECT ON TREAD WEAR OF DIFFERENT TIRE CONSTRUCTIONS, 45 10  
ELASTIC MODULUS, 47 729, 765, 803  
ELASTIC MODULUS OF VULCANIZATES, 48 877  
ELASTICITY OF UNCROSSLINKED, 48 995  
ELASTOMER SOLUTIONS HYSTERESIS AND RUBBER FAILURE, 45 1043  
ELECTRON DIFFRACTION (SMALL ANGLE) OF BLOCK, 45 1564  
ELECTRON MICROGRAPHS OF BLOCK, 45 1564  
ELECTRON MICROSCOPY OF, 45 1582  
EMULSION POLYMERIZATION, 49 610  
ENERGETIC CONTRIBUTION TO ELASTIC FORCE, 46 593  
ENTANGLEMENTS, 48 913  
ENTHALPIES OF OXIDATION, 47 1300  
EPDM AS ANTIOZONANT IN, 42 975  
EQUILIBRIUM PHASE DIAGRAM, 47 1310  
EXTENDER OIL MIGRATION IN, 43 1349  
FAILURE PROPERTIES AS FUNCTION OF

- CROSSLINK DENSITY, 45 709  
 FAILURE PROPERTIES OF, 50 791  
 FATIGUE LIFE OF VULCANIZATES OF, 47 231, 1253  
 FATIGUE PROPERTIES OF BLENDS, 50 429  
 FILLED WITH GROUND RICE-HULL ASH, 48 271  
 FILLER REINFORCEMENT OF, 44 1208, 1227, 1249  
 FINITE EXTENSIBILITY AND VISCOELASTICITY, 43 714  
 FIRST-ORDER RATE OF CROSSLINK FORMATION WITH ACCELERATORS, 44 889  
 FLAME RETARDATION, 50 523  
 FLAMMABILITY, 46 1114  
 FOAMS, FLAMMABILITY, AND SMOKE PROPERTIES, 45 1692  
 FOAMS FROM BLENDS WITH, 43 1255  
 FRACTION OF TOTAL ROAD DUST, 47 1275  
 FRACTIONATION OF, 41 626  
 FREE SULFUR IN VULCANIZATES, 47 266  
 FREE VOLUME OF, 45 278  
 FRICTION OF, 42 1433  
 FRICTION ON ICE, 48 527  
 FUNCTIONALLY TERMINATED, 42 71, 759  
 GLASS TRANSITION TEMPERATURE, VARIATION WITH COMPOSITION, 46 1166  
 GROOVE CRACKING RESISTANCE, 44 1186  
 HARDNESS OF, 45 1372  
 HARMFUL SOLAR RADIATIONS FOR, 45 481  
 HEALTH HAZARD CONTROL IN MANUFACTURE OF, 44 512  
 HEAT OF IMMERSION OF CARBON BLACKS IN, 45 117  
 HEAT TREATMENT OF COMPOUND, 48 410  
 HETEROGENEITY OF CROSSLINKS, 48 1285  
 HYDROGEN EXCHANGE WITH BLACK, 42 1200  
 HYDROXY TERMINATED RESIN CURING OF, 44 914  
 HYDROXYLATION OF, 43 1516  
 HYSTERESIS AND ELASTIC MODULUS, 47 803  
 HYSTERESIS OF, 47 729, 803  
 IDENTIFICATION IN TIRE COMPONENTS, 48 301, 631, 653  
 IMPACT RESISTANCE OF INTERPENETRATING NETWORKS, 45 1582  
 IN BLENDS, 47 48, 481  
 IN FIBER-RUBBER COMPOSITES, 47 399  
 IN INTERNAL MIXERS, 49 1  
 IN PEEL TESTS, 49 1200  
 IN ROADSIDE TOPSOIL, 47 1275  
 IN ROTARY FLEXOMETER, 49 258  
 IN RUBBER BLENDS, 47 64  
 IN TIRE SIDEWALL BLENDS, 43 482  
 INCOMPATIBILITY NUMBER OF INTERPENETRATING NETWORKS, 45 1582  
 INFLUENCE OF CARBON BLACK ON SWELLING RATE OF, 42 604  
 INFRARED SPECTRA OF OXIDIZED VULCANIZATES OF, 47 1265  
 INJECTION-MOLDED EXTRUDATES, 47 1311  
 INTERACTION OF AGING, FATIGUE, AND ELONGATION, 45 450  
 INTERAGGREGATE DISTANCES OF BLOCK, 45 1564  
 INTERFACIAL BONDING OF, 46 251  
 INTERPENETRATING NETWORK FROM, 44 609  
 INTERPENETRATING POLYMER NETWORKS OF, 45 1564  
 KINETICS OF SULFUR VULCANIZATION IN, 43 588  
 LARGE-PARTICLE CARBON BLACK AND CURE OF, 45 145  
 LASER DIFFRACTION BY BLOCK, 45 1564  
 LATEX, 43 1  
 LATEX FILMS OF, 41 514  
 LATTICE IMPERFECTION IN BLOCK, 45 1564  
 LOAD DEPENDENCE OF ABRATION, 43 701  
 LOSS MODULUS CHANGE WITH STYRENE CONTENT, 44 596  
 MAXIMUM RELAXATION TIME, 46 1166  
 MEASUREMENT OF OIL IN, 46 449  
 MECHANICAL BREAKDOWN OF, 46 570  
 MICROSTRUCTURE BY NMR, 48 1044, 1055  
 MICROWAVE CURING, 47 473  
 MILLING VARIATION WITH DEFORMATION, 46 1168  
 MISCIBILITY OF ELASTOMERS WITH, 43 370  
 MIXING OF, 48 1166  
 MIXING OF, 49 1, 399  
 MODULUS EFFECT OF, 45 1372  
 MODULUS-TEMPERATURE FUNCTION OF INTERPENETRATING NETWORK OF, 45 1582  
 MODULUS-TIME CURVE, 47 333  
 MOLECULAR WEIGHT DISTRIBUTION, 43 1424  
 MOLECULAR WEIGHT DISTRIBUTION, 46 449  
 MOLECULAR WEIGHT DISTRIBUTION, 48 810  
 MOLECULAR WEIGHT DISTRIBUTION, 49 278  
 MONOMER REACTIVITY RATIOS, 43 1138  
 MONOMER SEQUENCE DISTRIBUTION, 43 1138  
 MONOMER SEQUENCE IN, 48 1055  
 MOONEY STRESS OF GUM, 45 60  
 MORPHOLOGY OF BLENDS WITH, 43 370  
 MORPHOLOGY OF BLOCK, 45 1564  
 NBS STANDARD, 47 333  
 NETWORK WITH CARBON BLACK, 47 729  
 NMR SPECTROSCOPY, 48 705, 1044, 1055  
 NMR STUDY OF BLACK INTERACTION WITH, 42 1155  
 NUCLEAR MAGNETIC RESONANCE OF EMULSION, 43 1138  
 OIL DIFFUSION COEFFICIENT-CONCENTRATION FUNCTION, 44 87  
 OIL MIGRATION IN, 42 474, 1473  
 OIL MIGRATION IN, 45 278  
 OIL MIGRATION IN BLENDS OF, 44 87  
 OIL RESISTANCE, 46 1068  
 OIL-EXTENDED, DYNAMIC HYSTERESIS OF, 48 592  
 OIL-EXTENDED, MIXING OF, 48 577  
 OSMIUM TETROXIDE STAINING OF INTERPENETRATING NETWORKS OF, 45 1582  
 OXIDATION AND OXIDATION ENTHALPIES, 47 1300  
 OXIDATION CATALYZED BY METALLIC IONS, 42 1468  
 OXIDATION OF VULCANIZATES, 45 481  
 OXIDATIVE HARDENING, 45 400, 450  
 OXYGEN ABSORPTION AS FUNCTION OF LIGHT WAVELENGTH, 45 481  
 OXYGEN ABSORPTION OF VULCANIZATES, 45 481  
 OZONE CRACKING IN, 42 1186  
 OZONE CRACKING OF, 45 293  
 OZONE CRACKING OF, 46 540  
 PENDENT ACCELERATOR GROUPS IN VULCANIZATES OF, 43 572  
 PEROXIDE CROSSLINKING, 42 1245  
 PHASE ANGLE OF, 44 258  
 PHOTODEGRADATION SPECTRA OF, 45 481  
 PHYSICAL CONSTANTS OF, 49 189  
 PLASTICIZER EFFECT ON DYNAMIC SHEAR MODULI OF, 44 258  
 POLY-2-DIETHYLAMINOTRIAZINYL-4,6-DISULFIDE AS VULCANIZING AGENT FOR,

- POLYDISPERSITY, 49 291  
 POWDERED, 49 126  
 POWDERED, WITH STARCH XANTHATE, 48 338  
 PREDICTION OF PROPERTIES OF FILLED, 42 1498  
 PREVULCANIZATION INHIBITOR FOR, 43 1188, 1522  
 PROCESSABILITY, 42 714  
 PROCESSABILITY, 49 278  
 PYROLYSIS, 50 523  
 PYROLYSIS OF, 42 1200, 1350  
 RADIAL BLOCK COPOLYMER, 46 588  
 RADIAL BLOCK COPOLYMER, 47 461  
 RADIATION CURING OF, 48 880  
 RADIOLUMINESCENCE OF, 50 714  
 RADIO THERMOLUMINESCENCE, 49 179  
 RANDOM AND BLOCK COPOLYMERS OF, 42 520  
 REDUCED MODULUS OF BLACK-LOADED, 44 199  
 REFRACTIVE INDEX DISPERSION, 46 653  
 REINFORCED WITH POLYSTYRENE, 44 598  
 REINFORCEMENT BY SILICA, 50 342  
 REINFORCEMENT OF ASPHALT AND TAR BY, 42 1476  
 REINFORCEMENT PROMOTER FOR, 48 410  
 RELAXATION TIME DISTRIBUTION, 48 981  
 RELAXATION TIMES, 47 1241  
 RESIN CROSSLINKING OF, 47 1241  
 RESISTANCE TO PHOTODEGRADATION, 45 481  
 RESISTIVITY OF BLACK COMPOUNDS, 50 194  
 RHEOLOGICAL STUDIES, 48 69, 79, 592, 981  
 RHEOLOGY, 42 257, 1487  
 RHEOLOGY, 46 1166  
 RHEOLOGY, 49 52  
 RHEOMETER PROPERTIES OF, 45 1372  
 RHEOMETER TORQUE OF BLENDS, 49 105  
 ROD DIAMETER OF AGGREGATES OF BLOCK, 45 1564  
 ROD-SHAPED AGGREGATES IN BLOCK, 45 1564  
 RUBBER-BOUND ANTIOXIDANTS, IN, 45 204  
 RUBBER-FILLER INTERACTION, 42 936  
 SCORCH INHIBITION IN, 50 570  
 SCORCH SAFETY, 47 906  
 SECOND-ORDER RATE OF CROSSLINK FORMATION WITH ACCELERATORS, 44 889  
 SEMIPERMEABLE MEMBRANES FROM, 43 1516  
 SEPARATION BY THIN-LAYER CHROMATOGRAPHY, 48 310  
 SEQUENCE DISTRIBUTION IN, 43 1138, 1525  
 SEQUENCE DISTRIBUTION OF BUTYLLITHIUM INITIATED, 43 1138  
 SHEAR MODULUS, 47 837  
 SHEAR MODULUS OF, 50 791  
 SHEAR RATE-VISCOSITY, 47 825  
 SHEAR STRESS RELAXATION OF BLACK LOADED, 44 175  
 SHIFT FACTORS FOR BLACKS IN, 44 199  
 SILICA REINFORCEMENT, 48 410  
 SILICA-FILLED, 47 697, 803, 825  
 SMOKE FORMATION IN COMBUSTION, 50 523  
 SOLUTION FOR TIRES, 45 1172  
 SOLUTION POLYMERIZED, 41 1375, 1376  
 SPECIFIC HEAT OF, 41 564  
 STARCH MASTERBATCHES, 43 934  
 STARCH MASTERBATCHES, 46 589  
 STARCH XANTHIDE REINFORCEMENT, 47 1313  
 STATIC SPRING RATE OF VULCANIZATES OF, 44 258  
 STORAGE MODULUS, 47 803  
 STORAGE MODULUS CHANGE WITH STYRENE CONTENT, 44 598  
 STRESS RELAXATION OF, 45 82  
 STRESS RELAXATION OF UNCROSSLINKED, 48 995  
 STRESS RELAXATION OF VULCANIZATES, 47 1241  
 STRESS SOFTENING OF CROSSLINKED BLOCK-ED, 42 956  
 STRESS-OPTICAL COEFFICIENT, 46 653  
 STRESS-STRAIN IN COMPRESSION, 50 915  
 STRUCTURE OF, 42 1009  
 SULFUR CONCENTRATION EFFECT, 45 1372  
 SUPRAMOLECULAR STRUCTURE IN BLOCK, 45 1564  
 SWELLING IN CYCLOHEXANE, 48 860  
 TACK AND STICK OF, 42 1040  
 TAN DELTA OF, 47 729  
 TEARING ENERGY, 47 1253  
 TEMPERATURE COEFFICIENT OF UNPERTURBED DIMENSIONS, 46 593  
 TENSILE STRENGTH OF BLACK-FILLED VULCANIZATES, 45 193  
 TENSILE STRENGTH OF BLENDS, 49 105  
 TERPOLYMER WITH STYRENE-ACRYLONITRILE, METHYL STYRENE-ACRYLONITRILE, AND STYRENE-ACENAPHTHALENE, 44 62  
 THEORY OF REINFORCEMENT BY CARBON BLACK, 43 687  
 THEORY OF ULTIMATE ELONGATION, 46 242  
 THERMAL ANALYSIS, 42 918  
 THERMAL ANALYSIS, 45 329  
 THERMAL ANALYSIS, 48 301, 631, 653, 661  
 THERMAL DIFFUSIVITY, 47 849  
 THERMAL EXPANSION OF BLACK-FILLED, 44 1297  
 THIURAM VULCANIZATION OF, 49 1193  
 TIRE WEAR, 47 467  
 TRACTION-ABRASION OF TIRES OF, 47 467  
 TRANSMISSIBILITY, 44 440  
 TREAD VULCANIZATE CROSSLINK DENSITY, 49 233  
 TREAD WEAR, 41 1271  
 TREADS AND FATIGUE LIFE, 47 231  
 ULTIMATE TENSILE OF BLOCK COPOLYMERS OF, 42 1257  
 ULTRAVIOLET SPECTRUM OF VULCANIZATES, 45 481  
 USE OF SILICA IN TREAD COMPOUNDS, 50 443  
 VISCOELASTIC PROPERTIES, 47 729  
 VISCOELASTICITY AND TENSILE OF, 42 1257  
 VISCOSITY-SHEAR RATE CURVE, 47 333  
 VISCOUS MODULUS-STRAIN AMPLITUDE FUNCTION, 47 729  
 VISIBLE LIGHT DIFFRACTION BY AGGREGATES IN BLOCK, 45 1564  
 VOLUME-STRAIN DEPENDENCE, 43 887  
 VULCANIZATES, 45 1372  
 VULCANIZATES, ELECTRICAL CONDUCTIVITY, 50 735  
 VULCANIZATION BY ALDEHYDES, 43 188  
 VULCANIZATION BY BIS-AZIDODIFORMATES, 43 605  
 VULCANIZATION BY DICUMYL PEROXIDE AND SULFUR, 47 266  
 VULCANIZATION BY IRRADIATION, 45 193  
 VULCANIZATION MECHANISM, 47 266  
 VULCANIZATION OF BLENDS, 49 105  
 VULCANIZATION WITH 2-(MORPHOLINODITHIO)-BENZOTHAZOLE, 50 90  
 WEIGHT AVERAGE MOLECULAR WEIGHT, 46 1166  
 WET SKID RESISTANCE OF, 41 780  
 WETTING INDEX FOR FILLERS, 46 1166  
 WITH BOUND ANTIOXIDANT, 50 641  
 WITH CYCLOALKYLTHIOAMINE ACCELERATION, 46 67  
 WITH POLYMERIZABLE ANTIOXIDANTS, 46 106

- X-RAY DIFFRACTION (SMALL ANGLE) BY BLOCK, 45 1564
- X-RAY SPECTRA OF, 46 1285
- STYRENE-BUTADIENE-STYRENE**  
BLOCK COPOLYMER, MICRODOMAINS, 49 237
- STYRENE-DIENE BLOCK POLYMERS**, 41 161
- STYRENE-ISOPRENE**  
BLOCK COPOLYMER, MICRODOMAINS, 49 237
- STYRENE-ISOPRENE BLOCK COPOLYMERS (SIS)**  
IN ADHESIVES AND MECHANICAL GOODS, 50 413
- STYRENE-ISOPRENE RUBBER**  
1,4-ADDITION, 48 359  
POLYMERIZATION, 50 650  
STYRENE CONTENT, 48 359  
WITH BOUND ANTIOXIDANT, 50 650
- SUCCINALDEHYDE**, *see* 1,4-BUTANDIAL
- SULFENAMIDE**  
ACCELERATION OF NATURAL RUBBER, 42 969  
ADHESION IN PRESENCE OF, 46 981  
CROSSLINK DENSITY AS A FUNCTION OF CONCENTRATION OF, 43 1311  
CYCLOHEXYL AMINO ETHYLAMINOTRIAZINE, ACCELERATOR, 43 1194  
CYCLOHEXYL BIS(DIETHYLAMINO) TRIAZINE, ACCELERATOR, 43 1194  
CYCLOHEXYL BIS(ETHYLAMINO) TRIAZINE, ACCELERATOR, 43 1194  
CYCLOHEXYL ETHYLAMINO DIETHYLAMINOTRIAZINE, ACCELERATOR, 43 1194  
CYCLOHEXYLBENZOTHAZOLE, EFFECT OF HEAT HISTORY IN POLYBUTADIENE, 43 979  
DERIVATIVES AS COACCELERATORS, 50 1011  
DIALKYLTHIOCARBAMYL, AS ACCELERATOR OF VULCANIZATION BY SULFUR, 47 906  
EFFECT OF CYCLOHEXYLTHIOPHTHALIMIDE ON, 43 1188  
EFFECT OF DICUMYL PEROXIDE ON VULCANIZATION WITH, 43 1311  
EFFECT ON POLYESTER CORDS, 49 1040  
FROM CYCLIC AMINES, AS ACCELERATORS, 41 721  
IN CURE OF RUBBER, 50 671  
IN NATURAL RUBBER, 44 889  
INTERMEDIATES IN SULFUR VULCANIZATION, 50 671  
2(4-MORPHOLINOTHIO)BENZOTHAZOLE, 47 79  
N-CYCLOHEXYL-2-BENZOTHAZOLE, 47 79  
OXYDIETHYLENE BENZOTHAZOLE, EFFECT OF HEAT HISTORY ON, 43 799  
REACTIONS OF, 50 671  
SCORCH INHIBITORS OF SULFUR-FREE THIURAM VULCANIZATION, 46 504  
T-BUTYLBENZOTHAZOLE, CARBON-14 LABELLED, 43 572  
USE WITH SCORCH INHIBITORS, 50 570  
VULCANIZATION MECHANISM OF NATURAL RUBBER BY, 43 1311
- SULFENIC ACIDS**  
IN RUBBER OXIDATION, 47 949
- SULFIDE**  
ALKENYL, AFFECT ON OXIDATION OF OLEFIN MODELS OF NATURAL RUBBER, 45 381  
BIS(BENZOTHAZOLYL), RAMAN SPECTRUM OF, 47 906  
FORMATION DURING VULCANIZATION, 44 904
- SULFINIC ACIDS**  
AS PRO-OXIDANTS OF POLYISOPRENE, 41 300
- SULFONATED EPDM**  
IN FLEXIBLE FOAMS, 50 437
- SULFONYL METHANE DERIVATIVES**  
AS SCORCH INHIBITORS, 50 570
- SULFOXIDE IN STYRENE-BUTADIENE VULCANIZATES**, 45 450
- SULFUR**  
AND PEROXIDE VULCANIZATION OF EPDM, 45 709  
COCURING AGENT WITH PEROXIDE, 44 923  
COMBINED IN EXTENDER OIL, 48 1092  
CONCENTRATION IN BOUND RUBBER PHASE, 45 94  
CONCENTRATION IN UNBOUND RUBBER PHASE, 45 94  
DETERMINATION OF COMBINED AND FREE, 47 266  
DIFFUSION IN VARIOUS RUBBERS, 44 1307  
EFFECT OF CARBON BLACK ON DISTRIBUTION IN VULCANIZATES, 45 94  
EFFECT OF VOLUME SWELLING OF VULCANIZATES, 45 94  
EFFECT ON CROSSLINKING EFFICIENCY OF DICUMYL PEROXIDE, 47 251, 266  
ENTHALPY CHANGE DURING REACTION WITH NATURAL RUBBER, 43 1275  
HEAT OF REACTION WITH NATURAL RUBBER, 43 1275  
KINETICS OF CONSUMPTION IN VULCANIZATION, 46 511  
KINETICS OF CONSUMPTION OF IN VULCANIZATION, 47 254, 266  
ON CARBON BLACK SURFACE, 43 449  
RAMAN SPECTRAL STUDY OF VULCANIZATION BY, 44 71, 904  
RAMAN SPECTRUM OF, 46 938  
REACTION PRODUCTS WITH POLYBUTADIENE, 43 549  
SOAP, CURE OF POLYACRYLATES BY, 44 344  
SOLUBILIZATION IN LATEX, 50 141  
SPECIFIC HEAT OF, 43 1275
- SULFUR COMPOUNDS**  
ORGANIC, EFFECT OF BASES ON, 49 147  
PEROXIDE DECOMPOSERS, 49 147  
PREVENTIVE ANTIOXIDANTS, 49 147
- SULFUR CROSSLINKS**  
EFFECT ON RADICAL RECOMBINATION, 41 653  
IN EPDM, 48 889, 913  
MONOSULFIDE IN POLYBUTADIENE, 42 1136  
POLYSULFIDE IN NATURAL RUBBER, 42 1412  
SCISSION OF, 42 1136  
SULFUR DETERMINATION IN, 48 889  
THERMAL CLEAVAGE, 48 913
- SULFUR-35 IN BOUND SULFUR IN CARBON BLACK**, 43 449
- SULFUR SOLUBILITY**  
AS FUNCTION OF TEMPERATURE, 41 1312
- SULFUR VULCANIZATION**  
ACCELERATED, 48 889  
CHEMISTRY OF, 41 1329, 1339  
CONSECUTIVE REACTIONS IN, 43 588  
CYCLOHEXENE AS MODEL FOR RUBBER, 41 1329  
EFFECT OF PEROXIDE ON MECHANISM, 43 1311  
EFFECT OF SULFENAMIDE ON MECHANISM, 43 1311  
EFFECT OF ZINC OXIDE, 41 1329  
HEAT OF, 48 26  
KINETICS OF, 41 659  
KINETICS OF, 43 588  
KINETICS OF, 44 1316  
KINETICS OF, 48 889  
MECHANISM OF, 43 1294, 1311  
MECHANISM OF, 48 889



- OF EP RUBBERS AS FUNCTION OF TER-MONOMER, 43 522  
 OF EPDM, 48 889  
 OF EPDM, ACCELERATORS FOR, 41 316  
 OF EPDM BY, 45 709  
 OF EPDM-NBR BLENDS, PB3O4 ACTIVATED, 49 112  
 ROLE OF ZINC OXIDE IN, 43 588  
 SCORCH INHIBITION IN, 48 790  
 WITH SULFENAMIDE MIXTURES, 50 671
- SULFUR-FREE THIURAM VULCANIZATION**, 48 504
- SUPERCOILING**, 45 1634, 1646
- SUPERMOLECULAR**  
 FLOW UNIT, 47 340  
 STRUCTURE IN RELAXATION, 47 1  
 STRUCTURE ON SURFACES OF STRETCHED FILM, 47 357
- SUPERMOLECULAR ORDERING IN RUBBERS**, 45 71, 82  
 BUTADIENE-METHYLSTYRENE RUBBER, 45 71  
 IN CARBON BLACK FILLED RUBBERS, 45 82  
 IN NITRILE RUBBER, 45 71  
 SIZE OF, 45 71, 82
- SURFACE AREA OF CARBON BLACK**  
 AEROSOL ADSORPTION, 43 941  
 BET METHOD, 43 960  
 DPB METHOD, 43 943, 960
- SURFACE AREA OF CARBON BLACKS**  
 COMPARISON OF MEASUREMENT METHODS, 44 1287  
 COMPARISON OF MEASURING METHODS, 46 192
- SURFACE CHEMISTRY**  
 EFFECT ON REINFORCEMENT, 48 410  
 OF FILLERS, 48 410
- SURFACE ENERGY**  
 EFFECTS FOR SMALL HOLES OR PARTICLES IN ELASTOMERS, 43 873
- SURFACE OXIDATION AND ADHESION**, 43 229
- SURFACE REPLICATION**, 43 1
- SURFACE STUDIES OF RUBBER EXPOSED TO OZONE UNDER STRESS**, 48 41
- SURFACE TENSIONS**  
 CRITICAL SPREADING OF POLYMERS, 42 30
- SURFACE TREATMENT**  
 OF GLASS, 48 819, 830, 845  
 OF SILICA FILLER, 48 795
- SWELLING**, see ALSO SOLVENT SWELLING  
 AND CROSSLINK DENSITY, 47 697  
 AND MOONEY-RIVLIN CONSTANTS, 48 495  
 AND RUBBER ELASTICITY THEORY, 48 186, 495  
 AND TORSION OF CYLINDER, 47 625  
 ANISOTROPY, 48 164, 236  
 DEPENDENCE OF SWELLING EQUILIBRIUM ON STRAIN, 47 625  
 DIE OF FILLED RUBBER, 42 957  
 EFFECT OF CARBON BLACK ON RATE OF, 42 604  
 EFFECT OF ENTANGLEMENT, 44 1208, 1227, 1249  
 EFFECT ON BIREFRINGENCE, 47 625  
 EFFECT ON STRESS-STRAIN AT LOW STRAINS, 50 780  
 EFFECT ON STRESS-STRAIN ISOTHERMS, 50 1000  
 EQUILIBRIUM, MODULUS OBTAINED FROM, 48 164  
 MECHANISM, 47 625  
 OF CELLULOSE-EPDM COMPOSITES, 50 999  
 OF CROSSLINKED POLYETHYLENE, 41 1182  
 OF GLASS-FILLED POLYACRYLATE, 48 845  
 OF POLY(DIMETHYLSILOXANE) NETWORKS, 48 186
- OF POLYURETHANES IN DMF, 50 934  
 OF RUBBER, EFFECT OF FILLERS, 41 752  
 OF RUBBER NETWORKS, NETWORK BREAKDOWN AND REFORMATION, 42 589  
 OF RUBBER VULCANIZATES, 44 1208, 1227, 1249  
 OF VULCANIZATES, EFFECT OF CARBON BLACK, 41 1393
- SWELLING TEST**  
 FOR CROSSLINK DENSITY, 44 1316
- SWOLLEN RUBBER**  
 ELASTICITY OF, 45 638  
 VULCANIZATION OF, 44 744
- SWOLLEN VULCANIZATES**  
 STRESS STRAIN OF, 44 1109, 1391
- SYSTEME INTERNATIONALE DES UNITES (SI)**, 48 1
- TACK**  
 APPARATUS FOR MEASURING, 42 1040  
 BUILDING OF RUBBER COMPOUNDS, 42 966  
 OF POLY(BUTADIENE CO 1,3-PENTADIENE), 48 1274  
 OF POLYISOPRENE, 46 571  
 OF RUBBERS, 44 1432  
 OF UNCURED COMPOUNDS, 41 1394  
 OF VARIOUS RUBBERS, 47 511  
 PREFORMULATED BAND PLY LUBRICANTS, 45 1168
- TACKIFIER**  
 ASSESSMENT AND TESTING OF, 50 440  
 FROM SCRAP RUBBER, 48 338  
 NEW COMPOSITION, 48 1093  
 OCTYLPHENOL-FORMALDEHYDE RESIN, 49 1365
- TACTICITY**  
 CHARACTERIZATION BY HIGH-RESOLUTION NMR, 41 47  
 DETERMINATION BY INFRARED, 45 546
- TAKAYANAGI MODEL**, 44 598
- TALC**  
 ENVIRONMENTAL CONTROL, 44 512
- TAN DELTA**, see ALSO HYSTERESIS  
 BY NONRESONANT MEASUREMENT, 46 897  
 BY REBOUND, 46 897
- TANTALUM**  
 COMPOUNDS AS CATALYSTS FOR RING-OPENING POLYMERIZATION, 47 511
- TAR**  
 REINFORCEMENT BY ELASTOMERS, 42 1476
- TEAR**  
 AND TEMPERATURE, 45 1051  
 OF RUBBER, EFFECT OF AIR EXPOSURE, 50 875  
 OF RUBBER, SCANNING ELECTRON MICROSCOPY, 50 875  
 RESISTANCE AND EXTENSION RATE, 45 1051  
 STRENGTH OF FIBER-RUBBER COMPOSITES, 50 945
- TEAR RESISTANCE**  
 EFFECT OF FILLERS, 41 601
- TEAR STRENGTH**  
 AND HYSTERESIS, 41 1157  
 EFFECT OF CHEMICAL PROMOTERS, 48 410  
 EFFECT OF HEAT TREATMENT, 48 410  
 EFFECT OF VULCANIZATION, 41 1244  
 OF ELASTOMERIC BLOCK COPOLYMERS, 49 65  
 OF FILLER-REINFORCED VULCANIZATES, 48 410  
 OF POLYBUTADIENE VULCANIZATES, 47 1175  
 OF POLYURETHANE, 49 65  
 OF POLYURETHANES, 48 73
- TEARING**  
 EFFECT OF CARBON BLACK ON, 48 1090  
 OF RUBBERS, 48 902
- TEARING ENERGY**, 45 309

- AS MEASURE OF STRESS DISTRIBUTION AT TIP  
OF CRACK, 47 1253  
EPDM, 44 1203  
HYSTERESIS AND RUBBER FAILURE, 45 1043  
MEASURE OF GROOVE CRACKING, 44 1203  
OF OIL EXTENDED VULCANIZATES, 47 127  
OF RUBBERS, 48 902  
OF VULCANIZATES OF SBR, 47 1253
- TELEBLOCK POLYMER**  
OF SBR, 47 461
- TELECHELIC POLYMERS**  
STUDIES OF TERMINALLY BROMINATED  
POLYBUTADIENE, 48 202
- TELECHELIC PREPOLYMERS**  
DISTRIBUTION OF FUNCTIONALITY, 50 63  
THIN LAYER CHROMATOGRAPHY, 50 63
- TELLURIUM DIETHYLDITHIOCARBAMATE**  
HEALTH HAZARD OF, 44 512
- TELOMERS**  
FUNCTIONALITY, 43 941
- TEMPERATURE BUILDUP**  
BY HYSTERESIS, 50 186  
IN BONDED RUBBER BLOCKS, 50 186  
TEMPERATURE DISTRIBUTION, 50 186
- TEMPERATURE EFFECTS**  
IN FLUOROELASTOMER SHRINKAGE, 49 43  
IN INJECTION MOLDING, 49 29  
ON TIRE FRICTION, 49 823  
ON TIRE PROPERTIES, 49 823
- TEMPERATURE JUMP**  
TECHNIQUE FOR CREEP MEASUREMENTS, 50 884
- TEMPERATURE RESISTANCE**  
OF FLUOROELASTOMERS, 50 419  
OF FLUOROSILICONES, 50 420
- TEMPERATURE-FREQUENCY TRANSPOSITION, 46 877**
- TENSILE ENERGY**  
HYSTERESIS, AND CARBON BLACK, 43 687
- TENSILE RUPTURE, 43 222**
- TENSILE SHEAR STRENGTH**  
NITRILE RUBBER ADHESIVE, 43 229  
NYLON EPOXY ADHESIVE, 43 229
- TENSILE STRENGTH**  
ADIABATIC, 44 397  
AND HOT-STRIP ADHESION, 47 213  
AND HYSTERESIS, 41 1157  
AND MODULUS OF VULCANIZATES, 45 193  
AND SPECIMEN GEOMETRY, 47 1213  
CRITICAL FLAW SIZE, 43 222  
CRITICAL TEMPERATURE, 43 222  
DECREASE IN FKM COPOLYMERS, 50 83  
EFFECT OF CARBON BLACK, 44 728  
EFFECT OF CURE TIME, 43 222  
EFFECT OF OIL EXTENSION, 47 127, 511  
EFFECT OF STRESS, 44 728  
EFFECT OF TEMPERATURE, 44 728  
EFFECT OF TEMPERATURE, 49 65  
EFFECT OF TEST TEMPERATURE, 46 560  
FUNCTION OF DEFORMATION RATE, 47 307  
FUNCTION OF TEMPERATURE, 47 307  
ISOTHERMAL, 44 397  
OF CARBON-BLACK-FILLED VULCANIZATES, 48 410  
OF ELASTOMERIC BLOCK COPOLYMERS, 49 65  
OF EPDM, 45 709  
OF FIBER-RUBBER COMPOSITE, 47 399  
OF GLASS YARN IN RUBBER, 44 937  
OF LIGHTLY CROSSLINKED POLYURETHANES, 50 934
- OF NATURAL RUBBER VULCANIZATES, 47 261, 697, 1234  
OF NITRILE RUBBER VULCANIZATES, 47 307  
OF PEROXIDE-CURED EPR, EFFECT OF SULFUR, 41 304  
OF PHOSPHONITRILIC FLUOROELASTOMER VULCANIZATES, 47 32  
OF POLY(ALKYLENE OXIDE) ELASTOMERS, 45 900  
OF POLYBUTADIENE VULCANIZATES, 47 1175  
OF POLYISOPRENE VULCANIZATES, 47 342  
OF POLYISOPRENES, 46 558  
OF POLYOCTENAMER VULCANIZATES, 47 511  
OF POLYPENTENAMER VULCANIZATES, 47 511  
OF POLYURETHANE, 49 65  
OF POWDERED PVC-NITRILE RUBBER POLYBLENDS, 45 1111  
OF REINFORCED SYSTEMS, 48 410  
OF RUBBER BLENDS, 47 48, 57, 88  
OF RUBBER-SILICA VULCANIZATES, 48 410  
OF SBR VULCANIZATES, 47 266, 511  
OF SILICONE RUBBER VULCANIZATES, 47 285  
OF THIN TUBES, 47 788  
RELATION TO WIRE-RUBBER ADHESION STRENGTH, 45 16  
RING SPECIMENS FOR MEASUREMENT, 46 586  
RUPTURE THEORY, 46 242  
TEMPERATURE DEPENDENCE, 46 242  
TIME-TEMPERATURE SUPERPOSITION, 47 307  
ULTIMATE OF STYRENE-BUTADIENE-STYRENE BLOCK COPOLYMERS, 42 1257  
ULTIMATE, OF VULCANIZATES, 46 242
- TENSILE STRESS**  
ANISOTROPY OF, IN NBR VULCANIZATES, 48 236
- TENSILE STRESS PATTERNS**  
EFFECT OF ASPERITIES, 44 758  
EFFECT OF POISSON'S RATIO, 44 758  
EFFECT OF SURFACE FRICTION, 44 758  
IN SLIDING, 44 758
- TENSILE STRESS-STRAIN**  
AND FAILURE REPRESENTATION, 43 714
- TENSION**  
BIAXIAL AND TRIAXIAL IN FRACTURE, 45 1604  
EQUIBIAXIAL, 45 60
- TENSOR ANALYSIS AND STRESS-STRAIN CURVES, 45 60**
- TEREPHTHALALDEHYDE**  
AS DIFUNCTIONAL COUPLING AGENT, 49 1305
- TEREPHTHALATE ESTERS**  
IN POLYETHERESTER COPOLYMERS, 50 688
- TERMINAL FUNCTIONALITY**  
IN TERMINALLY BROMINATED BR, 48 202
- TERPHENYL PARA**  
DIFFUSION COEFFICIENT IN RUBBERS, 45 278
- TERPOLYMER WITH STYRENE-ACRYLONITRILE, METHYL STYRENE-ACRYLONITRILE, AND STYRENE-ACENAPHTHALENE, 44 62**
- TERPOLYMER WITH STYRENE-ACRYLONITRILE, METHYL STYRENE-ACRYLONITRILE, AND STYRENE-ACENAPHTHALENE, 44 62**
- TERPOLYMERS**  
GLASS TRANSITION TEMPERATURES OF, 44 62  
LAW OF CORRESPONDING STATES, 44 62  
MECHANICAL PROPERTIES, 44 62
- TEST METHODS**  
ABRASION RESISTANCE, 41 1022, 1033  
DYNAMIC MECHANICAL PROPERTIES OF TREAD STOCKS, 41 943  
FRICTION OF RUBBER, 41 908  
FRICTION OF RUBBER ON WET SURFACES, 41

- 753, 843, 854, 862, 895  
HIGH-SPEED TENSILE, 41 1042  
TIRE GROOVE CRACKING, 41 1080  
TIRE SQUEAL, 41 953
- TETRAETHYLTHIURAM DISULFIDE**  
CHEMO-STRESS RELAXATION AND, 43 778  
EFFECT OF HEAT HISTORY ON, 43 799  
HEALTH HAZARD OF, 44 512
- TETRAFLUOROCYCLOBUTANEDIONE**  
COPOLYMER WITH THIOCARBONYL FLUORIDE, 46 619
- TETRAFLUOROETHYLENE**  
COPOLYMER WITH PROPYLENE, 50 403
- TETRAFLUOROETHYLENE COPOLYMERS**  
PREPARATION, 46 619  
PROPERTIES, 46 619  
REVIEW, 46 619  
VULCANIZATION, 46 619
- TETRAHYDROTHIOPHENE**  
RAMAN SPECTRUM OF, 44 71
- TETRAHYDROXYBIPHENYL, 2,2',4,4'-**  
AS VULCANIZATION ACCELERATOR FOR POLYCHLOROPRENE, 48 19
- TETRAHYDROXYDIPHENYL SULFIDE, 2,2',4,4'-**  
AS VULCANIZATION ACCELERATORS FOR POLYCHLOROPRENE, 48 19
- TETRAISOPROPYLBENZENE**  
DIFFUSION COEFFICIENT IN RUBBERS, 45 278
- TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONYLOXY- METHYL-METHANE**  
ANTIOXIDANT AND ESR SPECTRUM OF, 45 402
- TETRAMETHYLDIAMINODIPHENYLMETHANE**  
ANTIOXIDANT ACTIVITY OF, 44 857  
OXYGEN ABSORPTION OF VULCANIZATES CONTAINING, 44 857
- TETRAMETHYLENE OXIDE AND TEREPHTHALATE**  
BLOCK COPOLYMERS FROM, 49 1357
- TETRAMETHYLENE TEREPHTHALATE COPOLYMERS**  
PROPERTIES, 50 688  
SYNTHESIS, 50 688
- TETRAMETHYL-4-OXY PIPERIDOL**  
RADICAL TRAP, 44 658
- TETRAMETHYL-P-PHENYLENEDIAMINE**  
ANTIOXIDANT ACTIVITY OF, 44 857
- TETRAMETHYLTHIOUREA**  
RAMAN SPECTRUM, 46 938
- TETRAMETHYLTHIURAM DISULFIDE**  
AS QUANTITATIVE CROSSLINKING AGENT, 43 624  
CARBON-14 LABELLED, 43 572  
CHEMO-STRESS RELAXATION AND, 43 778  
CURE OF POLYACRYLATE RUBBERS BY, 44 344  
DEGRADATION DURING VULCANIZATION, 49 1193  
EFFICIENT VULCANIZATION, 42 418  
EFFECT OF CARBON BLACK SURFACE ON VULCANIZATION BY, 45 129  
EFFECT OF CONCENTRATION ON CROSSLINK DENSITY, 43 1294  
EFFECT OF HEAT HISTORY ON, 43 799  
EFFECT ON SULFUR-CYCLOHEXENE REACTION, 41 1339  
ELECTRON SPIN RESONANCE SPECTRUM, 46 957  
HEALTH HAZARD OF, 44 512  
IN CROSSLINKING OF SBR, 49 1193  
IN CURE OF NBR-EPDM BLENDS, 49 112  
IN RADIATION CURING, 48 860  
IN RAMAN SPECTRA OF POLYBUTADIENE VULCANIZATES, 44 71  
IN RUBBER BLENDS, 50 35  
MECHANISM OF VULCANIZATION BY, 43 1294
- NATURAL RUBBER CURED BY, 48 141
- RAMAN SPECTROSCOPIC STUDY OF ACCELERATION BY, 44 904**
- RAMAN SPECTRUM, 46 938**
- SOLUBILITY OF, IN METHYL ETHYL KETONE, METHYLCYCLOHEXANE, AND ELASTOMERS, 49 112
- SOLUBILITY OF ZN, CD, PB SALTS IN METHYL ETHYL KETONE AND METHYLCYCLOHEXANE, 49 112
- SULFUR-FREE THIURAM VULCANIZATION, 45 945
- THERMAL DEGRADATION OF, 46 957
- VULCANIZATION MECHANISM, 49 1193
- VULCANIZATION OF NATURAL RUBBER, 43 1294
- ZN, CD, PB SALTS OF, IN VULCANIZATION, 49 112
- TETRAMETHYLTHIURAM MONOSULFIDE**  
EFFECT OF HEAT HISTORY ON, 43 799  
EFFECT ON SULFUR-CYCLOHEXENE REACTION, 41 1339  
ELECTRON SPIN RESONANCE SPECTRUM, 46 957  
HEALTH HAZARD OF, 44 512  
RAMAN SPECTRUM, 46 938
- TETRAMETHYLTHIURAM TETRASULFIDE**  
INFRARED SPECTRUM, 46 938  
RAMAN SPECTRUM, 46 938
- TETRAPHENYLTIN**  
CROSSLINKING AGENT FOR TRIAZINE ELASTOMERS, 42 963
- TETRASULFIDE**  
2-BENZOTHAZOLYL, RAMAN SPECTRUM, 47 906
- TEXTILE FIBERS**  
FOR REINFORCING LIQUID ELASTOMERS, 46 148
- THEORY**  
SMALL HOLES OR PARTICLES IN ELASTOMERS, 43 873
- THEORY OF RUBBER ELASTICITY, see ALSO KINETIC THEORY OF ELASTICITY, AND ELASTICITY THEORY**
- THERMAL ANALYSIS, 41 1390**  
DIFFERENTIAL, IDENTIFICATION OF NR AND IR VULCANIZATES, 50 71  
FOR IDENTIFICATION OF COMPOUND AND BLEND COMPONENTS, 48 301, 631, 640, 653, 661  
OF BALATA VULCANIZATES, 50 71  
OF NBR RUBBERS, 48 678  
OF PIVALOLACTONE-EPDM GRAFTS, 50 109  
OF TIRE COMPONENTS, 48 301, 631, 640, 653  
OF VULCANIZATES, 48 661
- THERMAL CONDUCTIVITY**  
APPARATUS FOR MEASURING RUBBER, 42 1314  
IN POLYMERS (REVIEW), 50 480  
IN TIRES, 49 823  
MEASUREMENT, 50 480  
OF NR STOCKS, 50 253  
OF STEEL, 48 462  
TEMPERATURE DEPENDENCE, 50 480  
THEORY, 50 480
- THERMAL DEGRADATION**  
AND IR IDENTIFICATION OF RUBBERS IN VULCANIZATES, 48 289  
BY BOILING VULCANIZATES IN 1,2-DICHLOROBENZENE, 48 289  
OF NATURAL RUBBER, 41 411  
OF NATURAL RUBBER VULCANIZATES, 48 141, 154  
OF NBR, 48 678  
OF POLYCHLOROPRENE FOAM, 48 132  
OF POLYISOPRENES, 41 418  
OF VARIOUS VULCANIZATES, 48 289
- THERMAL DIFFUSIVITY**  
EFFECT OF CARBON BLACK ON, 50 253

- EQUATION OF HEAT CONDUCTION, 50 253  
 METHODS OF MEASUREMENT, 50 253, 480  
 OF NR COMPOUNDS, 50 253  
 OF POLYMERS (REVIEW), 50 480
- THERMAL EXPANSION**  
 COEFFICIENT FOR FLUORO-RUBBERS, 49 35  
 COEFFICIENT OF NATURAL RUBBER, 43 270  
 COEFFICIENT OF POLYISOBUTYLENE, 42 1409  
 OF CARBON BLACK-FILLED RUBBER IN GLASSY STATE, 44 1297  
 OF POLY(DIMETHYLSILOXANE), 46 331  
 OF RUBBERS, 45 278
- THERMAL GRAVIMETRIC ANALYSIS**  
 IN SOLVING PRODUCTION PROBLEMS, 50 438
- THERMAL PRESSURE COEFFICIENT**  
 OF POLY(DIMETHYLSILOXANE), 46 331
- THERMAL SHRINKAGE OF CHLORINATED POLYETHYLENE**, 48 623
- THERMAL STABILITY**  
 OF POLYACRYLATE ELASTOMERS, 41 692
- THERMAL STRESS RELAXATION**, 45 1064
- THERMAL VOLATILIZATION ANALYSIS OF NBR**, 48 678
- THERMOANALYTICAL METHODS**  
 IN VULCANIZATE ANALYSIS, 48 26
- THERMODYNAMIC FUNCTIONS OF RUBBERS**, 45 1638, 1634
- THERMODYNAMIC PROPERTIES**  
 SILICONE RUBBER AND SOLVENTS, 41 608
- THERMODYNAMICS**  
 FOR ELASTOMERS, 42 441, 589, 835, 1397, 1409  
 OF ADHESIVE FAILURE, 43 229  
 OF ELASTIC BEHAVIOR, 43 270  
 OF ELASTOMERS, 46 331  
 OF ETHYLENE-PROPYLENE RUBBER, 43 778  
 OF MIXING OF ALKANES WITH POLYISOBUTYLENE, 42 1397  
 OF NATURAL RUBBER, 43 1473  
 OF POLY(DIMETHYLSILOXANE) MIXTURES, 46 338  
 OF POLYMER SOLUTIONS, 50 451  
 OF POLYMER-SOLVENT INTERACTION PARAMETER, 50 451  
 OF RUBBERLIKE ELASTICITY, 46 593  
 OF TRANSITIONS IN BR, 41 576, 586
- THERMODYNAMICS OF POLYMER SOLUTIONS**  
 ACTIVITY COEFFICIENTS FOR SOLVENTS AT HIGH DILUTION IN POLYMERS, 48 108, 119
- THERMODYNAMICS OF RUBBER ELASTICITY**  
 ANISOTROPIC COMPRESSIBILITY, 47 625  
 CONTRIBUTION OF INTERNAL ENERGY TO FORCE, 47 625  
 SIGNIFICANCE OF VOLUME CHANGE, 47 625  
 THERMOELASTICITY IN TORSION, 47 625
- THERMODYNAMICS OF RUBBERS**, 44 127
- THERMOELASTICITY**, 41 1148  
 EFFECT OF COMPOSITION ON, 44 1093  
 EFFECTS IN EPDM, 45 638  
 EFFECTS IN RUBBER ELASTICITY, 45 638  
 ETHYLENE-PROPYLENE RUBBERS, 43 778  
 OF EPDM, 44 1093  
 OF NATURAL RUBBER, 42 835  
 OF POLY(DIMETHYLSILOXANE) NETWORKS IN COMPRESSION, 48 176  
 USE OF, TO DETERMINE POLYMER DIMENSIONS, 41 569
- THERMOGRAMS**  
 OF POLYBUTADIENE, 43 1327  
 OF POLYSTYRENE, 43 1327  
 OF THERMOPLASTIC ELASTOMERS, 50 1
- THERMOGRAVIMETRY**, 42 110, 1490
- DERIVATIVE, AND INTEGRAL, 47 1193  
 FOR IDENTIFICATION AND DETERMINATION OF CARBON BLACK, 49 1060  
 FOR IDENTIFICATION OF COMPOUND COMPONENTS, 48 301, 631, 640, 653, 661  
 HEATING RATE, 47 1193  
 IN THE ANALYSIS OF VULCANIZATES, 48 661  
 OF NBR, 48 678  
 OF RUBBER FORMULATIONS, 47 1193  
 OF TIRE COMPONENTS, 48 301, 631, 640, 653  
 OF URETHANE ELASTOMERS, 41 421
- THERMOMECHANICAL ANALYSIS OF BLENDS**, 47 481
- THERMOMECHANICAL METHODS**, 41 537
- THERMOMECHANICAL MICROMEASUREMENT**, 44 479  
 AT CONSTANT STRAIN, 44 479  
 AT CONSTANT STRESS, 44 479
- THERMOOXIDATIVE ANALYSIS OF VARIOUS RUBBERS**, 45 369
- THERMOPLASTIC ELASTOMERS**  
 ADHESION OF PAINT TO, 50 414  
 BLENDED WITH OTHER PLASTICS, 49 1351  
 BUTYL RUBBER WITH POLYETHYLENE, 49 978  
 BY STYRENE GRAFTS, 46 1044  
 COPOLYESTER, APPLICATIONS, 49 1358  
 COPOLYESTER, PROCESSING, 48 1358, 1359  
 COPOLYESTER, PROPERTIES, 49 1358  
 COPOLYESTER-ETHER ELASTOMERS, 50 414  
 COUPLING AGENTS FOR, 49 1305  
 ECONOMICS OF, 49 1356  
 ELONGATION AT LOW TEMPERATURES, 49 1111  
 ETHYLENE-PROPYLENE RUBBER, 49 978  
 IN ADHESIVES AND MECHANICAL GOODS, 50 413  
 IN AUTOMOTIVE APPLICATIONS, 50 414  
 IN WIRE AND CABLE INDUSTRY, 50 414  
 INJECTION MOLDING, 49 1355  
 LIGHT SCATTERING BY, 50 1  
 OF PIVALOLACTONE AND ACRYLATE-G-PIVALOLACTONE, 50 127  
 PIVALOLACTONE-EPDM GRAFTS, 50 109  
 SYNTHESIS OF RADIAL, 49 1305  
 WEATHERING OF, 49 1355
- THERMOPLASTICS**  
 BLENDS WITH ELASTOMERS, 49 978
- THERMOXIDATIVE AGING**  
 OF NITRILE RUBBER, 46 483
- THETA-SOLVENT**  
 AND SOLUTION THEORY OF POLYMERS, 45 667  
 BRANCHING AND, 45 519  
 FOR BUTYL RUBBER, 48 765  
 FOR POLYPENTAMER, 48 781  
 IN EPM, 45 709  
 IN POLYMER FRACTIONATION, 45 667
- THIABICYCLO (3.1.1)-2-NONENE**, 9, 44 71
- THIACYCLOALKANES**  
 IN POLYBUTADIENE VULCANIZATES, 43 549
- THIACYCLOALKENES**  
 IN POLYBUTADIENE VULCANIZATES, 43 549
- THIAZOLETHIOLS**  
 PREPARATION OF, FROM CYCLIC AMINES, 41 704
- THIN TUBES**  
 STRESS STRAIN OF, 47 788  
 THEORY OF RUBBER, 47 788
- THIN-LAYER CHROMATOGRAPHY**, *see* ALSO CHROMATOGRAPHY  
 AND FUNCTIONALITY DISTRIBUTION, 50 63  
 FOR TELECHELIC PREPOLYMERS, 50 63  
 OF POLYMERS, 45 667  
 OF RUBBER CHEMICALS, 44 381

**THIO BIS(3-AZABICYCLO (3.2.2) NONENE), 44 881****THIOAMIDES**

AS SCORCH INHIBITORS, 50 570

**THIOAMINES**

AS SCORCH INHIBITORS, 50 570

**THIOBENZOTHAZOLE, 2-METHYL-**

MASS SPECTRUM OF, 45 16

**THIOCARBAMYSULFENAMIDES**

IN CURE OF NATURAL RUBBER, 50 671

REACTION WITH BENZOTHAZOLYLSULFENAMIDES, 50 671

**THIOCARBONYL FLUORIDE**

ELASTOMERS FROM, 46 619

SYNTHESIS, 46 619

**THIODIMORPHOLINE, 4,4-**

MASS SPECTRUM OF, 45 160

**THIOETHERPOLYTHIOLS**

FROM CYCLODODECATRIENE, 48 880

FROM TRIVINYLCYCLOHEXANE, 48 880

IN RADIATION CURING, 48 880

**THIOIMIDES**

AS SCORCH INHIBITORS, 50 570

**THIOLS**

AS PRO-OXIDANTS, 41 289

**THIOPHENE, 2,5-DIHYDRO-**

RAMAN SPECTRUM OF, 45 173

**THIOPHTHALIMIDE**

CYCLOHEXYL, 43 1188, 1522

EFFECT ON BENZOTHAZOLINETHIONE REACTIONS IN SCORCH PERIOD, 43 1188

EFFECT ON CURE RATE OF NATURAL RUBBER, 43 1188

EFFECT ON MOONEY SCORCH, 43 1188

EFFECT ON POLYSULFIDE FORMATION, 43 1188

**THIOSEMICARBAZIDES**

AS AGE RESISTORS, 46 517

DERIVATIVES AS NON-STAINING ANTIOZONANTS, 46 517

EFFECT ON PROPERTIES OF NATURAL RUBBER, 46 547

**THIOUREA**

DERIVATIVES AS PRODUCTS OF ZINC DIALKYLTHIOCARBAMATE DECOMPOSITION, 46 524

TETRAMETHYL, IN VULCANIZATION OF POLYCHLOROPRENE, 44 1449

**THIURAM ACCELERATORS**

EFFECT ON POLYESTER CORDS, 49 1040

**THIURAM VULCANIZATION**

EFFECT OF CURE TEMPERATURE, 49 1193

**TIME-TEMPERATURE SUPERPOSITION**

OF STRESS RELAXATION CURVES, 47 1, 307

TEMPERATURE REDUCTION FOR TIME, 47 318

WLF CONSTANTS FOR NITRILE RUBBER, 47 307, 318

WLF CONSTANTS FOR SBR, 47 333

**TIN**

COMPOUNDS AS CATALYSTS FOR RING-OPENING POLYMERIZATION, 47 511

**TINTING STRENGTH**

OF CARBON BLACK, 48 538

**TIRE**

ABRASION INDEX, 47 1302

BENDING DEFORMATION, 47 118

BLOWOUT RESISTANCE, 47 1302

COMPRESSIVE DEFORMATION, 47 118

CONTOUR INTEGRAL, 42 1034

CORD, ADHESION OF, 42 159

CORD FATIGUE TESTER, 42 1000

CORD TENSION IN TIRES, 42 812

CRACK GROWTH RESISTANCE, 47 1302

CRITICAL DEFLECTION, 47 118

CROWN ANGLES, 42 1079

CURING, OIL MIGRATION DURING, 47 127

CUT GROWTH, 42 1462

DESIGN COMPUTATION, 42 1079

EFFECT OF OIL MIGRATION ON PERFORMANCE, 47 127

ENERGY LOSS DISTRIBUTION, 47 118

EXPANSION RULE, 42 1079

FATIGUE, 47 1302

FLEX, 47 1302

GRADING SYSTEM, 42 1446

HEAT GENERATION, 47 363, 717, 1302

INFLATION TENSION, 42 812

RESPONSE EQUATION FOR, 47 118

ROLLING RESISTANCE, 47 118

SPEED CAPABILITY TEST FOR, 42 1450

STRESS-STRAIN DISTRIBUTION, 47 363

STRESS-STRAIN UNDER LOAD, 47 1053

TEMPERATURE DISTRIBUTION, 47 363

TIRE TEST DYNAMOMETER, 47 363

WEAR AND FORCE VARIATION, 42 1485

WET SKID PROPERTIES, 47 1302

**TIRE BELTS**

CORDS IN RADIAL, 44 850

POLYESTER FOR, 44 850

**TIRE CARCASS**

FINE PARTICLE SILICA IN, 50 356

**TIRE COMPOUNDS**

EFFECT OF COMPOSITION ON DYNAMIC PROPERTIES, 50 439

**TIRE CORD**

ADHESION, 41 1394

ADHESION, EFFECT OF SILICAS AND SILICATES, 41 1300

ADHESION PROMOTERS, 48 346, 1103

ADHESION TO FIBERGLASS, 45 1142

ADHESION TO POLYESTER, 45 1143

ADHESION TO RUBBER, 47 161, 171, 213, 434

ADHESION TO STEEL, 45 1144

ADHESIVES (RFL) FOR, 47 1066

COMPLIANCE, 47 1053

COMPOSITE, 47 376, 1314

COMPUTER ANALYSIS, 43 1525

CORRELATION WITH TIRE PERFORMANCE, 41 1042

EQUATION FOR ENERGY LOSS OF, 46 425

GLASS, IN RADIAL TIRES, 47 1318

HIGH-SPEED TENSILE PROPERTIES, 41 1042

HIGH-TEMPERATURE TENSILE, 41 1042

HYSTERESIS, 47 1093

MOISTURE EFFECT, 47 1314

NYLON, 47 1053

POLYESTER, 47 478, 1314

POLYESTER, ADHESION TO RUBBER, 46 442

POLY(ETHYLENE TEREPHTHALATE), 47 1053

STRAIN ENERGY DENSITY, 46 294

STRESS RELIEF, 47 1053

STRIKETHROUGH, 47 1315

STRUCTURAL CHANGES DURING PROCESSING, 41 768

TESTING OF, 41 1042

WORK LOSS OF, 47 1053

**TIRE DEFLECTION**

TREAD BENDING LOSS, 47 118

**TIRE DESIGN**

EFFECT ON HYSTERESIAL LOSS, 47 118

**TIRE DUST**

DETERMINATION OF, IN ATMOSPHERE, 46 232

**TIRE FRICTION**

- EFFECT OF CONSTRUCTION, 49 862  
 EFFECT OF LOAD, 49 862  
 EFFECT OF ROAD CONDITIONS, 49 862  
 EFFECT OF TEMPERATURE, 49 862  
 EFFECT OF VELOCITY, 49 862  
 RELATION TO HYDROPLANING, 49 862
- TIRE INFLATION PRESSURE**  
 EFFECT ON CORD STRESS, 49 1096
- TIRE REINFORCEMENT**  
 MECHANICS OF, BY STEEL RIBBON, 50 445
- TIRE RETREADING**  
 FOR CONSERVATION, 50 1003
- TIRE SCRAP**  
 BIODEGRADATION MATERIAL, 47 597  
 CARBON BLACK SOURCE, 47 597  
 FUEL, 47 597  
 PREPARATION, 47 597  
 PYROLYSIS PRODUCTS, 47 597  
 RECLAIM, 47 597  
 RETREADING, 47 597
- TIRE SIDEWALL**  
 ELASTOMER BLENDS IN, 43 482  
 MATHEMATICAL MODEL, 43 1055  
 MEMBRANE FORCES IN, 43 1055
- TIRE TREAD**  
 BENDING LOSSES, 47 118
- TIRE TREAD COMPOUND**  
 CONTRIBUTION TO HYSTERETIC LOSSES IN  
 TIRES, 47 118  
 FATIGUE LIFE OF, 47 231  
 MOONEY-RIVLIN PLOTS, 47 127
- TIRE TREADS**  
 COMPOUNDING FOR MAXIMUM WEAR, 49 1365  
 FINE PARTICLE SILICA IN, 50 356  
 PREPARATION AND RHEOLOGY, 49 1361  
 WITH OIL-EXTENDED NR, 49 1362
- TIRE WEAR**  
 ACCELERATED TEST FOR, 44 1159  
 AIR POLLUTION FROM, 47 150  
 AND BIAS BELTED CONSTRUCTION, 45 10  
 AND BIAS PLY CONSTRUCTION, 45 10  
 AND CARBON BLACK STRUCTURE, 45 10  
 AND RADIAL PLY CONSTRUCTION, 45 10  
 ANGLE ABRASION INDEX, 47 467  
 AS FUNCTION OF CARBON BLACK PARTICLE  
 SHAPE, 46 204  
 BIAS VS. RADIAL TIRES, 46 821  
 CALIBRATION OF, 46 787  
 CARBON BLACK PROPERTIES, 47 465, 467  
 COEFFICIENT OF FRICTION, 44 1159  
 COMPARISON OF ELASTOMERS, 46 586  
 CONTROLLED CONDITIONS FOR, 46 801  
 CROWN-TO-SHOULDER RATIO, 46 801  
 DEPTH GAGE FOR, 46 787  
 DRIVING CONDITIONS, 46 586  
 DUST FROM, 47 1005, 1011, 1275  
 EFFECT OF ANTIOXIDANT IN NATURAL RUBBER,  
 46 821  
 EFFECT OF BIAS, BELTED BIAS, AND RADIAL  
 CONSTRUCTIONS, 44 952  
 EFFECT OF CARBON BLACK TYPE, 44 1445  
 EFFECT OF CONDITIONS, 44 106  
 EFFECT OF CORNERING, 46 801, 821  
 EFFECT OF CURE SYSTEM AND NATURAL RUB-  
 BER AND SBR, 46 821  
 EFFECT OF ENVIRONMENT, 44 952  
 EFFECT OF LOAD ON, 46 801  
 EFFECT OF OPERATIONAL MODE, 46 821  
 EFFECT OF ROAD SURFACE, 44 1159, 1439  
 EFFECT OF ROAD WEATHERING, 46 801
- EFFECT OF ROTATION PATTERN, 44 106  
 EFFECT OF RUBBER TYPE, 44 1437  
 EFFECT OF SEVERITY INDEX GRADIENT, 46 821  
 EFFECT OF SLIP ANGLE, 46 801, 821  
 EFFECT OF SPEED, 44 1159  
 EFFECT OF TEST SEVERITY, 44 1159  
 EFFECT OF TINT AND DBP NUMBER OF CARBON  
 BLACK, 46 821  
 EFFECT OF TIRE SURFACE TEMPERATURE, 46  
 821  
 EFFECT OF WATER, 44 952  
 EFFECT OF WET ROAD SURFACE, 46 821  
 EFFECT OF WHEEL POSITION, 44 952, 960  
 EFFECTS OF ROAD SURFACES, 46 586, 821  
 EQUATION FOR, 46 801  
 EXPONENT IN RATE EQUATION FOR, 46 821  
 FACTORS IN MECHANISM OF, 46 801  
 FLEET TESTS VS. TRAILER TESTS, 46 821  
 INFLUENCE OF TIRE MECHANICS, 44 1446  
 LOAD DEPENDENCE, 43 701  
 MATHEMATICAL MODEL FOR, 47 465  
 MEASUREMENT, 44 1159  
 MEASUREMENT AT LOW MILEAGE, 46 787  
 MEASUREMENT BY RADIOIODINE, 46 787  
 PASSENGER, 44 1159  
 RATES AS A FUNCTION OF EXTENT OF WEAR,  
 44 952  
 ROAD TEST, 44 1173  
 SEVERITY AND DUST FORMATION, 47 1275  
 SEVERITY INDEX GRADIENT, 46 821  
 SEVERITY OF WEAR TEST, 46 821  
 STATISTICS FOR ACCELERATED TESTS, 43 929  
 STUDIES OF, 44 1173  
 SURFACE TEMPERATURES OF TIRE AND, 46 801,  
 821  
 TEST SYSTEM FOR, 46 801  
 TRAILER FOR MEASURING, 46 801  
 WEAR CURVES FOR TEST TRAILER, 46 801
- TIRES**  
 COMPOUND FOR POLYESTER TIRE CORD, 46 442  
 AGRICULTURAL, 41 756  
 AIR BARRIER, 45 1151  
 AIRCRAFT, HEAT IN, 44 397  
 AUTOOXIDATION OF, 43 1215  
 BALLOON, HISTORY, 41 952  
 BAND PLY LUBRICANTS FOR, 45 1164  
 BELTED, STRESS ANALYSIS OF, 46 425  
 BIAS ANGLE, SHAPES OF, 41 1087  
 BIAS BELTED, MATERIALS AND CONSTRUCTION,  
 41 1089  
 BIAS BELTED, STRAIN ANALYSIS, 44 1452  
 BIAS PLY, STRAIN ANALYSIS, 44 1452  
 BIAS PLY, WEAR OF, 44 1159  
 BRAKING COEFFICIENT, VARIATION WITH COR-  
 NERING COEFFICIENT, 44 962  
 BREAKING ENERGY, 43 356  
 BRUISE FAILURE, 41 1042  
 CALCULATED LOAD DEFLECTIONS, 41 977  
 CAMBER FORCE ON, 43 981  
 CARCASS, COMPOUNDS FREE OF AMINE AC-  
 CELERATORS, 46 442  
 CARCASS, STATE OF CURE, 41 1371  
 CHANGES DURING SERVICE, 43 1215  
 COMBINED CAMBER AND LATERAL SLIP, 43 981  
 COMPOUNDS FOR BUS AND TRUCK, 44 841  
 COMPOUNDS, POLYISOPRENE, 46 579  
 CONTACT AREA AND ELLIPTICAL NORMAL  
 PRESSURE DISTRIBUTION, 43 995  
 CONTACT AREA AND INFLATION PRESSURE, 43  
 1070



- CONTOUR INTEGRAL OF, 44 22  
 CORD LOAD IN ROLLING, 43 1055  
 CORD REINFORCEMENT OF, 44 848  
 CORNERING COEFFICIENT OF, 44 962  
 CORNERING OF, 41 988  
 CORNERING STABILITY, 45 1143  
 CROSSLINK STRUCTURE IN VARIOUS SECTIONS OF, 43 1215  
 DAMPING CONSTANT OF, 44 397  
 DEFORMATION AT CONTACT SURFACE, 43 981  
 DRAG, EFFECT OF DYNAMIC PROPERTIES, 44 397  
 DURABILITY OF WITH NITROGEN INFLATION, 41 1065  
 DYNAMIC PROPERTIES OF, 44 397  
 EFFECT OF CARBON BLACK ON, 48 1091  
 EFFECT OF CONDITIONS ON WEAR, 44 106  
 EFFECT OF CONSTRUCTION ON WET SKID, 43 1070  
 EFFECT OF NYLON CORD PROPERTIES ON, 48 1094  
 EFFECT OF ROLLING RESISTANCE ON TEMPERATURE, 44 397  
 EFFECT OF ROTATION PATTERN ON WEAR, 44 106  
 EFFECT OF SPEED AND INFLATION PRESSURE ON RESISTANCE, 44 397  
 EFFECT OF SPEED ON CONTAINED AIR TEMPERATURE, 44 397  
 EFFECT OF STYRENE CONTENT OF SBR IN, 43 1070  
 EFFECT OF TEMPERATURE ON ROLLING RESISTANCE, 44 397  
 EFFECT OF TEMPERATURE ON WEAR, 44 397  
 ENERGY LOSS, 49 823  
 ENERGY LOSSES, MECHANISM OF, 46 425  
 ENERGY LOSSES ON ROLLING, 46 425, 573  
 EPDM, 41 1097  
 FORCE LEVELS, 46 821  
 FRICTION, 41 452  
 FRICTION, HEAT OF, 44 397  
 FRICTION OF, FACTORS IN, 44 1447  
 FRICTION WITH PAVEMENT, 50 997  
 GROOVE CRACKING, 44 1186, 1203  
 GROOVE CRACKING RESISTANCE, 43 1070  
 GROOVES, STRAIN CYCLES IN, 44 1186  
 HAZARD FAILURES, DEMOGRAPHIC STUDY, 41 1074  
 HEAT BUILDUP AND DYNAMIC PROPERTIES, 44 440  
 HEAT DISSIPATION OF, 44 397  
 HEAT GENERATION IN, 49 823  
 HEAT IN INNERLINERS OF, 44 397  
 HEAT IN INNERTUBES OF, 44 397  
 HEAVY SERVICE TREADS, 41 766  
 HISTORY, 41 g52  
 HYDROPLANING, 43 1070  
 HYSTERESIS IN, 49 823  
 HYSTERETIC LOSSES ON ROLLING, 46 425  
 IMPACT RESISTANCE OF, 41 1051  
 LOAD DEPENDENCE OF SELFALIGNING TORQUE, 43 995  
 LOAD DEPENDENCE OF SIDE FORCE, 43 995  
 MECHANICS, EFFECT OF TRACTION AND WEAR, 44 1446  
 NOISE, REDUCING, 44 1450  
 OIL MIGRATION IS SIMULATED, 44 87  
 PASSENGER CAR, FRICTION OF, 41 780  
 PERFORMANCE AND COMPOSITION, 43 1070  
 PHYSICS OF THE SLIPPING WHEEL, 45 1149  
 POLYISOPRENE IN, 45 573  
 POWER LOSS, 44 397  
 PRESSURE DISTRIBUTION, 43 981  
 RADIAL PLY, COMPOUNDS, 41 1092  
 RADIAL PLY, STRAIN ANALYSIS OF, 44 1452  
 RADIAL PLY, WEAR OF, 44 1159  
 RADIAL, SIDEWALL COMPOUNDING, 48 631  
 RADIAL, TREADWEAR, 49 400  
 RATE OF WORK OF, 44 397  
 REINFORCEMENT BY SILICA, 49 703  
 RETREAD RELIABILITY, 45 1152  
 RUNNING TEMPERATURE OF, 45 1  
 RUPTURE ENERGY, 41 1051  
 SAFETY, 41 1374  
 SAFETY STANDARDS, 43 356  
 SECTIONAL AND WHOLE IN TESTING, 46 801  
 SELFALIGNING TORQUE, 43 995  
 SIDE FORCE, 43 995  
 SIDEWALL COMPOUNDS CONTAINING EPDM, 44 1436  
 SIDEWALL, STRESS ANALYSIS OF, 44 1452  
 SKID RESISTANCE ON WET SURFACES, 41 477  
 SOLID, POLYURETHANE-FILLED, 40 1093  
 SPEED CAPABILITY, 43 356  
 SQUEAL OF, 41 953  
 STEERING PROPERTIES OF, 44 1456  
 STOCKS, IDENTIFICATION OF COMPONENTS BY THERMAL ANALYSIS, 40 301, 631, 640, 653  
 STRAIN MEASUREMENT IN, 44 1453  
 TANGENTIAL STRESSES ON, 43 981  
 TECHNOLOGY, SYMPOSIUM ON, 41 1072  
 TEMPERATURE PROFILES IN, 49 1145  
 TEMPERATURES, 44 397  
 TEMPERATURES OF CONTAINED AIR IN, 44 397  
 TEMPERATURES OF SIDEWALL SURFACE OF, 44 397  
 TEMPERATURES OF TREAD SURFACE, OF, 44 397  
 TEST COURSE FOR WEAR MEASUREMENT, 44 106  
 THERMAL CONDUCTIVITY, 49 823  
 TODAY AND TOMORROW, 41 1374  
 TRACTION, EFFECTS ON, 44 962, 1437, 1439, 1445, 1446, 1447  
 TRACTION ON WET SURFACES, 41 1100  
 TRAVELING WAVES IN, 44 397  
 TREAD DESIGNS FOR QUIET TIRES, 44 1450  
 TREAD, EQUATION FOR BENDING LOSSES, 46 425  
 TREAD PATTERNS, FUNCTION OF, 41 452  
 TREAD WEAR, 41 209, 452  
 TREAD WEAR, AND CARBON BLACK PROPERTIES, 41 373, 753  
 TREAD WEAR, BLENDS OF BR WITH NATURAL RUBBER, 41 685  
 TREAD WEAR, BLENDS OF BR WITH SBR, 41 685  
 TREAD WEAR, EFFECT OF OPERATING CONDITIONS, 41 685  
 TREAD WEAR, FUNCTION OF CARBON BLACK PROPERTIES, 41 1271  
 TREADS OF SOLUTION SBR, 41 1376  
 TRUCK, GROOVE CRACKING, 44 1186  
 TRUCK, HEAT BUILDUP OF, 45 1  
 USED, UTILIZATION OF, 50 1004, 1005  
 VISCOELASTIC PROPERTIES OF, 45 1  
 WEAR TESTING, 43 1070  
 WET CORNERING FORCES, 44 962  
 WET SKID, 43 1070  
 WITH BREAKER BELTS, 41 988  
 X-RAY INSPECTION, 45 1151

**TITANATE ESTERS**

AS COUPLING AGENTS FOR FILLERS, 48 1091

**TITANATES**

AS COUPLING AGENTS, 50 446

AS COUPLING AGENTS, 50 1008

**TITANIUM CATALYSTS**

FOR PREPARATION OF EPDM, 45 709

IN COORDINATION POLYMERIZATION, 45 709

**TITANIUM COUPLING AGENTS**

EFFECT OF FUNCTIONAL GROUPS, 49 1351

IN FILLED POLYMER SYSTEMS, 49 398

**TITANIUM DIOXIDE**

IN VULCANIZATES, MICROSCOPY, 46 653

**TOLYLENE DIISOCYANATE, 44 52**

IN POLYURETHANES, 48 73

IN VULCANIZATION OF CHLORO-BR/BR, 50 364

IN VULCANIZATION OF NATURAL RUBBER, 43 501

**TOLYTHIO-ORTHO-BENZOIC SULFIMIDE, 45 1513****TOPOLOGY**

INTERPENETRATING NETWORK, 43 883

NETWORK AND LOW-FREQUENCY LOSSES, 42 1277

**TORSION PENDULUM, 46 561**

MEASURE OF DYNAMICAL PROPERTIES OF NITRILE RUBBER, 45222

**TORSION RESILIENCE**

HYSTERESIS OF WIRE IN, 43 1005

PENDULUM, 43 1005

**TORSIONAL LOADING**

OF SBR, 46 540

**TOXICITY**

OF ANTIOXIDANTS AND ANTIOZONANTS, 45 627

OF COMBUSTION PRODUCTS, 50 523

OF POLYCHLOROPRENE PYROLYSIS PRODUCTS, 50 449

OF POLYURETHANE PYROLYSIS PRODUCTS, 50 449

**TRACTION**

OF TIRES FROM ALFIN RUBBER, 43 333

**TRAILER**

CORNERING WEAR, 46 801

FOR TIRE WEAR MEASUREMENT, 46 801

WEAR CURVES FOR, 46 801

**TRANSFER MIX**

TWO-PLANE SHEAR, 50 443

**TRANSITION METAL IONS**

AS ANTIOXIDANTS, 44 1421

**TRANSITION METALS**

AS PRO-OXIDANTS, 41 271

**TRANSITIONS**

IN TRANS-1,4-POLYBUTADIENE, 41 576, 586

**TRANSMISSIBILITY**

MECHANICAL OF FILLED RUBBERS, 44 440

OF VARIOUS RUBBERS, 44 440

VARIATION WITH FREQUENCY, 44 440

**TRANSMISSION RATES**

OF GASES THROUGH PLASTIC FILMS, 44 363

**TREAD COMPOUNDS**

AND TIRE FRICTION, 50 997

AND WET FRICTION, 41 870, 890

DYNAMIC MECHANICAL, PROPERTIES OF, 41 943

FRICTION OF, 41 908

HIGH-HYSTERESIS, 41 452

WET SKID RESISTANCE OF, 41 477

**TREAD GROOVE CRACKING AND POLYSULFIDE CROSSLINKS, 45 450****TREAD PATTERNS**

EFFECT ON SKID RESISTANCE, 41 753, 780

ROLE OF IN FRICTION OF TIRES, 41 452

**TREAD WEAR, see ALSO TIRE WEAR**

AND CARBON BLACK PROPERTIES, 41 373

AND FRICTION, 41 452

AND REINFORCEMENT, 48 410

AS FUNCTION OF CARBON BLACK AGGREGATES, 42 1209

AS FUNCTION OF SPEED, 42 1450

EFFECT OF CARBON BLACK ON, 48 339, 1091

EFFECT OF CARBON BLACK ON, 50 842

EFFECT OF CURING TEMPERATURE, 48 356

EFFECT OF PROCESSING CONDITIONS, 50 765

EFFECT OF PROMOTERS ON, 48 410

EFFECT OF SERVICE SEVERITY, 41 373

EFFECT OF TEST SEVERITY, 50 998

EFFECT OF TIRE BREAKER BELT, 41 988

EFFECT OF TIRE OPERATING CONDITIONS, 41 685

RADIAL TIRES, ABRASION RESISTANCE, 49 12

RESPONSE TO CORD MODULUS, 49 400

SILICA VS. CARBON BLACK, 50 443

**TRIALKYLETHYLENES**

OXIDATION AS MODELS FOR NATURAL, 45 381

**TRIALLYLCYANURATE**

AS STARTING MATERIAL IN SYNTHESIS OF

S-TRIAZINE DERIVATIVES, 48 878

PROMOTION OF PEROXIDE CURE, 48 878

PROMOTION OF RADIATION CURE, 48 878

**TRIALLYLOXY-SYM-TRIAZINE, 2,4,6-, see TRIALLYLCYANURATE****TRIAxIAL STRESS THEORY**

AND POLYMER CRAZING, 43 1

**TRIAZINE**

THERMALLY STABLE ELASTOMER, 42 963

**TRIAZINE DERIVATIVES**

AS PEROXIDE CURE PROMOTERS, 48 878

AS RADIATION CURE PROMOTERS, 48 878

COMPATIBILITY WITH RUBBERS, 48 878

SYNTHESIS FROM TRIALLYLCYANURATE, 48 878

**TRIAZINES**

AS ACCELERATORS, 43 1194

**TRIBLEND, 43 400****TRIBUTYLTHIOSEMICARBAZIDE-1,1,4**

AS NONSTAINING ANTIOZONANT, 46 517

**TRIBUTYLTHIOUREA, 46 517****TRICHLOROETHYLENE**

HEALTH HAZARD OF, 44 512

**TRICHLOROMETHYLTHIO PHTHALIMIDE, 45 1513****TRICHLOROMETHYLTHIO-ORTHO-BENZOIC SULFIMIDE, 45 1513****TRICHLOROTHIOPHENOL**

RADICAL TRAP, 44 668

**TRICYCLO(5.2.1.0/2.6)DECA- 2,5,8-TRIENE**

IN TERPOLYMERS WITH ETHYLENE AND PROPYLENE, 48 747

**TRI(3,5-DI-TERT-BUTYL-4-HYDROXY-PHENYL)PHTHALATE**

ANTIOXIDANT ACTION OF, 45 402

ESR SPECTRUM OF, 45 402

**TRIETHANOLAMINE**

EFFECT ON DIELECTRIC HEATING, 44 294

**TRIETHYL PHOSPHITE**

CHEMICAL PROBE, 43 449

**TRIETHYLAMINE-BORANE**

VULCANIZING AGENT FOR NATURAL RUBBER, 43 501

**TRIMETHYLOL PROPANE**

CURING AGENTS FOR URETHANES, 44 52

**TRIMETHYLOLPROPANE TRIMETHACRYLATE**

CURING AID FOR RADIATION CURING, 47 924

USE IN FOAM COMPOSITIONS, 50 678

**TRIPHENYLENE**

- DIFFUSION COEFFICIENT IN RUBBERS, 45 278  
ESR SPECTRUM OF, 45 402
- TRIPHENYLPHOSPHINE**  
REACTION WITH POLYBUTADIENE VULCANIZATES, 45 173  
REACTION WITH POLYSULFIDIC CROSSLINKS, 43 572, 588, 664  
RUBBER PROPERTIES AFTER REACTION OF CROSSLINKS WITH, 43 664
- TRIS(2-CHLOROETHYL) PHOSPHATE**  
AS FLAME RETARDANT, 50 523
- TRITIUM-LABELED**  
ACCELERATORS, 45 467  
COMPOUNDS, 42 1200  
HYDROCARBONS, 45 278
- TRIVINYLCYCLOHEXANE**  
ADDUCTS AS RADIATIONCURE PROMOTER, 48 860  
REACTION WITH DITHIOLS, 48 860  
REACTION WITH H<sub>2</sub>S, 48 860
- TRIVINYLCYCLOHEXANE, 1,2,4-**  
AS MONOMER IN EPDM, 45 709
- TRUCK TIRES**  
POLYISOPRENE IN, 46 563, 577
- TUBES**  
THEORY OF DEFORMATION BETWEEN PARALLEL PLATES, 44 1380
- TUBING**, *see* HOSE
- TUNG DISTRIBUTION FUNCTION**, 43 1367
- TUNGSTEN**  
TETRAVALENT IN RING-OPENING POLYMERIZATION, 47 511
- TUNGSTEN HEXACHLORIDE**  
CATALYST FOR POLYMERIZATION, 47 511  
COCATALYSTS FOR, 47 511  
LIGAND EFFECT ON, 47 511
- TURBIDIMETRIC TITRATION OF POLYMERS**, 45 667
- TWIST**  
EFFECT OF IN POLYETHYLENE TEREPHTHALATE TIRE CORDS, 44 849
- TYNDALL EFFECT IN RUBBERS**, 45 653
- ULTIMATE PROPERTIES**  
AND MILL PROCESSABILITY, 49 52  
AND RUPTURE ENERGIES, 49 52  
AND STRESS-STRAIN AT BREAK, 49 52
- ULTRACENTRIFUGE**  
TO DETERMINE MOLECULAR WEIGHT AND MOLECULAR WEIGHT DISTRIBUTION, 45 667
- ULTRACENTRIFUGE MOLECULAR WEIGHTS**, 41 245
- ULTRAFILTRATION**  
OF CARBON BLACK, 46 538
- ULTRASONIC DISPERSION**  
OF CARBON BLACK, 47 858
- ULTRASONICS**  
FOR CLEANING MOLDS, 49 1129
- ULTRAVIOLET**  
ABSORPTION SPECTRUM OF NATURAL RUBBER AND VULCANIZATES, 45 481  
ANALYSIS OF OXIDIZED RUBBER, 48 692  
DEGRADATION OF NATURAL RUBBER, 45 481  
STABILIZATION OF POLYURETHANE, 48 1101
- ULTRAVIOLET SPECTROSCOPY**  
IN THE RUBBER INDUSTRY (REVIEW), 49 449
- UNIFORMITY**  
OF ELASTOMER BLENDS, 49 399
- UNITS OF MEASURE**, 48 1
- UNPERTURBED DIMENSIONS OF POLYMER CHAIN**  
FROM VISCOSITY MEASUREMENTS, 46 593  
MEASURE OF, 46 593
- THEORY OF, 46 593  
THERMOELASTIC MEASUREMENTS, 46 593
- UNSATURATION**  
IN POLYISOBUTENE, 41 400
- URANIUM**  
COMPOUNDS FOR CATALYSTS FOR STEREOREGULAR POLYMERIZATION OF BUTADIENE, 47 1175  
REMOVAL FROM POLYBUTADIENE BY WASHING, 47 1175  
TETRAALLYL, CATALYST FOR PREPARATION OF POLYBUTADIENE, 47 1175  
TRIALLYL HALIDES, AS CATALYSTS FOR PREPARATION OF POLYBUTADIENE, 47 1175
- URANIUM ALKOXIDES**  
COCATALYST FOR PREPARATION OF POLYBUTADIENE, 47 1175
- UREA-FORMALDEHYDE PIGMENTS**  
FOR LIQUID ELASTOMERS, 48 161
- URETHANE ELASTOMERS**, *see* ALSO POLYURETHANE  
CROSSLINKED OLIGODIENE URETHANE, 50 437  
GLASS TRANSITIONS OF, 41 537  
MILLABLE POLYESTER, 41 763  
NMR, 41 47  
PREPARATION AND PROPERTIES OF, 50 438
- URETHANES**  
CROSSLINKING AGENTS FOR NATURAL RUBBER, 43 501
- VACUOLES**  
IN STRETCHED, FILLED POLYACRYLATE, 48 830  
IN SWOLLEN, FILLED POLYACRYLATE, 48 845
- VACUUM STRESS PHOTORELAXATION**  
SPECTRUM OF NATURAL RUBBER, 45 481
- VALENCY**  
EFFECT ON RING-OPENING POLYMERIZATION BY TRANSITION METALS, 47 511
- VALVE**  
ELASTOMERIC, FOR MICROMETERING, 50 959
- VANADIUM**  
ALTERNATING PROPYLENE-BUTADIENE COPOLYMER, 45 1532  
CATALYSTS FOR POLYMERIZATION, 45 709, 1532  
EPDM, 45 709
- VAPOR PHASE CHROMATOGRAPHY**  
FOR DETERMINING STRUCTURE OF POLYISOPRENES, 41 418
- VAPOR SORPTION**  
AND POLYMER-SOLVENT INTERACTION PARAMETER, 50 451
- V-BELTS**  
COMPOUND, EFFECT OF MIXING, 50 1010  
ELASTOMERS FOR AUTOMOTIVE APPLICATIONS, 49 775  
FIBER-LOADED COMPOUNDS FOR, 49 1364  
RELIABILITY OF, 41 754
- VEHICLE ENERGY**  
CONSERVATION OF, 50 422
- VIBROGRINDING**  
OF VULCANIZED RUBBERS, 44 668
- VIBROMILL**, 44 534
- VINYL ETHERS**  
FLUORINATED ELASTOMERS FROM, 46 619
- VINYL POLYMERS**  
HIGH-RESOLUTION NMR STUDIES, 41 47  
SPECTROSCOPY OF (REVIEW), 49 417
- VINYL SILANE**  
EFFECT ON PROPERTIES OF PEROXIDE VULCANIZATES OF EPDM, 44 1080

## VINYLIDIOXOLANES

FLUORINATED ELASTOMERS FROM, 46 619

## VINYLIDENE FLUORIDE COPOLYMERS

COMONOMERS, 46 619

CROSSLINK DENSITY AS A FUNCTION OF RADIATION DOSAGE, 47 282

CURING AGENTS FOR, 46 619

EFFECT OF AGING ON RADIATION VULCANIZATES, 47 282

PREPARATION, 46 619

PROCESSING, 46 619

PROPERTIES OF, 46 619

RADIATION CROSSLINK AND CHAIN SCISSION, 47 282

REVIEW, 46 619

VULCANIZATES, 46 619

WITH HEXAFLUOROPROPYLENE, 47 282

WITH PERFLUOROALKYL VINYL ETHER, 47 282

WITH TRIFLUOROCHLOROETHYLENE, 47 282

VINYLIDENE FLUORIDE-HEXAFLUOROPROPYLENE COPOLYMER, *see* FLUOROELASTOMER

## VIRIAL COEFFICIENT

OF POLYBUTADIENES, 43 1367

OF VARIOUS ALKANES, 45 1638, 1655

SECOND, OF EPDM, 45 709

## VISCOELASTIC FRACTURE, 41 1168

## VISCOELASTIC PARAMETERS

TIRE CARCASS, 46 425

TIRE SIDEWALL, 46 425

TIRE TREAD BENDING, 46 425

TIRE TREAD COMPRESSION, 46 425

TIRE-CORD SYSTEM, 46 425

## VISCOELASTIC PROPERTIES

AND FRICTION OF RUBBER, 41 462

AS AFFECTED BY CHEMICAL REACTION, 48 913

CARBON BLACK AND, 47 729

COMPARED WITH DIELECTRIC PROPERTIES, 41 1249

EFFECTS ON HYSTERETIC LOSSES IN TIRES, 47 118

LONG-CHAIN BRANCHING FROM, 48 1035

NITRILE RUBBER, 47 307, 333, 778

OF RAW RUBBERS, MASTERCURVE FOR, 48 69

RELATIONSHIP TO HYSTERESIS, 47 363

THEORY OF ENERGY LOSS, 47 363

WITH RHEOVIBRON, 47 333, 363, 758, 765

## VISCOELASTICITY

AND FINITE EXTENSIBILITY, 43 714

AND FRICTION OF RUBBER, 41 209

AND GEL, 41 1132

AND GLASS TRANSITION TEMPERATURES, 43 1082

AND RUBBER PROCESSABILITY, 50 1003

AND STRESS RELAXATION, 50 895

AND ULTIMATE PROPERTIES, 49 52

AT LARGE DEFORMATIONS, 42 373

AT LARGE DEFORMATIONS, 46 417

AT SMALL DEFORMATIONS, 46 417

BUECHE THEORY, 45 638

COMPLEX STRESS RELAXATION, 43 735

COMPRESSIBLE, 45 1669

EFFECT OF MACROMOLECULAR STRUCTURE ON, 43 1082

EFFECT ON CALENDERING, 43 1082

EFFECT ON EXTRUSION, 43 1082

EFFECT ON MILLING, 43 1082

EFFECT ON RHEOLOGICAL PROPERTIES, 43 1062

EFFECT ON TACK, 43 1082

FOR MEASURING ENTANGLEMENTS, 41 1

IN ORTHO-RINGS, 46 530

LINEAR AND NON-LINEAR, 45 1623

LINEAR AND NONLINEAR, 48 981

LINEAR FOR AMORPHOUS POLYMERS, 45 1623

LINEAR FOR CROSSLINKED POLYMERS, 45 1623

MECHANISMS OF, 48 981

MOLECULAR THEORIES, 45 638

MOLECULAR THEORY OF, OF POLYMER NETWORKS, 46 127

OF BULK POLYMERS, 45 638

OF DILUTE POLYMER SOLUTIONS, 45 638

OF EPDM, 45 709

OF EPDM, 50 99

OF NATURAL RUBBER, 47 1

OF NBR IN COMPRESSION, 50 906

OF NITRILE RUBBER, 46 417

OF POLYBUTADIENE, 50 884

OF POLYISOBUTYLENE, 45 638

OF POLYISOPRENE, 47 1

OF POLYURETHANE, 47 19

OF RAW COMPOUNDS, EFFECT OF CURATIVE DISPERSION, 46 511

OF RUBBER NETWORKS, 48 981

OF TIRE COMPONENTS, 46 425

OF VULCANIZED EPDM, 45 709

ROUSE THEORY, 48 981

TEMPERATURE RANGE, 45 1623

TESTER FOR, 49 1367

TIME, TEMPERATURE, AND DEFORMATION AMPLITUDE, 47 778

## VISCOMETER

MOONEY, IN RUBBER PROCESSIBILITY, 42 714

## VISCOMETRY

CHARACTERIZATION OF ELASTOMERS BY, 43 1367

## VISCOSIMETRIC CHARACTERIZATION

OF POLYPENTENAMER, 48 781

VISCOSITY, *see* ALSO INTRINSIC VISCOSITY

AND MOLECULAR WEIGHT, 42 462

AND STEADY FLOW OF BLOCK COPOLYMERS, 45 1005

BULK, OF EPDM, 45 709

BULK, RELATION TO MOLECULAR WEIGHT, 45 709

COEFFICIENTS OF, 47 825

COMPLEX DYNAMIC AND VISCOELASTIC BEHAVIOR, 45 1082

COMPLEX OF POLYMERS, THEORY, 45 638

DYNAMIC, OF BLOCK COPOLYMERS, 45 1005

DYNAMIC OF SBR-1500, 50 791

EFFECT OF SILICA AND OIL, 47 825

IN INJECTION MOLDING, 49 29

IN MIXING RUBBER COMPOUNDS, 46 462

INTRINSIC, AND POLYMER-SOLVENT INTERACTION PARAMETER, 50 451

INTRINSIC, OF RANDOM BRANCHED POLYMERS, 49 1276, 1290

INTRINSIC-MW RELATION FOR 1,2-POLYBUTADIENE, 46 164

LOW MOLECULAR WEIGHT BUTYL RUBBER, 43 935

MELT, 46 1193

MOLECULAR WEIGHTS, 41 245

MOONEY, EFFECT ON MIXING IN INTERNAL MIXER, 48 1

OF ACRYLONITRILE-BUTADIENE COPOLYMERS, 49 52

OF BRANCHED POLYMER SOLUTION, 45 519

OF DILUTE POLYMER SOLUTION, THEORY, 45 638

- OF SBR, 49 52  
 OF SILICA-RUBBER SYSTEMS, 48 410  
 POWER LAW EQUATIONS FOR, 47 825  
 RELATION TO MIXING ENERGY, 49 12  
 RELATIVE, 47 825  
 SHEAR, OF EPDM, 45 709  
 SHEAR, ZERO, 46 1166  
 SHEAR-RATE CURVES, 47 318, 333, 778  
 TEMPERATURE DEPENDENCE, 48 462  
 WORK INDEX, IN MIXING OF RUBBER COMPOUNDS, 48 577
- VISCOSITY-WORK INDEX**  
 AS MIXING CRITERION, 49 1  
 MIXING ENERGY, 49 12
- VISCOUS MODULUS**  
 CARBON BLACK CONCENTRATION EFFECT, 47 729  
 STRAIN AMPLITUDE AND, 47 729
- VISIBLE SPECTROSCOPY**  
 IN THE RUBBER INDUSTRY (REVIEW), 49 417
- VOLATILE MATTER**  
 BY HEADSPACE GAS CHROMATOGRAPHY, 50 828  
 IN RUBBERS, DETERMINATION, 50 828
- VOLUME CHANGE**  
 CRITICAL STRAIN AND, 43 1025  
 EFFECT OF CURE ON, 43 1025  
 EFFECT OF FILLERS ON, 43 1025  
 OF STRAINED RUBBERS, 43 1025, 1473
- VOLUME DEPENDENCE ON STRAIN**  
 NATURAL RUBBER, 43 1473  
 STYRENE-BUTADIENE RUBBER, 43 887
- VOLUME DILATION**  
 IN EXTENSION OF RUBBER VULCANIZATES, 44 1391
- VOLUME SWELLING OF VULCANIZATES**  
 AND CARBON BLACK CONCENTRATION, 45 94  
 EFFECT OF VULCANIZATION IN PRESENCE OF CARBON BLACK ON, 45 94
- VULCANIZATES**  
 ACCELERATOR SOLUBILITY EFFECT, 49 105  
 ANALYSIS OF RUBBER COMPOSITION, 44 1278  
 AND NATURAL RUBBER, 45 1366  
 BINDER, 43 1255  
 CARBON-14 LABELED TETRAMETHYLTHIURAM DISULFIDE, 45 1366  
 CARPET BACKING, 43 1255  
 DETERMINATION OF UNVULCANIZED RUBBER IN, 45 1167  
 DIFFERENTIAL THERMAL ANALYSIS OF, 50 71  
 DIFFUSION OF OXYGEN IN, 50 43  
 EFFICIENT SYSTEM FOR, 45 1366  
 ELASTIC MODULUS OF, 46 877  
 ELECTRON MICROGRAPH OF SECTION, 46 65, 877  
 FILM, 43 1255  
 HEAT STABILITY OF, 46 927  
 HETEROGENEITY OF CROSSLINKS IN, 46 1285  
 IDENTIFICATION OF ACCELERATORS IN, 46 1035  
 IDENTIFICATION OF CARBON BLACK IN, 43 1529  
 LINEAR VISCOELASTIC BEHAVIOR ABOVE AND BELOW TG, 45 1623  
 MECHANICAL STRESS, 45 1074  
 NUCLEAR MAGNETIC RESONANCE STUDIES OF, 44 1273  
 OF ELASTOMER BLENDS, 49 105  
 OF EPDM, 46 1007  
 OF LATEX, SULFUR SOLUBILIZATION, 50 141  
 OF NR AND IR IDENTIFICATION OF, 50 71  
 OF POLY(ALKYLENE OXIDE) ELASTOMERS, 45 900
- OF POLY(BUTADIENE CO 1,3-PENTADIENE), 46 1274  
 OXIDATION OF NATURAL RUBBER, 45 381  
 OXIDATIVE DEGRADATION, 50 43  
 PIRELLI HYSTERESIMETER, 45 1161  
 PROPERTIES, EFFECT OF CURATIVES, 44 841  
 RADICAL FORMATION FROM MECHANICAL DEGRADATION OF, 44 668  
 REINFORCED NATURAL RUBBER, 45 1051  
 SCISSION BY AIR, 43 431  
 STRESS RELAXATION OF, 45 900  
 STRUCTURE, 44 71, 711, 771, 904  
 STRUCTURE, EFFECT ON AGING, 41 182  
 STRUCTURE, KINETICS, EPDM WITH SULFUR AND DITHIOCARBAMATES, 41 31 6  
 STRUCTURE, OF EPDM, 41 316  
 STRUCTURE, POLYSULFIDE ELASTOMERS, 41 114  
 STRUCTURE, SULFUR, AND FILLER REINFORCEMENT, 41 330  
 SWOLLEN, 45 1634, 1646  
 THREAD, 43 1255  
 VIBROGRINDING OF, 44 668  
 WITH PLASTIC FILLERS, 49 65
- VULCANIZATION**, see ALSO CURE, PEROXIDE VULCANIZATION  
 ACCELERATORS OF, 47 906  
 ANALYSIS, BY DSC, 48 26  
 AND ACIDITY OF CARBON BLACK SURFACE, 45 129  
 AND CARBON BLACK, 45 94  
 AND CROSSLINK FUNCTIONALITY, 45 1597  
 AND CROSSLINK REGULARITY EFFECT ON PROPERTIES, 45 1597  
 AND CURATIVE DISTRIBUTION, 45 94  
 AND DIBENZOTHAZOLYL DISULFIDE, 45 1075, 1167  
 AND GRAPHITIZED CARBON BLACK, 45 129  
 AND VOLUME SWELLING, 45 94  
 AT HIGH TEMPERATURES, 44 1316  
 BENZOTHAZOLYL DISULFIDE IN, 43 549  
 BROMOBUTYL COMPOUNDS, 45 1167  
 BUTYL RUBBER, 46 584  
 BY ALDEHYDES, 43 188  
 BY ALKYLPHENOL-FORMALDEHYDE OLIGOMERS IN OPEN STREAM, 47 409  
 BY AMINE-BORANES AND AMINE-CHLOROBORANES, 43 501  
 BY CARBON BLACK SURFACE, 43 449  
 BY DIBASIC LEAD PHOSPHITE, 45 900  
 BY ELECTRON ACCELERATOR, 47 925  
 BY ELECTRON IRRADIATION, 45 193  
 BY FORMALDEHYDE, 43 188  
 BY HALOMETHYL PHENOLIC RESINS, 44 914  
 BY IONIZING RADIATION, 44 587  
 BY METHYL ETHYL KETONE PEROXIDE, 45 1033  
 BY PEROXIDE, 42 744, 1245  
 BY PEROXIDE, 45 359, 1152  
 BY PEROXIDE-COCATALYST SYSTEMS, 44 923  
 BY POLYCHLOROALICYCLIC KETONES, 43 171  
 BY RADIATION, 42 509  
 BY RADIATION, 45 193  
 BY RADIATION, 47 282, 285  
 BY RED LEAD, 45 900  
 BY SULFUR, ACCELERATION BY DIALKYLTHIOCARBAMYL SULFENAMIDES, 47 906  
 BY TETRAMETHYLTHIURAM DISULFIDE, 45 945  
 BY TOLYLENE DIISOCYANATE, 45 1153  
 BY URETHANES, 43 501  
 BY VARIOUS ACCELERATORS, 46 47  
 CARBOXYL-TERMINATED POLYBUTADIENE, 46 139

- CHEMISTRY OF, 43 549, 1188  
 CHLOROBUTYL RUBBER, 46 251  
 CIS-TRANS ISOMERIZATION DURING, 44 71, 904  
 COMBINED SULFUR IN, 47 266  
 COMPOUND FORMATION DURING, 44 71, 904  
 COMPUTER ANALYSIS OF CUREMETER DATA OF, 43 526  
 CONTINUOUS, 50 1003  
 CONTINUOUS, 44 294, 839  
 CONTINUOUS MICROWAVE, 50 443  
 CONTROL BY COMPUTER, 49 406  
 CORRELATION WITH ACCELERATOR FRAGMENTS, 45 160  
 CYCLOHEXYL-2-BENZOTHAZOLE SULFENAMIDE, 45 1051, 1065  
 DEGREE AND SOL CONTENT, 45 1597  
 DEVELOPMENT OF MBT AND ZINC COMPOUNDS OF MBT DURING, 42 735  
 DIBENZOQUINONEIMINYL ESTER OF METHYLENE BIS(CYCLOHEXANECARBAMIC ACID)  
 DICUMYL PEROXIDE, 45 1065, 1157  
 DICUMYL PEROXIDE FOR, 47 251, 266  
 DICYCLOHEXYLMETHANE DIISOCYANATE IN, 43 501  
 DIISOCYANATE REACTION IN, 43 501, 1154  
 DIPENTAMETHYLENE TETRASULFIDE, 45 1167  
 DIPHENYLGUANIDINE, 45 1162  
 DIPHENYLGUANIDINE IN POLYBUTADIENE, 43 549  
 4,4'-DITHIODIMORPHOLINE, 45 1162  
 DUAL, 43 572, 664  
 DUAL, 45 467  
 EFFECT OF CARBON BLACK ON, 44 199  
 EFFECT OF CURATIVE DISPERSION ON, 46 511  
 EFFECT OF DICUMYL PEROXIDE ON SULFENAMIDE ACCELERATION OF, 43 1311  
 EFFECT OF DYNAMIC PROPERTIES, 44 440  
 EFFECT OF HEAT HISTORY ON ACCELERATION OF, 43 799  
 EFFECT OF LOSS FACTOR ON CONTINUOUS, 44 294  
 EFFECT OF SHRUNKEN STATE ON PROPERTIES, 43 969  
 EFFECT OF TERMONOMER STRUCTURE OF EPDM ON, 43 522  
 EFFECT OF ZINC OXIDE, 44 721  
 EFFECT ON MOLECULAR WEIGHT DISTRIBUTION BY, 43 549  
 EFFICIENCY, 47 697  
 EFFICIENCY, 50 90  
 EFFICIENT, 42 404, 418  
 FORMATION OF COUBLE BOND CONJUGATION DURING, 44 904  
 GLYCIDYL ETHER OF GLYCEROL, 45 1153  
 HEAT OF, 48 26  
 HEAT SCHEDULES OF THICK-WALLED ARTICLES, 45 955  
 HEXANE DIISOCYANATE IN, 43 501  
 HIGH TEMPERATURE, 46 566  
 HOT AIR, 44 838  
 IN SWOLLEN STATE, 43 969  
 INHIBITOR, 43 1522  
 KINETICS IN EPDM, 45 709  
 KINETICS OF, 43 411, 588  
 KINETICS OF, 44 1316  
 KINETICS OF ACCELERATED, 42 1366  
 KINETICS OF CONSUMPTION BY SULFUR, 47 251  
 KINETICS OF FORMATION OF ZINC SULFIDE, 47 251  
 KINETICS OF SULFUR-FREE THIURAM, 45 945  
 LIQUID CURING MEDIUM FOR, 44 838  
 MATURING PROCESS IN ETHYLENE-PROPYLENE RUBBER, 43 1040  
 MECHANISM, 42 1366  
 MECHANISM OF, 43 549, 1294, 1311  
 MECHANISM OF, 44 721  
 MECHANISM OF, 46 957  
 MECHANISM OF, 47 251, 906  
 2-MERCAPTOBENZOTHAZOLE, 45 900, 1074  
 METHYLATED TRIETHYLENETETRAMINE, 45 1153  
 MICROWAVE HEATING FOR, 44 294  
 NEW REACTIONS FOR NATURAL RUBBER, 43 501  
 NICKEL DIBUTYLDITHIOCARBAMATE, 45 900  
 NITRILE RUBBER, 42 1468  
 NITROSOANILINE IN, 43 501  
 NITROSOPHENOL IN, 43 501  
 OBSERVED MICROSCOPICALLY, 46 653  
 OF BR BLEND BY DIISOCYANATES, 50 364  
 OF BR, IR STUDY, 48 348  
 OF BROMINATED ETHYLENE-PROPYLENE RUBBER, 44 721  
 OF CARBONATE ELASTOMERS, 48 14  
 OF CIS-POLYPENTENAMER, 42 1235  
 OF EPDM, 45 709  
 OF EPDM AND ITS BLENDS, 44 1065, 1109  
 OF EPDM BY GRADIENT TEMPERATURE METHOD, 43 931  
 OF EPDM-NBR BLENDS, 49 112  
 OF EPM, 45 709  
 OF EPM, 46 1007  
 OF FLUOROELASTOMER, 50 403  
 OF FLUOROELASTOMERS, 46 619  
 OF LATEX, 49 411, 413  
 OF LATEX, SULFUR SOLUBILIZATION, 50 141  
 OF LIQUID ELASTOMERS, 46 139, 161  
 OF LIQUID RUBBERS, 44 675  
 OF LIQUID RUBBERS BY TOLYLENE DIISOCYANATE, 45 1153  
 OF MEDICAL GRADE SILICONE RUBBER, 44 363  
 OF NATURAL RUBBER, 45 67, 305, 477, 504, 556, 557, 558, 561, 566, 578, 584, 653, 874, 981, 999, 1299  
 OF NATURAL RUBBER BY VARIOUS MEANS, 48 141  
 OF NITRILE RUBBER, 46 275, 305, 483, 584  
 OF PHOSPHONITRILIC FLUOROELASTOMERS, 47 32  
 OF POLYALKENAMERS, 47 511  
 OF POLYBUTADIENE, 46 251, 275, 561, 588  
 OF POLYBUTADIENE BY PEROXIDE, 45 1152  
 OF POLY(BUTADIENE CO 1,3-PENTADIENE), 46 1274  
 OF POLYCHLOROPRENE, 46 584  
 OF POLYCHLOROPRENE, ACCELERATORS FOR, 48 19  
 OF POLYCHLOROPRENE, EFFECT OF METAL OXIDES, 48 19  
 OF POLYISOPRENE, 46 442, 556, 557, 558, 566, 578  
 OF SBR, 46 106, 251, 442, 592  
 OF SBR, THIURAM ACCELERATED, 49 1193  
 OF SILICONE RUBBER, 47 285  
 OF SWOLLEN RUBBER, 44 744  
 OF VINYLIDENE FLUORIDE COPOLYMERS, 47 282  
 OIL MIGRATION DURING, 47 127  
 ON-LINE CONTROL, 45 1156  
 PENDENT ACCELERATOR BUILDUP DURING, 43 572  
 POLAR NATURE OF, 43 1294  
 PRODUCTS OF, 43 549  
 PROFILE, 42 968



- PROGRAMMED TEMPERATURE OF, 42 1481  
 RADIATION, 44 838  
 RADICAL AND POLAR MECHANISMS IN, 42 744, 1366  
 RADICAL NATURE OF, 43 1294  
 RAMAN SPECTRA OF, 44 71, 904  
 RATE CONSTANT, EFFECT ON RUBBER TO WIRE ADHESION, 45 26  
 RATE, EFFECT OF ACCELERATORS ON, 46 504  
 REINFORCED NATURAL RUBBER, 45 1051  
 RETARDATION BY N-CYCLOHEXYLTHIO-ORTHO-SULFIMIDE, 47 79  
 RETARDATION OF SULFUR, 45 1513  
 RETARDERS (REVIEW), 50 570  
 SCORCH DELAY, 43 1198  
 SCORCH DELAY MECHANISM, 46 47  
 STANNOUS CHLORIDE IN, 43 188  
 STRESS RELAXATION AND CROSSLINKS, 45 1064  
 STRESS RELAXATION DURING, 45 1630  
 STUDIED BY ATTENUATED TOTAL REFLECTANCE, 43 860  
 STUDY BY INFRARED, 45 546  
 STUDY BY RAMAN SPECTROSCOPY, 45 173  
 SULFIDE FORMATION DURING, 44 71, 904  
 SULFUR, PEROXIDE, AND ACCELERATOR COMBINATION IN, 42 744  
 SYSTEM FOR LIQUID RUBBERS, 44 754  
 SYSTEMS FOR INJECTION MOLDING, 44 620  
 TEXT FOR UNIFORMITY, 48 1113  
 TOLYLENE DICARBAMIC ACID IN, 43 501  
 VOLUME CHANGE DURING, 43 1275  
 WITH TETRAMETHYLTHIURAM MONOSULFIDE, 45 900  
 ZINC DIMETHYLDITHIOCARBAMATE AS PROMOTER OF DIISOCYANATE REACTION IN, 43 501
- VULCANIZING AGENTS**  
 AMINOTHIOCARBONYLAMINO DISULFIDE AS, 44 881  
 3-AZABICYCLO (3.2.2) NON-3-YLTHIOCARBONYL MORPHOLINO DISULFIDE AS, 44 881  
 3-AZABICYCLO(3.2.2)NON-3-YL- THIOCARBONYL 3-AZABICYCLO(3.2.2)- NON-3 -YL DISULFIDE AS, 44 881  
 2-BENZIMIDAZOLYL N-MORPHOLINO DISULFIDE AS, 44 896  
 2-BENZOTHAZOLYL N-MORPHOLINO DISULFIDE AS, 44 896  
 2-BENZOXAZOLYL N-MORPHOLINO DISULFIDE AS, 44 896  
 2-(5-CHLORO BENZOTHAZOLYL) N-MORPHOLINO DISULFIDE AS, 44 898  
 COMPARISON OF CURE RATES OF, 44 881, 898  
 DIETHYLTHIOCARBAMYL MORPHOLINO DISULFIDE AS, 44 881  
 DIMETHYLTHIOCARBAMYL MORPHOLINO DISULFIDE AS, 44 881  
 EFFECT OF SUBSTITUENTS ON CURING CHARACTER OF, 44 881, 898  
 2-(6-ETHOXYBENZOTHAZOLYL) N-MORPHOLINO DISULFIDE AS, 44 896  
 2-(4-METHYL-5-ACETYLTHIAZOLYL) N-MORPHOLINO DISULFIDE AS, 44 898  
 2-(4-METHYL-5-ETHOXYCARBONYL-THIAZOLYL) N-MORPHOLINO DISULFIDE AS, 44 898  
 2-(4-METHYLTHIAZOLYL) N-MORPHOLINO DISULFIDE AS, 44 898  
 MORPHOLINOTHIOCARBONYL 3-AZABICYCLO(3.2.2)NON-3-YL DISULFIDE AS, 44 881  
 MORPHOLINOTHIOCARBONYL MORPHOLINO DISULFIDE AS, 44 881  
 MORPHOLINOTHIOCARBONYL PIPERIDINO DISULFIDE AS, 44 881  
 MORPHOLINOTHIOCARBONYL PYRROLIDINO DISULFIDE AS, 44 881  
 2-(6-NITROBENZOTHAZOLYL) N-MORPHOLINO DISULFIDE AS, 44 896  
 PIPERIDINOTHIOCARBONYL MORPHOLINO AS, 44 881  
 PIPERIDINOTHIOCARBONYL PIPERIDINO DISULFIDE AS, 44 881  
 PYRROLIDINOTHIOCARBONYL 3-AZABICYCLO(3.2.2)NON-3-YL DISULFIDE AS, 44 881  
 PYRROLIDINOTHIOCARBONYL MORPHOLINO DISULFIDE AS, 44 881  
 SCORCH CHARACTER OF, 44 881, 896  
 SYNTHESIS OF VARIOUS, 44 881, 896
- WATER**  
 EXTRACTION OF ANTIOZONANTS BY, 42 1471  
 FROM FLUOROELASTOMERS DURING CURE, 49 367
- WATER POLLUTION**  
 RUBBER USE IN CONTROL OF, 43 1521
- WEAR AND FRICTION OF RUBBER (REVIEW), 41 209**
- WEATHERING**  
 OF THERMOPLASTIC ELASTOMERS, 49 1355
- WEIBULL STATISTICS**  
 FOR FATIGUE DATA, 47 188, 231
- WESLAU DISTRIBUTION FUNCTION, 43 1367**
- WET ROAD FRICTION, 41 753**
- WET SKID RESISTANCE**  
 EFFECT OF MODULUS ON, 43 1070  
 EFFECT OF STYRENE BUTADIENE RUBBER COMPOSITION ON, 43 1070  
 EFFECT OF TIRE CONSTRUCTION ON, 43 1070  
 OF TIRES, 44 969, 996  
 PREDICTION OF, 43 1070
- WETTING INDEX**  
 FOR FILLERS, 46 1166
- WETTING TIME**  
 OF ELASTOMERS FOR FILLERS, 46 1166
- WHEEL**  
 PHYSICS OF SLIPPING, 42 1014  
 SLIPPING, LOAD DEPENDENCE OF ABRASION, 43 701
- WHITING**  
 EFFECT OF PEROXIDE CURE, 48 878
- WILLIAM ABRADER**  
 STUDIES WITH, 44 1173
- WINDSHIELD WIPER BLADES, 44 1440**
- WINTER TIRES**  
 OE-NR IN, 50 434
- WIRE, see ALSO CABLE**  
 AUTOMOTIVE, 48 353  
 EPDM'S FOR, 48 354  
 FOR REINFORCEMENT OF RUBBER, 49 379  
 SOLID DIELECTRIC, ELASTOMERS IN, 48 350
- WIRE ADHESION, 45 16, 26**  
 AIR AGING EFFECT, 45 26  
 AND CARBON BLACK MORPHOLOGICAL EFFECT, 45 26  
 AND MODULUS, 45 16  
 AND WIRE GEOMETRY, 45 16  
 BONDING AGENTS FOR, 49 409

- BRAIDED WIRE AND, 45 16  
CURE RATE IN, 49 409  
EFFECT OF SILICAS AND SILICATES, 41 1300  
ELEVATED TEST TEMPERATURE EFFECT, 45 26  
OPTIMIZATION OF, 49 409
- WIRE AND CABLE**  
JACKET, FORMULATION FOR FIRE RESISTANCE, 50 523  
THERMOPLASTIC ELASTOMERS FOR, 50 414
- WLF EQUATION**  
AND EPDM, 45 709  
AND STRESS RELAXATION, 50 895  
AND VISCOELASTIC PROPERTIES, 45 1015  
APPLICATION, 44 1256  
FOR CREEP OF BR, 50 884
- WLF SUPERPOSITION, 46 127**
- WLF TRANSFORM**  
USE IN FRICTION STUDIES, 48 527
- WOOL**  
ENERGETIC CONTRIBUTION TO ELASTICITY, 45 638
- X-RADIATION OF LATEX, 43 1**
- X-RAY ANALYSIS OF RUBBER BLENDS, 47 481**
- X-RAY DIFFRACTION**  
IN MORPHOLOGY OF PIVALOLACTONE-EPDM GRAFTS, 50 109  
OF ALTERNATING COPOLYMERS, 48 719  
OF AMORPHOUS POLYMERS, 48 513  
OF EPM, 45 709  
OF MPC BLACK, 48 410  
OF POLYISOPRENES, 49 1259  
OF STRAINED RUBBERS, 48 445  
SMALL ANGLE BY EPM, 45 709  
SMALL ANGLE BY STYRENE-BUTADIENE BLOCK COPOLYMERS, 45 1564  
SMALL ANGLE OF STYRENE-BUTADIENE STYRENE BLOCK COPOLYMERS, 45 241
- X-RAY INSPECTION OF TIRES, 45 1151**
- YIELD STRESS AND STRAIN, 47 1213**
- YOUNG'S MODULUS, 45 1171**
- YOUNG'S MODULUS, 45 294**  
AND INTERNAL FRICTION, 45 1033  
PROPERTIES OF RUBBERS FROM 4 TO 250 DEGREES K, 45 1033
- ZEREWITINOFF**  
MEASURE OF ACTIVE HYDROGEN ON CARBON BLACK SURFACE BY, 45 106
- ZIEGLER CATALYSTS**  
AND CARBONYL COMPOUNDS AS COMPLEXING AGENT, EFFECT ON MOLECULAR WEIGHT, 45 1532  
CHLORIDE CONTENT AND CATALYTIC INFLUENCE, 45 1532  
IN BUTADIENE-PROPYLENE ALTERNATING COPOLYMER, 45 1532
- ZIMM-KILB RELATIONSHIP, 45 1252**
- ZINC ANALYSIS**  
AS MEASURE OF TIRE DUST, 47 1275
- ZINC CHLORIDE**  
DIVINYLPYRIDINO, 46 1285  
IN PYROLYSIS OF SCRAP TIRES, 49 1120  
VULCANIZATION OF SBR BY, 46 1285
- ZINC COMPLEXES**  
EFFECT ON PREVULCANIZATION INHIBITION, 46 504  
IN MECHANISM OF VULCANIZATION, 46 938  
MECHANISM OF DECOMPOSITION, 46 524
- THE THERMAL DECOMPOSITION OF, 46 524, 938
- ZINC COMPOUNDS WITH MERCAPTOBENZOTHIADIAZOLE**  
IN RUBBER AGING, 42 735  
IN VULCANIZATION MECHANISM, 42 1366
- ZINC DIBUTYLDITHIOCARBAMATE, 44 1065**
- ZINC DIETHYLDITHIOCARBAMATE**  
CURING AGENT FOR POLYACRYLATE RUBBERS, 44 344  
EFFECT OF HEAT HISTORY ON, 43 799  
HEALTH HAZARD OF, 44 512
- ZINC DIMETHYLDITHIOCARBAMATE**  
DECOMPOSITION, 46 524  
EFFECT ON AGING, 43 651  
EFFECT ON SULFURCYCLOHEXENE REACTION, 41 1339  
EFFECT ON VULCANIZATE STRUCTURE, 43 651  
HEALTH HAZARD OF, 44 512  
IN VULCANIZATION BY DIISOCYANATES, 43 501  
IN VULCANIZATION OF NATURAL RUBBER BY NITROSOPHENOLS AND DIISOCYANATES, 47 100  
KINETICS OF FORMATION IN NATURAL RUBBER, 43 1294  
RAMAN SPECTRUM OF, 46 938
- ZINC DODECYLSOPROPYLDITHIOCARBAMATE, 44 1065**
- ZINC ETHYLPHENYLDITHIOCARBAMATE**  
EFFECT OF HEAT HISTORY ON, 43 799
- ZINC OCTADECYLCYCLOHEXYLDITHIOCARBAMATE, 44 1065**
- ZINC OCTADECYLSOPROPYLDITHIOCARBAMATE, 44 1065**
- ZINC OCTYLSOPROPYLDITHIOCARBAMATE, 44 1065**
- ZINC OXIDE**  
CATALYST IN RESIN CURING, 44 914  
COATED, IN CARBOXYLIC ELASTOMERS, 46 78  
COMPARED TO PB304, IN COCURE OF BLEND, 49 112  
CROSSLINK DENSITY AND, 47 251  
EFFECT IN RUBBER OF VARIOUS, 47 1318  
EFFECT ON SULFUR-CYCLOHEXENE REACTION, 41 1329  
EFFECT ON VULCANIZATION MECHANISM, 47 251, 266  
EFFECTS ON PHYSICAL PROPERTIES, 50 448  
ENCAPSULATING FOR SCORCH CONTROL, 46 78  
IN COCURE OF NBR-EPDM BLENDS, 49 112  
IN CURE RETARDATION, 49 118  
IN FLUOROELASTOMER, VULCANIZATION, 46 619  
IN KINETICS OF SULFUR VULCANIZATION, 43 588  
IN SULFUR VULCANIZATION, 48 889  
IN SULFUR VULCANIZATION OF EPDM, 45 709  
IN VULCANIZATES, MICROSCOPY, 46 653  
PARTICLE SIZE, 47 1318  
RAMAN SPECTRUM OF, 45 173  
REACTION WITH MBT, 49 118  
REACTION WITH PHTHALIC ANHYDRIDE, 49 118
- ZINC PHOSPHATE**  
COATING ON ZINC OXIDE, 46 47
- ZINC SALT OF MBT**  
RAMAN SPECTRUM OF, 47 906
- ZINC SULFIDE**  
AS VULCANIZATION BY-PRODUCT, 46 653  
COATING ON ZINC OXIDE, 46 78  
IN SULFUR VULCANIZATION, 48 889  
IN VULCANIZATION, MICROSCOPY, 46 653  
KINETICS OF FORMATION IN VULCANIZATION, 47 251

VARIATION WITH VULCANIZATION, 43 549, 664, ZONE MELTING OF FROZEN POLYMER SOLUTIONS, 41 1288  
1311

